



## A PUBLIC PROGRESS REPORT FROM: *The Arkansas Basin Roundtable*

*Local water leaders will discuss our water needs for the 21<sup>st</sup> Century*

Thursday, June 3, 2010 from 1:00-5:00 p.m.

The Pikes Peak Room at Leon Young Service Center<sup>†</sup>

1521 Hancock Expressway | Colorado Springs, CO

## *How will we meet our 21<sup>st</sup> Century water needs?*

### AGENDA

1:00 – 1:10 **Introduction and Welcome** (*refreshments will be served*)

*Wayne Vanderschuere, Water Supply Manager for Colorado Springs Utilities*

#### **SESSION I: USING AND MANAGING THE WATER OF THE ARKANSAS BASIN**

1:10 – 1:30 **Colorado Water for the 21<sup>st</sup> Century Act and the Arkansas Basin Roundtable**

*Gary Barber, Chairperson, Arkansas Basin Roundtable*

1:30 – 2:00 **Environmental and Recreational Water Needs Assessment**

*Patrick Wells, Colorado Springs Utilities*

2:00 – 2:30 **Municipal, Industrial and Agricultural Water Needs Assessment**

*Mike Applegate, The Applegate Group, Inc.*

2:30 – 3:00 **Question and Answer Session**

*Presenters as a group*

3:00 – 3:10 **Break**

#### **SESSION II: HOW WILL WE MEET OUR 21<sup>ST</sup> CENTURY WATER NEEDS?**

3:10 – 3:30 **Status and Scope of Identified Projects and Processes (IP&P's)**

*Wayne Vanderschuere, Water Supply Manager for Colorado Springs Utilities*

3:30 – 4:00 **State Wide Perspective – Path Forward**

*Eric Hecox, Section Chief, Colorado Water Conservation Board*

4:00 – 4:30 **Where do we go from here? Roundtable and Stakeholders**

*Gary Barber, Chairperson, Arkansas Basin Roundtable*

4:30 – 5:00 **Question and Answer Session**

*Presenters as a group*

<sup>†</sup> **Parking:** Turn from Hancock Expressway into the Leon Young Service Center campus using the parking lot entry nearest the flagpole. There will be a sign that says Pikes Peak Room parking that directs visitors into the North parking lot. Please leave spaces along the sidewalk near the lobby entry open for customers who need short-term parking.

### SPONSORED BY:



Arkansas Basin  
Roundtable