

STATE OF COLORADO

Bill Ritter, Jr., Governor

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF WILDLIFE

AN EQUAL OPPORTUNITY EMPLOYER

Thomas E. Remington, Director

6060 Broadway

Denver, Colorado 80216

Telephone: (303) 297-1192

wildlife.state.co.us



*For Wildlife-
For People*

January 14, 2010

Ms. Linda Bassi
Colorado Water Conservation Board
Stream and Lake Protection Section
1313 Sherman Street, Room 723
Denver, Colorado 80203

Re: Colorado Division of Wildlife Instream Flow Recommendations for West Prong South Fork of Slater Creek.

Dear Linda,

The purpose of this letter is to formally transmit the Colorado Division of Wildlife's (CDOW) support for Trout Unlimited's (TU) Instream Flow Recommendation for West Prong South Fork (WPSFK) Slater Creek pursuant to Rule 5n of the Rules Concerning the Colorado Instream Flow and Natural Lake Levels. The CDOW believes that WPSFK Slater Creek should be considered for inclusion into the Instream Flow Program (ISFP) because it has a natural environment that can be preserved to a reasonable degree with an instream flow water right. As you know, the State of Colorado's Instream Flow Program (ISFP) was created in 1973 when the Colorado State Legislature recognized "the need to correlate the activities of mankind with some reasonable preservation of the natural environment" (See §37-92-102 (3) C.R.S.). The statute vests the Colorado Water Conservation Board (Board) with the exclusive authority to appropriate and acquire instream flow and natural lake level water rights. In order to encourage other entities to participate in Colorado's ISFP, the statute directs the Board to request instream flow recommendations from other state and federal agencies.

Location and Land Status

The WPSFK Slater Creek instream flow recommendation begins at the headwaters of WPSFK Slater Creek and extends downstream to the Decker Ditch. The proposed instream flow segment is located northeast of the Town of Craig. 100% of the proposed segment is located on public lands.

Biological Summary and R2CROSS Analysis

The CDOW and TU worked cooperatively on this recommendation and together have collected stream cross section information, natural environment data, and other data needed to quantify the instream flow needs for this reach of the WPSFK Slater Creek. WPSFK Slater Creek is classified as a medium stream (between 20 to 35 feet wide) and fishery surveys indicate the stream environment of the WPSFK Slater Creek supports Colorado River cutthroat trout (*Oncorhynchus clarkii pleuriticus*). The Board staff relies upon the biological expertise of the cooperating agencies to interpret output from the R2CROSS data collected to develop the initial, biologic instream flow recommendation. This initial recommendation is designed to address the unique biologic requirements of each stream without regard to water availability. Three instream flow hydraulic parameters, average depth, percent wetted perimeter, and average velocity are used to develop biologic instream flow recommendations. The CDOW has determined that maintaining these three hydraulic parameters at adequate levels across riffle habitat types, aquatic habitat in pools and runs will also be maintained for most life stages of fish and aquatic invertebrates (Nehring 1979; Espegren 1996).

DEPARTMENT OF NATURAL RESOURCES, James B. Martin, Executive Director
WILDLIFE COMMISSION, Brad Coors, Chair • Tim Glenn, Vice Chair • Dennis Buechler, Secretary
Members, Jeffrey Crawford • Dorothea Farris • Roy McAnally • John Singletary • Mark Smith • Robert Streeter
Ex Officio Members, James B. Martin and John Stulp

The results of the R2CROSS data collection efforts for this segment indicate that an instream flow recommendation of 4.9 cfs, is required to maintain the three principal hydraulic criteria of average depth, average velocity and percent wetted perimeter, and 2.5 cfs, is required to maintain two of the three principal hydraulic criteria. However, these results are only based on the physical and biological data collected to date and do not incorporate any water availability constraints.

Water Availability Analysis and Instream Flow Recommendation

The TU staff conducted a preliminary evaluation of the stream hydrology to determine if water was physically available for an instream flow appropriation based on an aerial apportionment of USGS gage 09245500 on the North Fork of Elkhead Creek, CO. Subsequent to this preliminary analysis, the CWCB completed their geometric mean analysis of daily flows for WPSFK Slater Creek. CDOW and TU used the CWCB's water availability analysis to adjust the seasonality and quantities of the R2CROSS instream flow recommendation so that the estimated daily flow of WPSFK Slater Creek reasonably exceeds the recommended instream flow amounts. These seasonal adjustments are reflected in the final instream flow recommendation shown below:

- 4.9 cfs (March 1 through July 31)
- 3.5 cfs (August 1 through October 31)
- 2.5 cfs (November 1 through February 28)

Relationship to State Policy

The CDOW supports the Instream Flow Program because the appropriation of instream flow water rights helps the CDOW meet our statutory mission as described in Title 33 of the Colorado Revised Statutes (CRS):

§33-1-101 – “It is the policy of the state of Colorado that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors ... that there shall be provided a comprehensive program designed to offer the greatest possible variety of wildlife-related recreational opportunity to the people of this state and its visitors and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife related opportunities.”

§33-2-106 – “(1) The division [of Wildlife] shall establish such programs including acquisition of land or aquatic habitat as are deemed necessary for management of nongame, endangered, or threatened wildlife. (2) ... the division may enter into agreements with federal agencies or political subdivisions of this state or with private persons for administration and management of any area established under this section or utilized for management of nongame, endangered, or threatened wildlife.”

§33-5-101 – “It is declared to be the policy of the state that its fish and wildlife resources, and particularly the fishing waters within the state, are to be protected and preserved from the actions of any state agency to the end that they be available for all time and without change in their natural existing state, except as may be necessary and appropriate after due consideration of all factors involved.”

In addition to meeting the state policy discussed above WPSFK Slater Creek satisfies criteria identified by the CWCB for ISF appropriations, including:

- a) The recommendations have broad public support;
- b) The proposed appropriations will have a positive impact on state or local economies;
- c) The recommendations are part of a water acquisition strategy;
- d) The recommendations are part of a collaborative solution to a unique natural resource issue with federal, state or local partners; and
- e) The instream flow amount and timing recommended by TU, CDOW and CWCB staff:
 - Is based upon standard scientific methodology and an accurate R2CROSS analysis;
 - Reflects the amount of water available for appropriation as an instream flow water right; and
 - Is required to preserve the natural environment to a reasonable degree.

TU has provided copies of the field data sheets, the R2CROSS modeling runs, and stream photographs. If you have any questions regarding the provided information or the instream flow recommendation please contact me at (303)-291-7267.

Sincerely,

Mark Uppendahl

Mark Uppendahl
Colorado Division of Wildlife
Instream Flow Program Coordinator

Cc: Grady McNeill, CDOW Resource Support Section Manager – w/o attachments
Jay Skinner, CDOW Water Unit Program Manager – w/o attachments
Dave Graf, CDOW Water Resource Specialist – w/o attachments
Sherman Hebein, CDOW NW Senior Aquatic Biologist – w/o attachments
Ron Velardi, CDOW Northwest Regional Manager - w/o attachments
Boyd Wright, CDOW Aquatic Biologist – w/o attachments
Bill de Vergie, CDOW AWM Area 6 – w/o attachments
Greg Espegren, Trout Unlimited



Greg Espegren
Aquatics Specialist
Colorado Water Project
1320 Pearl Street, Suite 320
Boulder, CO 80302
303.440.2937

January 4, 2010

Ms. Linda Bassi
Mr. Jeff Baessler
Colorado Water Conservation Board
1313 Sherman Street, Room 721
Denver, Colorado 80203

Dear Ms. Bassi and Mr. Baessler,

Trout Unlimited in conjunction with the Colorado Division of Wildlife (CDOW) is formally submitting this instream flow recommendation for the West Prong South Fork of Slater Creek, located in Routt County, District 6.

Location and Land Status. The West Prong South Fork of Slater Creek (West Prong) originates on the northern flank of the Elkhead Mountains just west of Bears Ears Peaks at an elevation of 10,082 feet. It flows generally northward for 5.5 miles through the Routt National Forest to its confluence with the South Fork of Slater Creek at an elevation of 8,034. The proposed ISF reach covers the 4.6 mile segment from the headwaters to the headgate of the Decker Ditch. This segment is located entirely on Forest Service Land (Fig. 1).

Biological Summary and R2CROSS Analysis. In July and September of 2009, TU and CDOW collected stream cross sectional data, natural environment data, and other data needed to quantify instream flow needs. Previous survey data collected by CDOW indicated the stream supports healthy populations of Colorado River cutthroat trout.

Table 1. Summary of R2CROSS datasets

DATE	MEASURED FLOW (cfs)	MODELING RANGE (cfs)	FLOW MEETING 3 CRITERIA	FLOW MEETING 2 CRITERIA
07/07/09	14.5	5.8-36.1	6.9	<i>2.3</i>
09/17/09	1.0	2.0-12.7	2.9	2.5
Average of flows within modeling range			4.9	2.5

Note: Table entries appearing in italicized font indicated flows that were either not met in R2CROSS staging table or outside of 0.4 to 2.5 times measured flow R2CROSS modeling window.

Stream cross sectional data were analyzed using the R2CROSS program, and the output was evaluated using the methods described in Nehring (1979) and Espegren (1996). The R2CROSS models how average depth, percent wetted perimeter and average velocity vary with discharge. According to the criteria established by Nehring (1979), the relevant minimum requirements are an average depth of 0.2 feet, a wetted perimeter of 50%, and an average velocity of 1.0 ft/sec. Protecting salmonids during the summer season is accomplished by insuring all three criteria are met while during the winter protection can be accomplished by protecting 2 of three criteria. Thus, the fishery of West Prong South Fork Slater Creek can be protected with minimum summer flows of 4.9 cfs and minimum winter flows of 2.5 cfs. TU and CDOW recommend that the CWCB appropriate the following flow amounts to preserve the natural environment of West Prong South Fork Slater Creek to a reasonable degree:

- From **March 1 through July 31** a flow appropriation of **4.9 cfs** is recommended to maintain the three principal criteria of average depth, average velocity, and percent wetted perimeter;
- From **August 1 through October 31** a flow appropriation of **3.5 cfs** is recommended based on water availability limitations; and
- From **November 1 through February 28** a flow appropriation of **2.5 cfs** is recommended to maintain the average depth and wetter perimeter criteria.

Water Availability. The preliminary instream flow recommendation we submitted in February 2008 was based on an aerial apportionment of USGS gage 09245500 on the North Fork of Elkhead Creek, CO. Subsequent to that preliminary analysis, the CWCB provided us with a geometric mean analysis of daily flows on West Prong South Fork Slater Creek. We used the CWCB's water availability analysis to adjust the seasonality and quantities of the instream flow recommendation so that the estimated daily flow through West Prong South Fork Slater Creek typically exceeds the recommended instream flow. These seasonal adjustments are reflected in the final instream flow recommendation above.

Relationship to Existing State Policy. Trout Unlimited and the CDOW are forwarding this stream flow recommendation to the CWCB to meet the State of Colorado's policy "that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors ... and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife-related opportunities." C.R.S. 33-1-101(1). Further, the CDOW Strategic Plan states "Healthy aquatic environments are essential to maintain healthy and viable fisheries, and critical for self-sustaining populations. The Division desires to protect and enhance the quality and quantity of aquatic habitats." TU and CDOW recommend that West Prong South Fork Slater Creek be considered for inclusion in the Instream Flow Program because doing so would help meet these stated policies. Specifically, establishing minimum flows through this reach would preserve the natural environment of the stream to a reasonable degree.

Attached, please find copies of the field data sheets, the R2CROSS modeling runs, and stream photographs. If you have any questions regarding the attached information or the instream flow recommendations, please feel free to contact me at (303) 440-2937.

Trout Unlimited thanks the Colorado Division of Wildlife and the Colorado Water Conservation Board Staff for their support in preparing this recommendation.

Sincerely,



Greg Espegren
Trout Unlimited
Aquatic Specialist

Cc: Jay Skinner, CDOW Water Unit Program Manager – w/o attachments
Mark Uppendahl, CDOW Instream Flow Program Coordinator




Figure 1. Map of West Prong South Fork Slater Creek watershed. Positions of upper and lower termini of the proposed instream flow reach are noted as is the location of the R2CROSS cross section. Additionally, locations known diversion structures are plotted. The watershed's location within Division 6 is indicated by the red box on the inset map of Colorado

COLORADO WATER CONSERVATION BOARD
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: West Prong Slater Creek (upper site) #2
XS LOCATION: above Diversion Structure
XS NUMBER: 2

DATE: 17-Sep-09
OBSERVERS: Uppendahl & Espegren

1/4 SEC: SE
SECTION: 19
TWP: 10 N
RANGE: 88 W
PM: 6

COUNTY: ROUTT
WATERSHED: SLATER CREEK
DIVISION: 6
DOW CODE: 0

USGS MAP: 0
USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***

Leave TAPE WT and TENSION
at defaults for data collected
with a survey level and rod

TAPE WT: 0.0106
TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.03615385

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: West Prong Slater Creek (upper site) #2
 XS LOCATION: above Diversion Structure
 XS NUMBER: 2

DATA POINTS= 41

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL
BS	0.00	4.98		
1 GL	0.60	5.84		
	1.70	6.39		
	2.50	6.52		
	3.00	6.83		
	3.70	7.45		
	4.70	7.47		
WL	5.10	7.71	0.00	0.00
	5.20	7.93	0.20	0.10
	6.00	7.85	0.15	0.37
	6.50	8.03	0.30	1.95
	7.00	7.99	0.25	1.52
	7.50	8.06	0.35	0.72
	8.00	7.87	0.20	0.12
BW	8.50	8.01	0.35	0.00
	9.00	8.09	0.50	2.69
	9.50	8.29	0.50	2.35
	10.00	8.35	0.65	0.58
	10.50	8.27	0.55	1.68
	11.00	8.39	0.65	0.11
R	11.50	7.60	0.00	0.00
R	12.00	7.77	0.00	0.00
	12.40	8.22	0.50	1.79
R	13.00	7.42	0.00	0.00
R	14.00	7.16	0.00	0.00
	14.20	7.98	0.25	0.20
	14.50	8.01	0.30	0.55
	15.00	8.03	0.30	0.65
	15.50	7.93	0.25	0.45
	16.00	8.29	0.50	2.34
	16.50	8.16	0.60	1.74
	17.00	7.82	0.20	2.53
	18.00	8.12	0.40	0.76
	18.70	8.10	0.40	0.28
WL	18.71	7.70	0.00	0.00
	19.00	6.95		
	20.40	6.95		
	22.00	6.91		
1 GL	23.00	6.18		
BS	24.30	5.92		
TS	24.31	5.30		

WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.24	0.20	0.09	0.01	0.2%
0.80	0.15	0.10	0.04	0.7%
0.53	0.30	0.15	0.29	5.8%
0.50	0.25	0.13	0.19	3.7%
0.50	0.35	0.18	0.13	2.5%
0.53	0.20	0.10	0.01	0.2%
0.52	0.35	0.18	0.00	0.0%
0.51	0.50	0.25	0.67	13.2%
0.54	0.50	0.25	0.59	11.6%
0.50	0.65	0.33	0.19	3.7%
0.51	0.55	0.28	0.46	9.1%
0.51	0.65	0.33	0.04	0.7%
0.93		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.60	0.50	0.25	0.45	8.8%
1.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.84	0.25	0.06	0.01	0.2%
0.30	0.30	0.12	0.07	1.3%
0.50	0.30	0.15	0.10	1.9%
0.51	0.25	0.13	0.06	1.1%
0.62	0.50	0.25	0.59	11.5%
0.52	0.60	0.30	0.52	10.3%
0.60	0.20	0.15	0.38	7.5%
1.04	0.40	0.34	0.26	5.1%
0.70	0.40	0.14	0.04	0.8%
0.40		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%

TOTALS -----

14.78 0.65 4.23 5.08 100.0%
 (Max.)

Manning's n = 0.1021
 Hydraulic Radius= 0.28596843

STREAM NAME: West Prong Slater Creek (upper site) #2
 XS LOCATION: above Diversion Structure
 XS NUMBER: 2

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	4.23	3.74	-11.6%
7.49	4.23	6.84	61.9%
7.51	4.23	6.59	55.8%
7.53	4.23	6.33	49.7%
7.55	4.23	6.07	43.7%
7.57	4.23	5.82	37.7%
7.59	4.23	5.57	31.7%
7.61	4.23	5.31	25.7%
7.63	4.23	5.06	19.8%
7.65	4.23	4.82	14.0%
7.67	4.23	4.57	8.2%
7.69	4.23	4.33	2.5%
7.70	4.23	4.21	-0.4%
7.71	4.23	4.09	-3.2%
7.72	4.23	3.97	-6.0%
7.73	4.23	3.85	-8.8%
7.74	4.23	3.74	-11.6%
7.75	4.23	3.62	-14.4%
7.76	4.23	3.50	-17.1%
7.77	4.23	3.39	-19.9%
7.78	4.23	3.27	-22.6%
7.79	4.23	3.16	-25.3%
7.81	4.23	2.93	-30.8%
7.83	4.23	2.70	-36.2%
7.85	4.23	2.47	-41.5%
7.87	4.23	2.25	-46.8%
7.89	4.23	2.04	-51.8%
7.91	4.23	1.84	-56.6%
7.93	4.23	1.64	-61.1%
7.95	4.23	1.46	-65.4%
7.97	4.23	1.29	-69.4%
7.99	4.23	1.13	-73.3%

WATERLINE AT ZERO
 AREA ERROR = 7.694

STREAM NAME: West Prong Slater Creek (upper site) #2
 XS LOCATION: above Diversion Structure
 XS NUMBER: 2

Constant Manning's n

GL = lowest Grassline elevation corrected for sag

STAGING TABLE

WL = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.18	21.72	1.40	2.21	30.35	25.66	100.0%	1.18	93.92	3.09
	6.69	19.52	1.01	1.70	19.76	23.17	90.3%	0.85	49.16	2.49
	6.74	19.37	0.97	1.65	18.79	23.00	89.6%	0.82	45.43	2.42
	6.79	19.22	0.93	1.60	17.82	22.82	88.9%	0.78	41.83	2.35
	6.84	19.08	0.88	1.55	16.87	22.64	88.3%	0.74	38.34	2.27
	6.89	18.95	0.84	1.50	15.91	22.48	87.6%	0.71	34.98	2.20
	6.94	17.53	0.86	1.45	14.99	21.03	82.0%	0.71	33.10	2.21
	6.99	15.80	0.90	1.40	14.19	19.26	75.1%	0.74	32.03	2.26
	7.04	15.72	0.85	1.35	13.40	19.13	74.5%	0.70	29.26	2.18
	7.09	15.65	0.81	1.30	12.62	19.00	74.0%	0.66	26.58	2.11
	7.14	15.57	0.76	1.25	11.84	18.87	73.5%	0.63	24.00	2.03
	7.19	15.36	0.72	1.20	11.06	18.57	72.4%	0.60	21.67	1.96
	7.24	15.08	0.68	1.15	10.30	18.19	70.9%	0.57	19.51	1.89
	7.29	14.80	0.65	1.10	9.56	17.81	69.4%	0.54	17.46	1.83
	7.34	14.52	0.61	1.05	8.82	17.43	68.0%	0.51	15.50	1.76
	7.39	14.24	0.57	1.00	8.10	17.05	66.5%	0.48	13.65	1.68
	7.44	14.03	0.53	0.95	7.40	16.74	65.2%	0.44	11.88	1.61
	7.49	12.91	0.52	0.90	6.73	15.52	60.5%	0.43	10.68	1.59
	7.54	12.76	0.48	0.85	6.09	15.25	59.4%	0.40	9.14	1.50
	7.59	12.61	0.43	0.80	5.46	14.99	58.4%	0.36	7.70	1.41
	7.64	12.30	0.39	0.75	4.83	14.53	56.7%	0.33	6.42	1.33
WL	7.69	11.97	0.35	0.70	4.23	14.06	54.8%	0.30	5.25	1.24
	7.74	11.70	0.31	0.65	3.64	13.61	53.0%	0.27	4.17	1.15
	7.79	11.49	0.27	0.60	3.06	13.22	51.5%	0.23	3.19	1.04
	7.84	11.23	0.22	0.55	2.49	12.75	49.7%	0.20	2.32	0.93
	7.89	10.13	0.19	0.50	1.95	11.42	44.5%	0.17	1.66	0.85
	7.94	8.85	0.17	0.45	1.48	9.89	38.6%	0.15	1.15	0.78
	7.99	7.51	0.14	0.40	1.06	8.33	32.5%	0.13	0.75	0.70
	8.04	4.93	0.15	0.35	0.76	5.55	21.6%	0.14	0.56	0.73
	8.09	4.04	0.13	0.30	0.54	4.50	17.5%	0.12	0.36	0.67
	8.14	2.87	0.13	0.25	0.37	3.20	12.5%	0.12	0.24	0.66
	8.19	2.41	0.10	0.20	0.24	2.63	10.3%	0.09	0.13	0.56
	8.24	1.95	0.07	0.15	0.13	2.09	8.1%	0.06	0.06	0.43
	8.29	1.28	0.04	0.10	0.05	1.36	5.3%	0.03	0.01	0.29
	8.34	0.32	0.02	0.05	0.01	0.35	1.4%	0.02	0.00	0.17

13

$$3/3 = 2.9$$

$$2/3 = 2.5$$

STREAM NAME: West Prong Slater Creek (upper site) #2
XS LOCATION: above Diversion Structure
XS NUMBER: 2

SUMMARY SHEET

MEASURED FLOW (Qm)=	5.08 cfs
CALCULATED FLOW (Qc)=	5.25 cfs
(Qm-Qc)/Qm * 100 =	-3.4 %
MEASURED WATERLINE (Wlm)=	7.74 ft
CALCULATED WATERLINE (Wlc)=	7.69 ft
(Wlm-Wlc)/Wlm * 100 =	0.5 %
MAX MEASURED DEPTH (Dm)=	0.65 ft
MAX CALCULATED DEPTH (Dc)=	0.70 ft
(Dm-Dc)/Dm * 100	-7.1 %
MEAN VELOCITY=	1.24 ft/sec
MANNING'S N=	0.102
SLOPE=	0.03615385 ft/ft
.4 * Qm =	2.0 cfs
2.5 * Qm=	12.7 cfs

RECOMMENDED INSTREAM FLOW:

=====

FLOW (CFS)

PERIOD

=====

=====

RATIONALE FOR RECOMMENDATION:

=====

[illegible]

RECOMMENDATION BY: _____ AGENCY: _____ DATE: _____

CWCB REVIEW BY: _____ DATE: _____

Data Input & Proofing

STREAM NAME: West Prong Slater Creek (upper site) #2
 XS LOCATION: above Diversion Structure
 XS NUMBER: 2
 DATE: 9/17/2009
 OBSERVERS: Uppendahl & Espegren

1/4 SEC: SE
 SECTION: 19
 TWP: 10 N
 RANGE: 88 W
 PM: 6

COUNTY: ROUTT
 WATERSHED: SLATER CREEK
 DIVISION: 6
 DOW CODE:
 USGS MAP:
 USFS MAP:

TAPE WT: 0.0106 lbs / ft
 TENSION: 99999 lbs

SLOPE: 0.036153846 ft / ft

CHECKED BY:DATE.....


ASSIGNED TO:DATE.....

GL=1	FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	A	Q	Tape to Water
Total Data Points = 41								
1	BS	0.00	4.98			0.00	0.00	0.00
	GL	0.60	5.84			0.00	0.00	0.00
		1.70	6.39			0.00	0.00	0.00
		2.50	6.52			0.00	0.00	0.00
		3.00	6.83			0.00	0.00	0.00
		3.70	7.45			0.00	0.00	0.00
		4.70	7.47			0.00	0.00	0.00
	WL	5.10	7.71	0.00	0.00	0.00	0.00	0.00
		5.20	7.93	0.20	0.10	0.09	0.01	7.73
		6.00	7.85	0.15	0.37	0.10	0.04	7.70
		6.50	8.03	0.30	1.95	0.15	0.29	7.73
		7.00	7.99	0.25	1.52	0.13	0.19	7.74
		7.50	8.06	0.35	0.72	0.18	0.13	7.71
		8.00	7.87	0.20	0.12	0.10	0.01	7.67
	BW	8.50	8.01	0.35	0.00	0.18	0.00	7.66
		9.00	8.09	0.50	2.69	0.25	0.67	7.59
		9.50	8.29	0.50	2.35	0.25	0.59	7.79
		10.00	8.35	0.65	0.58	0.33	0.19	7.70
		10.50	8.27	0.55	1.68	0.28	0.46	7.72
		11.00	8.39	0.65	0.11	0.33	0.04	7.74
	R	11.50	7.60	0.00	0.00	0.00	0.00	0.00
	R	12.00	7.77	0.00	0.00	0.00	0.00	0.00
		12.40	8.22	0.50	1.79	0.25	0.45	7.72
	R	13.00	7.42	0.00	0.00	0.00	0.00	0.00
	R	14.00	7.16	0.00	0.00	0.00	0.00	0.00
		14.20	7.98	0.25	0.20	0.06	0.01	7.73
		14.50	8.01	0.30	0.55	0.12	0.07	7.71
		15.00	8.03	0.30	0.65	0.15	0.10	7.73
		15.50	7.93	0.25	0.45	0.13	0.06	7.68
		16.00	8.29	0.50	2.34	0.25	0.59	7.79
		16.50	8.16	0.60	1.74	0.30	0.52	7.56
		17.00	7.82	0.20	2.53	0.15	0.38	7.62
		18.00	8.12	0.40	0.76	0.34	0.26	7.72
		18.70	8.10	0.40	0.28	0.14	0.04	7.70
	WL	18.71	7.70	0.00	0.00	0.00	0.00	0.00
		19.00	6.95			0.00	0.00	0.00
		20.40	6.95			0.00	0.00	0.00
		22.00	6.91			0.00	0.00	0.00
1	GL	23.00	6.18			0.00	0.00	0.00
	BS	24.30	5.92			0.00	0.00	0.00
	TS	24.31	5.30			0.00	0.00	0.00

Totals	4.23	5.08
--------	------	------

West Prong Slater Creek (upper site) #2


CROSS SECTION DATA ANALYSIS





COLORADO WATER
CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

STREAM NAME: <u>W. PRONG SLATER CREEK</u>		CROSS-SECTION NO.: <u>#2</u>	
CROSS-SECTION LOCATION: <u>Above Decker Ditch</u>			
<u>40 48 40.3 107 18 08.3</u>			
DATE: <u>9/17/09</u>	OBSERVERS: <u>UAPPENDAH & ESPEGREAU</u>		
LEGAL DESCRIPTION	% SECTION: <u>SE</u>	SECTION: <u>19</u>	TOWNSHIP: <u>10 N S</u>
		RANGE: <u>88</u>	E/W PM: <u>6</u>
COUNTY: <u>ROUTT</u>	WATERSHED: <u>SLATER CK</u>	WATER DIVISION: <u>6</u>	DOW WATER CODE:
MAP(S):	USGS:		
	USFS:		

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="radio"/> YES <input type="radio"/> NO	METER TYPE: <u>MARSH-McBIRNEY</u>		
METER NUMBER:	DATE RATED:	CALIB/SPIN: _____ sec	TAPE WEIGHT: _____ lbs/foot
CHANNEL BED MATERIAL SIZE RANGE: <u>Boulder & cobble.</u>		TAPE TENSION: _____ lbs	PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES <input type="radio"/> NO
		NUMBER OF PHOTOGRAPHS:	

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)	SKETCH 	LEGEND: Stake (X) Station (I) Photo (I with arrow) Direction of Flow (arrows)
(X) Tape @ Stake LB	0.0			
(X) Tape @ Stake RB	0.0			
(1) WS @ Tape LB/RB	0.0	<u>7.71 / 7.70</u>		
(2) WS Upstream	<u>6'</u>	<u>7.35</u>		
(3) WS Downstream	<u>7'</u>	<u>7.82</u>		
SLOPE	<u>0.47 / 13.0 = 0.036</u>			

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES/NO	DISTANCE ELECTROFISHED: _____ ft	FISH CAUGHT <input checked="" type="radio"/> YES <input type="radio"/> NO	WATER CHEMISTRY SAMPLED: YES/NO															
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																		
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL	
<u>Brook trout</u>				<u>1</u>	<u>11</u>	<u>1</u>	<u>11</u>											
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																		

COMMENTS

<u>Brook trout in and below Necker Ditch</u>

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: W POND ADV DEKAR					CROSS-SECTION NO.: 2		DATE: 9/17/09		SHEET 1 OF 1			
BEGINNING OF MEASUREMENT		EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE)			LEFT / RIGHT		Gage Reading: _____ ft		TIME: 15:00			
Features	Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
									At Point	Mean in Vertical		
	SB	0°		498								
	h	0°		584								
		12		639								
		25		652								
		30		683								
		37		745								
		47		747								
	W	51		771	0°							
		53		793	0°					0.10		
		6°		785	0.15					0.37		
		6°		803	0.30					1.95		
		7°		799	0.25					1.52		
		7°		800	0.35					0.72		
		8°		787	0.20					0.12		
	PLUNGE POOL	8°		801	0.35					0.00		
		9°		809	0.50					2.69		
		9°		827	0.50					2.35		
		10°		835	0.55					0.58		
		10°		827	0.55					1.68		
		11°		837	0.65					0.11		
	Rock	11°		760	—					—		
	Rock	12°		771	—					—		
		12°		822	0.50					1.79		
	Rock	13°		742	—					—		
	" "	14°		716	—					—		
		14°		798	0.25					0.20		
		14°		801	0.30					0.55		
		15°		803	0.30					0.65		
		15°		793	0.25					0.45		
		16°		829	0.50					2.34		
		16°		815	0.60					1.74		
		17°		782	0.20					2.53		
		18°		812	0.40					0.76		
		18°		810	0.40					0.28		
	W	18°		770	0°					0		
		19°		675								
		20°		695								
		22°		691								
	h	23°		618								
	BASE PIN	24°		592								
	TOP	24°		530								
TOTALS:												5.08

End of Measurement	Time: 15:45	Gage Reading: _____ ft	CALCULATIONS PERFORMED BY:	CALCULATIONS CHECKED BY:
--------------------	-------------	------------------------	----------------------------	--------------------------



WPSFK SLATER CREEK

9/17/09

COLORADO WATER CONSERVATION BOARD
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: West Prong Slater Creek (upper site)
XS LOCATION: above Diversion Structure
XS NUMBER: 1

DATE: 7-Jul-09
OBSERVERS: Uppendahl & Espegren

1/4 SEC: SE
SECTION: 19
TWP: 10 N
RANGE: 88 W
PM: 6

COUNTY: ROUTT
WATERSHED: SLATER CREEK
DIVISION: 6
DOW CODE: 0

USGS MAP: 0
USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***

Leave TAPE WT and TENSION
at defaults for data collected
with a survey level and rod

TAPE WT: 0.0106
TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.02848485

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: West Prong Slater Creek (upper site)
XS LOCATION: above Diversion Structure
XS NUMBER: 1

DATA POINTS= 44

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE		VERT	WATER	
	DIST	DEPTH	DEPTH	VEL
TS	0.00	5.56		
BS	0.01	6.14		
1 GL	0.50	6.40		
	1.00	6.47		
	1.50	6.92		
	2.00	7.15		
SWL	2.30	7.60	0.00	0.00
	3.00	7.85	0.25	0.05
R	3.80	7.33	0.00	0.00
R	4.60	7.15	0.00	0.00
R	5.30	7.27	0.00	0.00
	5.70	8.00	0.40	1.29
	6.00	8.30	0.70	0.13
	7.00	8.10	0.50	2.51
	8.00	8.30	0.70	3.66
	9.00	7.90	0.30	0.57
	10.00	8.00	0.40	1.93
R	11.00	7.40	0.00	0.00
	11.50	8.30	0.70	0.94
	12.00	7.80	0.20	2.70
	12.50	7.85	0.25	2.16
	13.00	8.50	0.90	0.93
	13.50	8.60	1.00	0.47
	14.00	8.60	1.00	2.08
	14.50	8.30	0.70	2.87
	15.00	8.60	1.00	2.53
	15.50	8.45	0.85	2.51
	16.00	8.20	0.60	1.47
	16.50	8.40	0.80	1.13
	17.00	8.35	0.75	1.18
	17.50	8.20	0.60	3.37
	18.00	8.00	0.40	1.75
	18.50	8.10	0.50	2.63
R	19.30	7.55	0.00	0.00
	20.20	7.70	0.15	0.00
SWL	20.50	7.55	0.00	0.00
	21.00	7.31		
	21.50	6.92		
	22.00	6.84		
	23.00	6.60		
1 GL	23.70	6.23		
	24.00	5.35		
BS	24.40	5.22		
TS	24.41	4.02		

[illegible]

TOTALS \$ 1,000,000

19.39	1	7.97	14.46	100.0%
(Max.)				

Manning's n = 0.0765
Hydraulic Radius = 0.41119983

STREAM NAME: West Prong Slater Creek (upper site)
 XS LOCATION: above Diversion Structure
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	7.97	8.09	1.5%
7.33	7.97	12.24	53.5%
7.35	7.97	11.89	49.2%
7.37	7.97	11.55	44.9%
7.39	7.97	11.21	40.6%
7.41	7.97	10.87	36.3%
7.43	7.97	10.53	32.1%
7.45	7.97	10.20	27.9%
7.47	7.97	9.87	23.7%
7.49	7.97	9.54	19.6%
7.51	7.97	9.21	15.5%
7.53	7.97	8.89	11.5%
7.54	7.97	8.73	9.5%
7.55	7.97	8.57	7.5%
7.56	7.97	8.41	5.5%
7.57	7.97	8.25	3.5%
7.58	7.97	8.09	1.5%
7.59	7.97	7.94	-0.4%
7.60	7.97	7.79	-2.3%
7.61	7.97	7.63	-4.2%
7.62	7.97	7.48	-6.1%
7.63	7.97	7.34	-8.0%
7.65	7.97	7.04	-11.6%
7.67	7.97	6.76	-15.2%
7.69	7.97	6.48	-18.7%
7.71	7.97	6.21	-22.1%
7.73	7.97	5.94	-25.5%
7.75	7.97	5.67	-28.8%
7.77	7.97	5.41	-32.1%
7.79	7.97	5.16	-35.3%
7.81	7.97	4.90	-38.5%
7.83	7.97	4.65	-41.6%

WATERLINE AT ZERO

AREA ERROR = 7.583

STREAM NAME: West Prong Slater Creek (upper site)
 XS LOCATION: above Diversion Structure
 XS NUMBER: 1

Constant Manning's n

GL = lowest Grassline elevation corrected for sag

STAGING TABLE

WL = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.40	22.88	1.36	2.20	31.09	26.34	100.0%	1.18	113.91	3.66
	6.58	21.91	1.23	2.02	27.02	25.27	96.0%	1.07	92.66	3.43
	6.63	21.68	1.20	1.97	25.93	25.02	95.0%	1.04	87.10	3.36
	6.68	21.42	1.16	1.92	24.85	24.73	93.9%	1.00	81.78	3.29
	6.73	21.15	1.12	1.87	23.79	24.44	92.8%	0.97	76.62	3.22
	6.78	20.89	1.09	1.82	22.74	24.15	91.7%	0.94	71.63	3.15
	6.83	20.63	1.05	1.77	21.70	23.87	90.6%	0.91	66.80	3.08
	6.88	20.27	1.02	1.72	20.68	23.49	89.2%	0.88	62.29	3.01
	6.93	19.96	0.99	1.67	19.67	23.15	87.9%	0.85	57.89	2.94
	6.98	19.78	0.94	1.62	18.68	22.95	87.1%	0.81	53.41	2.86
	7.03	19.61	0.90	1.57	17.69	22.74	86.4%	0.78	49.09	2.77
	7.08	19.44	0.86	1.52	16.72	22.54	85.6%	0.74	44.92	2.69
	7.13	19.26	0.82	1.47	15.75	22.34	84.8%	0.70	40.92	2.60
	7.18	18.80	0.79	1.42	14.80	21.84	82.9%	0.68	37.44	2.53
	7.23	18.19	0.76	1.37	13.87	21.17	80.4%	0.66	34.32	2.47
	7.28	17.65	0.74	1.32	12.98	20.57	78.1%	0.63	31.31	2.41
	7.33	17.29	0.70	1.27	12.10	20.13	76.4%	0.60	28.27	2.34
	7.38	17.05	0.66	1.22	11.24	19.81	75.2%	0.57	25.28	2.25
	7.43	16.73	0.62	1.17	10.40	19.38	73.6%	0.54	22.52	2.17
	7.48	16.38	0.58	1.12	9.57	18.90	71.8%	0.51	19.94	2.08
	7.53	16.03	0.55	1.07	8.76	18.43	70.0%	0.48	17.50	2.00
WL	7.58	15.43	0.52	1.02	7.97	17.69	67.2%	0.45	15.37	1.93
	7.63	14.64	0.49	0.97	7.22	16.77	63.7%	0.43	13.50	1.87
	7.68	13.81	0.47	0.92	6.51	15.81	60.0%	0.41	11.81	1.82
	7.73	13.25	0.44	0.87	5.83	15.13	57.4%	0.39	10.14	1.74
	7.78	12.82	0.40	0.82	5.18	14.59	55.4%	0.36	8.53	1.65
	7.83	12.03	0.38	0.77	4.56	13.67	51.9%	0.33	7.19	1.58
	7.88	11.50	0.35	0.72	3.97	13.00	49.4%	0.31	5.91	1.49
	7.93	10.79	0.32	0.67	3.41	12.15	46.1%	0.28	4.80	1.41
	7.98	9.86	0.29	0.62	2.90	11.08	42.1%	0.26	3.88	1.34
	8.03	9.06	0.27	0.57	2.42	10.14	38.5%	0.24	3.06	1.26
	8.08	8.32	0.24	0.52	1.99	9.27	35.2%	0.21	2.34	1.18
	8.13	7.47	0.21	0.47	1.59	8.28	31.4%	0.19	1.74	1.09
	8.18	6.55	0.19	0.42	1.24	7.24	27.5%	0.17	1.26	1.01
	8.23	5.46	0.17	0.37	0.94	6.01	22.8%	0.16	0.90	0.95
	8.28	4.27	0.16	0.32	0.70	4.69	17.8%	0.15	0.65	0.92
	8.33	3.48	0.15	0.27	0.51	3.79	14.4%	0.13	0.44	0.86
	8.38	2.66	0.13	0.22	0.35	2.89	11.0%	0.12	0.29	0.81
	8.43	2.14	0.11	0.17	0.24	2.30	8.7%	0.10	0.17	0.72
	8.48	1.79	0.08	0.12	0.14	1.89	7.2%	0.07	0.08	0.57
	8.53	1.28	0.05	0.07	0.06	1.34	5.1%	0.04	0.02	0.41
	8.58	0.70	0.01	0.02	0.01	0.71	2.7%	0.01	0.00	0.19

STREAM NAME: West Prong Slater Creek (upper site)
XS LOCATION: above Diversion Structure
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Qm)=	14.46	cfs
CALCULATED FLOW (Qc)=	15.37	cfs
(Qm-Qc)/Qm * 100 =	-6.3	%
MEASURED WATERLINE (WLm)=	7.58	ft
CALCULATED WATERLINE (WLc)=	7.58	ft
(WLm-WLc)/WLm * 100 =	-0.1	%
MAX MEASURED DEPTH (Dm)=	1.00	ft
MAX CALCULATED DEPTH (Dc)=	1.02	ft
(Dm-Dc)/Dm * 100	-1.7	%
MEAN VELOCITY=	1.93	ft/sec
MANNING'S N=	0.076	
SLOPE=	0.02848485	ft/ft
.4 * Qm =	5.8	cfs
2.5 * Qm=	36.1	cfs

RECOMMENDED INSTREAM FLOW:

=====

FLOW (CFS)

PERIOD

[illegible]

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840.

0 100 200 300 400 500 600 700 800 900 1000

RATIONALE FOR RECOMMENDATION:

Abstract


[illegible]

RECOMMENDATION BY: _____ AGENCY: _____ DATE: _____

CWCB REVIEW BY: _____ DATE: _____

West Prong Slater Creek (upper site)

CROSS SECTION DATA ANALYSIS



Data Input & Proofing

STREAM NAME: West Prong Slater Creek (upper site)
XS LOCATION: above Diversion Structure
XS NUMBER: 1
DATE: 7/7/2009
OBSERVERS: Uppendahl & Espegren

1/4 SEC: SE
SECTION: 19
TWP: 10 N
RANGE: 88 W
PM: 6

COUNTY: ROUTT
WATERSHED: SLATER CREEK
DIVISION: 6
DOW CODE:
USGS MAP:
USFS MAP:

TAPE WT: 0.0106 lbs / ft
TENSION: 99999 lbs

SLOPE: 0.026484848 ft / ft

CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

| GL=1 | FEATURE | DIST | VERT DEPTH | WATER DEPTH | VEL | A | Q | Tape to Water |
|------------------------|---------|-------|------------|-------------|------|------|------|---------------|
| Total Data Points = 44 | | | | | | | | |
| 1 | TS | 0.00 | 5.56 | | | 0.00 | 0.00 | 0.00 |
| | BS | 0.01 | 6.14 | | | 0.00 | 0.00 | 0.00 |
| | GL | 0.50 | 6.40 | | | 0.00 | 0.00 | 0.00 |
| | | 1.00 | 6.47 | | | 0.00 | 0.00 | 0.00 |
| | | 1.50 | 6.92 | | | 0.00 | 0.00 | 0.00 |
| | | 2.00 | 7.15 | | | 0.00 | 0.00 | 0.00 |
| | SWL | 2.30 | 7.60 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 3.00 | 7.85 | 0.25 | 0.05 | 0.19 | 0.01 | 7.60 |
| | R | 3.80 | 7.33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | R | 4.60 | 7.15 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | R | 5.30 | 7.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 5.70 | 8.00 | 0.40 | 1.29 | 0.14 | 0.18 | 7.60 |
| | | 6.00 | 8.30 | 0.70 | 0.13 | 0.46 | 0.06 | 7.60 |
| | | 7.00 | 8.10 | 0.50 | 2.51 | 0.50 | 1.26 | 7.60 |
| | | 8.00 | 8.30 | 0.70 | 3.66 | 0.70 | 2.56 | 7.60 |
| | | 9.00 | 7.90 | 0.30 | 0.57 | 0.30 | 0.17 | 7.60 |
| | | 10.00 | 8.00 | 0.40 | 1.93 | 0.40 | 0.77 | 7.60 |
| | R | 11.00 | 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 11.50 | 8.30 | 0.70 | 0.94 | 0.35 | 0.33 | 7.60 |
| | | 12.00 | 7.80 | 0.20 | 2.70 | 0.10 | 0.27 | 7.60 |
| | | 12.50 | 7.85 | 0.25 | 2.16 | 0.13 | 0.27 | 7.60 |
| | | 13.00 | 8.50 | 0.90 | 0.93 | 0.45 | 0.42 | 7.60 |
| | | 13.50 | 8.60 | 1.00 | 0.47 | 0.50 | 0.24 | 7.60 |
| | | 14.00 | 8.60 | 1.00 | 2.08 | 0.50 | 1.04 | 7.60 |
| | | 14.50 | 8.30 | 0.70 | 2.87 | 0.35 | 1.00 | 7.60 |
| | | 15.00 | 8.60 | 1.00 | 2.53 | 0.50 | 1.27 | 7.60 |
| | | 15.50 | 8.45 | 0.85 | 2.51 | 0.43 | 1.07 | 7.60 |
| | | 16.00 | 8.20 | 0.60 | 1.47 | 0.30 | 0.44 | 7.60 |
| | | 16.50 | 8.40 | 0.80 | 1.13 | 0.40 | 0.45 | 7.60 |
| | | 17.00 | 8.35 | 0.75 | 1.18 | 0.38 | 0.44 | 7.60 |
| | | 17.50 | 8.20 | 0.60 | 3.37 | 0.30 | 1.01 | 7.60 |
| | | 18.00 | 8.00 | 0.40 | 1.75 | 0.20 | 0.35 | 7.60 |
| | | 18.50 | 8.10 | 0.50 | 2.63 | 0.33 | 0.85 | 7.60 |
| | R | 19.30 | 7.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 20.20 | 7.70 | 0.15 | 0.00 | 0.09 | 0.00 | 7.55 |
| | SWL | 20.50 | 7.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | | 21.00 | 7.31 | | | 0.00 | 0.00 | 0.00 |
| | | 21.50 | 6.92 | | | 0.00 | 0.00 | 0.00 |
| | | 22.00 | 6.84 | | | 0.00 | 0.00 | 0.00 |
| | | 23.00 | 6.60 | | | 0.00 | 0.00 | 0.00 |
| 1 | GL | 23.70 | 6.23 | | | 0.00 | 0.00 | 0.00 |
| | | 24.00 | 5.35 | | | 0.00 | 0.00 | 0.00 |
| | BS | 24.40 | 5.22 | | | 0.00 | 0.00 | 0.00 |
| | TS | 24.41 | 4.02 | | | 0.00 | 0.00 | 0.00 |

| | | |
|--------|------|-------|
| Totals | 7.97 | 14.46 |
|--------|------|-------|



FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



COLORADO WATER
CONSERVATION BOARD

LOCATION INFORMATION

| | | |
|---|--|-----------------------------------|
| STREAM NAME: <u>West Prong South Slater Creek (Above diversion)</u> | | CROSS-SECTION NO.: <u>1</u> |
| CROSS-SECTION LOCATION: <u>Approximately 1 mile u/s of lower X-SECT and above Diversion</u> | | |
| <u>40° 48' 41" 107° 19' 08"</u> | | |
| DATE: <u>7/7/09</u> | OBSERVERS: <u>Uppendahl & Espegren</u> | |
| LEGAL DESCRIPTION | % SECTION: <u>SE</u> | SECTION: <u>19</u> |
| | TOWNSHIP: <u>10 N/S</u> | RANGE: <u>88 E/W</u> PM: <u>6</u> |
| COUNTY: <u>ROUTT</u> | WATERSHED: <u>SLATER CR</u> | WATER DIVISION: <u>6</u> |
| | DOW WATER CODE: | |
| MAP(S): | USGS: | |
| | USFS: | |


SUPPLEMENTAL DATA

| | | | | |
|---|--|-----------------------|-----------------------------|-------------------------|
| SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="radio"/> YES <input type="radio"/> NO | METER TYPE: <u>Marsch-McBirney</u> | | | |
| METER NUMBER: | DATE RATED: | CALIB/SPIN: _____ sec | TAPE WEIGHT: _____ lbs/foot | TAPE TENSION: _____ lbs |
| CHANNEL BED MATERIAL SIZE RANGE: | PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES <input type="radio"/> NO | | NUMBER OF PHOTOGRAPHS: | |

CHANNEL PROFILE DATA

| STATION | DISTANCE FROM TAPE (ft) | ROD READING (ft) |
|-------------------|-------------------------|------------------|
| ⊗ Tape @ Stake LB | 0.0 | |
| ⊗ Tape @ Stake RB | 0.0 | |
| ① WS @ Tape LB/RB | 0.0 | |
| ② WS Upstream | 15.0 | 6.82 |
| ③ WS Downstream | 18.0 | 7.76 |
| SLOPE | .94/33. | |

SKETCH



LEGEND:
Stake ⊗
Station ①
Photo ①
Direction of Flow →

AQUATIC SAMPLING SUMMARY

| | | | | | | | | | | | | | | | | | |
|--|----------------------------------|---------------------|---------------------------------|---|---|---|---|---|---|----|----|----|----|----|----|-----|-------|
| STREAM ELECTROFISHED: YES/NO | DISTANCE ELECTROFISHED: _____ ft | FISH CAUGHT: YES/NO | WATER CHEMISTRY SAMPLED: YES/NO | | | | | | | | | | | | | | |
| LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.) | | | | | | | | | | | | | | | | | |
| SPECIES (FILL IN) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | >15 | TOTAL |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME: | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

COMMENTS

| |
|--|
| |
| |
| |
| |

DISCHARGE/CROSS SECTION NOTES

| STREAM NAME: W. Prong S. Slater Creek | | | | | | | CROSS-SECTION NO.: | DATE: 7/7/09 | SHEET 1 OF 2 | | | |
|---------------------------------------|---|--|---|--|------------------------|------------------------------------|------------------------|--------------------------|-------------------|---------------------|----------------------------|--------------------|
| BEGINNING OF MEASUREMENT | | | EDGE OF WATER LOOKING DOWNSTREAM:
(0.0 AT STAKE) | | | LEFT / RIGHT | Gage Reading: _____ ft | TIME: 4:04 pm. | | | | |
| Features | Stake
Grassline (S)
Waterline (W)
Rock (R) | Distance
From
Initial
Point
(ft) | Width
(ft) | Total
Vertical
Depth From
Tape/Inst
(ft) | Water
Depth
(ft) | Depth
of
Observation
(ft) | Revolutions | Time
(sec) | Velocity (ft/sec) | | Area
(ft ²) | Discharge
(cfs) |
| | | | | | | | | | At
Point | Mean in
Vertical | | |
| TS | | 0 | | 5.56 | | | | | | | | |
| BS | | 0 | | 6.14 | | | | | | | | |
| | | 0.5 | | 6.40 | | | | | | | | |
| | | 1.0 | | 6.47 | | | | | | | | |
| | | 1.5 | | 6.92 | | | | | | | | |
| | | 2.0 | | 7.15 | | | | | | | | |
| WL | | 2.3 | | 7.60 | | | | | | | | |
| | | 3.0 | | | 0.25 | | | | | 0.05 | | |
| | | 3.8 | | 7.33 | | | | | | | | |
| | | 4.6 | | 7.15 | | | | | | | | |
| | | 5.3 | | 7.27 | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 5.7 | | | 0.40 | | | | | 1.29 | | |
| | | 6.0 | | | 0.7 | | | | | 0.13 | | |
| | | 7.0 | | | 0.5 | | | | | 2.51 | | |
| | | 8.0 | | | 0.7 | | | | | 3.66 | | |
| | | 9.0 | | | 0.3 | | | | | 0.57 | | |
| | | 10.0 | | | 0.4 | | | | | 1.93 | | |
| | | 11.0 | | | +0.2 | | | | | | | |
| | | 11.5 | | | 0.7 | | | | | 0.94 | | |
| | | 12.0 | | | 0.2 | | | | | 2.70 | | |
| | | 12.5 | | | 0.25 | | | | | 2.16 | | |
| | | * | | | | | * see attached | (continued) | | | | |
| TR | | 19.3 | | 7.55 | | | | | | | | |
| SWL | | 20.5 | | 7.55 | | | | | | | | |
| | | 21.0 | | 7.31 | | | | | | | | |
| | | 21.5 | | 6.92 | | | | | | | | |
| | | 22.0 | | 6.84 | | | | | | | | |
| | | 23.0 | | 6.60 | | | | | | | | |
| | | 23.7 | | 6.23 | | | | | | | | |
| GL | | 24.0 | | 5.35 | | | | | | | | |
| BS | | 24.4 | | 5.22 | | | | | | | | |
| TS | | 24.4 | | 4.02 | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| TOTALS: | | | | | | | | | | | | 14.46 |
| End of Measurement | Time: 5:05 | Gage Reading: _____ ft | CALCULATIONS PERFORMED BY: | | | | | CALCULATIONS CHECKED BY: | | | | |

DISCHARGE/CROSS SECTION NOTES

[illegible]

