

Greg Espegren Aquatics Specialist Colorado Water Project 1320 Pearl Street, Suite 320 Boulder, CO 80302 303.440.2937

February 18, 2010

Ms. Linda Bassi Mr. Jeff Baessler Colorado Water Conservation Board 1313 Sherman Street, Room 721 Denver, Colorado 80203

Dear Ms. Bassi and Mr. Baessler,

Trout Unlimited in conjunction with the Colorado Division of Wildlife (CDOW) is submitting this instream flow recommendation for an unnamed tributary to Muddy Creek, located in Routt and Grand Counties, Water Division 5.

Location and Land Status. This unnamed tributary to Muddy Creek originates in the headwaters of the Gore Range at an elevation of approximately 9,800 feet. Over the next 1.75 miles it flows generally east through the Arapahoe National Forest as it drops to its confluence with Muddy Creek at an elevation of 8,760 feet. The proposed ISF reach covers this entire 1.75 mile segment and the entire reach is located on Forest Service Land (Fig. 1).

Biological Summary and R2CROSS Analysis. In September 2009, TU collected stream cross sectional data, natural environment data, and other data needed to quantify instream flow needs. Previous survey data collected by CDOW and rod and reel sampling by TU staff indicates that the stream supports healthy populations of Colorado River cutthroat trout.

Stream cross sectional data were analyzed using the R2CROSS program, and the output was evaluated using the methods described in Nehring (1979) and Espegren (1996). The R2CROSS models how average depth, percent wetted perimeter and average velocity vary with discharge. According to the criteria established by Nehring (1979), the relevant minimum requirements are an average depth of 0.2 feet, a wetted perimeter of 50%, and an average velocity of 1.0 ft/sec. Protecting salmonids during the summer season is accomplished by insuring all three criteria are met while during the winter protection can be accomplished by protecting 2 of three criteria. Thus, R2CROSS indicates that the fishery of this unnamed tributary to Muddy Creek can be protected with minimum summer flows of 1.25 cfs and minimum winter flows of 0.40 cfs.

Water Availability. There are no stream gages on this unnamed tributary to Muddy Creek so we used the USGS StreamStats methodology to estimate the discharge passing through the

proposed ISF reach. This allowed us to estimate how much water would have flowed through this unnamed tributary to Muddy Creek in the absence of any diversions.

The Colorado State Engineer's CDSS Diversion Structures, Division 5, Database (version 20090701) indicates that there are no diversion structures located within this unnamed tributary to Muddy Creek watershed. Therefore, no adjustments to the StreamStats modeled flows were necessary.

We used this water availability analysis to adjust the recommended ISF so that our estimate of average monthly flows through this unnamed tributary to Muddy Creek typically exceeded the recommended flows (Fig. 2).

Preliminary ISF Recommendation. Our StreamStats water availability analysis indicates that streamflows are available to satisfy the flows that resulted from our R2CROSS analysis. Therefore, TU makes a preliminary recommendation for the following flow amounts to preserve the natural environment of this unnamed tributary to Muddy Creek to a reasonable degree:

- From **April 15 through October 15** a flow appropriation of **1.25 cfs** is recommended to maintain the three principal criteria of average depth, average velocity, and percent wetted perimeter;
- From October 16 through April 14, a flow appropriation of 0.40 cfs is recommended to maintain the wetted perimeter and average depth criteria.

We understand that the CWCB staff will evaluate water availability in more detail during the coming months and the seasonality of these flow recommendations may change as a result of the CWCB staffs' analysis.

Relationship to Existing State Policy. TU is forwarding this stream flow recommendation to the CWCB to meet the State of Colorado's policy "that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors ... and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife-related opportunities." C.R.S. 33-1-101(1). Further, the CDOW Strategic Plan states "Healthy aquatic environments are essential to maintain healthy and viable fisheries, and critical for self-sustaining populations. The Division desires to protect and enhance the quality and quantity of aquatic habitats." TU recommends that this unnamed tributary to Muddy Creek be considered for inclusion in the Instream Flow Program because doing so would help meet these stated policies. Specifically, establishing minimum flows through this reach would preserve the natural environment of the stream to a reasonable degree.

Attached in Appendix A, please find copies of the field data sheets, the R2CROSS modeling runs, and stream photographs. If you have any questions regarding the attached information or the instream flow recommendations, please feel free to contact me at (303) 440-2937.

Trout Unlimited thanks the Colorado Division of Wildlife and the Colorado Water Conservation Board Staff for their support in preparing this recommendation.

Sincerely,

Greg Espegren

Greg Espegren Trout Unlimited Aquatic Specialist

Cc: Jay Skinner, CDOW Water Unit Program Manager – w/o attachments

Mark Uppendahl, CDOW Instream Flow Program Coordinator




Figure 1.. Map of unnamed tributary to Muddy Creek watershed. The watershed's location within Division 5 is indicated by the red box on the inset map of Colorado




Figure 2. Recommended instream flow appropriations (yellow lines) as compared to estimated average monthly discharge at Lower Terminus of proposed ISF reach on unnamed tributary of Muddy Creek.



FIELD DATA **FOR INSTREAM FLOW DETERMINATIONS**



CONSERVATION BOARD)			ı	LOC	ATIO	NIN	FOF	RMA	TIOI	N .						E		en en et de la Colonia de l
STREAM NAME:	, [],	.;b to	Li	H/c	M.]].	(10	ch					,			CI	1055-5	ECTION	l NO.;
CROSS-SECTION LOCATION:)	Tron	<u></u> ,	,	- 46.6.C.	3-00m	N.J.	10.	> (r > 55-	1.	(1) _{er}	c lle	14	3 F	w./			
N 400 19	510	. 51	W		76°		つし	47		17	ン	1	•						
DATE: 0-15 OBSE	DATE: 9-15 OBSERVERS: Grey ESPRYCON + Oran Cotonil																		
LEGAL % SECTOR S	LION: NM		ECTÍON	l:	1	ΤC	OWNSH		4	(N	<u>/S</u>	RANGE	Ę	<u> 52</u>		(W)		<u> </u>	
COUNTY:		WATERSHE		دکد	2 2)			₩ ^A	TER D	IVISTON:					DOW W	ATER C	ODE:		
MAP(S): WALTON FUND																			
B	Neaphtae																		
	SUPPLEMENTAL DATA																		
SAG TAPE SECTION SAME AS YES / NO DISCHARGE SECTION: METER TYPE:																			
METER NUMBER:		DATE RATE	D:			CALIE	B/SPIN:			sec	TAPE W	EIGHT:	_	16	s/logt	TAPE	TENSI	ON:	lbs
CHANNEL BED MATERIAL SIZI	E RANGE:	<u> </u>						PHOTO	OGRAP	HS TAK	EN: YES	Ono		NUMBE	R OF P	нотос	RAPHS	i:	
Appropriate process and a more and a second a	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	d Western en erminenn	СНА	NN	EL P	ROF	ILE	DAT	A					********	************	yanasan mada 20	
í I	O.	STANCE "		.]				r										1	EGEND:
STATION Tape @ Stake LB	FR	OM TAPE	t)	-	ROD	ROD READING (1t)													
Tape @ Stake RB		0,0		1					s K							Stake			
1 WS @ Tape LB/RB		0.0		(R	R-(-94 13-600 F									ition (1)					
2 WS Upstream	ጚ	5			0,7				ZT C										
3 WS Downstream	2	t			90				H							***********	Direc	ction of Flow	
SLOPE	VAN AN A		veiministasinen			nantasinana.				and the second	carporent percentificati	isissannissann	(9	THE PARTY OF THE P	an egan en essenta	**************************************		
				AC	TAU	ic s	AMF	LIN	G S	UMN	IARY								
STREAM ELECTROFISHED: Y	ES/MO)	DISTANCE	ELEC	TROFIS	HED:_			ļ	ISH C	AUGHT:	(YES)NO	, Ε ι βø	<i>y</i>	WATER	RCHEN	IISTRY :	SAMPL	ED: YES	S/NO
	istinainen suunia minena eraim	LENGTH	·FREC	NENC.	Y DISTE	RIBUTIO	ON BY (DNE-IN	існ şі	ZE GRO	UPS (1.	0-1.9, 2	.0-2.9,	ETC.)		or namen recent	namana niibidbi Hara	чинаданновин	emperature in comment in an included
SPECIES (FILL IN)			1	2	3	4	5	6	7	В	9	10	11	12	13	14	15	>15	TOTAL
CRET					1	11	WT	MT.	11	111	1111	1111	11	1	<u> </u>		···		
											 								
	, , , , , , , , , , , , , , , , , , , ,																		
AOUATIC INSECTS IN STREAM	AOUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																		
			our successive him	a por produceronos.	inii saan saa	C	MMC	EN.	ΓS	end (frejjes tiskel)		···	ennement dans	o November 200 Stary St.	i de la compania de		nigaritosiji pinin	ng masan masan sa	รังธองเก่อจึงเล่นของ <u>เล</u> ะเล่น
<i>₩</i>	OP	52001	<u></u>	776	20		1,												
	· · · · · · · · · · · · · · · · · · ·																		
								······································	~		····	······································						<u></u>	

DISCHARGE/CROSS SECTION NOTES

BEGINNING OF MEASUREMENT Column	Discharge
Stake (S) Grassline (G) Waterline (W) Rock (R) Point (ft) S. 5. 5 S. 5. 7 S. 7 S	Discharge
9 1, 0 6, 04	(cfs)
9 1, 0 6, 04	
G 1.0 6.04 D	
W 1.3 6.90 0	:
717 0.2	
Bolin Pork Z 7.15 0.75 0.00	
7.75 0.35 0.05	
2.4 7.76 0.35 0.74 7.6 7.16 0.25	
7.35 0.45	
77 7.43 0.55 1.69	
7.16 0.20 0.89 3.6 7.09 0.20 0.28	-
3.8 7.04 0.15 0.17	
1 1 7.03 0.15 0.76	
W 4.3 6.87 Ø	
50 6.58	
G 6.7 6.48	
7.4 5.70	
5 8.2 4.60	
	1
	<u> </u>
	
TOTALS:	
End of Measurement Time: 7 / Gage Reading: II CALCULATIONS PERFORMED BY: CALCULATIONS CHECKED BY	I IY:

					VERT	WATER				Tape to
	Data Input & Proofing	GL=1	FEATURE	DIST	DEPTH	DEPTH	VEL	Α	Q	Water
	,				Total Da	ta Points = 22				
STREAM NAME:	Unnamed trib to Muddy Creek		Stake	0.00	5.51			0.00	0.00	0.00
	downstream of FS Road 100			0.70	5.79			0.00	0.00	0.00
XS NUMBER:	1	1	G	1.00	6.04			0.00	0.00	0.00
DATE:	9/15/2009		W	1.30	6.90	0.00		0.00	0.00	0.00
OBSERVERS:	Espegren, Peternell			1.50	7.12	0.20	0.06	0.05	0.00	6.92
				1.80	7.10	0.20	0.10	0.05	0.01	6.90
1/4 SEC:				2.00	7.15	0.25	0.00	0.05	0.00	6.90
SECTION:				2.20	7.25	0.35	0.05	0.07	0.00	6.90
TWP:				2.40	7.26	0.35	0.74	0.07	0.05	6.91
RANGE:				2.60	7.16	0.25	1.25	0.05	0.06	6.91
PM:	[6th			2.80	7.42 7.35	0.52 0.45	1.53 1.07	0.10 0.09	0.16 0.10	6.90 6.90
COLINEY	(D4			3.00 3.20	7.43	0.45	1.69	0.09	0.10	6.88
COUNTY: WATERSHED:	Muddy Creek, Colorado River			3.40	7.10	0.20	0.89	0.11	0.15	6.90
DIVISION:				3.60	7.09	0.20	0.28	0.04	0.01	6.89
DOW CODE:	<u> </u>			3.80	7.04	0.15	0.17	0.03	0.01	6.89
	Walton Peak, Lake Agnes			4.00	7.03	0.15	0.26	0.04	0.01	6.88
USFS MAP:			W	4.30	6.87	0.00		0.00	0.00	0.00
	Level and Rod Survey ▼			5.00	6.58			0.00	0.00	0.00
TAPE WT:	10.0106 Level and Rod Sulvey V lbs / ft	1	G	6.70	6.48			0.00	0.00	0.00
TENSION:	99999 lbs			7.40	5.70			0.00	0.00	0.00
			Stake	8.20	4.60			0.00	0.00	0.00
SLOPE:	0.047272727 ft / ft									
	DATE									
CHECKED BY:	:DATE									
A COLONIED TO	DATE									
ASSIGNED IC):DATE									

Totals 0.79 0.63

COLORADO WATER CONSERVATION BOARD INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: XS LOCATION: XS NUMBER:		o to Muddy Creek of FS Road 100
DATE: OBSERVERS:	15-Sep-09 Espegren, Pe	eternell
1/4 SEC: SECTION: TWP: RANGE: PM:	NW 7 4N 82W 6th	
COUNTY: WATERSHED: DIVISION: DOW CODE:	Routt Muddy Creek 5 0	., Colorado River
USGS MAP: USFS MAP:	Walton Peak, Arapahoe	Lake Agnes
SUPPLEMENTAL DATA	.	*** NOTE *** Leave TAPE WT and TENSION
TAPE WT: TENSION:	0.0106 99999	at defaults for data collected with a survey level and rod
CHANNEL PROFILE DATA	\ ==	
SLOPE:	0.04727273	
INPUT DATA CHECKED B	Y:	DATE
ASSIGNED TO:	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DATE

STREAM NAME: XS LOCATION:

Unnamed trib to Muddy Creek downstream of FS Road 100

XS NUMBER:

1

DATA POINTS=

22

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE		VERT	WATER		WETTED	WATER	AREA	Q	% Q
	DIST	DEPTH	DEPTH	VEL	PERIM.	DEPTH	(Am)	(Qm)	CELL
Stake	0.00	5,51			0.00		0.00	0.00	0.0%
	0.70	5.79			0.00		0.00	0.00	0.0%
1 G	1.00	6.04			0,00		0.00	0.00	0.0%
W	1.30	6.90	0.00		0.00		0.00	0.00	0.0%
	1.50	7.12	0.20	0.06	0.30	0.20	0.05	0.00	0.5%
	1.80	7.10	0.20	0,10	0.30	0.20	0.05	0.01	0.8%
	2.00	7.15	0.25	0.00	0,21	0.25	0.05	0.00	0.0%
	2.20	7.25	0.35	0.05	0.22	0.35	0.07	0.00	0.6%
	2.40	7.26	0.35	0.74	0.20	0.35	0.07	0.05	8.2%
	2.60	7.16	0.25	1.25	0.22	0.25	0.05	0.06	9.9%
	2.80	7.42	0.52	1.53	0,33	0.52	0.10	0.16	25.3%
	3.00	7.35	0.45	1.07	0.21	0.45	0.09	0.10	15.3%
	3.20	7.43	0.55	1.69	0.22	0.55	0.11	0.19	29.6%
	3.40	7.10	0.20	0.89	0.39	0.20	0.04	0.04	5.7%
	3.60	7.09	0.20	0.28	0.20	0.20	0.04	0.01	1.8%
	3.80	7.04	0.15	0.17	0.21	0.15	0.03	0.01	0.8%
	4.00	7.03	0.15	0.26	0.20	0.15	0.04	0.01	1.6%
W	4.30	6.87	0.00		0.34		0.00	0.00	0.0%
	5.00	6.58			0.00		0.00	0.00	0.0%
1 G	6.70	6.48			0.00		0.00	0.00	0.0%
	7.40	5.70			0.00		0.00	0.00	0.0%
Stake	8.20	4.60			0.00		0.00	0.00	0.0%
то	TALS				3.54	0.55	0.79	0.63	100.0%
						(Max.)			

Manning's n = Hydraulic Radius=

0.1498 0.223621442 STREAM NAME: Unnamed trib to Muddy Creek
XS LOCATION: downstream of FS Road 100

XS NUMBER: 1

WATER LINE COMPARISON TABLE

		y	
WATER	MEAS	COMP	AREA
LINE	AREA	AREA	ERROR
	0.79	0.83	4.6%
6.64	0.79	1.66	109.3%
6.66	0.79	1.58	100.2%
6.68	0.79	1.51	91.1%
6.70	0.79	1.44	82.2%
6.72	0.79	1.37	73.5%
6.74	0.79	1.30	64.8%
6.76	0.79	1.24	56.4%
6.78	0.79	1.17	48.0%
6.80	0.79	1.11	39.8%
6.82	0.79	1.04	31.8%
6.84	0.79	0.98	23.8%
6.85	0.79	0.95	19.9%
6.86	0.79	0.92	16.1%
6.87	0.79	0.89	12.2%
6.88	0.79	0.86	8.4%
6.89	0.79	0.83	4.6%
6.90	0.79	0,80	0.9%
6.91	0.79	0.77	-2.8%
6.92	0.79	0.74	-6.5%
6.93	0.79	0.71	-10.2%
6.94	0.79	0.68	-13.8%
6.96	0.79	0.63	-20.9%
6.98	0.79	0.57	-27.9%
7.00	0.79	0.52	-34.7%
7.02	0.79	0.46	-41.4%
7.04	0.79	0.41	-47.9%
7.06	0.79	0.36	-53.9%
7.08	0.79	0.32	-59.6%
7.10	0.79	0.28	-65.0%
7.12	0.79	0.24	-69.6%
7.14	0.79	0.21	-73.4%

WATERLINE AT ZERO
AREA ERROR =

6.897

STREAM NAME: XS LOCATION:

Unnamed trib to Muddy Creek downstream of FS Road 100

XS NUMBER:

STAGING TABLE

GL = lowest Grassline elevation corrected for sag
WL = Waterline corrected for variations in field measured water surface elevations and sag

Constant Manning's n

-	DIST TO	TOP	AVG.	MAX.		WETTED	PERCENT	HYDR	· · · · · · · · · · · · · · · · · · ·	AVG.	
	WATER	WIDTH	DEPTH	DEPTH	AREA	PERIM.	WET PERIM	RADIUS	FLOW	VELOCITY	
•	(FT)	(FT)	(FT)	(FT)	(SQ FT)	(FT)	(%)	(FT)	(CFS)	(FT/SEC)	
·GL·	6,48	5,55	0.42	0.95	2.33	6.44	100,0%	0.36	2.55	1.09	
	6.50	5.24	0.43	0.93	2.24	6.13	95.1%	0.36	2.46	1.10	
	6.55	4.38	0.46	88,0	2.00	5.23	81.1%	0.38	2.27	1.14	
	6.60	3.76	0.48	0.83	1,80	4.57	70.9%	0.39	2.08	1.16	
	6.65	3,63	0.44	0.78	1.61	4.39	68.1%	0.37	1.78	1.11	
	6.70	3.49	0.41	0.73	1,43	4.20	65.2%	0.34	1.51	1.05	
	6.75	3.35	0.38	0.68	1.26	4.02	62,4%	0.31	1.26	1.00	1.25
	6.80	3,21	0.34	0.63	1.10	3.84	59.5%	0.29	1.03	0.94	
	6.85	3.07	0.31	0.58	0.94	3.65	56.7%	0,26	0.82	0.87	
WL*	6,90	2.95	0.27	0.53	0.79	3,48	54.1%	0.23	0.64	0.80	
	6.95	2.81	0.23	0.48	0.65	3.31	51.4%	0,20	0.47	0.73	0.4
	7.00	2.67	0.19	0.43	0,51	3.14	48.7%	0.16	0.33	0.64	O , 1
	7.05	2.34	0.16	0.38	0,38	2.77	43.0%	0.14	0.22	0.58	
	7.10	1.97	0.14	0.33	0.27	2,38	36.9%	0.11	0.14	0.51	
	7.15	1,38	0.14	0.28	0.19	1.74	27.1%	0.11	0.10	0.50	
	7.20	1.14	0.11	0.23	0.13	1.44	22.3%	0.09	0.06	0.43	
	7.25	0.87	0.09	0.1B	0.08	1.09	17.0%	0.07	0.03	0.38	
	7.30	0.57	0.08	0.13	0.05	0.74	11.4%	0.06	0.02	0.34	
	7.35	0.51	0.04	80.0	0.02	0.62	9.5%	0.03	0.00	0.22	
	7.40	0.18	0.01	0.03	0,00	0.22	3.5%	0.01	0.00	0.11	

STREAM NAME: XS LOCATION: Unnamed trib to Muddy Creek downstream of FS Road 100

XS NUMBER:

1

SUMMARY SHEET

MEASURED FLOW (Qm)=	0.63			ED INSTREAM FLOW:	
CALCULATED FLOW (Qc)=	0.64	cfs	=======================================	=======================================	
(Qm-Qc)/Qm * 100 =	-1.1	%	FLOW (CFS)	PERIOD	
MEASURED WATERLINE (WLm)=	6.89	ft	=======================================	======	
CALCULATED WATERLINE (WLc)≃	6.90	ft		(-)	
(WLm-WLc)/WLm * 100 =	-0.2	%	1.25	<u>(3: 3</u>)	
MAX MEASURED DEPTH (Dm)=	0.55	ft	04.0	(2:3)	
MAX CALCULATED DEPTH (Dc)=	0.53		-		
(Dm-Dc)/Dm * 100	3.2				
MEAN VELOCITY=	0.80	fl/sec			
MANNING'S N=	0.150				
SLOPE=	0.04727273	fl/ft			
.4 * Qm =	0.3	cfs			
2.5 * Qm=	1.6	cfs			
*					
RECOMMENDATION BY: He doe	1	AGENCY	た り、		<u> </u>
CWC8 REVIEW BY:				, DATE:	









