Summary

This is an application for approval of a plan for augmentation to make replacements for precipitation captured out-of-priority by 123.75 acres of impermeable liners and 2.59 acres of detention ponds. Instead of computing the depletion based upon the volume of captured precipitation, the Applicant has computed a runoff value based upon historical stream measurements that were calculated for Case No. 02CW122. The CWCB is an opposing party in that case.

CWCB Appropriations

CWCB Case No.	Stream/Lake	Amount (cfs)	Approp. Date	Watershed	County
2-00CW103	Fourmile Creek	9.4/4.5	1/26/2000	Upper Arkansas	Teller/Fremont
2-00CW104	Fourmile Creek	9.1/4.75	1/26/2000	Upper Arkansas	Fremont
2-00CW105	Fourmile Creek	9.5/5	1/26/2000	Upper Arkansas	Fremont
2-00CW106	Fourmile Creek	3.5/9.5	1/26/2000	Upper Arkansas	Fremont

The CWCB holds the following instream flow water rights that could be injured by this application:

Potential for Injury

The Applicant's proposed plan for augmentation may not replace out-of-priority depletions in time, place and amount, which could injure the Board's instream flow water rights.

Other Objectors

Other objectors include Beaver Park Water, Inc; City of Colorado Springs/Colorado Springs Utilities; City of Cripple Creek; Canon Heights Irrigation and Reservoir Company; Pisgah Reservoir and Ditch Company; Catlin Canal Company; and the Division and State Engineers.

