

Rob Firth Colorado River Headwaters Project Coordinator PO Box 92 Hot Sulphur Springs, CO 80451 (970) 531-3939

December 10, 2010

Ms. Linda Bassi Mr. Jeff Baessler Colorado Water Conservation Board 1313 Sherman Street, Room 721 Denver, Colorado 80203

Dear Ms. Bassi and Mr. Baessler,

Trout Unlimited in conjunction with the Colorado Division of Wildlife (CDOW) is submitting this final instream flow recommendation for Little Green Creek, located in Routt and Grand Counties, Water Division 5.

Location and Land Status. Little Green Creek originates in the headwaters of the Gore Range at an elevation of approximately 9,800 feet. Over the next 3.75 miles it flows generally east through the Arapahoe National Forest as it drops to its confluence with Muddy Creek at an elevation of 8,400 feet. The proposed ISF reach covers this entire 3.75 mile segment and the entire reach is located on Forest Service Land (Fig. 1).

Biological Summary and R2CROSS Analysis. In September 2009, TU collected stream cross sectional data, natural environment data, and other data needed to quantify instream flow needs. Previous survey data collected by CDOW and rod and reel sampling by TU staff indicates that the stream supports healthy populations of Colorado River cutthroat trout.

Stream cross sectional data were analyzed using the R2CROSS program, and the output was evaluated using the methods described in Nehring (1979) and Espegren (1996). The R2CROSS models how average depth, percent wetted perimeter and average velocity vary with discharge. According to the criteria established by Nehring (1979), the relevant minimum requirements are an average depth of 0.2 feet, a wetted perimeter of 50%, and an average velocity of 1.0 ft/sec. Protecting salmonids during the summer season is accomplished by insuring all three criteria are met while during the winter protection can be accomplished by protecting 2 of three criteria. Thus, R2CROSS indicates that the fishery of Little Green Creek can be protected with minimum summer flows of 1.25 cfs and minimum winter flows of 0.50 cfs. However, because spring and fall water availability is often insufficient for meeting this requirement, we recommend adjusting the ISF requirement to reflect water availability. Therefore, TU recommends that the CWCB

appropriate the following flow amounts to preserve the natural environment of Little Green Creek to a reasonable degree:

- From April 1 through July 31 a flow appropriation of 1.25 cfs is recommended...
- From August 1 through October 31 a flow appropriation of .5 cfs is recommended to maintain the three principal criteria of average depth, average velocity, and percent wetted perimeter;
- From November 1 through March 31, a flow appropriation of 0.3 cfs is recommended based on water availability limitations.

Water Availability. The preliminary instream flow recommendation we submitted in February 2010 was based on preliminary water availability analyses. Subsequent to those preliminary analyses, the CWCB provided us with a geometric mean analysis of daily flows at Little Green Creek. We used the CWCB's water availability analysis to adjust the seasonality and quantities of the instream flow recommendation so that the estimated daily flow through Little Green Creek typically exceeds the recommended instream flow. These seasonal adjustments are reflected in the final instream flow recommendation above.


Relationship to Existing State Policy. TU is forwarding this stream flow recommendation to the CWCB to meet the State of Colorado's policy "that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors ... and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife-related opportunities." C.R.S. 33-1-101(1). Further, the CDOW Strategic Plan states "Healthy aquatic environments are essential to maintain healthy and viable fisheries, and critical for self-sustaining populations. The Division desires to protect and enhance the quality and quantity of aquatic habitats." TU recommends that Little Green Creek be considered for inclusion in the Instream Flow Program because doing so would help meet these stated policies. Specifically, establishing minimum flows through this reach would preserve the natural environment of the stream to a reasonable degree.

Attached in Appendix A, please find a copy of the stream photograph. If you have any questions regarding the attached information or the instream flow recommendations, please feel free to contact me at (970) 531-3939.

Trout Unlimited thanks the Colorado Division of Wildlife and the Colorado Water Conservation Board Staff for their support in preparing this recommendation.

Sincerely,

→ • ﷺ • E Rob Firth Trout Unlimited Colorado River Headwaters Project Coordinator






Figure 1.. Map of Little Green Creek watershed. The watershed's location within Division 5 is indicated by the red box on the inset map of Colorado



Greg Espegren Aquatics Specialist Colorado Water Project 1320 Pearl Street, Suite 320 Boulder, CO 80302 303.440.2937

February 18, 2010

Ms. Linda Bassi Mr. Jeff Baessler Colorado Water Conservation Board 1313 Sherman Street, Room 721 Denver, Colorado 80203

Dear Ms. Bassi and Mr. Baessler,

Trout Unlimited in conjunction with the Colorado Division of Wildlife (CDOW) is submitting this instream flow recommendation for Little Green Creek, located in Routt and Grand Counties, Water Division 5.

Location and Land Status. Little Green Creek originates in the headwaters of the Gore Range at an elevation of approximately 9,800 feet. Over the next 3.75 miles it flows generally east through the Arapahoe National Forest as it drops to its confluence with Muddy Creek at an elevation of 8,400 feet. The proposed ISF reach covers this entire 3.75 mile segment and the entire reach is located on Forest Service Land (Fig. 1).

Biological Summary and R2CROSS Analysis. In September 2009, TU collected stream cross sectional data, natural environment data, and other data needed to quantify instream flow needs. Previous survey data collected by CDOW and rod and reel sampling by TU staff indicates that the stream supports healthy populations of Colorado River cutthroat trout.

Stream cross sectional data were analyzed using the R2CROSS program, and the output was evaluated using the methods described in Nehring (1979) and Espegren (1996). The R2CROSS models how average depth, percent wetted perimeter and average velocity vary with discharge. According to the criteria established by Nehring (1979), the relevant minimum requirements are an average depth of 0.2 feet, a wetted perimeter of 50%, and an average velocity of 1.0 ft/sec. Protecting salmonids during the summer season is accomplished by insuring all three criteria are met while during the winter protection can be accomplished by protecting 2 of three criteria. Thus, R2CROSS indicates that the fishery of Little Green Creek can be protected with minimum summer flows of 1.25 cfs and minimum winter flows of 0.50 cfs.

Water Availability. There are no stream gages on Little Green Creek so we used the USGS StreamStats methodology to estimate the discharge passing through the proposed ISF reach.

Trout Unlimited: America's Leading Coldwater Fisheries Conservation Organization 1320 Pearl Street, Suite 320, Boulder, CO 80302 (303) 440-29370 • Fax: (303) 440-7933 • www.tu.org This allowed us to estimate how much water would have flowed through Little Green Creek in the absence of any diversions.

The Colorado State Engineer's CDSS Diversion Structures, Division 5, Database (version 20090701) indicates that there are no diversion structures located within the Little Green Creek watershed. Therefore, no adjustments to the StreamStats modeled flows were necessary.

We used this water availability analysis to adjust the recommended ISF so that our estimate of average monthly flows through Little Green Creek typically exceeded the recommended flows (Fig. 2).

Preliminary ISF Recommendation. Our StreamStats water availability analysis indicates that streamflows are available to satisfy the flows that resulted from our R2CROSS analysis. Therefore, TU makes a preliminary recommendation for the following flow amounts to preserve the natural environment of Little Green Creek to a reasonable degree:

- From March 15 through October 15 a flow appropriation of 1.25 cfs is recommended to maintain the three principal criteria of average depth, average velocity, and percent wetted perimeter;
- From October 16 through March 14, a flow appropriation of **0.50 cfs** is recommended to maintain the wetted perimeter and average depth criteria.

We understand that the CWCB staff will evaluate water availability in more detail during the coming months and the seasonality of these flow recommendations may change as a result of the CWCB staffs' analysis.

Relationship to Existing State Policy. TU is forwarding this stream flow recommendation to the CWCB to meet the State of Colorado's policy "that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors ... and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife-related opportunities." C.R.S. 33-1-101(1). Further, the CDOW Strategic Plan states "Healthy aquatic environments are essential to maintain healthy and viable fisheries, and critical for self-sustaining populations. The Division desires to protect and enhance the quality and quantity of aquatic habitats." TU recommends that Little Green Creek be considered for inclusion in the Instream Flow Program because doing so would help meet these stated policies. Specifically, establishing minimum flows through this reach would preserve the natural environment of the stream to a reasonable degree.

Attached in Appendix A, please find copies of the field data sheets, the R2CROSS modeling runs, and stream photographs. If you have any questions regarding the attached information or the instream flow recommendations, please feel free to contact me at (303) 440-2937.

Trout Unlimited thanks the Colorado Division of Wildlife and the Colorado Water Conservation Board Staff for their support in preparing this recommendation.

Page 3

Sincerely,

Greg Espegren

Greg Espegren Trout Unlimited Aquatic Specialist

Cc: Jay Skinner, CDOW Water Unit Program Manager – w/o attachments Mark Uppendahl, CDOW Instream Flow Program Coordinator




Figure 1.. Map of Little Green Creek watershed. The watershed's location within Division 5 is indicated by the red box on the inset map of Colorado




Figure 2. Recommended instream flow appropriations (yellow lines) as compared to estimated average monthly discharge at Lower Terminus of proposed ISF reach on Little Green Creek.

	FIELD DATA FOR INSTREAM FLOW DETERMINAT	TIONS
O WATER ON BOARD	LOCATION INFORMATION	
Little Gr	ion (reak	CROSS-

	Hle Greek	CROSS-SECTION NO.:
CROSS-SECTION LOC	100 Marks Astrian it 1- > Log 100 Croscon	
400 1	18'34.5" W106° 78' 15"	
DATE: 9-15-09		
LEGAL DESCRIPTION	NE SECTION: 24 TOWNSHIP: 4 NS RANGE 83	E/W PM: 612
COUNTY: COUT	WATERSHED: WATER DIVISION: DO	DW WATER CODE:
MAP(S):	WALTON PESTIC	
	ARAPANOS	

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION:	ÉS/NO	METER TYPE:	Marsh	Milling			steller mannen för ande som ande som en en som en en som en so
METER NUMBER:		ATE RATED:	CALIB/S	PIN:	TAPE WEIGHT:	D/A Ibs/lool	TAPE TENSION: NA Ibs
CHANNEL BED MATERIAL SIZE R			PHOTOGRAPHS TA	KEN YESANO	NUMBER OF PI	HOTOGRAPHS:	

CHANNEL PROFILE DATA APL. J. Z

STATION	DISTANCE FROM TAPE (1)	ROD READING (II)			00	LEGEND:
🛞 Tape @ Stake LB	0.0				[Slake 🕱
Tape @ Stake RB	0.0		s ĸ	. 1.1	, 7	Station (1)
(1) WS @ Tape LB/RB	0.0	R.B=8.28 (1B=8.29)	E T C	TAPE TAPE	4.00	Photo ()+
2 WS Upstream	10'	8.25'	н	2		
3 WS Downstream	101	8.62				Direction of Flow
SLOPE	10177110700 300 1000 1 31 1000 1 37 100 1 27 100 1 000 1 000 1 000 1 1 27 10 1 000 1 1 27 10 1 000 1 1 20 10 1				B) 8 / /	\bigcirc

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YESNO				FISH CAUGHT: (ESNO FLY				2	WATER CHEMISTRY SAMPLED: YES/NO									
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																		
SPECIES (FILL IN)		1	2	з	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL
CRET			1)		1	THL	U II	- tl	1	41		1						
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																		

COMMENTS

CAUGHT	APPROX	25	(<u>+</u> Z"- 11"	04	Brook	-FRONT-1



COLORADO WAT CONSERVATION BO

DISCHARGE/CROSS SECTION NOTES

ST	REAM NAME:	L: H/e	Ga	ren (mer	, <u> </u>			CROS	S-SECTION	NO.:	DATE: 9-15-	. <i>0</i> 9	SHEET	OF
BE	GINNING OF M	EASUREMENT		ATER LOOKING D		LEFT / RIG	HT Ga	age Re:	ading:	{I	TIME:			
es	Slake (S)	Dislance	Width	Total	Water	Depth	Revolut	ions		Veloci	ty (It/sec)			
151	Stake (S) Grassline (G) Waterline (W) Rock (A)	From Iniliai Poini (fl)	(11)	Vertical Depth From Tape/Inst (It)	Depth (ft)	of Obser- valion (ít)			Time (sec)	Al Point	Mean in Vertical	(I	rea 1 ²)	Discharge (CfS)
		0.0		6.79						0				
		0.8		7.08		_				Ø				
	G	1.5		7,74						0				
	N'	1.75 Z		8.29	۰ <i>۱</i> 0-					0				
		2.25		8.39	.20					0.65 0.66				
		25		<u>8.45</u> 8.44	.20					1.08				
		Z.75			_ iS					1.25		+		
—				8.42	-15					1. 39				
		3 3 25		8.43	- 12					1.39		+		
		3.5		8.45	.15					0.83		+		
:		3,75		8.44	,10					1.12				
		4		8.39	.10					1.30		+		
		4.25		8.40	.10					1.71				
		4.5		2.40	.10					0.87				
		4.75		8.40	.10					1.04				
		5		8.34	.10					0.35				
		5.25		8.36	s10					0.52				
		5.5		8.39	.10					0.78				
		5.75		8.74	.05					0.24		-		
	<u>~</u>	6		8,28						0		_		
	61	7		7.69						0				
	-	18		7.62						0				
	8	8.8		6.59						0		+	_	
										<u> </u>				
												-		
												_		
														-
														<u>-</u>
							State 1947	S 1984						
	TOTALS:	<u> </u>		T					D 9%	<u>l</u>			KED DV	
E	nd of Measur	ement Tin	ne:	Gage Reading	g: II	CALCULAT	IUNS PER	FORME	U BY:		CALCULATIONS	SCHEC	KEU BY	

				VERT	WATER				Tape to
Data Input & Proofing	GL=1	FEATURE	DIST	DEPTH	DEPTH	VEL	Α	Q	Water
				Total Da	ta Points = 24				
STREAM NAME: Little Green Creek 2009			0.00	6.79			0.00	0.00	0.00
XS LOCATION: 100 yds u/s of FS Road 100 crossing			0.80	7.08			0.00	0.00	0.00
XS NUMBER: 1	1	G	1.50	7.74			0.00	0.00	0.00
DATE: 9/15/2009		w	1.75	8.29	0.00		0.00	0.00	0.00
OBSERVERS: Espegren, Peternell			2.00	8.39	0.10	0.65	0.03	0.02	8.29
			2.25	8.45	0.20	0.66	0.05	0.03	8.25
1/4 SEC: NE			2.50	8.44	0.20	1.08	0.05	0.05	8.24
SECTION: 24			2.75	8.42	0.15	1.25	0.04	0.05	8.27
TWP: 4N RANGE: 83W			3.00 3.25	8.43 8.45	0.15 0.15	1.39 1.32	0.04 0.04	0.05	8.28
PM: 6th			3.25	8.44	0.15	0.83	0.04	0.05 0.03	8.30 8.29
			3.75	B.41	0.10	1,12	0.04	0.03	8.31
COUNTY: Routt			4.00	8.39	0.10	1.30	0.03	0.03	8.29
WATERSHED: Muddy Creek, Colorado River			4.25	8.40	0.10	1.21	0.03	0.03	8.30
DIVISION: 5			4.50	8.40	0.10	0.87	0.03	0.02	8.30
DOW CODE:			4.75	8.40	0,10	1.04	0.03	0.03	8.30
USGS MAP: Walton Peak, Lake Agnes			5.00	8.36	0.10	0.35	0.03	0.01	8.26
USFS MAP: Arapahoe			5.25	8.36	0.10	0.52	0.03	0.01	8.26
Level and Rod Survey			5.50	8.39	0.10	0.78	0.03	0.02	8.29
TAPE WT: 0.0106 lbs / ft			5.75	8.34	0.05	0.24	0.01	0.00	8.29
TENSION: 999999		w	6.00	8.28			0.00	0.00	0.00
	1	G	7.00	7.69			0.00	0.00	0.00
SLOPE: 0.0185 ft / ft		Claba	8.00	7.62			0.00	0.00	0.00
		Stake	8.80	6,59			0.00	0.00	0.00
CHECKED BY:DATE									
CHECKED DI									
ASSIGNED TO:DATEDATE.									

Totals 0.49 0.47

COLORADO WATER CONSERVATION BOARD INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME:	Lille Green Creek 2009
XS LOCATION:	100 yds u/s of FS Road 100 crossing
XS NUMBER:	1
DATE:	15-Sep-09
OBSERVERS:	Espegren, Peternell
1/4 SEC:	NE
SECTION:	24
TWP:	4N
RANGE:	83W
PM:	6Ih
COUNTY:	Roult
WATERSHED:	Muddy Creek, Colorado River
DIVISION:	5
DOW CODE:	0
USGS MAP:	Walton Peak, Lake Agnes
USFS MAP:	Arapahoe
SUPPLEMENTAL DATA	
TAPE WT:	0.0106 with a survey level and rod
TENSION:	99999
CHANNEL PROFILE DATA	<u>A</u>
SLOPE:	0.0185
INPUT DATA CHECKED E	JY:DATE

STREAM NAME:	Little Green Creek 2009
XS LOCATION:	100 yds u/s of FS Road 100 crossing
XS NUMBER:	1

	#	DATA POINTS	S=	24
FEATURE		VERT	WATER	
	DIST	DEPTH	DEPTH	VEL
	0.00	6.79		
		7.08		
1 G	0.80	7.00		
	1.50		0.00	
W	1.75	8.29	0.00	
	2.00	8.39	0.10	0.65
	2.25	8.45	0.20	0.66
	2.50	8.44	0.20	1.08
	2.75	8.42	0.15	1.25
	3.00	8.43	0.15	1.39
	3.25	8.45	0.15	1.32
	3.50	8.44	0.15	0.83
	3.75	8.41	0.10	1.12
	4.00	8.39	0.10	1.30
	4.25	8.40	0.10	1.21
	4.50	8.40	0.10	0.87
	4.75	8.40	0.10	1.04
	5.00	8.36	0.10	0.35
	5.25	8,36	0.10	0.52
	5,50	8.39	0.10	0.78
	5,75	8.34	0.05	0.24
W	6.00	8,28	0.00	0.2-1
1 G	7.00	7.69		
i u	8.00	7.62		
Cialia				
Stake	8.80	6.59		

VALUES COMPUTED FROM RAW FIELD DATA

WETTED	WATER	AREA	Q	% Q
PERIM.	DEPTH	(Am)	(Qm)	CELL
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.27	0.10	0.03	0.02	3.5%
0.26	0.20	0.05	0.03	7.1%
0.25	0.20	0.05	0.05	1 1.6%
0.25	0.15	0.04	0.05	10.1%
0.25	0.15	0.04	0.05	11.2%
0.25	0.15	0.04	0.05	10.6%
0.25	0.15	0.04	0.03	6.7%
0.25	0.10	0.03	0.03	6.0%
0.25	0.10	0.03	0.03	7.0%
0.25	0.10	0.03	0.03	6.5%
0.25	0.10	0.03	0.02	4,7%
0.25	0.10	0.03	0.03	5.6%
0.25	0.10	0.03	0.01	1.9%
0.25	0.10	0.03	0.01	2.8%
0.25	0.10	0.03	0.02	4.2%
0.25	0.05	0.01	0.00	0.6%
0.26		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
4.30	0.2	0.49	0.47	100.0%
	(Max.)			
м	lanning'e n =		0.0406	

Manning's n = 0.0496 Hydraulic Radius= 0.113415075

TOTALS ------

STREAM NAME:Little Green Creek 2009XS LOCATION:100 yds u/s of FS Road 100 crossingXS NUMBER:1

WATER LINE COMPARISON TABLE

WATER	MEAS	COMP	AREA
LINE	AREA	AREA	ERROR
	0.49	0.48	-2.0%
8.04	0.49	1.61	229.4%
8.06	0.49	1.51	209.8%
8.08	0.49	1.42	190.5%
8.10	0.49	1.32	171.3%
8.12	0.49	1.23	152.3%
8.14	0.49	1.14	133.5%
8.16	0.49	1.05	114.8%
8.18	0.49	0.96	96.4%
8.20	0.49	0.87	78.1%
8.22	0.49	0.78	60.0%
8.24	0.49	0.69	42.0%
8.25	0.49	0.65	33.1%
8.26	0.49	0.61	24.3%
8.27	0.49	0.56	15.5%
8.28	0.49	0.52	6.7%
8.29	0.49	0.48	-2.0%
8.30	0.49	0.44	-10.7%
8.31	0.49	0.39	-19.2%
8.32	0.49	0.35	-27.5%
8.33	0.49	0.31	-35.7%
8.34	0.49	0.27	-43.8%
8.36	0.49	0.20	-59.6%
8.38	0.49	0.13	-73.6%
8.40	0.49	0.07	-85.5%
8.42	0.49	0.03	-93.3%
8.44	0.49	0.01	-98.5%
8.46	0.49	0.00	-100.0%
8.48	0.49	0.00	-100.0%
8.50	0.49	0.00	-100.0%
8.52	0.49	0.00	-100.0%
8.54	0.49	0.00	-100.0%

WATERLINE AT ZERO AREA ERROR =

8.283

STREAM NAME:	Little Green Creek 2009
XS LOCATION:	100 yds u/s of FS Road 100 crossing
XS NUMBER;	1

Constant Manning's n

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH <u>(FT)</u>	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL•	7.74	5.42	0.57	0.71	3.11	5.97	100.0%	0.52	8.21	2.64
	7.76	5.32	0.54	0.67	2,88	5.83	97.8%	0.49	7.34	2.55
	7.83	5.22	0.50	0.82	2.62	5,88	95.2%	0.46	8,38	2.43
	7.88	5.11	0.46	0.57	2.38	5,53	92.7%	0.43	5.45	2.31
	7.93	5.00	0.42	0.52	2.11	5.37	90.1%	0.39	4.80	2.18
	7.98	4.89	0.38	0.47	1.88	5,22	87.5%	0.36	3.81	2.05
	8.03	4.79	0.34	0.42	1.62	5.07	85.0%	0.32	3.08	1.90
	8.08	4.88	0,29	0.37	1.38	4.91	82.4%	0.28	2.41	1.75
	8.13	4.57	0,25	0.32	1.15	4.78	79.8%	0.24	1.82	1.58
	8.18	4.46	0.21	0.27	0.92	4.61	77.2%	0.20	1.29	1.40
	8.23	4.38	0.16	0.22	0.70	4.45	74.7%	0.18	0.84	1.19
WL.	8.28	4.24	0.11	0.17	0.49	4.30	72.0%	0.11	0.47	0.96
	8.33	3,92	0.07	0.12	0.28	3.98	86.3%	0.07	0.20	0.70
	8.38	2,97	0.04	0.07	0.11	2,99	50.1%	0.04	0.05	0.44
	8.43	0.94	0.01	0.02	0.01	0.95	15.9%	0.01	0.00	0.19

GL = lowest Grassline elevation corrected for sag *WL* = Waterline corrected for variations in field measured water surface elevations and sag

STREAM NAME:	Little Green Creek 2009
XS LOCATION:	100 yds u/s of FS Road 100 crossing
XS NUMBER:	1

SUMMARY SHEET

MEASURED FLOW (Qm)= CALCULATED FLOW (Qc)= (Qm-Qc)/Qm * 100 =	0.47 cfs 0.47 cfs 0.0 %	
MEASUREO WATERLINE (WLm)= CALCULATED WATERLINE (WLc)= (WLm-WLc)/WLm * 100 =	8.29 ft 8.28 ft 0.0 %	
MAX MEASURED DEPTH (Dm)= MAX CALCULATED DEPTH (Dc)= (Dm-Dc)/Dm * 100	0.20 ft 0.17 ft 16.3 %	
MEAN VELOCITY= MANNING'S N= SLOPE=	0,96 ft/sec 0.050 0.0185 ft/ft	
.4 ° Qm = 2.5 ° Qm=	0.2 cfs 1.2 cfs	

RECOMMENDED INSTREAM FLOW:

FLOW (CFS)	PERIOD
1.25	(3:3)
0.50	(2:3)

RATIONALE FOR RECOMMENDATION:

n			
		· · · · · · · · · · · · · · · · · · ·	
			, ,
Augo Celas 1	τ		1/26/10
	AGENCY.	۴	DATE:
CWCB REVIEW BY:			, DATE:















