

DRAFT INSTREAM FLOW RECOMMENDATION March 13, 2014 Version

Ms. Linda Bassi
Colorado Water Conservation Board
1313 Sherman Street, Room 721
Denver, Colorado 80203

Dear Ms. Bassi:

The Bureau of Land Management (BLM) is writing this letter to formally communicate its recommendation for an instream flow water right on Terror Creek, located in Water Division 4.

Location and Land Status. Terror Creek originates approximately nine miles north of Paonia on the south slopes of the Grand Mesa. The creek flows into the North Fork of the Gunnison River near Paonia. This recommendation covers a reach that starts at the confluence of the East Fork and West Fork and extends downstream to the headgate of the Fawcett Ditch. This stream reach covers a distance of approximately 3.0 miles. The BLM manages all of the lands along this stream reach.

Biological Summary. Terror Creek is a cold-water, high gradient stream. It flows through a narrow canyon with a floor approximately one-eighth mile in width. The stream is generally constrained by bedrock, especially in locations where the streams come close to the canyon walls. The stream generally has large-sized substrate, ranging from four-inch cobbles to boulders up to two feet in diameter. The stream has a high percentage of pool habitat, but sufficient riffle and side channel habitat exists to support fish salmonid reproduction. Fisheries surveys have revealed self-sustaining populations of speckled dace and native cutthroat trout. The BLM plans to collect fin samples from the cutthroat trout population to determine the genetic quality of the population.

The riparian community in this part of Terror Creek is generally comprised of willow species, alder, blue spruce, narrowleaf cottonwood. In general, the riparian community is in very good condition, provides adequate shading and cover for fish habitat, and provides stream stability during flood events.

R2Cross Analysis. The BLM collected the following R2Cross data from Terror Creek:

| Cross Section Date | Discharge Rate | Top Width | Winter Flow Recommendation (meets 2 of 3 hydraulic criteria) | Summer Flow Recommendation (meets 3 of 3 hydraulic criteria) |
|--------------------|----------------|-----------|--|--|
| 09/27/2007 #1 | 6.13 cfs | 28.3 feet | 4.68 cfs | 5.15 cfs |
| 09/27/2007 #2 | 5.73 cfs | 29.8 feet | 4.05 cfs | Out of range |
| 10/21/2008 #1 | 2.15 cfs | 22.0 feet | 3.76 cfs | 4.46 |
| 10/21/2008 #2 | 1.82 cfs | 22.8 feet | 1.70 cfs | Out of range |
| 10/11/2012 #1 | 1.33 cfs | 25.5 feet | 3.21 | Out of range cfs |

Averages: 3.93 cfs 4.80 cfs

BLM's analysis of this data, coordinated with Colorado Parks and Wildlife, indicates that the following flows are needed to protect the fishery and natural environment to a reasonable degree.

4.8 cubic feet per second is recommended for the snowmelt runoff period from April 1 through June 30. This recommendation is driven by the wetted perimeter criteria. Wetting at least 50% of the channel will provide important physical habitat during a time of year when the fish population is completing key life cycle functions.

3.9 cubic feet per second is recommended for the summer and fall time period between July 1 and November 30. This flow rate will generally meet the average depth criteria, while providing 40 to 50 percent wetted perimeter in most cross sections.

1.5 cubic feet per second is recommended during the winter period between December 1 and March 31. This recommendation is driven by limited water availability during the winter. This flow rate generally provides between 0.15 and 0.20 feet depth, 40 to 50% wetted perimeter, and an average 0.9 feet per second velocity. This flow rate should prevent icing in pools and allow fish to successfully overwinter.

Water Availability. The BLM recommends relying upon multiple data sources to confirm water availability. The first information source is diversion records from the Terror Ditch and Fawcett Ditch. Not only do these ditches have continuous diversion records from 1970 to the present, Terror Ditch also has some diversion records for winter months. The second information sources are USGS gage stations. USGS Gage Station 09132985 (East Fork Terror Creek Below Cottonwood Stomp near Bowie, CO) has records from 2001 to the present. The value of this gage data is limited by lack of data during the winter because of icing issues, and by the fact that it measures only a portion of the watershed that contributes to flows in the subject reach. However, this gage data could possibly be combined with data from a gage operated by Bowie Resources on West Fork Terror Creek. Finally, USGS Gage 09132995 (Terror Creek at Mouth Near Bowie, CO) provides data from 2001 to the present. This gage is heavily affected by the operation of Fawcett Ditch, Terror Ditch, and the Fire Mountain Canal, but it can generally be used to confirm the magnitude of snowmelt runoff flows, and the fact that the entire creek experiences flows during winter, even though Terror Ditch diverts during the winter season.

The BLM is aware of the following decreed water rights for surface diversion within the proposed instream flow reach:

Terror Ditch – 13.5 cfs
Fawcett Ditch – 1.49 cfs
Holybee Ditch – 0.4 cfs

Upstream from the proposed reach, the Overland Ditch, owned by Overland Ditch and Reservoir Company, diverts from multiple small tributaries in the headwaters of the Terror Creek

watershed. The water rights for the ditch allow the company to divert up to a total of 75 cfs from the Hubbard, Terror, Roadmap, Lower Cow Creek, and Leroux Creek drainages.

The BLM is also aware of 85 cfs of undeveloped conditional water rights in upstream locations associated with the Grand Mesa Canal. These rights appear to be owned by the Grand Mesa Water Conservancy District and North Fork Water Conservancy District.

Relationship to Land Management Plans. BLM land use plans for this area call for actions to maintain and enhance riparian and fisheries habitat. In general, any proposed new land use, such as right-of-way corridors or mineral development, must be implemented with no surface occupancy to avoid impacts to the creek. Any proposed land uses along this creek are also carefully reviewed and mitigated to prevent impacts to native cutthroat trout, which appear on BLM's sensitive species list. Establishing an instream flow water right would assist in meeting these objectives.

Data sheets, R2Cross output, fishery survey information, and photographs of the cross section were included with BLM's draft recommendation in February 2014. We thank both Colorado Parks and Wildlife and the Colorado Water Conservation Board for their cooperation in this effort.

If you have any questions regarding our instream flow recommendation, please contact Roy Smith at 303-239-3940.

Sincerely,

Leigh Espy
Deputy State Director
Resources and Fire

Cc: Jedd Sondergard, Uncompahgre FO
Barbara Sharrow, Uncompahgre FO

Uncompahgre Field Office Stream Surveys August 2007

Terror Creek - Water Code #43593

Terror Creek, located northeast of Paonia, Colorado on BLM lands managed by the Uncompahgre Field Office was sampled on August 22, 2007. Terror Creek is tributary to North Fork Gunnison River. Presence/absence sampling was done in support of the Colorado BLM in-stream flow program. Sampling was conducted via backpack electroshocker and approximately 150 feet of stream was sampled. Personnel present were Tom Fresques, Dennis Murphy, and Malia Boyum.

Fish weights and lengths cannot be reported because data sheets were misplaced after the initial effort to identify fish species and fish numbers were completed.



Fish




Colorado River cutthroat trout - adult



Colorado River cutthroat trout – juvenile




Speckled Dace



Terror Creek



Terror Creek



Map of Sample Site

STREAM SURVEY FISH SAMPLING FORM

WATER_ Terror Creek _____ H2O CODE_ 43593 _DATE_ 8-22-07

GEAR_ Backpack Electroshocker EFFORT_ 150 ft. _____ STATION #_ 1 _ PASS 1

CREW Fresques, Murphy, Boyum DRAINAGE N. F. Gunnison River LOCATION
Just below confluence of West and East Fork Terror Creek

| Pass | species | length | weight | | species | length | weight | Pass |
|------|---------|--------|--------|--|---------|--------|--------|------|
| 1 | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | CRCT | | | | | | | |
| | SPD | | | | | | | |
| | SPD | | | | | | | |
| | SPD | | | | | | | |
| | SPD | | | | | | | |

GPS Location:

Notes: Stream Width_ 18-22 _ft. Sample Reach_ 150 _ft.

Conductivity:

Electroshocker settings

Notes: Stream was running approximately 5-7 cfs. Riparian habitat looked vigorous and good pools were present. Water was slightly off color. Good aquatic insect assemblage with stone, caddis, and mayflies noted. These cutthroat are likely pure given the pure population residing upstream in W. Fork Terror Creek. Fish appeared healthy. May want to collect fin clips from the mainstem of Terror Creek to determine genetic status and identify cutthroat upper and lower distribution limits. An instream flow recommendation on this creek would be valuable in maintaining this fishery.

*Note: Fish lengths and weights were taken but data sheets were misplaced.

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Terror Creek
 XS LOCATION: Approx. 650' downstream fr. W. Fk.
 XS NUMBER: 1

 DATE: 21-Oct-08
 OBSERVERS: R. Smith, D. Murphy

 1/4 SEC: SE
 SECTION: 5
 TWP: 13S
 RANGE: 91W
 PM: Sixth

 COUNTY: Delta
 WATERSHED: N. Fk. Gunnison
 DIVISION: 4
 DOW CODE: 43593

 USGS MAP: Bowie 7.5'
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.021

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Terror Creek
 XS LOCATION: Approx. 650' downstream fr. W. Fk.
 XS NUMBER: 1

DATA POINTS= 23

VALUES COMPUTED FROM RAW FIELD DATA

| FEATURE | DIST | VERT DEPTH | WATER DEPTH | VEL |
|----------|-------|------------|-------------|------|
| 1 RS & G | 10.00 | 3.54 | | |
| W | 13.00 | 4.75 | | |
| | 13.50 | 4.95 | 0.20 | 0.00 |
| | 14.00 | 5.05 | 0.30 | 0.70 |
| | 14.50 | 5.15 | 0.40 | 0.61 |
| | 15.00 | 5.05 | 0.30 | 1.84 |
| | 15.50 | 4.80 | 0.05 | 0.00 |
| | 16.00 | 4.80 | 0.05 | 0.00 |
| | 16.50 | 5.05 | 0.35 | 2.23 |
| | 17.00 | 5.15 | 0.40 | 2.46 |
| | 17.50 | 4.90 | 0.10 | 2.40 |
| | 18.00 | 5.00 | 0.20 | 1.62 |
| | 18.50 | 4.90 | 0.10 | 1.87 |
| | 19.00 | 5.10 | 0.30 | 1.92 |
| | 19.50 | 4.90 | 0.10 | 1.64 |
| | 20.00 | 4.85 | 0.05 | 0.00 |
| | 20.50 | 4.85 | 0.05 | 0.65 |
| W | 21.00 | 4.80 | | |
| | 21.70 | 4.85 | | |
| | 22.30 | 4.75 | | |
| | 24.50 | 4.62 | | |
| | 29.00 | 4.18 | | |
| 1 LS & G | 32.00 | 3.55 | | |

| WETTED PERIM. | WATER DEPTH | AREA (Am) | Q (Qm) | % Q CELL |
|---------------|-------------|-----------|--------|----------|
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.54 | 0.20 | 0.10 | 0.00 | 0.0% |
| 0.51 | 0.30 | 0.15 | 0.11 | 4.9% |
| 0.51 | 0.40 | 0.20 | 0.12 | 5.7% |
| 0.51 | 0.30 | 0.15 | 0.28 | 12.9% |
| 0.56 | 0.05 | 0.03 | 0.00 | 0.0% |
| 0.50 | 0.05 | 0.03 | 0.00 | 0.0% |
| 0.56 | 0.35 | 0.18 | 0.39 | 18.2% |
| 0.51 | 0.40 | 0.20 | 0.49 | 22.9% |
| 0.56 | 0.10 | 0.05 | 0.12 | 5.6% |
| 0.51 | 0.20 | 0.10 | 0.16 | 7.5% |
| 0.51 | 0.10 | 0.05 | 0.09 | 4.4% |
| 0.54 | 0.30 | 0.15 | 0.29 | 13.4% |
| 0.54 | 0.10 | 0.05 | 0.08 | 3.8% |
| 0.50 | 0.05 | 0.03 | 0.00 | 0.0% |
| 0.50 | 0.05 | 0.03 | 0.02 | 0.8% |
| 0.50 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |

TOTALS -----

| | | | | |
|--------|-----|------|------|--------|
| 8.36 | 0.4 | 1.48 | 2.15 | 100.0% |
| (Max.) | | | | |

Manning's n = 0.0465
 Hydraulic Radius= 0.17649875

STREAM NAME: Terror Creek
 XS LOCATION: Approx. 650' downstream fr. W. Fk.
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

| WATER LINE | MEAS AREA | COMP AREA | AREA ERROR |
|---------------|--------------|--------------|---------------|
| | 1.48 | 1.49 | 1.0% |
| 4.53 | 1.48 | 4.27 | 189.7% |
| 4.55 | 1.48 | 4.02 | 172.2% |
| 4.57 | 1.48 | 3.76 | 155.1% |
| 4.59 | 1.48 | 3.51 | 138.3% |
| 4.61 | 1.48 | 3.27 | 121.8% |
| 4.63 | 1.48 | 3.03 | 105.7% |
| 4.65 | 1.48 | 2.80 | 90.1% |
| 4.67 | 1.48 | 2.58 | 75.0% |
| 4.69 | 1.48 | 2.37 | 60.4% |
| 4.71 | 1.48 | 2.16 | 46.3% |
| 4.73 | 1.48 | 1.96 | 32.8% |
| 4.74 | 1.48 | 1.86 | 26.2% |
| 4.75 | 1.48 | 1.77 | 19.8% |
| 4.76 | 1.48 | 1.67 | 13.5% |
| 4.77 | 1.48 | 1.58 | 7.2% |
| 4.78 | 1.48 | 1.49 | 1.0% |
| 4.79 | 1.48 | 1.40 | -5.1% |
| 4.80 | 1.48 | 1.31 | -11.2% |
| 4.81 | 1.48 | 1.22 | -17.0% |
| 4.82 | 1.48 | 1.14 | -22.4% |
| 4.83 | 1.48 | 1.07 | -27.6% |
| 4.85 | 1.48 | 0.93 | -37.2% |
| 4.87 | 1.48 | 0.80 | -45.5% |
| 4.89 | 1.48 | 0.69 | -53.2% |
| 4.91 | 1.48 | 0.58 | -60.4% |
| 4.93 | 1.48 | 0.49 | -67.0% |
| 4.95 | 1.48 | 0.40 | -72.9% |
| 4.97 | 1.48 | 0.32 | -78.2% |
| 4.99 | 1.48 | 0.25 | -82.9% |
| 5.01 | 1.48 | 0.20 | -86.8% |
| 5.03 | 1.48 | 0.15 | -90.2% |

WATERLINE AT ZERO
 AREA ERROR = 4.777

STREAM NAME: Terror Creek
 XS LOCATION: Approx. 650' downstream fr. W. Fk.
 XS NUMBER: 1

Constant Manning's n

GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE

| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 3.55 | 21.98 | 1.00 | 1.60 | 21.93 | 22.67 | 100.0% | 0.97 | 99.26 | 4.53 |
| | 3.78 | 20.33 | 0.84 | 1.37 | 17.14 | 20.96 | 92.5% | 0.82 | 69.33 | 4.05 |
| | 3.83 | 19.97 | 0.81 | 1.32 | 16.13 | 20.58 | 90.8% | 0.78 | 63.43 | 3.93 |
| | 3.88 | 19.61 | 0.77 | 1.27 | 15.14 | 20.20 | 89.1% | 0.75 | 57.79 | 3.82 |
| | 3.93 | 19.25 | 0.74 | 1.22 | 14.17 | 19.83 | 87.5% | 0.71 | 52.39 | 3.70 |
| | 3.98 | 18.89 | 0.70 | 1.17 | 13.21 | 19.45 | 85.8% | 0.68 | 47.25 | 3.58 |
| | 4.03 | 18.52 | 0.66 | 1.12 | 12.28 | 19.07 | 84.1% | 0.64 | 42.36 | 3.45 |
| | 4.08 | 18.16 | 0.63 | 1.07 | 11.36 | 18.70 | 82.5% | 0.61 | 37.72 | 3.32 |
| | 4.13 | 17.80 | 0.59 | 1.02 | 10.46 | 18.32 | 80.8% | 0.57 | 33.33 | 3.18 |
| | 4.18 | 17.44 | 0.55 | 0.97 | 9.58 | 17.94 | 79.2% | 0.53 | 29.18 | 3.05 |
| | 4.23 | 16.82 | 0.52 | 0.92 | 8.73 | 17.31 | 76.4% | 0.50 | 25.57 | 2.93 |
| | 4.28 | 16.18 | 0.49 | 0.87 | 7.90 | 16.66 | 73.5% | 0.47 | 22.22 | 2.81 |
| | 4.33 | 15.55 | 0.46 | 0.82 | 7.11 | 16.02 | 70.7% | 0.44 | 19.13 | 2.69 |
| | 4.38 | 14.91 | 0.43 | 0.77 | 6.35 | 15.37 | 67.8% | 0.41 | 16.28 | 2.57 |
| | 4.43 | 14.28 | 0.39 | 0.72 | 5.62 | 14.72 | 65.0% | 0.38 | 13.67 | 2.43 |
| | 4.48 | 13.64 | 0.36 | 0.67 | 4.92 | 14.07 | 62.1% | 0.35 | 11.29 | 2.30 |
| | 4.53 | 13.01 | 0.33 | 0.62 | 4.25 | 13.43 | 59.2% | 0.32 | 9.14 | 2.15 |
| | 4.58 | 12.37 | 0.29 | 0.57 | 3.62 | 12.78 | 56.4% | 0.28 | 7.21 | 1.99 |
| | 4.63 | 11.69 | 0.26 | 0.52 | 3.01 | 12.09 | 53.3% | 0.25 | 5.53 | 1.83 |
| | 4.68 | 10.72 | 0.23 | 0.47 | 2.45 | 11.11 | 49.0% | 0.22 | 4.15 | 1.69 |
| | 4.73 | 9.75 | 0.20 | 0.42 | 1.94 | 10.12 | 44.7% | 0.19 | 2.99 | 1.54 |
| *WL* | 4.78 | 9.07 | 0.16 | 0.37 | 1.47 | 9.43 | 41.6% | 0.16 | 1.98 | 1.34 |
| | 4.83 | 7.40 | 0.14 | 0.32 | 1.06 | 7.73 | 34.1% | 0.14 | 1.29 | 1.23 |
| | 4.88 | 5.61 | 0.13 | 0.27 | 0.74 | 5.90 | 26.0% | 0.12 | 0.85 | 1.16 |
| | 4.93 | 4.60 | 0.10 | 0.22 | 0.48 | 4.83 | 21.3% | 0.10 | 0.48 | 0.99 |
| | 4.98 | 3.36 | 0.08 | 0.17 | 0.28 | 3.52 | 15.5% | 0.08 | 0.24 | 0.86 |
| | 5.03 | 2.32 | 0.06 | 0.12 | 0.14 | 2.42 | 10.7% | 0.06 | 0.10 | 0.69 |
| | 5.08 | 1.36 | 0.03 | 0.07 | 0.05 | 1.41 | 6.2% | 0.03 | 0.02 | 0.48 |
| | 5.13 | 0.40 | 0.01 | 0.02 | 0.00 | 0.41 | 1.8% | 0.01 | 0.00 | 0.23 |

STREAM NAME: Terror Creek
 XS LOCATION: Approx. 650' downstream fr. W. Fk.
 XS NUMBER: 1

Jarrett Variable Manning's n Correction Applied


GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE


| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 3.55 | 21.98 | 1.00 | 1.60 | 21.93 | 22.67 | 100.0% | 0.97 | 132.88 | 6.06 |
| | 3.78 | 20.33 | 0.84 | 1.37 | 17.14 | 20.96 | 92.5% | 0.82 | 90.34 | 5.27 |
| | 3.83 | 19.97 | 0.81 | 1.32 | 16.13 | 20.58 | 90.8% | 0.78 | 82.09 | 5.09 |
| | 3.88 | 19.61 | 0.77 | 1.27 | 15.14 | 20.20 | 89.1% | 0.75 | 74.25 | 4.90 |
| | 3.93 | 19.25 | 0.74 | 1.22 | 14.17 | 19.83 | 87.5% | 0.71 | 66.81 | 4.72 |
| | 3.98 | 18.89 | 0.70 | 1.17 | 13.21 | 19.45 | 85.8% | 0.68 | 59.77 | 4.52 |
| | 4.03 | 18.52 | 0.66 | 1.12 | 12.28 | 19.07 | 84.1% | 0.64 | 53.12 | 4.33 |
| | 4.08 | 18.16 | 0.63 | 1.07 | 11.36 | 18.70 | 82.5% | 0.61 | 46.87 | 4.12 |
| | 4.13 | 17.80 | 0.59 | 1.02 | 10.46 | 18.32 | 80.8% | 0.57 | 41.00 | 3.92 |
| | 4.18 | 17.44 | 0.55 | 0.97 | 9.58 | 17.94 | 79.2% | 0.53 | 35.52 | 3.71 |
| | 4.23 | 16.82 | 0.52 | 0.92 | 8.73 | 17.31 | 76.4% | 0.50 | 30.83 | 3.53 |
| | 4.28 | 16.18 | 0.49 | 0.87 | 7.90 | 16.66 | 73.5% | 0.47 | 26.54 | 3.36 |
| | 4.33 | 15.55 | 0.46 | 0.82 | 7.11 | 16.02 | 70.7% | 0.44 | 22.60 | 3.18 |
| | 4.38 | 14.91 | 0.43 | 0.77 | 6.35 | 15.37 | 67.8% | 0.41 | 19.01 | 3.00 |
| | 4.43 | 14.28 | 0.39 | 0.72 | 5.62 | 14.72 | 65.0% | 0.38 | 15.76 | 2.81 |
| | 4.48 | 13.64 | 0.36 | 0.67 | 4.92 | 14.07 | 62.1% | 0.35 | 12.84 | 2.61 |
| | 4.53 | 13.01 | 0.33 | 0.62 | 4.25 | 13.43 | 59.2% | 0.32 | 10.23 | 2.41 |
| | 4.58 | 12.37 | 0.29 | 0.57 | 3.62 | 12.78 | 56.4% | 0.28 | 7.93 | 2.19 |
| | 4.63 | 11.69 | 0.26 | 0.52 | 3.01 | 12.09 | 53.3% | 0.25 | 5.95 | 1.98 |
| | 4.68 | 10.72 | 0.23 | 0.47 | 2.45 | 11.11 | 49.0% | 0.22 | 4.39 | 1.79 |
| | 4.73 | 9.75 | 0.20 | 0.42 | 1.94 | 10.12 | 44.7% | 0.19 | 3.09 | 1.59 |
| *WL* | 4.78 | 9.07 | 0.16 | 0.37 | 1.47 | 9.43 | 41.6% | 0.16 | 1.98 | 1.34 |
| | 4.83 | 7.40 | 0.14 | 0.32 | 1.06 | 7.73 | 34.1% | 0.14 | 1.27 | 1.20 |
| | 4.88 | 5.61 | 0.13 | 0.27 | 0.74 | 5.90 | 26.0% | 0.12 | 0.82 | 1.11 |
| | 4.93 | 4.60 | 0.10 | 0.22 | 0.48 | 4.83 | 21.3% | 0.10 | 0.44 | 0.92 |
| | 4.98 | 3.36 | 0.08 | 0.17 | 0.28 | 3.52 | 15.5% | 0.08 | 0.21 | 0.77 |
| | 5.03 | 2.32 | 0.06 | 0.12 | 0.14 | 2.42 | 10.7% | 0.06 | 0.08 | 0.59 |
| | 5.08 | 1.36 | 0.03 | 0.07 | 0.05 | 1.41 | 6.2% | 0.03 | 0.02 | 0.37 |
| | 5.13 | 0.40 | 0.01 | 0.02 | 0.00 | 0.41 | 1.8% | 0.01 | 0.00 | 0.15 |

Terror Creek


CROSS SECTION DATA ANALYSIS



Terror Creek
Percent Wetted Perimeter vs. Discharge




Terror Creek Velocity vs. Discharge




Terror Creek

Average Depth vs. Discharge



Terror Creek Stage vs. Discharge





FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



COLORADO WATER
CONSERVATION BOARD

LOCATION INFORMATION

| | | |
|---|---------------------------------------|--------------------------------------|
| STREAM NAME: Terror Creek | | CROSS-SECTION NO.: 1 |
| CROSS-SECTION LOCATION: Approx. 650 downstream from conf. w/ West Fork | | |
| DATE: 10-2-08 | OBSERVERS: R. Smith, D. Murphy | |
| LEGAL DESCRIPTION | 1/4 SECTION: SE | SECTION: 5 |
| | TOWNSHIP: 13 N(S) | RANGE: 91 E(W) PM: 6th |
| COUNTY: Delta | WATERSHED: N Ft. Gunnison | WATER DIVISION: 4 |
| | | DOW WATER CODE: 43593 |
| MAP(S): | USGS: Bowie 7.5' | USFS: |

SUPPLEMENTAL DATA

| | | | | |
|---|--|---------------------------------|---------------------------------------|-----------------------------------|
| SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | METER TYPE: M-M | | | |
| METER NUMBER: | DATE RATED: | CALIB/SPIN: _____ sec | TAPE WEIGHT: surveyed lbs/foot | TAPE TENSION: surveyed lbs |
| CHANNEL BED MATERIAL SIZE RANGE: 6" to 18" | PHOTOGRAPHS TAKEN: <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | NUMBER OF PHOTOGRAPHS: 2 | | |

CHANNEL PROFILE DATA

| STATION | DISTANCE FROM TAPE (ft) | ROD READING (ft) | | LEGEND: Stake <input checked="" type="checkbox"/> Station <input type="checkbox"/> Photo <input checked="" type="checkbox"/> Direction of Flow |
|---|-------------------------|--------------------|--|---|
| <input checked="" type="checkbox"/> Tape @ Stake LB | 0.0 | surveyed | | |
| <input checked="" type="checkbox"/> Tape @ Stake RB | 0.0 | | | |
| <input type="checkbox"/> WS @ Tape LB/RB | 0.0 | 4.80 / 4.75 | | |
| <input type="checkbox"/> WS Upstream | 4.0 | 4.68 | | |
| <input type="checkbox"/> WS Downstream | 4.0 | 4.85 | | |
| SLOPE: 0.17 / 8.0 = 0.021 | | | | |

AQUATIC SAMPLING SUMMARY

| STREAM ELECTROFISHED: YES/NO <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | DISTANCE ELECTROFISHED: _____ ft | FISH CAUGHT: YES/NO | WATER CHEMISTRY SAMPLED: <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | | | | | | | | | | | | | | |
|--|----------------------------------|---------------------|--|---|---|---|---|---|---|----|----|----|----|----|----|-----|-------|
| LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.) | | | | | | | | | | | | | | | | | |
| SPECIES (FILL IN) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | >15 | TOTAL |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME: | | | | | | | | | | | | | | | | | |
| mayfly, caddisfly | | | | | | | | | | | | | | | | | |

COMMENTS

| | |
|--------------------|---|
| PH = 8.6 | High silt load, with some algae. |
| TEMP = 50 C | |
| TDS = 160 | |

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Terror Creek
 XS LOCATION: 450' downstream from W. Fk.
 XS NUMBER: 2

 DATE: 21-Oct-08
 OBSERVERS: R. Smith, D. Murphy

 1/4 SEC: SE
 SECTION: 5
 TWP: 13S
 RANGE: 91W
 PM: Sixth

 COUNTY: Delta
 WATERSHED: N. Fk. Gunnison
 DIVISION: 4
 DOW CODE: 43593

 USGS MAP: Bowie 7.5'
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.01

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Terror Creek
 XS LOCATION: 450' downstream from W. Fk.
 XS NUMBER: 2

DATA POINTS= 26

VALUES COMPUTED FROM RAW FIELD DATA

| FEATURE | DIST | VERT DEPTH | WATER DEPTH | VEL |
|----------|-------|------------|-------------|------|
| 1 RS & G | 5.60 | 4.26 | | |
| W | 6.20 | 5.49 | | |
| | 6.50 | 5.55 | 0.05 | 0.00 |
| | 7.00 | 5.55 | 0.05 | 0.00 |
| | 8.00 | 5.55 | 0.05 | 0.00 |
| | 8.50 | 5.65 | 0.15 | 0.11 |
| | 8.75 | 5.80 | 0.30 | 1.21 |
| | 9.00 | 5.80 | 0.35 | 2.63 |
| | 9.25 | 5.65 | 0.15 | 2.56 |
| | 9.50 | 5.65 | 0.15 | 2.44 |
| | 10.00 | 5.65 | 0.15 | 2.29 |
| | 10.25 | 5.70 | 0.20 | 2.26 |
| | 10.50 | 5.70 | 0.20 | 2.50 |
| | 10.75 | 5.70 | 0.20 | 2.17 |
| | 11.00 | 5.70 | 0.20 | 2.03 |
| | 11.25 | 5.75 | 0.25 | 1.94 |
| | 11.50 | 5.55 | 0.05 | 0.00 |
| | 11.75 | 5.70 | 0.20 | 1.80 |
| | 12.00 | 5.70 | 0.20 | 1.56 |
| | 12.50 | 5.85 | 0.35 | 1.37 |
| | 13.00 | 5.80 | 0.30 | 0.67 |
| | 13.50 | 5.80 | 0.30 | 0.07 |
| | 14.00 | 5.75 | 0.25 | 0.02 |
| | 14.50 | 5.55 | 0.05 | 0.00 |
| W | 14.80 | 5.50 | | |
| 1 LS & G | 28.70 | 4.23 | | |

| WETTED PERIM. | WATER DEPTH | AREA (Am) | Q (Qm) | % Q CELL |
|---------------|-------------|-----------|--------|----------|
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.31 | 0.05 | 0.02 | 0.00 | 0.0% |
| 0.50 | 0.05 | 0.04 | 0.00 | 0.0% |
| 1.00 | 0.05 | 0.04 | 0.00 | 0.0% |
| 0.51 | 0.15 | 0.06 | 0.01 | 0.3% |
| 0.29 | 0.30 | 0.08 | 0.09 | 5.0% |
| 0.25 | 0.35 | 0.09 | 0.23 | 12.7% |
| 0.29 | 0.15 | 0.04 | 0.10 | 5.3% |
| 0.25 | 0.15 | 0.06 | 0.14 | 7.5% |
| 0.50 | 0.15 | 0.06 | 0.13 | 7.1% |
| 0.25 | 0.20 | 0.05 | 0.11 | 6.2% |
| 0.25 | 0.20 | 0.05 | 0.13 | 6.9% |
| 0.25 | 0.20 | 0.05 | 0.11 | 6.0% |
| 0.25 | 0.20 | 0.05 | 0.10 | 5.6% |
| 0.25 | 0.25 | 0.06 | 0.12 | 6.7% |
| 0.32 | 0.05 | 0.01 | 0.00 | 0.0% |
| 0.29 | 0.20 | 0.05 | 0.09 | 4.9% |
| 0.25 | 0.20 | 0.08 | 0.12 | 6.4% |
| 0.52 | 0.35 | 0.18 | 0.24 | 13.2% |
| 0.50 | 0.30 | 0.15 | 0.10 | 5.5% |
| 0.50 | 0.30 | 0.15 | 0.01 | 0.6% |
| 0.50 | 0.25 | 0.13 | 0.00 | 0.1% |
| 0.54 | 0.05 | 0.02 | 0.00 | 0.0% |
| 0.30 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |

TOTALS -----

8.89 0.35 1.48 1.82 100.0%
 (Max.)

Manning's n = 0.0367
 Hydraulic Radius= 0.16689723

STREAM NAME: Terror Creek
 XS LOCATION: 450' downstream from W. Fk.
 XS NUMBER: 2

WATER LINE COMPARISON TABLE

| WATER LINE | MEAS AREA | COMP AREA | AREA ERROR |
|---------------|--------------|--------------|---------------|
| | 1.48 | 1.51 | 2.0% |
| 5.25 | 1.48 | 4.03 | 171.8% |
| 5.27 | 1.48 | 3.81 | 156.5% |
| 5.29 | 1.48 | 3.58 | 141.4% |
| 5.31 | 1.48 | 3.36 | 126.7% |
| 5.33 | 1.48 | 3.15 | 112.2% |
| 5.35 | 1.48 | 2.94 | 98.1% |
| 5.37 | 1.48 | 2.73 | 84.3% |
| 5.39 | 1.48 | 2.53 | 70.8% |
| 5.41 | 1.48 | 2.34 | 57.6% |
| 5.43 | 1.48 | 2.15 | 44.7% |
| 5.45 | 1.48 | 1.96 | 32.1% |
| 5.46 | 1.48 | 1.87 | 25.9% |
| 5.47 | 1.48 | 1.78 | 19.8% |
| 5.48 | 1.48 | 1.69 | 13.8% |
| 5.49 | 1.48 | 1.60 | 7.8% |
| 5.50 | 1.48 | 1.51 | 2.0% |
| 5.51 | 1.48 | 1.43 | -3.8% |
| 5.52 | 1.48 | 1.34 | -9.5% |
| 5.53 | 1.48 | 1.26 | -15.1% |
| 5.54 | 1.48 | 1.18 | -20.6% |
| 5.55 | 1.48 | 1.10 | -26.1% |
| 5.57 | 1.48 | 0.96 | -35.3% |
| 5.59 | 1.48 | 0.84 | -43.7% |
| 5.61 | 1.48 | 0.71 | -51.8% |
| 5.63 | 1.48 | 0.60 | -59.7% |
| 5.65 | 1.48 | 0.49 | -67.3% |
| 5.67 | 1.48 | 0.39 | -73.8% |
| 5.69 | 1.48 | 0.30 | -79.6% |
| 5.71 | 1.48 | 0.23 | -84.8% |
| 5.73 | 1.48 | 0.17 | -88.6% |
| 5.75 | 1.48 | 0.12 | -91.9% |

WATERLINE AT ZERO
 AREA ERROR = 5.498

STREAM NAME: Terror Creek
 XS LOCATION: 450' downstream from W. Fk.
 XS NUMBER: 2

Constant Manning's n

GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE

| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 4.26 | 22.77 | 0.92 | 1.59 | 20.92 | 23.89 | 100.0% | 0.88 | 77.42 | 3.70 |
| | 4.50 | 20.05 | 0.79 | 1.35 | 15.81 | 21.00 | 87.9% | 0.75 | 52.92 | 3.35 |
| | 4.55 | 19.47 | 0.76 | 1.30 | 14.83 | 20.40 | 85.4% | 0.73 | 48.46 | 3.27 |
| | 4.60 | 18.90 | 0.73 | 1.25 | 13.87 | 19.79 | 82.9% | 0.70 | 44.23 | 3.19 |
| | 4.65 | 18.33 | 0.71 | 1.20 | 12.93 | 19.19 | 80.3% | 0.67 | 40.21 | 3.11 |
| | 4.70 | 17.76 | 0.68 | 1.15 | 12.03 | 18.58 | 77.8% | 0.65 | 36.42 | 3.03 |
| | 4.75 | 17.19 | 0.65 | 1.10 | 11.16 | 17.98 | 75.3% | 0.62 | 32.84 | 2.94 |
| | 4.80 | 16.62 | 0.62 | 1.05 | 10.31 | 17.37 | 72.7% | 0.59 | 29.46 | 2.86 |
| | 4.85 | 16.04 | 0.59 | 1.00 | 9.50 | 16.77 | 70.2% | 0.57 | 26.29 | 2.77 |
| | 4.90 | 15.47 | 0.56 | 0.95 | 8.71 | 16.16 | 67.7% | 0.54 | 23.32 | 2.68 |
| | 4.95 | 14.90 | 0.53 | 0.90 | 7.95 | 15.55 | 65.1% | 0.51 | 20.55 | 2.58 |
| | 5.00 | 14.33 | 0.50 | 0.85 | 7.22 | 14.95 | 62.6% | 0.48 | 17.97 | 2.49 |
| | 5.05 | 13.76 | 0.47 | 0.80 | 6.52 | 14.34 | 60.1% | 0.45 | 15.57 | 2.39 |
| | 5.10 | 13.19 | 0.44 | 0.75 | 5.84 | 13.74 | 57.5% | 0.43 | 13.36 | 2.29 |
| | 5.15 | 12.61 | 0.41 | 0.70 | 5.20 | 13.13 | 55.0% | 0.40 | 11.33 | 2.18 |
| | 5.20 | 12.04 | 0.38 | 0.65 | 4.58 | 12.53 | 52.5% | 0.37 | 9.47 | 2.07 |
| | 5.25 | 11.47 | 0.35 | 0.60 | 3.99 | 11.92 | 49.9% | 0.33 | 7.79 | 1.95 |
| | 5.30 | 10.90 | 0.32 | 0.55 | 3.43 | 11.32 | 47.4% | 0.30 | 6.27 | 1.83 |
| | 5.35 | 10.33 | 0.28 | 0.50 | 2.90 | 10.71 | 44.9% | 0.27 | 4.92 | 1.69 |
| | 5.40 | 9.76 | 0.25 | 0.45 | 2.40 | 10.11 | 42.3% | 0.24 | 3.73 | 1.55 |
| | 5.45 | 9.18 | 0.21 | 0.40 | 1.93 | 9.50 | 39.8% | 0.20 | 2.69 | 1.40 |
| *WL* | 5.50 | 8.58 | 0.17 | 0.35 | 1.48 | 8.86 | 37.1% | 0.17 | 1.82 | 1.23 |
| | 5.55 | 8.02 | 0.13 | 0.30 | 1.07 | 8.30 | 34.7% | 0.13 | 1.10 | 1.03 |
| | 5.60 | 6.00 | 0.13 | 0.25 | 0.75 | 6.23 | 26.1% | 0.12 | 0.75 | 0.99 |
| | 5.65 | 5.47 | 0.09 | 0.20 | 0.47 | 5.66 | 23.7% | 0.08 | 0.36 | 0.77 |
| | 5.70 | 4.04 | 0.06 | 0.15 | 0.25 | 4.16 | 17.4% | 0.06 | 0.15 | 0.61 |
| | 5.75 | 2.27 | 0.05 | 0.10 | 0.11 | 2.32 | 9.7% | 0.05 | 0.06 | 0.54 |
| | 5.80 | 1.44 | 0.01 | 0.05 | 0.02 | 1.45 | 6.1% | 0.01 | 0.00 | 0.22 |
| | 5.85 | 0.02 | 0.00 | 0.00 | 0.00 | 0.02 | 0.1% | 0.00 | 0.00 | 0.03 |

STREAM NAME: Terror Creek
 XS LOCATION: 450' downstream from W. Fk.
 XS NUMBER: 2

Jarrett Variable Manning's n Correction Applied

GL = lowest Grassline elevation corrected for sag


STAGING TABLE

WL = Waterline corrected for variations in field measured water surface elevations and sag


| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 4.26 | 22.77 | 0.92 | 1.59 | 20.92 | 23.89 | 100.0% | 0.88 | 100.89 | 4.82 |
| | 4.50 | 20.05 | 0.79 | 1.35 | 15.81 | 21.00 | 87.9% | 0.75 | 67.32 | 4.26 |
| | 4.55 | 19.47 | 0.76 | 1.30 | 14.83 | 20.40 | 85.4% | 0.73 | 61.30 | 4.13 |
| | 4.60 | 18.90 | 0.73 | 1.25 | 13.87 | 19.79 | 82.9% | 0.70 | 55.61 | 4.01 |
| | 4.65 | 18.33 | 0.71 | 1.20 | 12.93 | 19.19 | 80.3% | 0.67 | 50.26 | 3.89 |
| | 4.70 | 17.76 | 0.68 | 1.15 | 12.03 | 18.58 | 77.8% | 0.65 | 45.22 | 3.76 |
| | 4.75 | 17.19 | 0.65 | 1.10 | 11.16 | 17.98 | 75.3% | 0.62 | 40.50 | 3.63 |
| | 4.80 | 16.62 | 0.62 | 1.05 | 10.31 | 17.37 | 72.7% | 0.59 | 36.08 | 3.50 |
| | 4.85 | 16.04 | 0.59 | 1.00 | 9.50 | 16.77 | 70.2% | 0.57 | 31.96 | 3.36 |
| | 4.90 | 15.47 | 0.56 | 0.95 | 8.71 | 16.16 | 67.7% | 0.54 | 28.12 | 3.23 |
| | 4.95 | 14.90 | 0.53 | 0.90 | 7.95 | 15.55 | 65.1% | 0.51 | 24.57 | 3.09 |
| | 5.00 | 14.33 | 0.50 | 0.85 | 7.22 | 14.95 | 62.6% | 0.48 | 21.29 | 2.95 |
| | 5.05 | 13.76 | 0.47 | 0.80 | 6.52 | 14.34 | 60.1% | 0.45 | 18.27 | 2.80 |
| | 5.10 | 13.19 | 0.44 | 0.75 | 5.84 | 13.74 | 57.5% | 0.43 | 15.51 | 2.65 |
| | 5.15 | 12.61 | 0.41 | 0.70 | 5.20 | 13.13 | 55.0% | 0.40 | 13.00 | 2.50 |
| | 5.20 | 12.04 | 0.38 | 0.65 | 4.58 | 12.53 | 52.5% | 0.37 | 10.74 | 2.34 |
| | 5.25 | 11.47 | 0.35 | 0.60 | 3.99 | 11.92 | 49.9% | 0.33 | 8.70 | 2.18 |
| | 5.30 | 10.90 | 0.32 | 0.55 | 3.43 | 11.32 | 47.4% | 0.30 | 6.90 | 2.01 |
| | 5.35 | 10.33 | 0.28 | 0.50 | 2.90 | 10.71 | 44.9% | 0.27 | 5.31 | 1.83 |
| | 5.40 | 9.76 | 0.25 | 0.45 | 2.40 | 10.11 | 42.3% | 0.24 | 3.94 | 1.64 |
| | 5.45 | 9.18 | 0.21 | 0.40 | 1.93 | 9.50 | 39.8% | 0.20 | 2.78 | 1.44 |
| *WL* | 5.50 | 8.58 | 0.17 | 0.35 | 1.48 | 8.86 | 37.1% | 0.17 | 1.82 | 1.23 |
| | 5.55 | 8.02 | 0.13 | 0.30 | 1.07 | 8.30 | 34.7% | 0.13 | 1.06 | 0.99 |
| | 5.60 | 6.00 | 0.13 | 0.25 | 0.75 | 6.23 | 26.1% | 0.12 | 0.71 | 0.94 |
| | 5.65 | 5.47 | 0.09 | 0.20 | 0.47 | 5.66 | 23.7% | 0.08 | 0.32 | 0.68 |
| | 5.70 | 4.04 | 0.06 | 0.15 | 0.25 | 4.16 | 17.4% | 0.06 | 0.13 | 0.52 |
| | 5.75 | 2.27 | 0.05 | 0.10 | 0.11 | 2.32 | 9.7% | 0.05 | 0.05 | 0.44 |
| | 5.80 | 1.44 | 0.01 | 0.05 | 0.02 | 1.45 | 6.1% | 0.01 | 0.00 | 0.15 |
| | 5.85 | 0.02 | 0.00 | 0.00 | 0.00 | 0.02 | 0.1% | 0.00 | 0.00 | 0.01 |

Terror Creek


CROSS SECTION DATA ANALYSIS



Terror Creek
Percent Wetted Perimeter vs. Discharge




Terror Creek Velocity vs. Discharge



Terror Creek

Average Depth vs. Discharge





COLORADO WATER
CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

| | | | |
|--|---------------------------------------|-----------------------------|---|
| STREAM NAME: Terror Creek | | CROSS-SECTION NO.: 2 | |
| CROSS-SECTION LOCATION: 450 ft. downstream from confluence with West Fk. Terror Creek | | | |
| DATE: 10-21-08 | OBSERVERS: R. Smith, D. Murphy | | |
| LEGAL DESCRIPTION: | 1/4 SECTION: SE | SECTION: 5 | TOWNSHIP: 13N(S) RANGE: 91E(W) PM: 6th |
| COUNTY: Delta | WATERSHED: N. Fk. Gunnison | WATER DIVISION: 4 | DOW WATER CODE: 43593 |
| MAP(S): | USGS: Gowie 7.5' | | |
| | USFS: | | |

SUPPLEMENTAL DATA

| | | | | |
|---|--|---------------------------------|--------------------------------------|----------------------------------|
| SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | METER TYPE: M-M | | | |
| METER NUMBER: | DATE RATED: | CALIB/SPIN: _____ sec | TAPE WEIGHT: suveyed lbs/foot | TAPE TENSION: suveyed lbs |
| CHANNEL BED MATERIAL SIZE RANGE: 4" - 18" | PHOTOGRAPHS TAKEN: <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO | NUMBER OF PHOTOGRAPHS: 3 | | |

CHANNEL PROFILE DATA

| STATION | DISTANCE FROM TAPE (ft) | ROD READING (ft) | S K E T C H | LEGEND: Stake (X) Station (1) Photo (◇) Direction of Flow (⇌) |
|---------------------|-------------------------|-------------------------|----------------------------|---|
| (X) Tape @ Stake LB | 0.0 | suveyed | | |
| (X) Tape @ Stake RB | 0.0 | suveyed | | |
| (1) WS @ Tape LB/RB | 0.0 | 14.8 - 5.49/5.50 | | |
| (2) WS Upstream | 11.0 | 5.55 | | |
| (3) WS Downstream | 4.0 | 5.40 | | |
| SLOPE | 0.15/15.0 = .01 | | | |

AQUATIC SAMPLING SUMMARY

| STREAM ELECTROFISHED: YES/NO <input checked="" type="checkbox"/> NO | DISTANCE ELECTROFISHED: _____ ft | FISH CAUGHT: YES/NO | WATER CHEMISTRY SAMPLED: YES/NO <input checked="" type="checkbox"/> NO | | | | | | | | | | | | | | |
|--|----------------------------------|---------------------|--|---|---|---|---|---|---|----|----|----|----|----|----|-----|-------|
| LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.) | | | | | | | | | | | | | | | | | |
| SPECIES (FILL IN) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | >15 | TOTAL |
| | | | | | | | | | | | | | | | | | |
| AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME: | | | | | | | | | | | | | | | | | |
| mayfly, caddisfly (abundant) | | | | | | | | | | | | | | | | | |

COMMENTS

| |
|-------------------|
| TDS = 160 |
| Ph = 8.6 |
| Temp = 50C |

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Terror Creek
 XS LOCATION: 700' DS from confluence w/ W. Fk.
 XS NUMBER: 1

DATE: 27-Sep-07
 OBSERVERS: R. Smith, M. Eberle

1/4 SEC: SE
 SECTION: 5
 TWP: 13S
 RANGE: 91W
 PM: Sixth

COUNTY: Delta
 WATERSHED: Gunnison
 DIVISION: 4
 DOW CODE: 43593

USGS MAP: Bowie 7.5'
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.0278

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Terror Creek
 XS LOCATION: 700' DS from confluence w/ W. Fk.
 XS NUMBER: 1

DATA POINTS= 22

VALUES COMPUTED FROM RAW FIELD DATA

| FEATURE | DIST | VERT DEPTH | WATER DEPTH | VEL |
|-----------|-------|------------|-------------|------|
| 1 RS & GL | 0.00 | 4.78 | | |
| | 5.00 | 5.42 | | |
| W | 6.60 | 6.00 | | |
| | 7.00 | 6.30 | 0.30 | 0.00 |
| | 8.00 | 6.60 | 0.60 | 0.24 |
| | 9.00 | 6.30 | 0.30 | 0.36 |
| | 10.00 | 6.40 | 0.40 | 0.00 |
| | 11.00 | 6.30 | 0.30 | 0.21 |
| | 12.00 | 6.30 | 0.30 | 0.74 |
| | 13.50 | 6.15 | 0.15 | 0.91 |
| | 14.50 | 6.30 | 0.30 | 0.59 |
| | 15.40 | 6.20 | 0.20 | 1.15 |
| | 17.00 | 5.90 | 0.00 | 0.00 |
| | 18.00 | 6.50 | 0.50 | 0.96 |
| | 20.00 | 6.70 | 0.70 | 3.09 |
| | 21.00 | 5.95 | 0.00 | 0.00 |
| | 22.00 | 6.40 | 0.40 | 0.42 |
| | 23.00 | 6.30 | 0.30 | 1.85 |
| | 24.00 | 6.40 | 0.40 | 0.46 |
| W | 25.40 | 5.96 | | |
| 1 GL | 28.60 | 4.64 | | |
| LS | 29.00 | 4.52 | | |

| WETTED PERIM. | WATER DEPTH | AREA (Am) | Q (Qm) | % Q CELL |
|---------------|-------------|-----------|--------|----------|
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.50 | 0.30 | 0.21 | 0.00 | 0.0% |
| 1.04 | 0.60 | 0.60 | 0.14 | 2.4% |
| 1.04 | 0.30 | 0.30 | 0.11 | 1.8% |
| 1.00 | 0.40 | 0.40 | 0.00 | 0.0% |
| 1.00 | 0.30 | 0.30 | 0.06 | 1.0% |
| 1.00 | 0.30 | 0.38 | 0.28 | 4.5% |
| 1.51 | 0.15 | 0.19 | 0.17 | 2.8% |
| 1.01 | 0.30 | 0.29 | 0.17 | 2.7% |
| 0.91 | 0.20 | 0.25 | 0.29 | 4.7% |
| 1.63 | | 0.00 | 0.00 | 0.0% |
| 1.17 | 0.50 | 0.75 | 0.72 | 11.8% |
| 2.01 | 0.70 | 1.05 | 3.24 | 53.0% |
| 1.25 | | 0.00 | 0.00 | 0.0% |
| 1.10 | 0.40 | 0.40 | 0.17 | 2.7% |
| 1.00 | 0.30 | 0.30 | 0.56 | 9.1% |
| 1.00 | 0.40 | 0.48 | 0.22 | 3.6% |
| 1.47 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |
| 0.00 | | 0.00 | 0.00 | 0.0% |

TOTALS -----

19.65 0.7 5.89 6.13 100.0%
 (Max.)

Manning's n = 0.1066
 Hydraulic Radius= 0.29961273

STREAM NAME: Terror Creek
 XS LOCATION: 700' DS from confluence w/ W. Fk.
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

| WATER LINE | MEAS AREA | COMP AREA | AREA ERROR |
|------------|-----------|-----------|------------|
| | 5.89 | 6.08 | 3.3% |
| 5.73 | 5.89 | 10.92 | 85.5% |
| 5.75 | 5.89 | 10.52 | 78.7% |
| 5.77 | 5.89 | 10.12 | 71.9% |
| 5.79 | 5.89 | 9.72 | 65.2% |
| 5.81 | 5.89 | 9.33 | 58.4% |
| 5.83 | 5.89 | 8.94 | 51.8% |
| 5.85 | 5.89 | 8.55 | 45.1% |
| 5.87 | 5.89 | 8.16 | 38.5% |
| 5.89 | 5.89 | 7.77 | 32.0% |
| 5.91 | 5.89 | 7.39 | 25.5% |
| 5.93 | 5.89 | 7.01 | 19.0% |
| 5.94 | 5.89 | 6.82 | 15.8% |
| 5.95 | 5.89 | 6.63 | 12.6% |
| 5.96 | 5.89 | 6.45 | 9.5% |
| 5.97 | 5.89 | 6.26 | 6.4% |
| 5.98 | 5.89 | 6.08 | 3.3% |
| 5.99 | 5.89 | 5.90 | 0.2% |
| 6.00 | 5.89 | 5.72 | -2.8% |
| 6.01 | 5.89 | 5.54 | -5.8% |
| 6.02 | 5.89 | 5.37 | -8.8% |
| 6.03 | 5.89 | 5.19 | -11.8% |
| 6.05 | 5.89 | 4.85 | -17.6% |
| 6.07 | 5.89 | 4.51 | -23.3% |
| 6.09 | 5.89 | 4.18 | -29.0% |
| 6.11 | 5.89 | 3.86 | -34.5% |
| 6.13 | 5.89 | 3.54 | -39.9% |
| 6.15 | 5.89 | 3.22 | -45.3% |
| 6.17 | 5.89 | 2.92 | -50.4% |
| 6.19 | 5.89 | 2.63 | -55.4% |
| 6.21 | 5.89 | 2.35 | -60.1% |
| 6.23 | 5.89 | 2.08 | -64.6% |

WATERLINE AT ZERO
 AREA ERROR = 5.991

STREAM NAME: Terror Creek
 XS LOCATION: 700' DS from confluence w/ W. Fk.
 XS NUMBER: 1

Constant Manning's n

GL = lowest Grassline elevation corrected for sag

STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 4.78 | 28.26 | 1.18 | 1.92 | 33.39 | 29.49 | 100.0% | 1.13 | 84.32 | 2.53 |
| | 4.99 | 26.10 | 1.06 | 1.71 | 27.66 | 27.28 | 92.5% | 1.01 | 64.91 | 2.35 |
| | 5.04 | 25.59 | 1.03 | 1.66 | 26.37 | 26.75 | 90.7% | 0.99 | 60.72 | 2.30 |
| | 5.09 | 25.08 | 1.00 | 1.61 | 25.10 | 26.23 | 88.9% | 0.96 | 56.68 | 2.26 |
| | 5.14 | 24.57 | 0.97 | 1.56 | 23.86 | 25.70 | 87.2% | 0.93 | 52.79 | 2.21 |
| | 5.19 | 24.06 | 0.94 | 1.51 | 22.65 | 25.18 | 85.4% | 0.90 | 49.06 | 2.17 |
| | 5.24 | 23.54 | 0.91 | 1.46 | 21.46 | 24.65 | 83.6% | 0.87 | 45.47 | 2.12 |
| | 5.29 | 23.03 | 0.88 | 1.41 | 20.29 | 24.13 | 81.8% | 0.84 | 42.03 | 2.07 |
| | 5.34 | 22.52 | 0.85 | 1.36 | 19.15 | 23.60 | 80.0% | 0.81 | 38.74 | 2.02 |
| | 5.39 | 22.01 | 0.82 | 1.31 | 18.04 | 23.08 | 78.3% | 0.78 | 35.59 | 1.97 |
| | 5.44 | 21.60 | 0.78 | 1.26 | 16.95 | 22.65 | 76.8% | 0.75 | 32.48 | 1.92 |
| | 5.49 | 21.34 | 0.74 | 1.21 | 15.88 | 22.38 | 75.9% | 0.71 | 29.36 | 1.85 |
| | 5.54 | 21.08 | 0.70 | 1.16 | 14.82 | 22.10 | 74.9% | 0.67 | 26.39 | 1.78 |
| | 5.59 | 20.82 | 0.66 | 1.11 | 13.77 | 21.82 | 74.0% | 0.63 | 23.55 | 1.71 |
| | 5.64 | 20.57 | 0.62 | 1.06 | 12.74 | 21.54 | 73.1% | 0.59 | 20.85 | 1.64 |
| | 5.69 | 20.31 | 0.58 | 1.01 | 11.71 | 21.26 | 72.1% | 0.55 | 18.30 | 1.56 |
| | 5.74 | 20.05 | 0.53 | 0.96 | 10.71 | 20.99 | 71.2% | 0.51 | 15.88 | 1.48 |
| | 5.79 | 19.79 | 0.49 | 0.91 | 9.71 | 20.71 | 70.2% | 0.47 | 13.62 | 1.40 |
| | 5.84 | 19.53 | 0.45 | 0.86 | 8.73 | 20.43 | 69.3% | 0.43 | 11.50 | 1.32 |
| | 5.89 | 19.27 | 0.40 | 0.81 | 7.76 | 20.15 | 68.3% | 0.38 | 9.54 | 1.23 |
| | 5.94 | 18.73 | 0.36 | 0.76 | 6.81 | 19.57 | 66.4% | 0.35 | 7.82 | 1.15 |
| *WL* | 5.99 | 17.95 | 0.33 | 0.71 | 5.89 | 18.74 | 63.6% | 0.31 | 6.32 | 1.07 |
| | 6.04 | 17.18 | 0.29 | 0.66 | 5.01 | 17.90 | 60.7% | 0.28 | 4.98 | 0.99 |
| | 6.09 | 16.43 | 0.25 | 0.61 | 4.17 | 17.08 | 57.9% | 0.24 | 3.78 | 0.91 |
| | 6.14 | 15.67 | 0.21 | 0.56 | 3.37 | 16.26 | 55.1% | 0.21 | 2.74 | 0.81 |
| | 6.19 | 14.24 | 0.18 | 0.51 | 2.62 | 14.75 | 50.0% | 0.18 | 1.92 | 0.73 |
| | 6.24 | 12.51 | 0.16 | 0.46 | 1.95 | 12.94 | 43.9% | 0.15 | 1.28 | 0.66 |
| | 6.29 | 10.74 | 0.13 | 0.41 | 1.37 | 11.09 | 37.6% | 0.12 | 0.79 | 0.58 |
| | 6.34 | 7.16 | 0.13 | 0.36 | 0.93 | 7.45 | 25.3% | 0.12 | 0.54 | 0.58 |
| | 6.39 | 4.41 | 0.15 | 0.31 | 0.64 | 4.62 | 15.7% | 0.14 | 0.40 | 0.62 |
| | 6.44 | 3.51 | 0.13 | 0.26 | 0.45 | 3.67 | 12.4% | 0.12 | 0.26 | 0.57 |
| | 6.49 | 3.02 | 0.10 | 0.21 | 0.29 | 3.14 | 10.6% | 0.09 | 0.14 | 0.47 |
| | 6.54 | 2.20 | 0.07 | 0.16 | 0.16 | 2.28 | 7.7% | 0.07 | 0.06 | 0.39 |
| | 6.59 | 1.30 | 0.05 | 0.11 | 0.07 | 1.35 | 4.6% | 0.05 | 0.02 | 0.32 |
| | 6.64 | 0.67 | 0.03 | 0.06 | 0.02 | 0.69 | 2.4% | 0.03 | 0.00 | 0.22 |
| | 6.69 | 0.11 | 0.00 | 0.01 | 0.00 | 0.11 | 0.4% | 0.00 | 0.00 | 0.06 |

STREAM NAME: Terror Creek
XS LOCATION: 700' DS from confluence w/ W. Fk.
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Qm)= 6.13 cfs
CALCULATED FLOW (Qc)= 6.32 cfs
(Qm-Qc)/Qm * 100 = -3.2 %

MEASURED WATERLINE (WLm)= 5.98 ft
CALCULATED WATERLINE (WLc)= 5.99 ft
(WLm-WLc)/WLm * 100 = -0.2 %

MAX MEASURED DEPTH (Dm)= 0.70 ft
MAX CALCULATED DEPTH (Dc)= 0.71 ft
(Dm-Dc)/Dm * 100 = -1.3 %

MEAN VELOCITY= 1.07 ft/sec
MANNING'S N= 0.107
SLOPE= 0.0278 ft/ft

.4 * Qm = 2.5 cfs
2.5 * Qm= 15.3 cfs

RECOMMENDED INSTREAM FLOW:

=====

| FLOW (CFS) | PERIOD |
|------------|--------|
| ===== | ===== |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

RATIONALE FOR RECOMMENDATION:

=====


RECOMMENDATION BY: AGENCY DATE:.....
CWCB REVIEW BY: DATE:.....

[Home](#)

[Print](#)


Terror Creek

CROSS SECTION DATA ANALYSIS



[Home](#)[Print](#)

Percent Wetted Perimeter vs. Discharge





COLORADO WATER
CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

| | | | | | | | |
|--|----------------------------|---------------------------------------|--------------------------|----------------------|------------------------------|-----------------------------|--|
| STREAM NAME: <u>Terror Creek</u> | | | | | | CROSS-SECTION NO.: <u>1</u> | |
| CROSS-SECTION LOCATION: <u>700 ft. downstream from confluence w/ West Fork</u> | | | | | | | |
| DATE: <u>9-27-07</u> | | OBSERVERS: <u>R. Smith, M. Fierle</u> | | | | | |
| LEGAL DESCRIPTION | 1/4 SECTION: <u>SE</u> | SECTION: <u>5</u> | TOWNSHIP: <u>13 N(S)</u> | RANGE: <u>9 E(W)</u> | PM: <u>6:42</u> | | |
| COUNTY: <u>Delta</u> | WATERSHED: <u>Gunnison</u> | | WATER DIVISION: <u>4</u> | | DOW WATER CODE: <u>43593</u> | | |
| MAP(S): | USGS: <u>Bowie 7.5'</u> | GPS: <u>Z13 27690S</u> | | USFS: <u>4313845</u> | | | |

SUPPLEMENTAL DATA

| | | |
|---|-------------|---------------------------------------|
| SAG TAPE SECTION SAME AS DISCHARGE SECTION: | YES / NO | METER TYPE: <u>Marsh-McBirney</u> |
| METER NUMBER: | DATE RATED: | CALIB/SPIN: <u>sec</u> |
| CHANNEL BED MATERIAL SIZE RANGE: <u>4" cobbles to 2-foot boulders</u> | | TAPE WEIGHT: <u>surveyed</u> lbs/foot |
| PHOTOGRAPHS TAKEN: <u>(YES/NO)</u> | | TAPE TENSION: <u>surveyed</u> lbs |
| NUMBER OF PHOTOGRAPHS: <u>3</u> | | |

CHANNEL PROFILE DATA

| STATION | DISTANCE FROM TAPE (ft) | ROD READING (ft) | S K E T C H | LEGEND: Stake (X) Station (1) Photo (◇) Direction of Flow (→) | |
|---------------------|-----------------------------|------------------|----------------------------|---|--|
| (X) Tape @ Stake LB | 0.0 | <u>surveyed</u> | | | |
| (X) Tape @ Stake RB | 0.0 | <u>surveyed</u> | | | |
| (1) WS @ Tape LB/RB | 0.0 | | | | |
| (2) WS Upstream | <u>14.0</u> | <u>5.70</u> | | | |
| (3) WS Downstream | <u>14.0</u> | <u>6.48</u> | | | |
| SLOPE | <u>0.78 / 28.0 = 0.0278</u> | | | | |

AQUATIC SAMPLING SUMMARY

| STREAM ELECTROFISHED: <u>(YES/NO)</u> | DISTANCE ELECTROFISHED: <u> </u> ft | FISH CAUGHT: <u>(YES/NO)</u> | WATER CHEMISTRY SAMPLED: <u>(YES/NO)</u> | | | | | | | | | | | | | | |
|--|--|------------------------------|--|---|---|---|---|---|---|----|----|----|----|----|----|-----|-------|
| LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.) | | | | | | | | | | | | | | | | | |
| SPECIES (FILL IN) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | >15 | TOTAL |
| <u>see attached</u> | | | | | | | | | | | | | | | | | |
| AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME: | | | | | | | | | | | | | | | | | |
| <u>mayfly, caddisfly</u> | | | | | | | | | | | | | | | | | |

COMMENTS

| |
|--------------------|
| <u>TDS = 100</u> |
| <u>Temp = 48°F</u> |
| <u>pH = 8.2</u> |

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Terror Creek
 XS LOCATION: 1000 ft. ds from conf. w/ W. Frk.
 XS NUMBER: 2

 DATE: 27-Sep-07
 OBSERVERS: R. Smith, M. Eberle

 1/4 SEC: SE
 SECTION: 5
 TWP: 13N
 RANGE: 91W
 PM: Sixth

 COUNTY: Delta
 WATERSHED: Gunnison
 DIVISION: 4
 DOW CODE: 43593

 USGS MAP: Bowie 7.5'
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.035

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Terror Creek
 XS LOCATION: 1000 ft. ds from conf. w/ W. Frk.
 XS NUMBER: 2

DATA POINTS= 26

VALUES COMPUTED FROM RAW FIELD DATA

| FEATURE | DIST | VERT DEPTH | WATER DEPTH | VEL | WETTED PERIM. | WATER DEPTH | AREA (Am) | Q (Qm) | % Q CELL |
|-----------|-------|------------|-------------|------|---------------|-------------|-----------|--------|----------|
| 1 LS & GL | 3.10 | 5.20 | | | 0.00 | | 0.00 | 0.00 | 0.0% |
| | 3.80 | 5.59 | | | 0.00 | | 0.00 | 0.00 | 0.0% |
| W | 4.00 | 6.22 | | | 0.00 | | 0.00 | 0.00 | 0.0% |
| | 5.00 | 6.50 | 0.30 | 0.02 | 1.04 | 0.30 | 0.30 | 0.01 | 0.1% |
| | 6.00 | 6.70 | 0.50 | 0.08 | 1.02 | 0.50 | 0.50 | 0.04 | 0.7% |
| | 7.00 | 6.90 | 0.70 | 1.20 | 1.02 | 0.70 | 0.70 | 0.84 | 14.7% |
| | 8.00 | 6.50 | 0.30 | 0.73 | 1.08 | 0.30 | 0.33 | 0.24 | 4.2% |
| | 9.20 | 6.95 | 0.75 | 1.21 | 1.28 | 0.75 | 0.75 | 0.91 | 15.8% |
| | 10.00 | 6.80 | 0.60 | 0.47 | 0.81 | 0.60 | 0.84 | 0.39 | 6.9% |
| R | 12.00 | 6.25 | 0.00 | 0.00 | 2.07 | | 0.00 | 0.00 | 0.0% |
| | 13.50 | 6.50 | 0.30 | 0.17 | 1.52 | 0.30 | 0.45 | 0.08 | 1.3% |
| | 15.00 | 6.50 | 0.30 | 1.00 | 1.50 | 0.30 | 0.44 | 0.44 | 7.6% |
| | 16.40 | 6.40 | 0.20 | 0.80 | 1.40 | 0.20 | 0.28 | 0.22 | 3.9% |
| | 17.80 | 6.40 | 0.20 | 0.67 | 1.40 | 0.20 | 0.26 | 0.17 | 3.0% |
| R | 19.00 | 6.10 | 0.00 | 0.00 | 1.24 | | 0.00 | 0.00 | 0.0% |
| | 21.00 | 6.40 | 0.25 | 1.61 | 2.02 | 0.25 | 0.38 | 0.60 | 10.5% |
| | 22.00 | 6.45 | 0.30 | 1.60 | 1.00 | 0.30 | 0.45 | 0.72 | 12.6% |
| | 24.00 | 6.90 | 0.75 | 0.06 | 2.05 | 0.75 | 1.13 | 0.07 | 1.2% |
| | 25.00 | 7.05 | 0.90 | 0.62 | 1.01 | 0.90 | 0.90 | 0.56 | 9.7% |
| | 26.00 | 6.55 | 0.40 | 0.15 | 1.12 | 0.40 | 0.40 | 0.06 | 1.0% |
| | 27.00 | 6.55 | 0.40 | 0.18 | 1.00 | 0.40 | 0.40 | 0.07 | 1.3% |
| | 28.00 | 6.45 | 0.30 | 1.00 | 1.00 | 0.30 | 0.30 | 0.30 | 5.2% |
| | 29.00 | 6.35 | 0.20 | 0.05 | 1.00 | 0.20 | 0.20 | 0.01 | 0.2% |
| W | 30.00 | 6.12 | | | 1.03 | | 0.00 | 0.00 | 0.0% |
| 1 G | 33.00 | 5.15 | | | 0.00 | | 0.00 | 0.00 | 0.0% |
| RS | 34.00 | 4.01 | | | 0.00 | | 0.00 | 0.00 | 0.0% |

TOTALS -----

26.63 0.9 9.00 5.73 100.0%
 (Max.)

Manning's n = 0.2117
 Hydraulic Radius= 0.33784027

STREAM NAME: Terror Creek
 XS LOCATION: 1000 ft. ds from conf. w/ W. Frk.
 XS NUMBER: 2

WATER LINE COMPARISON TABLE

| WATER LINE | MEAS AREA | COMP AREA | AREA ERROR |
|---------------|--------------|--------------|---------------|
| | 9.00 | 7.28 | -19.1% |
| 6.00 | 9.00 | 13.65 | 51.7% |
| 6.02 | 9.00 | 13.12 | 45.9% |
| 6.04 | 9.00 | 12.59 | 40.0% |
| 6.06 | 9.00 | 12.07 | 34.2% |
| 6.08 | 9.00 | 11.54 | 28.3% |
| 6.10 | 9.00 | 11.02 | 22.5% |
| 6.12 | 9.00 | 10.50 | 16.7% |
| 6.14 | 9.00 | 9.99 | 11.0% |
| 6.16 | 9.00 | 9.48 | 5.4% |
| 6.18 | 9.00 | 8.98 | -0.2% |
| 6.20 | 9.00 | 8.48 | -5.7% |
| 6.21 | 9.00 | 8.24 | -8.4% |
| 6.22 | 9.00 | 8.00 | -11.1% |
| 6.23 | 9.00 | 7.75 | -13.8% |
| 6.24 | 9.00 | 7.51 | -16.5% |
| 6.25 | 9.00 | 7.28 | -19.1% |
| 6.26 | 9.00 | 7.04 | -21.7% |
| 6.27 | 9.00 | 6.81 | -24.3% |
| 6.28 | 9.00 | 6.58 | -26.9% |
| 6.29 | 9.00 | 6.35 | -29.4% |
| 6.30 | 9.00 | 6.12 | -31.9% |
| 6.32 | 9.00 | 5.68 | -36.8% |
| 6.34 | 9.00 | 5.25 | -41.6% |
| 6.36 | 9.00 | 4.84 | -46.2% |
| 6.38 | 9.00 | 4.43 | -50.7% |
| 6.40 | 9.00 | 4.04 | -55.1% |
| 6.42 | 9.00 | 3.70 | -58.9% |
| 6.44 | 9.00 | 3.37 | -62.5% |
| 6.46 | 9.00 | 3.07 | -65.8% |
| 6.48 | 9.00 | 2.79 | -69.0% |
| 6.50 | 9.00 | 2.53 | -71.9% |

WATERLINE AT ZERO
 AREA ERROR = 6.179

STREAM NAME: Terror Creek
 XS LOCATION: 1000 ft. ds from conf. w/ W. Frk.
 XS NUMBER: 2

Constant Manning's n

GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE


| | DIST TO WATER (FT) | TOP WIDTH (FT) | AVG. DEPTH (FT) | MAX. DEPTH (FT) | AREA (SQ FT) | WETTED PERIM. (FT) | PERCENT WET PERIM (%) | HYDR RADIUS (FT) | FLOW (CFS) | AVG. VELOCITY (FT/SEC) |
|------|--------------------|----------------|-----------------|-----------------|--------------|--------------------|-----------------------|------------------|------------|------------------------|
| *GL* | 5.20 | 29.75 | 1.21 | 1.85 | 36.00 | 31.08 | 100.0% | 1.16 | 52.16 | 1.45 |
| | 5.23 | 29.60 | 1.19 | 1.82 | 35.13 | 30.92 | 99.5% | 1.14 | 50.24 | 1.43 |
| | 5.28 | 29.36 | 1.15 | 1.77 | 33.66 | 30.66 | 98.6% | 1.10 | 47.04 | 1.40 |
| | 5.33 | 29.11 | 1.11 | 1.72 | 32.20 | 30.39 | 97.8% | 1.06 | 43.94 | 1.36 |
| | 5.38 | 28.87 | 1.07 | 1.67 | 30.75 | 30.13 | 96.9% | 1.02 | 40.93 | 1.33 |
| | 5.43 | 28.62 | 1.02 | 1.62 | 29.31 | 29.86 | 96.1% | 0.98 | 38.02 | 1.30 |
| | 5.48 | 28.38 | 0.98 | 1.57 | 27.88 | 29.60 | 95.2% | 0.94 | 35.20 | 1.26 |
| | 5.53 | 28.14 | 0.94 | 1.52 | 26.47 | 29.33 | 94.4% | 0.90 | 32.47 | 1.23 |
| | 5.58 | 27.89 | 0.90 | 1.47 | 25.07 | 29.06 | 93.5% | 0.86 | 29.84 | 1.19 |
| | 5.63 | 27.70 | 0.85 | 1.42 | 23.68 | 28.84 | 92.8% | 0.82 | 27.27 | 1.15 |
| | 5.68 | 27.53 | 0.81 | 1.37 | 22.30 | 28.62 | 92.1% | 0.78 | 24.80 | 1.11 |
| | 5.73 | 27.36 | 0.76 | 1.32 | 20.93 | 28.41 | 91.4% | 0.74 | 22.42 | 1.07 |
| | 5.78 | 27.19 | 0.72 | 1.27 | 19.56 | 28.19 | 90.7% | 0.69 | 20.14 | 1.03 |
| | 5.83 | 27.02 | 0.67 | 1.22 | 18.21 | 27.98 | 90.0% | 0.65 | 17.96 | 0.99 |
| | 5.88 | 26.85 | 0.63 | 1.17 | 16.86 | 27.76 | 89.3% | 0.61 | 15.88 | 0.94 |
| | 5.93 | 26.68 | 0.58 | 1.12 | 15.52 | 27.55 | 88.6% | 0.56 | 13.91 | 0.90 |
| | 5.98 | 26.51 | 0.54 | 1.07 | 14.19 | 27.33 | 88.0% | 0.52 | 12.04 | 0.85 |
| | 6.03 | 26.34 | 0.49 | 1.02 | 12.87 | 27.12 | 87.3% | 0.47 | 10.29 | 0.80 |
| | 6.08 | 26.17 | 0.44 | 0.97 | 11.56 | 26.90 | 86.6% | 0.43 | 8.64 | 0.75 |
| | 6.13 | 25.67 | 0.40 | 0.92 | 10.26 | 26.36 | 84.8% | 0.39 | 7.18 | 0.70 |
| *WL* | 6.18 | 24.91 | 0.36 | 0.87 | 8.99 | 25.54 | 82.2% | 0.35 | 5.89 | 0.65 |
| | 6.23 | 24.11 | 0.32 | 0.82 | 7.77 | 24.70 | 79.5% | 0.31 | 4.72 | 0.61 |
| | 6.28 | 22.90 | 0.29 | 0.77 | 6.59 | 23.46 | 75.5% | 0.28 | 3.71 | 0.56 |
| | 6.33 | 21.49 | 0.26 | 0.72 | 5.48 | 22.01 | 70.8% | 0.25 | 2.85 | 0.52 |
| | 6.38 | 19.91 | 0.22 | 0.67 | 4.44 | 20.40 | 65.6% | 0.22 | 2.11 | 0.48 |
| | 6.43 | 16.13 | 0.22 | 0.62 | 3.54 | 16.60 | 53.4% | 0.21 | 1.66 | 0.47 |
| | 6.48 | 13.73 | 0.20 | 0.57 | 2.80 | 14.17 | 45.6% | 0.20 | 1.25 | 0.45 |
| | 6.53 | 10.54 | 0.21 | 0.52 | 2.20 | 10.94 | 35.2% | 0.20 | 0.99 | 0.45 |
| | 6.58 | 8.36 | 0.21 | 0.47 | 1.74 | 8.72 | 28.1% | 0.20 | 0.78 | 0.45 |
| | 6.63 | 7.35 | 0.18 | 0.42 | 1.35 | 7.66 | 24.7% | 0.18 | 0.55 | 0.41 |
| | 6.68 | 6.34 | 0.16 | 0.37 | 1.00 | 6.60 | 21.2% | 0.15 | 0.38 | 0.37 |
| | 6.73 | 5.32 | 0.13 | 0.32 | 0.71 | 5.54 | 17.8% | 0.13 | 0.24 | 0.33 |
| | 6.78 | 4.31 | 0.11 | 0.27 | 0.47 | 4.48 | 14.4% | 0.11 | 0.14 | 0.29 |
| | 6.83 | 3.25 | 0.09 | 0.22 | 0.28 | 3.37 | 10.9% | 0.08 | 0.07 | 0.25 |
| | 6.88 | 2.15 | 0.07 | 0.17 | 0.15 | 2.23 | 7.2% | 0.07 | 0.03 | 0.21 |
| | 6.93 | 1.21 | 0.05 | 0.12 | 0.06 | 1.25 | 4.0% | 0.05 | 0.01 | 0.18 |
| | 6.98 | 0.61 | 0.04 | 0.07 | 0.02 | 0.63 | 2.0% | 0.03 | 0.00 | 0.14 |
| | 7.03 | 0.18 | 0.01 | 0.02 | 0.00 | 0.19 | 0.6% | 0.01 | 0.00 | 0.06 |

[Home](#)

[Print](#)


Terror Creek

CROSS SECTION DATA ANALYSIS



[Home](#)[Print](#)

Percent Wetted Perimeter vs. Discharge





FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



COLORADO WATER
CONSERVATION BOARD

LOCATION INFORMATION

| | | | |
|--|----------------------------|--------------------------------------|--|
| STREAM NAME: <u>Terror Creek</u> | | CROSS-SECTION NO.: <u>2</u> | |
| CROSS-SECTION LOCATION: <u>1,000 ft. downstream from confluence w/ West Fork</u> | | | |
| DATE: <u>9-27-07</u> | | OBSERVERS: <u>R. Smith, M. Ebene</u> | |
| LEGAL DESCRIPTION | 1/4 SECTION: <u>SE</u> | SECTION: <u>5</u> | TOWNSHIP: <u>13N10</u> RANGE: <u>9E</u> PM: <u>6th</u> |
| COUNTY: <u>Delta</u> | WATERSHED: <u>Gunnison</u> | WATER DIVISION: <u>4</u> | DOW WATER CODE: <u>43593</u> |
| MAP(S): | USGS: <u>Bowle 7.5'</u> | | |
| | USFS: | | |

SUPPLEMENTAL DATA

| | | | | |
|---|--|---------------------------------|-----------------------------|-------------------------|
| SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | METER TYPE: <u>Marsh-McBirney</u> | | | |
| METER NUMBER: | DATE RATED: | CALIB/SPIN: _____ sec | TAPE WEIGHT: _____ lbs/foot | TAPE TENSION: _____ lbs |
| CHANNEL BED MATERIAL SIZE RANGE: <u>1 inch cobble to 3-foot boulder</u> | PHOTOGRAPHS TAKEN: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | NUMBER OF PHOTOGRAPHS: <u>3</u> | | |

CHANNEL PROFILE DATA

| STATION | DISTANCE FROM TAPE (ft) | ROD READING (ft) | SKETCH | LEGEND: | | |
|---|---------------------------|--------------------|--------|---------|--|---|
| <input checked="" type="checkbox"/> Tape @ Stake LB | 0.0 | <u>surveyed</u> | | | | Stake <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> Tape @ Stake RB | 0.0 | <u>surveyed</u> | | | | Station <input type="checkbox"/> |
| <input type="checkbox"/> WS @ Tape LB/RB | 0.0 | <u>6.22 / 6.12</u> | | | | Photo <input type="checkbox"/> |
| <input type="checkbox"/> WS Upstream | <u>17.0</u> | <u>5.61</u> | | | | Direction of Flow |
| <input type="checkbox"/> WS Downstream | <u>17.0</u> | <u>6.80</u> | | | | |
| SLOPE | <u>1.21 / 34.0 = .035</u> | | | | | |

AQUATIC SAMPLING SUMMARY

| | | | | | | | | | | | | | | | | | |
|---|----------------------------------|--|--|---|---|---|---|---|---|----|----|----|----|----|----|-----|-------|
| STREAM ELECTROFISHED: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | DISTANCE ELECTROFISHED: _____ ft | FISH CAUGHT: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | WATER CHEMISTRY SAMPLED: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | | | | | | | | | | | | | | |
| LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.) | | | | | | | | | | | | | | | | | |
| SPECIES (FILL IN) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | >15 | TOTAL |
| <u>see attached survey</u> | | | | | | | | | | | | | | | | | |
| AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME: | | | | | | | | | | | | | | | | | |
| <u>mayfly, caddisfly</u> | | | | | | | | | | | | | | | | | |

COMMENTS

| | |
|-------------------|--|
| <u>TDS = 100</u> | <u>Very difficult to find riffles.</u> |
| <u>Ph = 8.2</u> | |
| <u>Temp = 48°</u> | |





