



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Colorado State Office  
2850 Youngfield Street  
Lakewood, Colorado 80215-7210  
[www.co.blm.gov](http://www.co.blm.gov)



In Reply Refer To:  
7250 (CO-930)

DEC 22 2014

Ms. Linda Bassi  
Colorado Water Conservation Board  
1313 Sherman Street, Room 721  
Denver, Colorado 80203

Dear Ms. Bassi:

The Bureau of Land Management (BLM) is writing this letter to formally communicate its recommendation for an increase to existing instream flow water rights on East Douglas Creek, located in Water Division 6.

**Location and Land Status.** East Douglas Creek originates approximately seven miles east of Douglas Pass and flows into Douglas Creek. This recommendation covers two stream reaches:

The first reach begins at the confluence with Bear Park Creek and extends to the confluence with Brush Creek. This stream reach covers a distance of approximately 1.5 miles. The BLM manages approximately 0.8 miles of this stream reach, while 0.7 miles are in private ownership.

The second reach begins at the confluence with Brush Creek and extends to the confluence with Cathedral Creek. This stream reach covers a distance of approximately 10.7 miles. The BLM manages approximately 5.0 miles of this stream reach, while 5.7 miles are in private ownership.

**Existing Instream Flow Water Rights.** In 1985, the Colorado Water Conservation Board (CWCB) appropriated instream flow water rights on East Douglas Creek as follows:

Headwaters to confluence with Brush Creek – 1.0 cfs January 1 to December 31  
Brush Creek to confluence with Cathedral Creek – 1.5 cfs January 1 to December 31

**Biological Summary.** East Douglas Creek is a cold-water, moderate to high gradient stream. It flows through a canyon with a valley floor approximately one-fourth mile in width. The stream cuts through alluvial deposits in the narrow valley and is not confined by bedrock in most locations. The stream generally has small substrate, consisting of sands, gravels, and cobbles. While riffle habitat is abundant, parts of the stream lack extensive pool habitat because of historic overgrazing and lack of woody debris in the stream channel.

Fisheries surveys have revealed a self-sustaining population of native cutthroat trout and speckled dace. The BLM is considering implementation of a project to reclaim a portion of the creek to support genetically pure native cutthroat trout. Intensive macro-invertebrate surveys have not been conducted, but spot samples have revealed various species of mayfly, caddisfly, and stonefly.

The riparian community along the portion of the creek between Bear Park Creek and Brush Creek is generally comprised of a mix of blue spruce and douglas fir, with some open areas comprised of grasses and sedges. The riparian community between the confluence with Brush Creek and the confluence with Cathedral Creek is generally comprised of grasses and sedges. In the lower part of the reach, portions of the creek have good width-to-depth ratios, while other portions of the reach are open and wide, which limits usable fish habitat. The riparian area between Bear Park Creek and Brush Creek is in good condition, while the lower portion of the creek is recovering from historic grazing practices. In the reach between Bear Park Creek and Brush Creek, cover and shading for the stream is good.

**R2Cross Analysis.** The BLM collected the following R2Cross data from the reach between Bear Park Creek and Brush Creek:

Cross Section Date	Discharge Rate	Top Width	Winter Flow Recommendation (meets 2 of 3 hydraulic criteria)	Summer Flow Recommendation (meets 3 of 3 hydraulic criteria)
07/29/2009 #1	1.60 cfs	14.40 feet	1.11 cfs	2.33 cfs
07/29/2009 #2	1.55 cfs	13.10 feet	1.11 cfs	3.88 cfs
Averages:			1.11 cfs	3.10 cfs

The BLM collected the following R2Cross data from the reach between Brush Creek and Cathedral Creek:

Cross Section Date	Discharge Rate	Top Width	Winter Flow Recommendation (meets 2 of 3 hydraulic criteria)	Summer Flow Recommendation (meets 3 of 3 hydraulic criteria)
07/29/2009 #1	2.38 cfs	19.0 feet	1.58 cfs	2.40 cfs
07/29/2009 #2	2.28 cfs	12.3 feet	1.19 cfs	1.57 cfs
Averages:			1.38 cfs	1.99 cfs

The BLM's analysis of this data, coordinated with Colorado Parks and Wildlife, indicates that the following flows are needed to protect the fishery and natural environment to a reasonable degree.

### East Douglas Creek between confluence with Bear Park Creek and Brush Creek

3.1 cubic feet per second is recommended for the snowmelt runoff period from May 1 through July 15. Protecting 3.1 cubic feet per second will require an increase of 2.1 cfs to the existing instream flow water right. This recommendation is driven by the average velocity and wetted perimeter criteria. This creek experiences consistently low flows during late summer and fall, so it is important to protect as much physical habitat as possible during the limited time when snowmelt runoff flows are available.

1.5 cubic feet per second is recommended for the late summer and early fall period from July 16 through October 15. Protecting 1.5 cfs during this period will require an increase of 0.5 cfs to the existing instream flow water right. This recommendation is driven by limited water availability, but this flow rate comes very close to meeting two out of the three instream flow criteria. This flow rate is capable of maintaining pool habitat in the creek and preventing excessively water high temperatures.

The BLM recommends that the existing instream flow water right of 1.0 cfs remain unchanged for the time period between October 16 and April 30. It appears that the existing water right accurately reflects the limited water availability during the winter months.

### East Douglas Creek between confluence with Brush Creek and Cathedral Creek

2.0 cubic feet per second is recommended for the snowmelt runoff period from May 1 through October 15. Protecting 2.0 cubic feet per second will require an increase of 0.5 cfs to the existing instream flow water right. This recommendation is driven by the average velocity and average velocity criteria. This flow rate will protect additional physical habitat during snowmelt runoff and should maintain adequate pool habitat and stream temperatures during the late summer and early fall months.

The BLM recommends that the existing instream flow water right of 1.5 cfs remain unchanged for the time period between October 16 and April 30. The BLM's data collection revealed that this flow rate will achieve two of the three instream flow criteria used by the CWCB.

**Rationale For Enlargement of Instream Flow Water Right.** The BLM does not consider the current instream flow water right to be fully protective of the natural environment in East Douglas Creek, pursuant to modern analytical procedures used by the CWCB. The current instream flow water right does not meet all three instream flow criteria during the spring and summer, which is a critical growth and spawning period for the fish population. Since the stream supports native cutthroat trout, the BLM considers a fully protective instream flow water right to be essential.

**Water Availability.** The BLM is not aware of any historic gage data within the East Douglas Creek watershed. The BLM does not recommend relying upon other gages that are within western Rio Blanco County because those gages measure watersheds with very different characteristics. For example, U.S. Geological Survey (USGS) Gage 09306380 (Douglas Creek at Rangely) is located at the bottom of the very large Douglas Creek watershed, of which East Douglas Creek is a part. However, this watershed contains many square miles of low elevation terrain with low runoff per unit of area. In contrast, East Douglas Creek is located at the top of Douglas Creek watershed, with high runoff per unit of area. Historic gages in the Piceance Creek watershed to the east, such as USGS Gage 09306175 (Black Sulphur Creek), measure large watersheds with characteristics similar to the large Douglas Creek watershed. Accordingly, the BLM recommends relying upon the Stream Stats package developed jointly between the U.S. Geological Survey and the CWCB for the best flow estimates.

The BLM is not aware of any decreed water rights within the proposed instream flow reach between the confluence with Bear Park and Brush Creek.

The BLM is aware of the following water rights in the reach between the confluence with Brush Creek and Cathedral Creek:

Tipp Ditch – 3.36 cfs conditional, 1980 priority  
 Mitchell Ditch – 2.59 cfs, 1919 priority

The Mitchell Ditch is located very close to the lower terminus of the proposed instream reach. The diversion records for the structure indicate consistent diversions by this ditch during May, June, and July.

**Relationship to Land Management Plans.** This stream reach is located within the BLM's "East Douglas Creek Area of Critical Environmental Concern." The BLM designated this area to protect important biologically diverse plant communities, riparian habitat, and cutthroat trout habitat. The BLM intends to continue management of this watershed for natural conditions and processes. Appropriation of increase to the existing instream flow water rights would assist the BLM in long-term management of riparian values and important fishery values.

Data sheets, R2Cross output, fishery survey information, and photographs of the cross section were included with the BLM's draft recommendation in February 2014. We thank both Colorado Parks and Wildlife and the CWCB for their cooperation in this effort.

If you have any questions regarding our instream flow recommendation, please contact Roy Smith at 303-239-3940.

Sincerely,

**Acting**




Brian St. George  
Deputy State Director  
Resources and Fire Management

cc: Kent Walter, White River FO  
Keith Sauter, White River FO  
Ed Hollowed, White River FO  
Joseph Meyer, Northwest District Office

# White River Field Office Stream Surveys April 2012

## East Douglas Creek - Water Code #25331

East Douglas Creek was sampled on April 9, 2012. The lower and upper sites identified below on the map are downstream from the confluence with Brush Creek, while the BLM site on the map below is above the confluence with Brush Creek. Fish sampling was conducted below and above the culvert identified as the terminus/barrier for possible future cutthroat trout reclamation efforts. Collected fish were marked with an upper caudal fin clip. A total of 60 fish were marked and placed downstream of the culvert to further assess and evaluate the structure as a barrier to upstream movement of fish. It was assumed that fish collected from above the culvert and placed below might have some site affinity and be more apt to try and move back upstream to preferred spawning habitat. Personnel present were Kyle Battige, Colorado Parks & Wildlife, Brian Hodge, Trout Unlimited, and Laura Dixon and Tom Fresques, BLM.







**Cutthroat trout**



**Speckled dace**



Young Cutthroat trout



# STREAM SURVEY FISH SAMPLING FORM

2012

WATER: East Douglas Creek

DATE: 4-9-2012

GEAR: BPE - 1

EFFORT STATION CREW: Battige, Hodge, Fresques, Dixon LOCATION:

#	Pass	species	length	weight		Pass	species	length	length
1	BC	CRN	205			BLM	CRN	137	123
2	BC	CRN	229			BLM	CRN	198	172
3	BC	CRN	212			BLM	CRN	154	224
4	BC	CRN	221			BLM	CRN	163	143
5	BC	CRN	227			BLM	CRN	176	173
6	BC	CRN	225			BLM	CRN	209	157
7	BC	CRN	186			BLM	CRN	203	196
8	BC	CRN	190			BLM	CRN	186	235
9	BC	CRN	221			BLM	CRN	110	242
10	BC	CRN	150			BLM	CRN	200	169
11	BC	CRN	118			BLM	CRN	125	192
12						BLM	CRN	163	129
13	AC	CRN	117			BLM	CRN	200	108
14	AC	CRN	125			BLM	CRN	107	116
15	AC	CRN	154			BLM	CRN	187	193
16	AC	CRN	137			BLM	CRN	139	188
17	AC	CRN	141			BLM	CRN	153	147
18	AC	CRN	84			BLM	CRN	105	113
19						BLM	CRN	211	
20						BLM	CRN	173	
21						BLM	CRN	205	
22						BLM	CRN	182	
23						BLM	CRN	182	
24						BLM	CRN	189	
25						BLM	CRN	153	

AC= Above Culvert

BC = Below Culvert

BLM = BLM Site

Notes: Stream Width \_\_\_\_\_ft. Sample Reach \_\_\_\_\_ft.

Conductivity:

Electroshocker settings:

**Discussion:**

Eleven fish were collected and marked within 450 feet below the culvert. Six fish were collected within approximately 450 feet upstream of the culvert. The remaining 43 fish were collected from a 500 foot reach located further upstream on BLM lands above the Brush Creek confluence. Fish densities were low but increased as we moved upstream. The culvert is relatively close to what is currently considered the downstream distribution limit for trout in East Douglas Creek, although some beaver ponds located below the sample area could contain fish. In addition to cutthroat trout, speckled dace were noted within all sampled portions of the creek.

The FishXing model suggests that the culvert is a complete barrier to upstream movement of all size classes of fish at all anticipated flows. All of the fish collected and marked appeared to be cutthroat trout.

COLORADO WATER CONSERVATION BOARD  
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM  
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: East Douglas Creek - above Brush Creek  
XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
XS NUMBER: 1

DATE: 29-Jul-09  
OBSERVERS: R. Smith, P. Crowley

1/4 SEC: SW  
SECTION: 2  
TWP: 5S  
RANGE: 101W  
PM: Sixth

COUNTY: Garfield  
WATERSHED: White River  
DIVISION: 6  
DOW CODE: 23127

USGS MAP: 0  
USFS MAP: 0

SUPPLEMENTAL DATA

\*\*\* NOTE \*\*\*

Leave TAPE WT and TENSION  
at defaults for data collected  
with a survey level and rod

TAPE WT: 0.0106  
TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.007

INPUT DATA CHECKED BY: .....DATE.....

ASSIGNED TO: .....DATE.....

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
 XS NUMBER: 1

# DATA POINTS= 21

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL
RS	2.00	5.94		
1 G	3.80	7.50		
W	9.90	8.07	0.00	0.00
	10.30	8.30	0.25	0.50
	10.70	8.35	0.30	0.93
	10.90	8.40	0.35	1.24
	11.10	8.40	0.35	1.29
	11.50	8.40	0.35	1.41
	11.90	8.40	0.35	1.53
	12.30	8.40	0.35	1.27
	12.70	8.35	0.30	1.30
	13.10	8.35	0.30	1.41
	13.50	8.35	0.30	1.26
	13.90	8.25	0.20	1.22
	14.30	8.20	0.15	0.84
	14.70	8.15	0.10	0.65
	15.10	8.15	0.10	0.00
	15.50	8.15	0.10	0.00
W	15.70	8.04	0.00	0.00
1 G	18.40	7.52		
LS	24.00	7.21		

TOTALS -----

WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.46	0.25	0.10	0.05	3.1%
0.40	0.30	0.09	0.08	5.2%
0.21	0.35	0.07	0.09	5.4%
0.20	0.35	0.11	0.14	8.5%
0.40	0.35	0.14	0.20	12.4%
0.40	0.35	0.14	0.21	13.4%
0.40	0.35	0.14	0.18	11.1%
0.40	0.30	0.12	0.16	9.8%
0.40	0.30	0.12	0.17	10.6%
0.40	0.30	0.12	0.15	9.5%
0.41	0.20	0.08	0.10	6.1%
0.40	0.15	0.06	0.05	3.2%
0.40	0.10	0.04	0.03	1.6%
0.40	0.10	0.04	0.00	0.0%
0.40	0.10	0.03	0.00	0.0%
0.23		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%
0.00		0.00	0.00	0.0%

5.92 0.35 1.40 1.60 100.0%  
 (Max.)

Manning's n = 0.0415  
 Hydraulic Radius= 0.23561871



STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	1.40	1.37	-1.8%
7.81	1.40	3.34	139.3%
7.83	1.40	3.14	125.4%
7.85	1.40	2.96	111.9%
7.87	1.40	2.78	99.0%
7.89	1.40	2.60	86.4%
7.91	1.40	2.43	74.3%
7.93	1.40	2.27	62.7%
7.95	1.40	2.11	51.5%
7.97	1.40	1.96	40.8%
7.99	1.40	1.82	30.6%
8.01	1.40	1.68	20.8%
8.02	1.40	1.62	16.0%
8.03	1.40	1.55	11.4%
8.04	1.40	1.49	6.9%
8.05	1.40	1.43	2.5%
8.06	1.40	1.37	-1.8%
8.07	1.40	1.31	-6.0%
8.08	1.40	1.25	-10.1%
8.09	1.40	1.20	-14.2%
8.10	1.40	1.14	-18.3%
8.11	1.40	1.08	-22.3%
8.13	1.40	0.97	-30.3%
8.15	1.40	0.86	-38.2%
8.17	1.40	0.77	-45.1%
8.19	1.40	0.68	-51.4%
8.21	1.40	0.59	-57.5%
8.23	1.40	0.51	-63.3%
8.25	1.40	0.44	-68.8%
8.27	1.40	0.36	-74.0%
8.29	1.40	0.29	-79.1%
8.31	1.40	0.22	-84.0%

WATERLINE AT ZERO

AREA ERROR = 8.051

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
 XS NUMBER: 1

Constant Manning's n

\*GL\* = lowest Grassline elevation corrected for sag

STAGING TABLE

\*WL\* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
*GL*	7.52	14.39	0.47	0.88	6.79	14.58	100.0%	0.47	12.24	1.80
	7.55	13.89	0.46	0.85	6.36	14.09	96.6%	0.45	11.21	1.76
	7.60	13.10	0.43	0.80	5.68	13.28	91.1%	0.43	9.67	1.70
	7.65	12.31	0.41	0.75	5.05	12.48	85.6%	0.40	8.27	1.64
	7.70	11.51	0.39	0.70	4.45	11.68	80.1%	0.38	7.01	1.58
	7.75	10.72	0.36	0.65	3.89	10.88	74.6%	0.36	5.89	1.51
	7.80	9.92	0.34	0.60	3.38	10.08	69.1%	0.34	4.89	1.45
	7.85	9.13	0.32	0.55	2.90	9.28	63.6%	0.31	4.01	1.38
	7.90	8.33	0.30	0.50	2.47	8.47	58.1%	0.29	3.25	1.32
	7.95	7.54	0.27	0.45	2.07	7.67	52.6%	0.27	2.59	1.25
	8.00	6.74	0.25	0.40	1.71	6.87	47.1%	0.25	2.03	1.19
*WL*	8.05	5.98	0.23	0.35	1.39	6.10	41.9%	0.23	1.56	1.12
	8.10	5.64	0.20	0.30	1.11	5.73	39.3%	0.19	1.11	1.00
	8.15	4.65	0.18	0.25	0.83	4.72	32.4%	0.18	0.78	0.94
	8.20	4.17	0.15	0.20	0.61	4.22	28.9%	0.14	0.50	0.83
	8.25	3.68	0.11	0.15	0.41	3.72	25.5%	0.11	0.29	0.69
	8.30	3.39	0.07	0.10	0.24	3.41	23.4%	0.07	0.12	0.51
	8.35	1.99	0.04	0.05	0.08	2.00	13.7%	0.04	0.03	0.36

STREAM NAME: East Douglas Creek - above Brush Creek  
XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
XS NUMBER: 1

## SUMMARY SHEET

MEASURED FLOW (Qm)=	1.60 cfs
CALCULATED FLOW (Qc)=	1.56 cfs
(Qm-Qc)/Qm * 100 =	2.0 %
MEASURED WATERLINE (WLm)=	8.06 ft
CALCULATED WATERLINE (WLc)=	8.05 ft
(WLm-WLc)/WLm * 100 =	0.1 %
MAX MEASURED DEPTH (Dm)=	0.35 ft
MAX CALCULATED DEPTH (Dc)=	0.35 ft
(Dm-Dc)/Dm * 100	0.3 %
MEAN VELOCITY=	1.12 ft/sec
MANNING'S N=	0.041
SLOPE=	0.007 ft/ft
.4 * Qm =	0.6 cfs
2.5 * Qm=	4.0 cfs

RECOMMENDED INSTREAM FLOW:  
=====

FLOW (CFS)	PERIOD
=====	=====


RATIONALE FOR RECOMMENDATION:  
=====

[illegible]

RECOMMENDATION BY: ..... AGENCY..... DATE:.....

CWCB REVIEW BY: ..... DATE: .....

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: 2/3 mile u/s fr conf. w/ Brush Creek  
 XS NUMBER: 1 Jarrett Variable Manning's n Correction Applied

\*GL\* = lowest Grassline elevation corrected for sag


STAGING TABLE \*WL\* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
*GL*	7.52	14.39	0.47	0.88	6.79	14.58	100.0%	0.47	13.72	2.02
	7.55	13.89	0.46	0.85	6.36	14.09	96.6%	0.45	12.50	1.97
	7.60	13.10	0.43	0.80	5.68	13.28	91.1%	0.43	10.69	1.88
	7.65	12.31	0.41	0.75	5.05	12.48	85.6%	0.40	9.06	1.80
	7.70	11.51	0.39	0.70	4.45	11.68	80.1%	0.38	7.61	1.71
	7.75	10.72	0.36	0.65	3.89	10.88	74.6%	0.36	6.33	1.62
	7.80	9.92	0.34	0.60	3.38	10.08	69.1%	0.34	5.20	1.54
	7.85	9.13	0.32	0.55	2.90	9.28	63.6%	0.31	4.22	1.45
	7.90	8.33	0.30	0.50	2.47	8.47	58.1%	0.29	3.38	1.37
	7.95	7.54	0.27	0.45	2.07	7.67	52.6%	0.27	2.66	1.29
	8.00	6.74	0.25	0.40	1.71	6.87	47.1%	0.25	2.06	1.20
*WL*	8.05	5.98	0.23	0.35	1.39	6.10	41.9%	0.23	1.56	1.12
	8.10	5.64	0.20	0.30	1.11	5.73	39.3%	0.19	1.08	0.98
	8.15	4.65	0.18	0.25	0.83	4.72	32.4%	0.18	0.75	0.90
	8.20	4.17	0.15	0.20	0.61	4.22	28.9%	0.14	0.47	0.77
	8.25	3.68	0.11	0.15	0.41	3.72	25.5%	0.11	0.26	0.62
	8.30	3.39	0.07	0.10	0.24	3.41	23.4%	0.07	0.10	0.42
	8.35	1.99	0.04	0.05	0.08	2.00	13.7%	0.04	0.02	0.27




# East Douglas Creek - above Brush Creek

## CROSS SECTION DATA ANALYSIS




**East Douglas Creek - above Brush Creek**  
**Percent Wetted Perimeter vs. Discharge**




# East Douglas Creek - above Brush Creek

## Velocity vs. Discharge



# East Douglas Creek - above Brush Creek


## Average Depth vs. Discharge





# East Douglas Creek - above Brush Creek

## Stage vs. Discharge





**COLORADO WATER  
CONSERVATION BOARD**



STREAM NAME:		East Douglas Creek - upper				CROSS-SECTION NO.: 1	
CROSS-SECTION LOCATION:		Approx. 2 1/2 mile upstream from confluence w/ Brush Creek					
DATE: 7-29-09		OBSERVERS: R. Smith, P. Crowley					
LEGAL DESCRIPTION		1/4 SECTION: SW		SECTION: 2		TOWNSHIP: 5 N 10 S	
				RANGE: 101 E		PM: 6 <sup>th</sup>	
COUNTY: Garfield		WATERSHED: White River		WATER DIVISION: 6		DOW WATER CODE: 23127	
MAP(S):		USGS: 7014 ft. GPS 125 0697162					
		USFS: 4391004					

SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="radio"/> YES <input type="radio"/> NO		METER TYPE: <u>M-M</u>	
METER NUMBER:	DATE RATED:	CALIB/SPIN: _____ sec	TAPE WEIGHT: <u>Surveyed</u> _____ lbs/100'
CHANNEL BED MATERIAL SIZE RANGE: <u>gravel</u>		PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES <input type="radio"/> NO	TAPE TENSION: <u>Surveyed</u> _____ lbs
		NUMBER OF PHOTOGRAPHS: <u>3</u>	

STATION		DISTANCE FROM TAPE (ft)	ROD READING (ft)
⊗	Tape @ Stake LB	0.0	surveyed
⊗	Tape @ Stake RB	0.0	surveyed
①	WS @ Tape LB/RB	0.0	8.07 / 8.04
②	WS Upstream	21.5	7.98
③	WS Downstream	12.5	8.21
SLOPE	0.23 / 34.0 = .007		

S K E T C H

**LEGEND:**

Stake ⊗

Station ①

Photo ① →

Direction of Flow →

STREAM ELECTROFISHED: YES/NO <input checked="" type="radio"/>	DISTANCE ELECTROFISHED: _____ ft	FISH CAUGHT: YES/NO	WATER CHEMISTRY SAMPLED: <input checked="" type="radio"/> YES/NO														
<b>LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)</b>																	
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL

AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:  
 stonefly abundant - caddisfly

TDS = 520  
pH = 8.4  
Temp = 13°C

### DISCHARGE/CROSS SECTION NOTES

[illegible]

COLORADO WATER CONSERVATION BOARD  
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM  
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: East Douglas Creek - above Brush Creek  
XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
XS NUMBER: 2

DATE: 29-Jul-09  
OBSERVERS: R. Smith, P. Crowley

1/4 SEC: SW  
SECTION: 2  
TWP: 5S  
RANGE: 101W  
PM: Sixth

COUNTY: Garfield  
WATERSHED: White River  
DIVISION: 6  
DOW CODE: 23127

USGS MAP: 0  
USFS MAP: 0

SUPPLEMENTAL DATA

\*\*\* NOTE \*\*\*

Leave TAPE WT and TENSION  
at defaults for data collected  
with a survey level and rod

TAPE WT: 0.0106  
TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.016

INPUT DATA CHECKED BY: .....DATE.....

ASSIGNED TO: .....DATE.....

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
 XS NUMBER: 2

# DATA POINTS= 28

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED	WATER	AREA	Q	% Q
					PERIM.	DEPTH	(Am)	(Qm)	CELL
LS	2.00	3.64			0.00		0.00	0.00	0.0%
1 G	6.10	5.98			0.00		0.00	0.00	0.0%
	6.80	6.32			0.00		0.00	0.00	0.0%
W	7.50	6.67	0.00	0.00	0.00		0.00	0.00	0.0%
	8.00	6.75	0.10	0.00	0.51	0.10	0.05	0.00	0.0%
	8.50	6.85	0.20	1.19	0.51	0.20	0.10	0.12	7.7%
	9.00	7.05	0.40	1.10	0.54	0.40	0.20	0.22	14.2%
	9.50	7.15	0.50	1.19	0.51	0.50	0.19	0.22	14.4%
	9.75	7.15	0.50	1.38	0.25	0.50	0.13	0.17	11.1%
	10.00	7.10	0.45	1.43	0.25	0.45	0.11	0.16	10.4%
	10.25	7.15	0.50	1.12	0.25	0.50	0.13	0.14	9.0%
	10.50	7.05	0.40	1.09	0.27	0.40	0.15	0.16	10.6%
	11.00	6.95	0.30	0.03	0.51	0.30	0.15	0.00	0.3%
	11.50	6.95	0.30	0.54	0.50	0.30	0.15	0.08	5.2%
	12.00	6.90	0.25	0.44	0.50	0.25	0.13	0.06	3.6%
	12.50	6.80	0.15	0.18	0.51	0.15	0.08	0.01	0.9%
	13.00	6.85	0.20	0.00	0.50	0.20	0.10	0.00	0.0%
	13.50	6.90	0.25	0.25	0.50	0.25	0.13	0.03	2.0%
	14.00	6.85	0.20	0.96	0.50	0.20	0.10	0.10	6.2%
	14.50	6.75	0.10	0.56	0.51	0.10	0.05	0.03	1.8%
	15.00	6.80	0.15	0.34	0.50	0.15	0.08	0.03	1.6%
	15.50	6.80	0.15	0.20	0.50	0.15	0.08	0.02	1.0%
	16.00	6.70	0.05	0.00	0.51	0.05	0.03	0.00	0.0%
	16.50	6.70	0.05	0.00	0.50	0.05	0.02	0.00	0.0%
W	16.80	6.66	0.00	0.00	0.30		0.00	0.00	0.0%
	17.80	6.44			0.00		0.00	0.00	0.0%
1 G	19.30	6.02			0.00		0.00	0.00	0.0%
RS	23.40	5.25			0.00		0.00	0.00	0.0%
TOTALS -----					9.45	0.5	2.12	1.55	100.0%
					(Max.)				
					Manning's n =		0.0950		
					Hydraulic Radius=		0.22437254		

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
 XS NUMBER: 2

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	2.12	1.99	-6.3%
6.42	2.12	4.51	112.9%
6.44	2.12	4.30	102.7%
6.46	2.12	4.08	92.5%
6.48	2.12	3.87	82.5%
6.50	2.12	3.66	72.7%
6.52	2.12	3.45	62.9%
6.54	2.12	3.25	53.3%
6.56	2.12	3.05	43.8%
6.58	2.12	2.85	34.4%
6.60	2.12	2.65	25.2%
6.62	2.12	2.46	16.0%
6.63	2.12	2.36	11.5%
6.64	2.12	2.27	7.0%
6.65	2.12	2.17	2.6%
6.66	2.12	2.08	-1.9%
6.67	2.12	1.99	-6.3%
6.68	2.12	1.89	-10.6%
6.69	2.12	1.80	-14.9%
6.70	2.12	1.71	-19.1%
6.71	2.12	1.63	-23.2%
6.72	2.12	1.55	-27.0%
6.74	2.12	1.39	-34.6%
6.76	2.12	1.23	-42.0%
6.78	2.12	1.08	-48.9%
6.80	2.12	0.95	-55.4%
6.82	2.12	0.83	-61.1%
6.84	2.12	0.72	-66.1%
6.86	2.12	0.62	-70.7%
6.88	2.12	0.53	-74.8%
6.90	2.12	0.46	-78.4%
6.92	2.12	0.39	-81.5%

WATERLINE AT ZERO

AREA ERROR = 6.651

STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
 XS NUMBER: 2

Constant Manning's n

\*GL\* = lowest Grassline elevation corrected for sag

STAGING TABLE

\*WL\* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
*GL*	6.02	13.12	0.71	1.13	9.26	13.50	100.0%	0.69	14.24	1.54
	6.05	12.94	0.68	1.10	8.85	13.31	98.6%	0.67	13.35	1.51
	6.10	12.66	0.65	1.05	8.21	13.02	96.4%	0.63	11.96	1.46
	6.15	12.38	0.61	1.00	7.59	12.72	94.2%	0.60	10.64	1.40
	6.20	12.10	0.58	0.95	6.98	12.42	92.0%	0.56	9.40	1.35
	6.25	11.82	0.54	0.90	6.38	12.12	89.7%	0.53	8.23	1.29
	6.30	11.54	0.50	0.85	5.79	11.82	87.5%	0.49	7.13	1.23
	6.35	11.26	0.46	0.80	5.22	11.52	85.3%	0.45	6.10	1.17
	6.40	10.98	0.43	0.75	4.67	11.22	83.1%	0.42	5.15	1.10
	6.45	10.69	0.39	0.70	4.13	10.91	80.8%	0.38	4.27	1.03
	6.50	10.36	0.35	0.65	3.60	10.57	78.3%	0.34	3.48	0.97
	6.55	10.03	0.31	0.60	3.09	10.22	75.7%	0.30	2.75	0.89
	6.60	9.71	0.27	0.55	2.60	9.88	73.2%	0.26	2.11	0.81
*WL*	6.65	9.38	0.23	0.50	2.12	9.53	70.6%	0.22	1.54	0.73
	6.70	8.30	0.20	0.45	1.66	8.45	62.6%	0.20	1.11	0.67
	6.75	7.73	0.16	0.40	1.26	7.87	58.3%	0.16	0.74	0.58
	6.80	5.98	0.15	0.35	0.91	6.10	45.2%	0.15	0.50	0.56
	6.85	4.73	0.14	0.30	0.64	4.83	35.8%	0.13	0.33	0.51
	6.90	3.37	0.13	0.25	0.44	3.45	25.5%	0.13	0.22	0.50
	6.95	2.24	0.13	0.20	0.29	2.31	17.1%	0.12	0.14	0.49
	7.00	1.87	0.10	0.15	0.18	1.92	14.2%	0.10	0.08	0.41
	7.05	1.49	0.07	0.10	0.10	1.53	11.4%	0.06	0.03	0.32
	7.10	1.11	0.03	0.05	0.03	1.14	8.4%	0.03	0.01	0.19

STREAM NAME: East Douglas Creek - above Brush Creek  
XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
XS NUMBER: 2

SUMMARY SHEET

MEASURED FLOW (Qm)= 1.55 cfs  
CALCULATED FLOW (Qc)= 1.54 cfs  
(Qm-Qc)/Qm \* 100 = 0.6 %  
  
MEASURED WATERLINE (WLm)= 6.67 ft  
CALCULATED WATERLINE (WLc)= 6.65 ft  
(WLm-WLc)/WLm \* 100 = 0.2 %  
  
MAX MEASURED DEPTH (Dm)= 0.50 ft  
MAX CALCULATED DEPTH (Dc)= 0.50 ft  
(Dm-Dc)/Dm \* 100 = 0.2 %  
  
MEAN VELOCITY= 0.73 ft/sec  
MANNING'S N= 0.095  
SLOPE= 0.016 ft/ft  
  
.4 \* Qm = 0.6 cfs  
2.5 \* Qm= 3.9 cfs

RECOMMENDED INSTREAM FLOW:  
=====

FLOW (CFS)	PERIOD
=====	=====
_____	_____
_____	_____
_____	_____
_____	_____

RATIONALE FOR RECOMMENDATION:  
=====

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

RECOMMENDATION BY: ..... AGENCY..... DATE:.....  
CWCB REVIEW BY: ..... DATE:.....



STREAM NAME: East Douglas Creek - above Brush Creek  
 XS LOCATION: Approx. 2/3 mile u/s fr. Conf. w/ Brush Creek  
 XS NUMBER: 2 Jarrett Variable Manning's n Correction Applied


\*GL\* = lowest Grassline elevation corrected for sag

STAGING TABLE \*WL\* = Waterline corrected for variations in field measured water surface elevations and sag


	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
*GL*	6.02	13.12	0.71	1.13	9.26	13.50	100.0%	0.69	17.05	1.84
	6.05	12.94	0.68	1.10	8.85	13.31	98.6%	0.67	15.91	1.80
	6.10	12.66	0.65	1.05	8.21	13.02	96.4%	0.63	14.13	1.72
	6.15	12.38	0.61	1.00	7.59	12.72	94.2%	0.60	12.46	1.64
	6.20	12.10	0.58	0.95	6.98	12.42	92.0%	0.56	10.90	1.56
	6.25	11.82	0.54	0.90	6.38	12.12	89.7%	0.53	9.45	1.48
	6.30	11.54	0.50	0.85	5.79	11.82	87.5%	0.49	8.09	1.40
	6.35	11.26	0.46	0.80	5.22	11.52	85.3%	0.45	6.84	1.31
	6.40	10.98	0.43	0.75	4.67	11.22	83.1%	0.42	5.69	1.22
	6.45	10.69	0.39	0.70	4.13	10.91	80.8%	0.38	4.65	1.13
	6.50	10.36	0.35	0.65	3.60	10.57	78.3%	0.34	3.72	1.03
	6.55	10.03	0.31	0.60	3.09	10.22	75.7%	0.30	2.89	0.94
	6.60	9.71	0.27	0.55	2.60	9.88	73.2%	0.26	2.17	0.83
*WL*	6.65	9.38	0.23	0.50	2.12	9.53	70.6%	0.22	1.54	0.73
	6.70	8.30	0.20	0.45	1.66	8.45	62.6%	0.20	1.09	0.66
	6.75	7.73	0.16	0.40	1.26	7.87	58.3%	0.16	0.70	0.55
	6.80	5.98	0.15	0.35	0.91	6.10	45.2%	0.15	0.47	0.52
	6.85	4.73	0.14	0.30	0.64	4.83	35.8%	0.13	0.30	0.47
	6.90	3.37	0.13	0.25	0.44	3.45	25.5%	0.13	0.20	0.46
	6.95	2.24	0.13	0.20	0.29	2.31	17.1%	0.12	0.13	0.45
	7.00	1.87	0.10	0.15	0.18	1.92	14.2%	0.10	0.07	0.36
	7.05	1.49	0.07	0.10	0.10	1.53	11.4%	0.06	0.03	0.26
	7.10	1.11	0.03	0.05	0.03	1.14	8.4%	0.03	0.00	0.14

# East Douglas Creek - above Brush Creek

## CROSS SECTION DATA ANALYSIS




**East Douglas Creek - above Brush Creek**  
**Percent Wetted Perimeter vs. Discharge**




# East Douglas Creek - above Brush Creek

## Velocity vs. Discharge




## East Douglas Creek - above Brush Creek

### Average Depth vs. Discharge



# East Douglas Creek - above Brush Creek

## Stage vs. Discharge





### DISCHARGE/CROSS SECTION NOTES

[illegible]