United States Department of the Interior
BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7210
www.co.blm.gov

In Reply Refer To:
7250 (CO-932)

Ms. Linda Bassi
Colorado Water Conservation Board
1313 Sherman Street, Room 721
Denver, Colorado 80203

Dear Ms. Bassi:

The Bureau of Land Management (BLM) is writing this letter to formally communicate its recommendation for an instream flow water right on West Hawxhurst Creek, located in Water Division 5.

Location and Land Status. West Hawxhurst Creek originates on the south side of Battlement Mesa, approximately nine miles northeast of Collbran. This reach begins at the headwaters of the creek and extends downstream to the confluence with East Hawxhurst Creek, a distance of approximately 4.5 miles. The BLM manages approximately 1.5 miles of this reach, while 3.0 miles are managed by the U.S. Forest Service.

Biological Summary. West Hawxhurst Creek is a cold-water, high gradient stream. The stream is confined by bedrock in most locations. The stream generally has medium-sized substrate, consisting of gravels, small cobbles and small boulders. The stream has a good mix of pools, small riffles and runs. While deep pool habitat is absent, the existing pools are sufficient for overwintering fish.

Fisheries surveys have revealed a self-sustaining population of hybridized native cutthroat trout and rainbow trout. Intensive macro-invertebrate surveys have not been conducted, but spot samples have revealed various species of mayfly, caddisfly and stonefly.

The riparian community is very diverse and is comprised of box elder, red osier dogwood, birch, willow species and alder. The riparian community is in very good condition and provides abundant shading and cover for fish habitat.

R2Cross Analysis. The BLM collected the following R2Cross data from West Hawxhurst Creek:

Cross Section Date	Discharge Rate	Top Width	Winter Flow Recommendation (meets 2 of 3 hydraulic criteria)	Summer Flow Recommendation (meets 3 of 3 hydraulic criteria)
10/04/2011 #1	1.15 cfs	13.60 feet	1.51 cfs	2.01 cfs
07/22/2014 #1	1.22 cfs	8.50 feet	0.95 cfs	0.97 cfs
07/22/2014 #2	1.10 cfs	10.34 feet	1.24 cfs	1.91 cfs
		Averages:	1.23 cfs	1.63 cfs

The BLM's analysis of this data, coordinated with Colorado Parks and Wildlife, indicates that the following flows are needed to protect the fishery and natural environment to a reasonable degree.

> 1.60 cubic feet per second is recommended during the snowmelt runoff period and early summer, from April 1 to July 31. This recommendation is driven by the wetted perimeter criteria. This creek is very steep and has limited usable habitat so it is important to protect a flow rate that makes a high percentage of this habitat available to the fish population while they are completing critical life history functions during the warm weather months.
>
> 0.90 cubic feet per second is recommended during the base flow period from August 1 to March 31. This recommendation is driven by limited water availability. This flow rate should prevent pools from freezing, allowing the fish population to successfully overwinter. Even though the base flow in this creek is small, it is extremely consistent, allowing the fishery to persist.

Water Availability. The BLM recommends relying upon three sources of data for water availability analysis. United State Geological Survey (USGS) Gage 09097600 (Brush Creek near Collbran, CO) measures flow from another watershed within the larger Plateau Creek watershed that has roughly similar watershed characteristics. A basin apportionment analysis could be performed to derive flow rates for West Hawxhurst Creek. In addition, Streamstats should be consulted. The Streamstats model produces similar estimates of base flow as a basin apportionment calculation, but BLM believes the Streamstats model, when using the mountain region assumptions, may overestimate snowmelt runoff flows. Finally, diversion records for downstream diversions can be consulted to confirm flows available during base flow periods. These ditches include the McCurry Highline Ditch, McCurry Ditch, Hawxhurst Ditch and Dunlap Ditch.

The BLM is aware of one water right within the proposed instream flow reach:

Hawxhurst Smalley Ditch – 4.8 cubic feet per second

Relationship to Land Management Plans. The BLM's land use plan calls for West Hawxhurst Creek to be managed to maintain, restore or improve riparian conditions, such that proper functioning conditions are achieved. It also specifies that instream flow appropriations will be pursued on fishery streams to ensure sufficient flows rates for fisheries protection. Appropriation of an instream flow water right would assist BLM in long-term management of outstanding riparian values and important fishery values.

Data sheets, R2Cross output, fishery survey information and photographs of the cross section were included with BLM's draft recommendation in February 2015. We thank both Colorado Parks and Wildlife and the Colorado Water Conservation Board for their cooperation in this effort.

If you have any questions regarding our instream flow recommendation, please contact Roy Smith at 303-239-3940.

Sincerely,

Brian St. George
Deputy State Director
Resources and Fire

Cc: Katie Stevens, Grand Junction Field Office
Kevin Hyatt, Grand Junction Field Office
Joseph Meyer, Northwest District Office

Grand Junction Field Office Stream Surveys
June 2010

West Hawxhurst Creek - Water Code #27981

West Hawxhurst Creek, located east of Colbran, Colorado on lands managed by the BLM's Grand Junction Field Office, was sampled on June 24, 2010. West Hawxhurst is tributary to Hawxhurst Creek, Buzzard Creek, and then Plateau Creek. The stream was sampled via a backpack electroshocker. Sampling was conducted to determine if greenback lineage cutthroat trout reside on BLM lands as a known population of these fish exists upstream on USFS lands. Personnel present included Gregor Dekleva and Tom Fresques, BLM, and Lori Martin and Danielle Tremblay, Colorado Division of Wildlife.



West Hawxhurst Creek

Rainbow trout


Cutthroat trout

Discussion:
The BLM segment of the stream contained a mix of both cutthroat trout and rainbow trout and some specimens that looked to be hybrids. Fish density was low as few fish were seen or collected. Fin clips were obtained from those fish collected and will be analyzed to determine the genetic status of cutthroat on BLM managed lands within the watershed.

The stream contained a good mix of runs, riffles, and pools. Riparian habitat was in excellent condition with an overstory of large cottonwood trees and a diverse understory consisting of willow, alder, birch, red osier dogwood, boxelder, horsetail, sedges, rush, houndstongue, and thistle.

Given the condition of instream habitat and lush, diverse riparian vegetation, it is not readily apparent as to why the stream contained low fish densities. It could be that low seasonal flows impair fish and stream productivity.

Recommendations:

- Await genetic results and then meet with CDOW and USFS to discuss data and future management of this watershed

- Look at barriers within the creek and options for maintaining genetically pure cutthroat trout given the presence of rainbow trout within the drainage

COLORADO WATER CONSERVATION BOARD
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME:	West Hawxhurst Creek
XS LOCATION:	400' upst fr conf w East Hawxhurst Ck.
XS NUMBER:	1
DATE:	4-Oct-11
OBSERVERS:	N. Dieterich, C. Ewing
1/4 SEC:	NW
SECTION:	8
TWP:	9S
RANGE:	94W
PM:	Sixth
COUNTY:	Mesa
WATERSHED:	Buzzard Creek
DIVISION:	4
DOW CODE:	27981
USGS MAP:	0
USFS MAP:	0

SUPPLEMENTAL DATA

		*** NOTE ***
		Leave TAPE WT and TENSION
		at defaults for data collected
TAPE WT:	0.0106	with a survey level and rod
TENSION:	99999	

CHANNEL PROFILE DATA

SLOPE:	0.061

INPUT DATA CHECKED BY: .....DATE.....

ASSIGNED TO: ….....……..…….....DATE.....

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 400' upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

DATA POINTS= 33

VALUES COMPUTED FROM RAW FIELD DATA

	FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
1	RS & G	0.00	6.09			0.00		0.00	0.00	0.0%
		0.70	7.05			0.00		0.00	0.00	0.0%
	W	1.30	7.02	0.00	0.00	0.00		0.00	0.00	0.0%
		2.00	7.04	0.02	0.00	0.70	0.02	0.01	0.00	0.0%
		2.30	6.98	0.00	0.00	0.31		0.00	0.00	0.0%
		2.60	7.08	0.06	0.00	0.32	0.06	0.02	0.00	0.0%
		2.90	7.15	0.13	0.00	0.31	0.13	0.04	0.00	0.0%
		3.20	7.12	0.10	0.64	0.30	0.10	0.03	0.02	1.7%
		3.50	7.27	0.25	0.01	0.34	0.25	0.08	0.00	0.1%
		3.80	7.21	0.19	0.00	0.31	0.19	0.06	0.00	0.0%
		4.10	7.22	0.20	0.01	0.30	0.20	0.06	0.00	0.1%
		4.40	7.44	0.42	1.37	0.37	0.42	0.13	0.17	15.0%
		4.70	7.56	0.54	1.78	0.32	0.54	0.16	0.29	25.1%
		5.00	7.51	0.49	1.62	0.30	0.49	0.15	0.24	20.7%
		5.30	7.58	0.56	1.32	0.31	0.56	0.17	0.22	19.3%
		5.60	7.54	0.52	0.43	0.30	0.52	0.16	0.07	5.8%
		5.90	7.49	0.47	0.54	0.30	0.47	0.14	0.08	6.6%
		6.20	7.19	0.17	0.89	0.42	0.17	0.05	0.05	4.0%
		6.50	7.15	0.13	0.47	0.30	0.13	0.04	0.02	1.6%
		6.80	7.07	0.03	0.00	0.31	0.03	0.01	0.00	0.0%
	R	7.10	6.89	0.00	0.00	0.35		0.00	0.00	0.0%
		7.40	7.18	0.16	0.01	0.42	0.16	0.05	0.00	0.0%
		7.70	7.21	0.16	0.00	0.30	0.16	0.03	0.00	0.0%
		7.80	7.22	0.19	0.00	0.10	0.19	0.02	0.00	0.0%
	W	7.90	7.02	0.00	0.00	0.22		0.00	0.00	0.0%
		8.20	6.49			0.00		0.00	0.00	0.0%
		9.00	6.50			0.00		0.00	0.00	0.0%
		10.00	6.58			0.00		0.00	0.00	0.0%
		11.00	6.79			0.00		0.00	0.00	0.0%
		12.00	6.27			0.00		0.00	0.00	0.0%
		13.00	6.15			0.00		0.00	0.00	0.0%
1	G	13.60	6.09			0.00		0.00	0.00	0.0%
	LS	14.00	6.04			0.00		0.00	0.00	0.0%
	TOTALS ----------					7.22	0.56 (Max.)	1.39	1.15	100.0%

Manning's n = 0.1475
Hydraulic Radius= 0.19216481

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 400' upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	1.39	1.39	0.0%
6.77	1.39	3.21	131.1%
6.79	1.39	3.05	120.2%
6.81	1.39	2.90	109.3%
6.83	1.39	2.75	98.5%
6.85	1.39	2.60	87.8%
6.87	1.39	2.46	77.1%
6.89	1.39	2.31	66.4%
6.91	1.39	2.16	55.8%
6.93	1.39	2.02	45.3%
6.95	1.39	1.87	35.0%
6.97	1.39	1.73	24.7%
6.98	1.39	1.66	19.6%
6.99	1.39	1.59	14.6%
7.00	1.39	1.52	9.7%
7.01	1.39	1.45	4.8%
7.02	1.39	1.39	0.0%
7.03	1.39	1.33	-4.4%
7.04	1.39	1.27	-8.4%
7.05	1.39	1.22	-12.1%
7.06	1.39	1.17	-15.6%
7.07	1.39	1.12	-19.1%
7.09	1.39	1.03	-26.0%
7.11	1.39	0.94	-32.5%
7.13	1.39	0.85	-38.8%
7.15	1.39	0.77	-44.4%
7.17	1.39	0.70	-49.6%
7.19	1.39	0.63	-54.4%
7.21	1.39	0.57	-58.8%
7.23	1.39	0.52	-62.4%
7.25	1.39	0.48	-65.7%
7.27	1.39	0.44	-68.6%

WATERLINE AT ZERO
AREA ERROR = 7.020

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 400' upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1 Constant Manning's n

STAGING TABLE *GL* = lowest Grassline elevation corrected for sag
WL = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.09	13.60	0.77	1.49	10.54	15.18	100.0%	0.69	20.55	1.95
	6.12	13.28	0.76	1.46	10.13	14.84	97.8%	0.68	19.54	1.93
	6.17	12.77	0.74	1.41	9.48	14.31	94.3%	0.66	17.93	1.89
	6.22	12.32	0.72	1.36	8.85	13.83	91.1%	0.64	16.36	1.85
	6.27	11.87	0.70	1.31	8.25	13.34	87.9%	0.62	14.89	1.81
	6.32	11.74	0.65	1.26	7.66	13.17	86.8%	0.58	13.27	1.73
	6.37	11.60	0.61	1.21	7.08	13.00	85.7%	0.54	11.73	1.66
	6.42	11.47	0.57	1.16	6.50	12.83	84.6%	0.51	10.27	1.58
	6.47	11.34	0.52	1.11	5.93	12.66	83.4%	0.47	8.89	1.50
	6.52	10.14	0.53	1.06	5.39	11.41	75.2%	0.47	8.13	1.51
	6.57	9.35	0.52	1.01	4.90	10.55	69.5%	0.46	7.31	1.49
	6.62	8.88	0.50	0.96	4.45	10.01	65.9%	0.44	6.44	1.45
	6.67	8.48	0.47	0.91	4.01	9.53	62.8%	0.42	5.61	1.40
	6.72	8.08	0.45	0.86	3.60	9.06	59.7%	0.40	4.84	1.34
	6.77	7.68	0.42	0.81	3.20	8.59	56.6%	0.37	4.13	1.29
	6.82	7.48	0.38	0.76	2.83	8.33	54.9%	0.34	3.42	1.21
	6.87	7.42	0.33	0.71	2.46	8.21	54.1%	0.30	2.73	1.11
	6.92	7.27	0.29	0.66	2.09	7.99	52.7%	0.26	2.12	1.02
	6.97	7.07	0.24	0.61	1.73	7.70	50.8%	0.22	1.59	0.92
WL	7.02	6.54	0.21	0.56	1.39	7.08	46.6%	0.20	1.16	0.84
	7.07	4.82	0.23	0.51	1.12	5.26	34.7%	0.21	0.99	0.89
	7.12	4.35	0.20	0.46	0.89	4.73	31.2%	0.19	0.73	0.82
	7.17	3.48	0.20	0.41	0.70	3.79	25.0%	0.18	0.56	0.81
	7.22	2.42	0.23	0.36	0.54	2.66	17.5%	0.20	0.47	0.86
	7.27	1.95	0.22	0.31	0.44	2.14	14.1%	0.20	0.37	0.86
	7.32	1.83	0.19	0.26	0.34	1.99	13.1%	0.17	0.26	0.77
	7.37	1.72	0.15	0.21	0.25	1.83	12.1%	0.14	0.17	0.66
	7.42	1.60	0.11	0.16	0.17	1.67	11.0%	0.10	0.09	0.54
	7.47	1.44	0.06	0.11	0.09	1.49	9.8%	0.06	0.04	0.39
	7.52	1.02	0.03	0.06	0.03	1.04	6.8%	0.03	0.01	0.22
	7.57	0.12	0.00	0.01	0.00	0.12	0.8%	0.00	0.00	0.07

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 400' upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Qm)=	1.15	cfs
CALCULATED FLOW (Qc)=	1.16	cfs
(Qm-Qc)/Qm * 100 =	-1.3	%
MEASURED WATERLINE (WLm)=	7.02	ft
CALCULATED WATERLINE (WLc)=	7.02	ft
(WLm-WLc)/WLm * 100 =	0.0	%
MAX MEASURED DEPTH (Dm)=	0.56	ft
MAX CALCULATED DEPTH (Dc)=	0.56	ft
(Dm-Dc)/Dm * 100	0.0	%
MEAN VELOCITY=	0.84	ft/sec
MANNING'S N=	0.148	
SLOPE=	0.061	ft/ft
.4 * Qm =	0.5	cfs
2.5 * Qm=	2.9	cfs

RECOMMENDED INSTREAM FLOW:
==========

FLOW (CFS)	PERIOD
==========	========
_____	_____
_____	_____
_____	_____
_____	_____

RATIONALE FOR RECOMMENDATION:
==========

_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____
_____

RECOMMENDATION BY: ..... AGENCY..... DATE:.....

CWCB REVIEW BY: ..... DATE:.....

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 400' upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1 Jarrett Variable Manning's n Correction Applied

GL = lowest Grassline elevation corrected for sag
STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.09	13.60	0.77	1.49	10.54	15.18	100.0%	0.69	25.16	2.39
	6.12	13.28	0.76	1.46	10.13	14.84	97.8%	0.68	23.86	2.36
	6.17	12.77	0.74	1.41	9.48	14.31	94.3%	0.66	21.79	2.30
	6.22	12.32	0.72	1.36	8.85	13.83	91.1%	0.64	19.78	2.23
	6.27	11.87	0.70	1.31	8.25	13.34	87.9%	0.62	17.90	2.17
	6.32	11.74	0.65	1.26	7.66	13.17	86.8%	0.58	15.79	2.06
	6.37	11.60	0.61	1.21	7.08	13.00	85.7%	0.54	13.81	1.95
	6.42	11.47	0.57	1.16	6.50	12.83	84.6%	0.51	11.96	1.84
	6.47	11.34	0.52	1.11	5.93	12.66	83.4%	0.47	10.22	1.72
	6.52	10.14	0.53	1.06	5.39	11.41	75.2%	0.47	9.36	1.74
	6.57	9.35	0.52	1.01	4.90	10.55	69.5%	0.46	8.39	1.71
	6.62	8.88	0.50	0.96	4.45	10.01	65.9%	0.44	7.34	1.65
	6.67	8.48	0.47	0.91	4.01	9.53	62.8%	0.42	6.34	1.58
	6.72	8.08	0.45	0.86	3.60	9.06	59.7%	0.40	5.41	1.50
	6.77	7.68	0.42	0.81	3.20	8.59	56.6%	0.37	4.58	1.43
	6.82	7.48	0.38	0.76	2.83	8.33	54.9%	0.34	3.74	1.32
	6.87	7.42	0.33	0.71	2.46	8.21	54.1%	0.30	2.92	1.19
	6.92	7.27	0.29	0.66	2.09	7.99	52.7%	0.26	2.22	1.06
	6.97	7.07	0.24	0.61	1.73	7.70	50.8%	0.22	1.62	0.94
WL	7.02	6.54	0.21	0.56	1.39	7.08	46.6%	0.20	1.16	0.84
	7.07	4.82	0.23	0.51	1.12	5.26	34.7%	0.21	1.01	0.90
	7.12	4.35	0.20	0.46	0.89	4.73	31.2%	0.19	0.72	0.81
	7.17	3.48	0.20	0.41	0.70	3.79	25.0%	0.18	0.56	0.80
	7.22	2.42	0.23	0.36	0.54	2.66	17.5%	0.20	0.47	0.87
	7.27	1.95	0.22	0.31	0.44	2.14	14.1%	0.20	0.38	0.87
	7.32	1.83	0.19	0.26	0.34	1.99	13.1%	0.17	0.26	0.75
	7.37	1.72	0.15	0.21	0.25	1.83	12.1%	0.14	0.16	0.63
	7.42	1.60	0.11	0.16	0.17	1.67	11.0%	0.10	0.08	0.49
	7.47	1.44	0.06	0.11	0.09	1.49	9.8%	0.06	0.03	0.33
	7.52	1.02	0.03	0.06	0.03	1.04	6.8%	0.03	0.00	0.16
	7.57	0.12	0.00	0.01	0.00	0.12	0.8%	0.00	0.00	0.04


CROSS SECTION DATA ANALYSIS
RS & G
LS
W
R
W
-6.00
-6.20
-6.40
-6.60
-6.80
-7.00
-7.20
-7.40
-7.60
-7.80
-8.00
VERTICAL DEPTHS (FT)
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
DISTANCE FROM STAKE (FT)
Channel Bottom
Computed Water Line


Percent Wetted Perimeter vs. Discharge
Percent Wetted Perimeter
100.0%
90.0%
80.0%
70.0%
60.0%
50.0%
40.0%
30.0%
20.0%
10.0%
0.0%
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Velocity vs. Discharge
2.50
2.00
1.50
1.00
0.50
0.00
Velocity - ft/sec
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Average Depth vs. Discharge
0.90
0.80
0.70
0.60
0.50
0.40
0.30
0.20
0.10
0.00
Average Depth - feet
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Stage vs. Discharge
1.60
1.40
1.20
1.00
0.80
0.60
0.40
0.20
0.00
Stage, feet
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Thorne - Zevenbergen
Jarrett

COLORADO WATER CONSERVATION BOARD
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME:	West Hawxhurst Creek
XS LOCATION:	500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER:	2
DATE:	22-Jul-14
OBSERVERS:	N. Dieterich, K. Jones
1/4 SEC:	NW
SECTION:	8
TWP:	9S
RANGE:	94W
PM:	Sixth
COUNTY:	Mesa
WATERSHED:	Buzzard Creek
DIVISION:	5
DOW CODE:	27981
USGS MAP:	0
USFS MAP:	0

SUPPLEMENTAL DATA

*** NOTE ***
Leave TAPE WT and TENSION at defaults for data collected with a survey level and rod

TAPE WT:	0.0106
TENSION:	99999

CHANNEL PROFILE DATA

SLOPE:	0.062

INPUT DATA CHECKED BY: .....DATE.....

ASSIGNED TO: ….....……..…….....DATE.....

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER: 2

DATA POINTS= 28

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
S	0.00	5.37			0.00		0.00	0.00	0.0%
	1.30	5.54			0.00		0.00	0.00	0.0%
	2.00	5.85			0.00		0.00	0.00	0.0%
1 G	2.20	5.91			0.00		0.00	0.00	0.0%
	2.50	5.50			0.00		0.00	0.00	0.0%
	4.00	6.90			0.00		0.00	0.00	0.0%
	6.00	6.26			0.00		0.00	0.00	0.0%
	7.00	6.33			0.00		0.00	0.00	0.0%
W	7.90	6.75	0.00	0.00	0.00		0.00	0.00	0.0%
	8.20	6.91	0.15	1.20	0.34	0.15	0.05	0.05	4.9%
	8.50	6.99	0.20	1.63	0.31	0.20	0.06	0.10	8.9%
	8.80	6.83	0.10	1.90	0.34	0.10	0.03	0.06	5.2%
	9.10	7.11	0.35	0.86	0.41	0.35	0.11	0.09	8.2%
	9.40	7.24	0.35	0.42	0.33	0.35	0.11	0.04	4.0%
	9.70	7.18	0.40	1.21	0.31	0.40	0.12	0.15	13.1%
	10.00	7.25	0.45	0.76	0.31	0.45	0.14	0.10	9.3%
	10.30	7.25	0.10	1.18	0.30	0.10	0.03	0.04	3.2%
	10.60	7.12	0.40	1.95	0.33	0.40	0.12	0.23	21.2%
	10.90	7.16	0.45	0.56	0.30	0.45	0.14	0.08	6.8%
	11.20	7.17	0.40	0.60	0.30	0.40	0.12	0.07	6.5%
	11.50	7.16	0.30	0.90	0.30	0.30	0.09	0.08	7.3%
	11.80	6.96	0.10	0.52	0.36	0.10	0.03	0.02	1.4%
W	12.10	6.72	0.00	0.00	0.38		0.00	0.00	0.0%
	12.50	6.47			0.00		0.00	0.00	0.0%
	13.00	6.19			0.00		0.00	0.00	0.0%
1 G	13.30	5.93			0.00		0.00	0.00	0.0%
	13.50	5.33			0.00		0.00	0.00	0.0%
S	15.00	5.33			0.00		0.00	0.00	0.0%
TOTALS ----------					4.62	0.45 (Max.)	1.13	1.10	100.0%

Manning's n = 0.1470
Hydraulic Radius= 0.24369159

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER: 2

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	1.13	1.49	32.4%
6.49	1.13	2.96	163.4%
6.51	1.13	2.83	151.3%
6.53	1.13	2.69	139.5%
6.55	1.13	2.56	128.0%
6.57	1.13	2.44	116.7%
6.59	1.13	2.31	105.7%
6.61	1.13	2.19	95.0%
6.63	1.13	2.08	84.6%
6.65	1.13	1.96	74.5%
6.67	1.13	1.85	64.7%
6.69	1.13	1.74	55.1%
6.70	1.13	1.69	50.4%
6.71	1.13	1.64	45.8%
6.72	1.13	1.59	41.3%
6.73	1.13	1.54	36.8%
6.74	1.13	1.49	32.4%
6.75	1.13	1.44	28.1%
6.76	1.13	1.39	23.9%
6.77	1.13	1.35	19.7%
6.78	1.13	1.30	15.5%
6.79	1.13	1.25	11.5%
6.81	1.13	1.16	3.5%
6.83	1.13	1.08	-4.1%
6.85	1.13	1.00	-11.5%
6.87	1.13	0.92	-18.5%
6.89	1.13	0.84	-25.2%
6.91	1.13	0.77	-31.5%
6.93	1.13	0.70	-37.5%
6.95	1.13	0.64	-43.3%
6.97	1.13	0.58	-48.7%
6.99	1.13	0.52	-53.9%

WATERLINE AT ZERO
AREA ERROR = 6.814

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER: 2 Constant Manning's n

STAGING TABLE *GL* = lowest Grassline elevation corrected for sag
WL = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	5.93	10.34	0.78	1.32	8.04	11.58	100.0%	0.69	15.86	1.97
	5.96	10.26	0.75	1.29	7.68	11.47	99.1%	0.67	14.80	1.93
	6.01	10.15	0.71	1.24	7.17	11.32	97.8%	0.63	13.32	1.86
	6.06	10.04	0.66	1.19	6.67	11.17	96.5%	0.60	11.90	1.78
	6.11	9.93	0.62	1.14	6.17	11.02	95.2%	0.56	10.54	1.71
	6.16	9.82	0.58	1.09	5.68	10.87	93.9%	0.52	9.26	1.63
	6.21	9.69	0.54	1.04	5.19	10.71	92.5%	0.48	8.05	1.55
	6.26	9.48	0.50	0.99	4.71	10.46	90.4%	0.45	6.96	1.48
	6.31	8.46	0.50	0.94	4.26	9.41	81.3%	0.45	6.32	1.48
	6.36	7.86	0.49	0.89	3.85	8.76	75.7%	0.44	5.61	1.46
	6.41	7.46	0.47	0.84	3.47	8.30	71.7%	0.42	4.88	1.41
	6.46	7.05	0.44	0.79	3.11	7.84	67.8%	0.40	4.22	1.36
	6.51	6.65	0.42	0.74	2.77	7.39	63.9%	0.37	3.61	1.31
	6.56	6.26	0.39	0.69	2.44	6.94	60.0%	0.35	3.06	1.25
	6.61	5.86	0.37	0.64	2.14	6.49	56.1%	0.33	2.57	1.20
	6.66	5.46	0.34	0.59	1.86	6.04	52.2%	0.31	2.13	1.15
	6.71	5.07	0.31	0.54	1.59	5.59	48.3%	0.28	1.74	1.09
	6.76	4.69	0.29	0.49	1.35	5.16	44.6%	0.26	1.39	1.03
WL	6.81	4.32	0.26	0.44	1.12	4.74	40.9%	0.24	1.09	0.97
	6.86	3.85	0.24	0.39	0.92	4.19	36.2%	0.22	0.84	0.92
	6.91	3.39	0.22	0.34	0.74	3.65	31.5%	0.20	0.64	0.87
	6.96	2.99	0.19	0.29	0.58	3.19	27.6%	0.18	0.47	0.81
	7.01	2.72	0.16	0.24	0.44	2.87	24.8%	0.15	0.31	0.72
	7.06	2.59	0.12	0.19	0.31	2.71	23.4%	0.11	0.18	0.59
	7.11	2.46	0.07	0.14	0.18	2.54	22.0%	0.07	0.08	0.43
	7.16	1.62	0.04	0.09	0.07	1.67	14.4%	0.04	0.02	0.31
	7.21	0.72	0.02	0.04	0.02	0.74	6.4%	0.02	0.00	0.21

STREAM NAME:	West Hawxhurst Creek
XS LOCATION:	500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER:	2

SUMMARY SHEET

MEASURED FLOW (Qm)=	1.10	cfs
CALCULATED FLOW (Qc)=	1.09	cfs
(Qm-Qc)/Qm * 100 =	1.7	%
MEASURED WATERLINE (WLm)=	6.74	ft
CALCULATED WATERLINE (WLc)=	6.81	ft
(WLm-WLc)/WLm * 100 =	-1.2	%
MAX MEASURED DEPTH (Dm)=	0.45	ft
MAX CALCULATED DEPTH (Dc)=	0.44	ft
(Dm-Dc)/Dm * 100	3.2	%
MEAN VELOCITY=	0.97	ft/sec
MANNING'S N=	0.147	
SLOPE=	0.062	ft/ft
.4 * Qm =	0.4	cfs
2.5 * Qm=	2.8	cfs

RECOMMENDED INSTREAM FLOW:
============================

FLOW (CFS)	PERIOD
___________	________

RATIONALE FOR RECOMMENDATION:
============================

____
____
____
____
____
____
____
____
____
____
____
____
____
____
____

RECOMMENDATION BY: ………………….……….……............................ AGENCY..………………………....……...…...…….…...... DATE:......…..…......……………

CWCB REVIEW BY: ..……………………………....…………………………………………………..…............. DATE:.................…………….....

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck
XS NUMBER: 2 Jarrett Variable Manning's n Correction Applied

GL = lowest Grassline elevation corrected for sag
STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	5.93	10.34	0.78	1.32	8.04	11.58	100.0%	0.69	18.83	2.34
	5.96	10.26	0.75	1.29	7.68	11.47	99.1%	0.67	17.48	2.27
	6.01	10.15	0.71	1.24	7.17	11.32	97.8%	0.63	15.58	2.17
	6.06	10.04	0.66	1.19	6.67	11.17	96.5%	0.60	13.79	2.07
	6.11	9.93	0.62	1.14	6.17	11.02	95.2%	0.56	12.10	1.96
	6.16	9.82	0.58	1.09	5.68	10.87	93.9%	0.52	10.50	1.85
	6.21	9.69	0.54	1.04	5.19	10.71	92.5%	0.48	9.02	1.74
	6.26	9.48	0.50	0.99	4.71	10.46	90.4%	0.45	7.70	1.64
	6.31	8.46	0.50	0.94	4.26	9.41	81.3%	0.45	7.01	1.65
	6.36	7.86	0.49	0.89	3.85	8.76	75.7%	0.44	6.19	1.61
	6.41	7.46	0.47	0.84	3.47	8.30	71.7%	0.42	5.35	1.54
	6.46	7.05	0.44	0.79	3.11	7.84	67.8%	0.40	4.58	1.47
	6.51	6.65	0.42	0.74	2.77	7.39	63.9%	0.37	3.89	1.41
	6.56	6.26	0.39	0.69	2.44	6.94	60.0%	0.35	3.26	1.34
	6.61	5.86	0.37	0.64	2.14	6.49	56.1%	0.33	2.71	1.27
	6.66	5.46	0.34	0.59	1.86	6.04	52.2%	0.31	2.22	1.19
	6.71	5.07	0.31	0.54	1.59	5.59	48.3%	0.28	1.79	1.12
	6.76	4.69	0.29	0.49	1.35	5.16	44.6%	0.26	1.41	1.05
WL	6.81	4.32	0.26	0.44	1.12	4.74	40.9%	0.24	1.09	0.97
	6.86	3.85	0.24	0.39	0.92	4.19	36.2%	0.22	0.83	0.90
	6.91	3.39	0.22	0.34	0.74	3.65	31.5%	0.20	0.63	0.85
	6.96	2.99	0.19	0.29	0.58	3.19	27.6%	0.18	0.45	0.77
	7.01	2.72	0.16	0.24	0.44	2.87	24.8%	0.15	0.29	0.67
	7.06	2.59	0.12	0.19	0.31	2.71	23.4%	0.11	0.16	0.52
	7.11	2.46	0.07	0.14	0.18	2.54	22.0%	0.07	0.06	0.35
	7.16	1.62	0.04	0.09	0.07	1.67	14.4%	0.04	0.02	0.23
	7.21	0.72	0.02	0.04	0.02	0.74	6.4%	0.02	0.00	0.14


CROSS SECTION DATA ANALYSIS
S
G
W
W
G
S
-5.00
-5.50
-6.00
-6.50
-7.00
-7.50
VERTICAL DEPTH (FT)
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
16.00
18.00
20.00
DISTANCE FROM STAKE (FT)
Channel Bottom
Computed Water Line


Percent Wetted Perimeter vs. Discharge
Percent Wetted Perimeter
100.0%
90.0%
80.0%
70.0%
60.0%
50.0%
40.0%
30.0%
20.0%
10.0%
0.0%
0.00
2.00
4.00
6.00
8.00
12.00
14.00
16.00
18.00
20.00
Mannings N
Thorne - Zevenbergen
Jarrett


Velocity vs. Discharge
Velocity - ft/sec
2.50
2.00
1.50
1.00
0.50
0.00
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
16.00
18.00
20.00
Mannings N
Thorne - Zevenbergen
Jarrett


Average Depth vs. Discharge
Average Depth - feet
0.80
0.70
0.60
0.50
0.40
0.30
0.20
0.10
0.00
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
16.00
18.00
20.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Stage vs. Discharge
1.40
1.20
1.00
0.80
0.60
0.40
0.20
0.00
Stage - feet
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
16.00
18.00
20.00
Discharge (cfs)
Thorne - Zevenbergen
Jarrett

COLORADO WATER CONSERVATION BOARD
INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME:	West Hawxhurst Creek
XS LOCATION:	500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER:	1
DATE:	22-Jul-14
OBSERVERS:	N. Dieterich, K. Jones
1/4 SEC:	NW
SECTION:	8
TWP:	9S
RANGE:	94W
PM:	Sixth
COUNTY:	Mesa
WATERSHED:	Buzzard Creek
DIVISION:	5
DOW CODE:	27981
USGS MAP:	0
USFS MAP:	0

SUPPLEMENTAL DATA

		*** NOTE ***
		Leave TAPE WT and TENSION
		at defaults for data collected
TAPE WT:	0.0106	with a survey level and rod
TENSION:	99999	

CHANNEL PROFILE DATA

SLOPE:	0.062

INPUT DATA CHECKED BY: .....DATE.....

ASSIGNED TO: ….....……..…….....DATE.....

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

DATA POINTS= 30

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
S	0.00	9.11			0.00		0.00	0.00	0.0%
	2.00	9.89			0.00		0.00	0.00	0.0%
	5.00	10.53			0.00		0.00	0.00	0.0%
	7.00	10.96			0.00		0.00	0.00	0.0%
1 G	8.00	11.41			0.00		0.00	0.00	0.0%
W	8.10	12.37	0.00	0.00	0.00		0.00	0.00	0.0%
	8.30	12.58	0.10	0.42	0.29	0.10	0.03	0.01	0.9%
	8.60	12.59	0.20	0.43	0.30	0.20	0.06	0.03	2.1%
	8.90	12.67	0.20	0.95	0.31	0.20	0.06	0.06	4.7%
	9.20	12.65	0.25	0.90	0.30	0.25	0.08	0.07	5.5%
	9.50	12.68	0.10	0.24	0.30	0.10	0.03	0.01	0.6%
	9.80	12.56	0.05	0.00	0.32	0.05	0.02	0.00	0.0%
	10.10	12.61	0.25	0.00	0.30	0.25	0.08	0.00	0.0%
	10.40	12.61	0.25	0.00	0.30	0.25	0.08	0.00	0.0%
	10.70	12.59	0.20	0.16	0.30	0.20	0.06	0.01	0.8%
	11.00	12.78	0.30	1.88	0.36	0.30	0.09	0.17	13.8%
	11.30	12.81	0.50	1.96	0.30	0.50	0.15	0.29	24.1%
	11.60	12.80	0.50	1.99	0.30	0.50	0.15	0.30	24.4%
	11.90	12.85	0.50	1.47	0.30	0.50	0.15	0.22	18.0%
	12.20	12.40	0.10	0.79	0.54	0.10	0.03	0.02	1.9%
	12.50	12.41	0.05	0.47	0.30	0.05	0.02	0.01	0.6%
	12.80	12.58	0.20	0.50	0.34	0.20	0.06	0.03	2.5%
	13.10	12.44	0.10	0.04	0.33	0.10	0.03	0.00	0.1%
	13.40	12.39	0.05	0.00	0.30	0.05	0.02	0.00	0.0%
W	13.70	12.39	0.00	0.00	0.30		0.00	0.00	0.0%
	14.00	12.15			0.00		0.00	0.00	0.0%
	15.00	11.92			0.00		0.00	0.00	0.0%
1 G	16.50	11.41			0.00		0.00	0.00	0.0%
	17.00	11.22			0.00		0.00	0.00	0.0%
S	18.40	9.12			0.00		0.00	0.00	0.0%
TOTALS ----------					6.11	0.5 (Max.)	1.17	1.22	100.0%

Manning's n = 0.1168
Hydraulic Radius= 0.19058843

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	1.17	1.24	6.3%
12.13	1.17	2.68	130.4%
12.15	1.17	2.57	120.2%
12.17	1.17	2.45	110.0%
12.19	1.17	2.33	99.9%
12.21	1.17	2.21	89.9%
12.23	1.17	2.10	79.9%
12.25	1.17	1.98	69.9%
12.27	1.17	1.86	60.0%
12.29	1.17	1.75	50.1%
12.31	1.17	1.63	40.3%
12.33	1.17	1.52	30.5%
12.34	1.17	1.46	25.7%
12.35	1.17	1.41	20.8%
12.36	1.17	1.35	16.0%
12.37	1.17	1.29	11.1%
12.38	1.17	1.24	6.3%
12.39	1.17	1.18	1.5%
12.40	1.17	1.13	-3.0%
12.41	1.17	1.08	-7.3%
12.42	1.17	1.03	-11.4%
12.43	1.17	0.99	-15.4%
12.45	1.17	0.89	-23.3%
12.47	1.17	0.81	-30.9%
12.49	1.17	0.72	-38.3%
12.51	1.17	0.63	-45.6%
12.53	1.17	0.55	-52.6%
12.55	1.17	0.47	-59.5%
12.57	1.17	0.39	-66.2%
12.59	1.17	0.32	-72.2%
12.61	1.17	0.26	-77.3%
12.63	1.17	0.22	-81.1%

WATERLINE AT ZERO
AREA ERROR = 12.393

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1 Constant Manning's n

GL = lowest Grassline elevation corrected for sag
STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	11.41	8.50	0.94	1.44	7.98	10.07	100.0%	0.79	21.65	2.71
	11.44	8.40	0.92	1.41	7.70	9.94	98.6%	0.78	20.58	2.67
	11.49	8.25	0.88	1.36	7.29	9.73	96.6%	0.75	19.03	2.61
	11.54	8.09	0.85	1.31	6.88	9.52	94.6%	0.72	17.53	2.55
	11.59	7.94	0.82	1.26	6.48	9.32	92.5%	0.70	16.09	2.48
	11.64	7.79	0.78	1.21	6.08	9.11	90.5%	0.67	14.71	2.42
	11.69	7.64	0.75	1.16	5.70	8.91	88.4%	0.64	13.39	2.35
	11.74	7.48	0.71	1.11	5.32	8.70	86.4%	0.61	12.13	2.28
	11.79	7.33	0.67	1.06	4.95	8.50	84.3%	0.58	10.93	2.21
	11.84	7.18	0.64	1.01	4.59	8.29	82.3%	0.55	9.79	2.13
	11.89	7.03	0.60	0.96	4.23	8.08	80.3%	0.52	8.70	2.06
	11.94	6.84	0.57	0.91	3.88	7.85	77.9%	0.49	7.70	1.98
	11.99	6.62	0.54	0.86	3.55	7.57	75.2%	0.47	6.77	1.91
	12.04	6.40	0.50	0.81	3.22	7.30	72.5%	0.44	5.91	1.84
	12.09	6.18	0.47	0.76	2.91	7.03	69.8%	0.41	5.11	1.76
	12.14	5.95	0.44	0.71	2.60	6.75	67.1%	0.39	4.37	1.68
	12.19	5.86	0.39	0.66	2.31	6.60	65.6%	0.35	3.63	1.57
	12.24	5.80	0.35	0.61	2.02	6.47	64.3%	0.31	2.94	1.46
	12.29	5.73	0.30	0.56	1.73	6.34	63.0%	0.27	2.30	1.33
	12.34	5.66	0.26	0.51	1.45	6.21	61.7%	0.23	1.73	1.20
WL	12.39	5.26	0.22	0.46	1.16	5.76	57.2%	0.20	1.27	1.09
	12.44	4.54	0.20	0.41	0.92	4.98	49.4%	0.19	0.95	1.03
	12.49	4.26	0.17	0.36	0.70	4.63	46.0%	0.15	0.64	0.90
	12.54	3.98	0.13	0.31	0.50	4.28	42.5%	0.12	0.38	0.75
	12.59	3.12	0.10	0.26	0.31	3.35	33.2%	0.09	0.20	0.65
	12.64	2.04	0.09	0.21	0.19	2.21	22.0%	0.09	0.12	0.62
	12.69	1.14	0.10	0.16	0.12	1.26	12.5%	0.09	0.08	0.65
	12.74	1.03	0.06	0.11	0.06	1.10	10.9%	0.06	0.03	0.47
	12.79	0.80	0.02	0.06	0.02	0.84	8.3%	0.02	0.00	0.22
	12.84	0.04	0.00	0.01	0.00	0.05	0.5%	0.00	0.00	0.07

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Qm)=	1.22	cfs
CALCULATED FLOW (Qc)=	1.27	cfs
(Qm-Qc)/Qm * 100 =	-4.0	%
MEASURED WATERLINE (WLm)=	12.38	ft
CALCULATED WATERLINE (WLc)=	12.39	ft
(WLm-WLc)/WLm * 100 =	-0.1	%
MAX MEASURED DEPTH (Dm)=	0.50	ft
MAX CALCULATED DEPTH (Dc)=	0.46	ft
(Dm-Dc)/Dm * 100	8.7	%
MEAN VELOCITY=	1.09	ft/sec
MANNING'S N=	0.117	
SLOPE=	0.062	ft/ft
.4 * Qm =	0.5	cfs
2.5 * Qm=	3.1	cfs

RECOMMENDED INSTREAM FLOW:
=============================

FLOW (CFS)	PERIOD
___________________	___________________
___________________	___________________
___________________	___________________
___________________	___________________

RATIONALE FOR RECOMMENDATION:
=============================

____
____
____
____
____
____
____
____
____
____
____
____
____
____
____

RECOMMENDATION BY: ………………………………………… AGENCY………………………………………… DATE:……………………………

CWCB REVIEW BY: ……………………………………………………………………………………………… DATE:……………………………

STREAM NAME: West Hawxhurst Creek
XS LOCATION: 500 ft upst fr conf w East Hawxhurst Ck.
XS NUMBER: 1 Jarrett Variable Manning's n Correction Applied

GL = lowest Grassline elevation corrected for sag
STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	11.41	8.50	0.94	1.44	7.98	10.07	100.0%	0.79	26.94	3.37
	11.44	8.40	0.92	1.41	7.70	9.94	98.6%	0.78	25.52	3.31
	11.49	8.25	0.88	1.36	7.29	9.73	96.6%	0.75	23.46	3.22
	11.54	8.09	0.85	1.31	6.88	9.52	94.6%	0.72	21.49	3.12
	11.59	7.94	0.82	1.26	6.48	9.32	92.5%	0.70	19.61	3.03
	11.64	7.79	0.78	1.21	6.08	9.11	90.5%	0.67	17.81	2.93
	11.69	7.64	0.75	1.16	5.70	8.91	88.4%	0.64	16.10	2.83
	11.74	7.48	0.71	1.11	5.32	8.70	86.4%	0.61	14.48	2.72
	11.79	7.33	0.67	1.06	4.95	8.50	84.3%	0.58	12.95	2.62
	11.84	7.18	0.64	1.01	4.59	8.29	82.3%	0.55	11.50	2.51
	11.89	7.03	0.60	0.96	4.23	8.08	80.3%	0.52	10.13	2.39
	11.94	6.84	0.57	0.91	3.88	7.85	77.9%	0.49	8.88	2.29
	11.99	6.62	0.54	0.86	3.55	7.57	75.2%	0.47	7.75	2.18
	12.04	6.40	0.50	0.81	3.22	7.30	72.5%	0.44	6.70	2.08
	12.09	6.18	0.47	0.76	2.91	7.03	69.8%	0.41	5.73	1.97
	12.14	5.95	0.44	0.71	2.60	6.75	67.1%	0.39	4.84	1.86
	12.19	5.86	0.39	0.66	2.31	6.60	65.6%	0.35	3.96	1.72
	12.24	5.80	0.35	0.61	2.02	6.47	64.3%	0.31	3.15	1.56
	12.29	5.73	0.30	0.56	1.73	6.34	63.0%	0.27	2.42	1.40
	12.34	5.66	0.26	0.51	1.45	6.21	61.7%	0.23	1.77	1.22
WL	12.39	5.26	0.22	0.46	1.16	5.76	57.2%	0.20	1.27	1.09
	12.44	4.54	0.20	0.41	0.92	4.98	49.4%	0.19	0.94	1.02
	12.49	4.26	0.17	0.36	0.70	4.63	46.0%	0.15	0.61	0.86
	12.54	3.98	0.13	0.31	0.50	4.28	42.5%	0.12	0.34	0.69
	12.59	3.12	0.10	0.26	0.31	3.35	33.2%	0.09	0.18	0.58
	12.64	2.04	0.09	0.21	0.19	2.21	22.0%	0.09	0.10	0.54
	12.69	1.14	0.10	0.16	0.12	1.26	12.5%	0.09	0.07	0.58
	12.74	1.03	0.06	0.11	0.06	1.10	10.9%	0.06	0.02	0.39
	12.79	0.80	0.02	0.06	0.02	0.84	8.3%	0.02	0.00	0.15
	12.84	0.04	0.00	0.01	0.00	0.05	0.5%	0.00	0.00	0.03


CROSS SECTION DATA ANALYSIS
S
S
G
G
W
W
-9.00
-9.50
-10.00
-10.50
-11.00
-11.50
-12.00
-12.50
-13.00
VERTICAL DEPTH (FT)
0.00
2.00
4.00
6.00
8.00
10.00
12.00
14.00
16.00
18.00
20.00
DISTANCE FROM STAKE (FT)
Channel Bottom
Computed Water Line


Percent Wetted Perimeter vs. Discharge
Percent Wetted Perimeter
100.0%
90.0%
80.0%
70.0%
60.0%
50.0%
40.0%
30.0%
20.0%
10.0%
0.0%
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Velocity vs. Discharge
Velocity - ft/sec
3.50
3.00
2.50
2.00
1.50
1.00
0.50
0.00
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Mannings N
Thorne - Zevenbergen
Jarrett


Average Depth vs. Discharge
1.00
0.90
0.80
0.70
0.60
0.50
0.40
0.30
0.20
0.10
0.00
Average Depth (feet)
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Mannings N
Thorne - Zevenbergen
Jarrett


Stage vs. Discharge
1.60
1.40
1.20
1.00
0.80
0.60
0.40
0.20
0.00
Stage, feet
0.00
5.00
10.00
15.00
20.00
25.00
30.00
Discharge (cfs)
Thorne - Zevenbergen
Jarrett

COLORADO WATER CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS

COLORADO DIVISION OF WILDLIFE

LOCATION INFORMATION

STREAM NAME: West Hawxhurst Creek						CROSS-SECTION NO.: 1
CROSS-SECTION LOCATION: Nad 1983 Zone 13S 0248998 4353250						
DATE: 10/4/11	OBSERVERS: N. Dieterich / C. Elwing					
LEGAL DESCRIPTION	¼ SECTION: NW	SECTION: 8	TOWNSHIP: 9 N/S	RANGE: 94 E/W	PM: 6th	
COUNTY: Mesa	WATERSHED: Buzzard Creek	WATER DIVISION: Division 5 (Lower Colorado)	DOW WATER CODE: 27981			
MAP(S): USGS: Hawxhurst Cr. ~~USFS:~~						

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: YES/NO	METER TYPE: Marsh McBirney			
METER NUMBER:	DATE RATED:	CALIB/SPIN: ____ sec	TAPE WEIGHT: ____ lbs/foot	TAPE TENSION: ____ lbs
CHANNEL BED MATERIAL SIZE RANGE: Large Cobble / boulder	PHOTOGRAPHS TAKEN: YES/NO	NUMBER OF PHOTOGRAPHS: 4		

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)
Tape @ Stake LB	0.0	6.04
Tape @ Stake RB	0.0	6.09
1 WS @ Tape LB/RB	0.0	7.03 / 7.01
2 WS Upstream	18.5'	5.41
3 WS Downstream	24'	7.99
SLOPE	6.07%	

SKETCH



LEGEND: Stake, Station, Photo, Direction of Flow

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES/NO	DISTANCE ELECTROFISHED: ____ ft	FISH CAUGHT: YES/NO	WATER CHEMISTRY SAMPLED: YES/NO

LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)

SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL

AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:

No fish observed

COMMENTS

SC = 277 µS
Temp = 11.7°C
pH = 8.6

* discussion w/ Mike (roads Manager) indicated reservoir works (maintenance) was to occur in the spring/summer 2012. Reservoirs are located in the head-hgts of E. & W. Hawxhurst Cr. on USFS. (constructed in early 1900's)

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: West Hawthurst Creek | CROSS-SECTION NO: 1 | DATE: 10/4/11 | SHEET 1 OF 1

BEGINNING OF MEASUREMENT | EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE) LEFT (RIGHT) | Gage Reading: ____ ft | TIME: 0900

Features (Stake (S) Grassline (G) Waterline (W) Rock (R))	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec) At Point	Velocity (ft/sec) Mean in Vertical	Area (ft^2)	Discharge (cfs)
BM#1	—	—	5.99 +								
SG	0	—	6.09								
	0.7	0.7	7.05								
right W	1.3	0.6	7.02	0	0.6d		20	0		0	0
	2	0.7	7.04	0.02				0		0.014	0
R	2.3	0.3	6.98	0				0		0	0
	2.6		7.08	0.06				0		0.018	0
	2.9		7.15	0.13				0		0.039	0
	3.2		7.12	0.1				0.64		0.03	0.019
	3.5		7.27	0.25				0.01		0.075	0.001
	3.8		7.21	0.19				0		0.057	0
	4.1		7.22	0.2				0.01		0.06	0.001
	4.4		7.44	0.42				1.37		0.126	0.173
	4.7		7.56	0.54				1.78		0.162	0.288
	5		7.51	0.49				1.62		0.147	0.238
	5.3		7.58	0.56				1.32		0.168	0.222
	5.6		7.54	0.52				0.43		0.156	0.067
	5.9		7.49	0.47				0.54		0.141	0.076
	6.2		7.19	0.17				0.89		0.051	0.045
	6.5		7.15	0.13				0.47		0.039	0.018
	6.8		7.07	0.03				0		0.015	0
R	7.1		6.89	0.05				Rock		0	0
	7.4		7.18	0.16				0.01		0.048	0
	7.7		7.21	0.16				0		0.057	0
left W	7.8	0.1	7.22	0.19				0		0	0
	8.2	0.4	6.49	0							
	9	0.8	6.50							total =	1.15 cfs
	10	1	6.58								
	11	1	6.49								
	12	1	6.27								
	13	1	6.15								
G	13.6	0.6	6.09								
S	14	0.4	6.04								
TOTALS:											

HI = 105.99
BM#1 = 100' (arbitrary datum)

End of Measurement | Time: 0935 | Gage Reading: ____ ft | CALCULATIONS PERFORMED BY: N. Dieterich | CALCULATIONS CHECKED BY:

COLORADO WATER CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS

COLORADO DIVISION OF WILDLIFE

LOCATION INFORMATION

STREAM NAME: West Hawxhurst Creek						CROSS-SECTION NO.: 2	
CROSS-SECTION LOCATION: Nad 1983 Zone 13S 0249023 4353295							
DATE: 7/22/14	OBSERVERS: N. Dieterich / H. Jones						
LEGAL DESCRIPTION	¼ SECTION: NW	SECTION: 8	TOWNSHIP: 9 N/S	RANGE: 94 E/W	PM: 6th		
COUNTY: Mesa	WATERSHED: Buzzard Cr	WATER DIVISION: Division 5 (Lower Colorado)	DOW WATER CODE:				
MAP(S)	USGS: Hawxhurst						
	USFS:						

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION (YES) NO	METER TYPE: Marsh McBirney			
METER NUMBER:	DATE RATED: 4/2014	CALIB/SPIN ____ sec	TAPE WEIGHT: ____ lbs/foot	TAPE TENSION: ____ lbs
CHANNEL BED MATERIAL SIZE RANGE: gravel/cobble	PHOTOGRAPHS TAKEN (YES) NO	NUMBER OF PHOTOGRAPHS: 4		

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)
⊗ Tape @ Stake LB	0.0	
⊗ Tape @ Stake RB	0.0	
① WS @ Tape LB/RB	0.0	
② WS Upstream		
③ WS Downstream		
SLOPE	Ave = 6.2%	

SKETCH



LEGEND: Stake ⊗ ; Station ①; Photo ①→; Direction of Flow ←→

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES/(NO) | DISTANCE ELECTROFISHED ____ ft | FISH CAUGHT YES/NO | WATER CHEMISTRY SAMPLED (YES) NO

LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)

SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL

AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:

COMMENTS

pH = 8.2 SC = 189.1 [illegible] temp = [illegible]

BM# 1 = 5.66

BM# 2 = 5.15 no turning point used

RS: 5.37

LS: 5.37

13MA2 - 5.15 ✓ ✓

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: West Hawxhurst Cr. | CROSS-SECTION NO. 2 | DATE 7/22/14 | SHEET 1 OF 1

BEGINNING OF MEASUREMENT | EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE) (LEFT) RIGHT | Gage Reading: ____ ft | TIME 1130

Features: Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec) At Point	Velocity (ft/sec) Mean in Vertical	Area (ft²)	Discharge (cfs)
S	0	0	0.6d		5.37						
	1.3	1.3			5.54						
	2.	0.7			5.[illegible]						
(BF) G	2.2	0.2			5.[illegible]						
	2.5	0.3			[illegible]						
	4	1.5			6.9						
	6	2			6.[illegible]						
End of Willows	7	1			6.33						
W	7.9	0.9		0	6.75		20	0		0	0
	8.2	0.3		.15	6.91		20	1.2		0.048	0.058
	8.5	0.3		.2	6.99		20	1.63		0.072	0.117
R	8.8	0.3		.1	6.83		20	1.9		0.024	0.046
	9.1	0.3		.35	7.11		20	.86		0.108	0.093
	9.4	0.3		.35	7.24		20	.42		0.147	0.062
	9.7	0.3		.4	7.18		20	1.21		0.129	0.156
	10.	0.3		.45	7.25		20	.76		0.15	0.114
	10.3	0.3		.1	7.[illegible]		20	1.18		0.15	0.177
	10.6	0.3		.4	7.12		20	1.95		0.111	0.216
	10.9	0.3		.45	7.1[illegible]		20	.56		0.123	0.069
	11.2	0.3		.4	7.17		20	.6		0.126	0.076
	11.5	0.3		.3	7.16		20	.9		0.123	0.111
	11.8	0.3		.1	6.96		20	.52		0.063	0.033
W	12.1	0.3		0	6.72		20	0		-.009	0
	12.5	0.4			6.47						
	13.	0.5			6.19						
(BF) G	13.3	0.3			5.93						
	13.5	0.2			5.33						
S	15	1.5			5.33						

Long Profile

	Station	H_2O Surface (FS)	Water-Surf Elevation	
	0	3.56	102.1	
CS#2	20	6.67	98.99	15.55%
	40	7.05	98.61	1.9%
	60	7.91	97.75	4.3%
	80	8.82	96.84	4.5%
	96	10.57	95.09	10.9%
Cross section #2	126	12.26	93.4	5.6%
	140	12.55	93.11	2.1%
	150	13	92.66	4.5

Ave=6.29%

TOTALS:

End of Measurement | Time: | Gage Reading: ____ ft | CALCULATIONS PERFORMED BY: | CALCULATIONS CHECKED BY:

COLORADO WATER CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS

COLORADO DIVISION OF WILDLIFE

LOCATION INFORMATION

STREAM NAME: West Hawxhurst Creek						CROSS-SECTION NO: 1	
CROSS-SECTION LOCATION: Nad 1983 Zone 13S 0249016 4353271							
DATE: 7/22/14	OBSERVERS: N. Dieterich / K. Jones						
LEGAL DESCRIPTION	¼ SECTION: NW	SECTION: 8	TOWNSHIP: 9 N/S	RANGE: 94 E/W	PM: 6th		
COUNTY: Mesa	WATERSHED: Buzzard Cr.	WATER DIVISION: Division 5 (Lower Colorado)	DOW WATER CODE:				
MAP(S): USGS: Hawxhurst	USFS:						

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: (YES) NO	METER TYPE: Marsh McBirney			
METER NUMBER:	DATE RATED: 4/14	CALIB/SPIN: ____ sec	TAPE WEIGHT: ____ lbs/foot	TAPE TENSION: ____ lbs
CHANNEL BED MATERIAL SIZE RANGE: gravel / cobble	PHOTOGRAPHS TAKEN: (YES) NO	NUMBER OF PHOTOGRAPHS: 4		

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)
⊗ Tape @ Stake LB	0.0	See CS #2 for data sheet for long profile
⊗ Tape @ Stake RB	0.0	
① WS @ Tape LB/RB	0.0	
② WS Upstream		
③ WS Downstream		
SLOPE: Ave = 6.2%		

SKETCH



LEGEND: Stake ⊗; Station ①; Photo ①→; Direction of Flow ←→

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES (NO)	DISTANCE ELECTROFISHED: ____ ft	FISH CAUGHT YES/NO	WATER CHEMISTRY SAMPLED: (YES) NO

LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)

SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL

AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:

COMMENTS

pH = 8.2 SC = 189.1 µSC 25°C Temp = 16.2°C

S1 9.17 ft
S2 ~~10.42 ft~~ 9.11 ft } level

DISCHARGE/CROSS SECTION NOTES

BM#1 = 5.66'
HI = 105.66'

STREAM NAME: West Hawxhurst Cr.	CROSS SECTION NO.	DATE 7/22/14	SHEET 1 OF 1
BEGINNING OF MEASUREMENT	EDGE OF WATER LOOKING DOWNSTREAM: (LEFT / RIGHT) (0.0 AT STAKE)	Gage Reading: ____ ft	TIME

Features: Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ES) (ft)	Revolutions	Time (sec)	Velocity (ft/sec) At Point	Velocity (ft/sec) Mean in Vertical	Area (ft²)	Discharge (cfs)
S	0	0	0.66		9.11						
	2	2			9.39						
	5	3			10.53						
	7	1			10.76						
G	8	0.1			11.4						
W	8.1	0.2		0	12.37		20	0		0	0
	8.3	0.3		.1	12.56		20	.42		0.042	0.018
	8.6	0.3		.2	12.59		20	.43		0.066	0.028
	8.9	0.3		.2	12.67		20	.95		0.09	0.086
	9.2	0.3		.25	12.65		20	.9		0.084	0.076
	9.5	0.3		.1	12.68		20	.24		0.093	0.022
	9.8	0.3		.05	12.86		20	0		0.057	0
	10.1	0.3		.25	12.61		20	0		0.072	0
	10.4	0.3		.25	12.61		20	0		0.072	0
	10.7	0.3		.2	12.59		20	.16		0.066	0.011
	11	0.3		.3	12.79		20	1.88		0.123	0.231
	11.3	0.3		.5	12.81		20	1.96		0.132	0.259
	11.6	0.3		.5	12.8		20	1.99		0.129	0.257
	11.9	0.3		.5	12.85		20	1.47		0.144	0.212
R	12.2	0.3		.1	12.4		20	.79		0.009	0.007
R	12.5	0.3		.05	12.41		20	.47		0.012	0.006
	12.8	0.3		.2	12.58		20	.50		0.063	0.032
	13.1	0.3		.1	12.44		20	.04		0.021	0.001
W	13.4	0.3		.05	12.39		20	0		0.006	0
W	13.7	0.3		0	12.39		20	0		0.006	0
	14	0.3			12.15						
	15	1			11.92						Total = 1.243
G	16.5	1.5			11.41						
	17	0.5			11.22						
S	18.4	1.4			9.12						
TOTALS:											

End of Measurement	Time:	Gage Reading: ____ ft	CALCULATIONS PERFORMED BY:	CALCULATIONS CHECKED BY

COLORADO
Colorado Water Conservation Board
Department of Natural Resources

Discharge Measurement Summary

Date Generated: Mon Nov 30 2015

File Information

File Name	WHAWXALT.001.WAD
Start Date and Time	2015/06/23 13:30:10

Site Details

Site Name	WEST HAWXHURST CR
Operator(s)	BRIAN EPSTEIN

System Information

Sensor Type	FlowTracker
Serial #	P2354
CPU Firmware Version	3.9
Software Ver	2.30
Mounting Correction	0.0%

Units (English Units)

Distance	ft
Velocity	ft/s
Area	ft^2
Discharge	cfs

Discharge Uncertainty

Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.4%	5.0%
Velocity	1.6%	5.8%
Width	0.1%	0.1%
Method	2.1%	-
# Stations	2.8%	-
Overall	**4.0%**	**7.7%**

Summary

Averaging Int.	40	# Stations	18
Start Edge	REW	Total Width	5.400
Mean SNR	47.4 dB	Total Area	3.776
Mean Temp	59.08 °F	Mean Depth	0.699
Disch. Equation	Mid-Section	Mean Velocity	1.8009
		Total Discharge	**6.8005**

Measurement Results

St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	13:30	6.70	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	13:30	6.10	0.6	0.750	0.6	0.300	1.9747	1.00	1.9747	0.300	0.5926	8.7
2	*13:31*	*5.90*	*0.6*	*0.960*	*0.6*	*0.384*	*2.0367*	*1.00*	*2.0367*	*0.240*	*0.4888*	*7.2*
3	13:33	5.60	0.6	1.010	0.6	0.404	2.4249	1.00	2.4249	0.303	0.7343	10.8
4	13:34	5.30	0.6	1.000	0.6	0.400	1.7464	1.00	1.7464	0.300	0.5237	7.7
5	13:36	5.00	0.6	1.020	0.6	0.408	1.3924	1.00	1.3924	0.306	0.4259	6.3
6	13:37	4.70	0.6	0.900	0.6	0.360	2.2894	1.00	2.2894	0.270	0.6178	9.1
7	13:39	4.40	0.6	0.610	0.6	0.244	3.0069	1.00	3.0069	0.183	0.5499	8.1
8	13:40	4.10	0.6	0.610	0.6	0.244	2.9921	1.00	2.9921	0.183	0.5472	8.0
9	13:41	3.80	0.6	0.950	0.6	0.380	2.3878	1.00	2.3878	0.285	0.6803	10.0
10	13:42	3.50	0.6	0.800	0.6	0.320	2.2438	1.00	2.2438	0.240	0.5382	7.9
11	*13:44*	*3.20*	*0.6*	*0.820*	*0.6*	*0.328*	*1.1591*	*1.00*	*1.1591*	*0.246*	*0.2850*	*4.2*
12	*13:46*	*2.90*	*0.6*	*1.150*	*0.6*	*0.460*	*1.0371*	*1.00*	*1.0371*	*0.345*	*0.3576*	*5.3*
13	*13:48*	*2.60*	*0.6*	*1.050*	*0.6*	*0.420*	*0.2133*	*1.00*	*0.2133*	*0.315*	*0.0671*	*1.0*
14	13:50	2.30	0.6	0.330	0.6	0.132	1.5866	1.00	1.5866	0.099	0.1570	2.3
15	13:51	2.00	0.6	0.250	0.6	0.100	1.6040	1.00	1.6040	0.075	0.1202	1.8
16	13:53	1.70	0.6	0.250	0.6	0.100	1.3084	1.00	1.3084	0.088	0.1148	1.7
17	13:53	1.30	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0

Rows in italics indicate a QC warning. See the Quality Control page of this report for more information.

COLORADO
Colorado Water Conservation Board
Department of Natural Resources

Discharge Measurement Summary

Date Generated: Mon Nov 30 2015

File Information		Site Details	
File Name	WHAWXALT.001.WAD	Site Name	WEST HAWXHURST CR
Start Date and Time	2015/06/23 13:30:10	Operator(s)	BRIAN EPSTEIN







COLORADO
Colorado Water Conservation Board
Department of Natural Resources

Discharge Measurement Summary

Date Generated: Mon Nov 30 2015

File Information

File Name	WHAWXALT.001.WAD
Start Date and Time	2015/06/23 13:30:10

Site Details

Site Name	WEST HAWXHURST CR
Operator(s)	BRIAN EPSTEIN

Quality Control

St	Loc	%Dep	Message
2	5.90	0.6	High standard error: 0.144
11	3.20	0.6	High standard error: 0.144
12	2.90	0.6	High angle: -21
13	2.60	0.6	High angle: -37

COLORADO
Colorado Water Conservation Board
Department of Natural Resources

Discharge Measurement Summary

Date Generated: Mon Nov 30 2015

File Information		Site Details	
File Name	WHAWXALT.001.WAD	Site Name	WEST HAWXHURST CR
Start Date and Time	2015/06/23 13:30:10	Operator(s)	BRIAN EPSTEIN

Automatic Quality Control Test (BeamCheck)



- Noise level check - Pass
- SNR check - Pass
- Peak location check - Pass
- Peak shape check - Pass

State of Colorado

Colorado Water Conservation Board

Field Notes

Hawxhurst Creek

09:28 GPS Point: HawxhurstCrObs001
- Headgate of new diversion structure on Hawxhurst Creek right

09:33 Pic 0154 from upstream, diversion structure
- Parshall Flume W = 0.75'
  - not level from right to left slope 0.5' run : 0.06' rise, right side high
  - staff plate right side 0.46' / left side 0.38'
  - not level from upstream to downstream 0.4' run : 0.04' rise, upstream high
  - ~50' downstream of headgate

09:55 GPS Point: HawxhurstCrObs002
- Headgate of older diversion structures on Hawxhurst Creek left side

09:56 Pic 0155 from upstream left bank, diversion structure

10:01 Pic 0156 beat up flume
- Parshall Flume W = 0.75'
  - ~40' downstream of headgate
  - small amount H_2O leaking under flume
  - staff plate left side h = 0.26'
    - → gravel build up left side ∴ $h_{flowing}$ = 0.20'
      - 0.06' height of gravel build up at staff
  - right side h = 0.15', clean bottom (i.e. no gravel)
  - right side high rise 0.65' : run 0.06'
  - front to back almost level

11:08 GPS Point: HawxhurstCrObs003
- Diversion structure, headgate left bank

11:09 Pic 158 from right bank looking at Div structure

Hawxhurst Creek (cont'd)
11:32 GPS Point: Hawxhurst Cr Obs 004
- 10 ~~feet~~ feet downstream of confluence East & West Hawxhurst Creeks
11:33 Pic 159 from ds looking at confluence E&W Hawxhurst Creeks, right picture is East and left picture is West
11:34 Pictures 160-161 Panorama same as above
11:35 Video 162 same as above

West Hawxhurst Creek
12:01 GPS Point: Hawxhurst Cr Obs 005
- hiked up from confluence, whole way step pool environment with heavy veg up to banks
- 12:01 Pic 163 from GPS looking downstream

12:46 GPS Point: Hawhurst Cr Obs 006
- step pool environment with heavy veg and volcanic boulder/cobble bed
- 12:48 Pic 164 from gps looking upstream
- 12:48 Pic 165 from gps looking downstream

13:01 GPS Point: WHAWXALT
- West Hawxhurst Creek discharge measurement
- See page 3 for notes
- 13:05 Pic 166 x-section from right edge
- 13:05 Pic 167 x-section from downstream

East Hawxhurst Creek
14:49 GPS Point: EHAWXALT
- East Hawxhurst discharge measurement
- See page 5 for notes
- 14:53 Pic 168 from ds looking at X-section
- 14:54 Pic 169 from right bank at X-section
- 14:54 Pic 170 from gps looking downstream

Page 3 of 6	State of Colorado	Meas. No.: 001
YYYY: 2015	**Colorado Water Conservation Board**	Division: 5
MM-DD: 06-23	ADV Discharge Measurement Notes	District: 72

Station Name: WHAWXALT

West Hawxhurst River, (Creek), Canal, Ditch

At, Near, (Above), Below Lower Terminus

Latitude: N 39°17' 46.20" Longitude: W 107°54' 38.83" NAD83

Party: Brian Epstein

Conditions

Weather: Mostly Sunny ~95°F

Wind Spd / Dir: 0 mph Water Temp:

X-Sec Desc: boulder, cobble, sand bed, dramatic changes in bed

Flow Conds: slightly turbulent because U.S. plunge

Control Desc.: N/A

Measurement Rated: Excelent (2%) / Good (5%) / Fair (8%) / (Poor (>8%)) [based on the above conditions]

Water Level Reading

Time	Staff Gage	Pressure Trans.	Time	Staff Gage	Pressure Trans.

Pressure Transducer Download

File Name: N/A

Time:

Weighted MGH		
GH Corr.		
Correct MGH		

Discharge Measurement

Manufacturer:	SonTek	Model:	FlowTracker	S/N:	(P2354) / P2355
Firmware:	3.9	Software:	2.20		
Diag Test File:	Yes or No	Raw Data File:	WHAWXALT.001		
Meas Type:	(Wading) / Boat / Bridge / Cableway			Method:	0.6
	N/A	ft. or mi / upstream or downstream of gage			
Start Edge:	REW 6.7'	End Edge:	LEW 1.3'	Total Width:	5.4'
Start Time:	13:28	End Time:	13:54		
Discharge:	6.90	Unsertainty:	4.0	# Stations:	18
Mean v:	1.801	Width	5.40	Mean d:	0.70
Max v:	3.007	Area:	3.776	Max d:	1.15
Mean SNR:	47.4	σv:	0.106	Mean Temp:	59.1

Meas. By:	BJE	Notes By:	BJE
Processed By:		Reviewed By:	

Remarks:



Page 5 of 6	State of Colorado	Meas. No.: 001
YYYY: 2025	**Colorado Water Conservation Board**	Division: 5
MM-DD: 06-23	ADV Discharge Measurement Notes	District: 72

Station Name: EHAWXALT

East Hawxhurst — River, (Creek), Canal, Ditch

At, Near, (Above), Below — Lower Terminus

Latitude: N 39° 17.5380" Longitude: W 107° 54.5664" NDDS

Party: Brian Epstein

Conditions

Weather: high cloudcover ~80°F

Wind Spd / Dir: 0mph — Water Temp:

X-Sec Desc: sandy bed

Flow Conds: bowled causes eddy right side

Control Desc.: N/A

Measurement Rated: Excelent (2%) / Good (5%) / Fair (8%) / (Poor (>8%)) [based on the above conditions]

Water Level Reading

Time	Staff Gage	Pressure Trans.	Time	Staff Gage	Pressure Trans.

Pressure Transducer Download

File Name: N/A

Time:

Weighted MGH		
GH Corr.		
Correct MGH		

Discharge Measurement

Manufacturer:	SonTek	Model:	FlowTracker	S/N:	(P2354) / P2355
Firmware:	3.9	Software:	2.20		
Diag Test File:	(Yes) or No	Raw Data File:	EHAWXALT.001		
Meas Type:	(Wading) / Boat / Bridge / Cableway			Method:	0.6
	5.6	N/A	ft. or mi / upstream or downstream of gage		
Start Edge:	REW 6.6	End Edge:	LEW 10.6	Total Width:	5.0
Start Time:	15:05	End Time:	15:26		
Discharge:	6.372	Unsertainty:	4.2	# Stations:	17
Mean v:	2.021	Width	5.002	Mean d:	0.63
Max v:	3.515	Area:	3.153	Max d:	1.10
Mean SNR:	44.5	σv:	0.081	Mean Temp:	57.3

Meas. By:	BJE	Notes By:	BJE
Processed By:		Reviewed By:	

Remarks:



Flow Mesaurement Calculations

West Hawxhurst Creek

Date: 8/24/2015 **Time:** 11:40 AM
Observers: Baessler / (intern) Cunningham
County: Mesa
Water Division: 5 *Note: Photos Taken*
Location: ***Latitude:*** 39 18 10.15
Longitude: 107 54 14.20
Comments: Clear, 72

Distance from bank	Width	Depth	Velocity	Area	Discharge
4.1	water line	0	0		
4.4	0.3	0.1	0.35	0.03	0.0105
4.7	0.3	0.1	0.54	0.03	0.0162
5	0.3	0.15	0.32	0.045	0.0144
5.3	0.3	0.25	1.02	0.075	0.0765
5.6	0.3	0.3	1.23	0.09	0.1107
5.9	0.3	0.5	0.3	0.15	0.045
6.2	0.3	0.45	0.47	0.135	0.06345
6.5	0.3	0.45	1.23	0.135	0.16605
6.8	0.3	0.55	1.35	0.165	0.22275
7.1	0.3	0.4	1.36	0.12	0.1632
7.4	0.3	0.5	0.4	0.15	0.06
7.7	0.3	0.3	0.33	0.09	0.0297
8	0.4	0.15	0.03	0.06	0.0018
8.5	water line	0	0		
				FLOW =	**0.98 CFS**

0.323077



Graph Data

4.1	0
4.4	-0.1
4.7	-0.1
5	-0.15
5.3	-0.25
5.6	-0.3
5.9	-0.5
6.2	-0.45
6.5	-0.45
6.8	-0.55
7.1	-0.4
7.4	-0.5
7.7	-0.3
8	-0.15
8.5	0