



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7210
www.co.blm.gov



In Reply Refer To:
7250 (CO-932)

Ms. Linda Bassi
Colorado Water Conservation Board
1313 Sherman Street, Room 721
Denver, CO 80203

DEC 05 2016

Dear Ms. Bassi:

The Bureau of Land Management (BLM) is writing this letter to formally communicate its recommendation for an instream flow water right on Slater Creek, located in Water Division 6.

Location and Land Status. Slater Creek originates on the west side of Diamond Mountain in the Elkhead Mountains, approximately 25 miles northeast of Hayden. The subject of this recommendation is a reach that begins at the confluence with Beaver Creek and extends to United States Geological Survey (USGS) gage 9255000, Slater Fork near Slater, CO, a distance of approximately 11.25 stream miles. The BLM manages approximately 0.65 miles of this reach and 10.6 miles are in private ownership.

Existing Instream Flow Water Rights. The Colorado Water Conservation Board (CWCB) appropriated an instream flow water right on the upper portion of the Slater Creek, from the headwaters to the U.S. Forest Service boundary, in 1977. This recommendation focuses on a portion of Slater Creek which currently has no instream flow protection.

Biological Summary. Slater Creek is a cold-water, moderate to high gradient stream. It flows through a canyon with a valley floor approximately one-quarter mile to one-half mile in width. The stream cuts through alluvial deposits in the valley and is confined by bedrock in some locations. The stream generally has large substrate, consisting of mostly of small cobbles and boulders of up to two feet in diameter. The stream has a good mix of swift runs, riffles and pools in meander bends.

Fisheries surveys have revealed a self-sustaining native fish population comprised of bluehead sucker, speckled dace, and mottled sculpin. The fish population also includes fathead minnow and creek chub, which are nonnative species. Intensive macro-invertebrate surveys have not been conducted, but spot samples have revealed various species of mayfly, caddisfly and stonefly.

The riparian community is generally comprised of narrowleaf cottonwood, alder, willows, sedges and rushes. The riparian community is in generally in good condition. Given the wide channel, the riparian community provides some, but not extensive, shading and cover for fish.

R2Cross Analysis. The BLM collected the following R2Cross data from Slater Creek:

Cross Section Date	Discharge Rate	Top Width	Winter Flow Recommendation (meets 2 of 3 hydraulic criteria)	Summer Flow Recommendation (meets 3 of 3 hydraulic criteria)
07/08/2015 #1	50.47 cfs	58.2 feet	Out of range	34.06 cfs
07/08/2015 #2	50.93 cfs	76.1 feet	45.21 cfs	77.75 cfs
06/16/2015 #1	123.16 cfs	79.1 feet	57.50 cfs	109.27 cfs
Averages:			51.36 cfs	73.69 cfs

BLM's analysis of this data, coordinated with Colorado Parks and Wildlife, indicates that the following flows are needed to preserve the fishery and natural environment to a reasonable degree.

74.0 cubic feet per second is recommended during the snow melt runoff period from April 16 to June 30. This recommendation is driven by the average depth criteria. Slater Creek experiences significant icing during the winter months and habitat is extremely limited. During ice-free periods, it is important to protect a flow rate that makes as much habitat as possible available to the fish population while it is completing critical life history functions. It is also important to make as much physical habitat as possible available to fish that enter Slater Creek from the Little Snake River. Finally, this flow rate should help recharge alluvial aquifers along Slater Creek that are important for sustaining the riparian community during annual low flow periods.

25.0 cubic feet per second is recommended from July 1 through July 15. This recommendation is driven by water availability. Protecting this intermediate flow rate on the descending limb of the hydrograph is important before fish are stressed by very low flows in mid-summer.

10.0 cubic feet per second is recommended from July 16 to July 31. This recommendation is driven by water availability. While this flow rate does not meet the instream flow criteria, it is critical in preventing significant fish kills along the creek. If additional water becomes available in the future, the BLM recommends that the CWCB increase the flow rate during this time period.

6.5 cubic feet per second is recommended from August 1 through September 15. This recommendation is driven by water availability. While this flow rate does not meet the instream flow criteria, it is critical in preventing significant fish kills along the creek. If additional water becomes available in the future, the BLM recommends that the CWCB increase the flow rate during this time period.

8.5 cubic feet per second is recommended from September 16 to October 15. This recommendation is driven by water availability. While this flow rate does not

along the creek. If additional water becomes available in the future, the BLM recommends that the CWCBC increase the flow rate during this time period.

16.0 cubic feet per second is recommended during the period from October 16 to March 15. This recommendation is driven by limited water availability. This flow rate should prevent pools from freezing, allowing the fish population to successfully overwinter.

25.0 cubic feet per second is recommended from March 16 through April 15. This recommendation is driven by water availability. Protecting this intermediate flow rate on the ascending limb of the hydrograph is important because the fish population starts to actively feed and put on weight during this period, which prepares them for low flow periods that occur during mid-summer.

Water Availability. The BLM recommends relying upon USGS Gage 09255000 for Slater Fork near Slater, CO. This gage is located just downstream from the proposed lower terminus for the instream flow water right, and this gage has a long period of record. Adjustments will need to be made to this gage for diversions that occur in upstream locations.

The BLM is aware of the following water rights located within the proposed instream flow reach:

Mary Hoffman 1 Ditch – 2.33 cfs (1892 priority)
Mary Hoffman 2 Ditch – 1.67 cfs (1892 priority)
Rochelle 1 Ditch – 3.0 cfs (1961 priority)
Rochelle 2 Ditch – 2.0 cfs (1961 priority)
Slater Fork Ditch – 6.0 cfs (1885 priority)

Relationship to Land Management Plans. The BLM's management plan calls for improvement and recovery of current and historic fisheries as a means of increasing native fish populations. In addition, the BLM plan calls for making instream flow recommendations to the Colorado Water Conservation Board to meet minimum instream flow requirements to maintain native fisheries. Finally, the plan calls for maintaining and improving the function of riparian areas to achieve advanced ecological stage for the riparian community, and it also calls for protecting riparian and wetland systems from further sources of degradation. Establishing an instream flow water right would assist in meeting these objectives.

Data sheets, R2Cross output, fishery survey information, and photographs of the cross section were included with BLM's draft recommendation in February 2016. We thank both Colorado Parks and Wildlife and the Colorado Water Conservation Board for their cooperation in this effort.

If you have any questions regarding our instream flow recommendation, please contact Roy Smith at (303) 239-3940.

Sincerely,

A handwritten signature in blue ink, appearing to read "BSG", with a large, stylized flourish extending from the end of the signature.

Brian St. George
Deputy State Director,
Resources and Fire

Cc: Eric Scherff, Little Snake Field Office
Bruce Sillitoe, Little Snake Field Office



FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



COLORADO WATER
CONSERVATION BOARD

LOCATION INFORMATION

STREAM NAME: <u>Slader Creek</u>						CROSS-SECTION NO.: <u>1</u>	
CROSS-SECTION LOCATION: <u>200 ft. downstream from Mary E Hoffman Ditch headgate</u>							
DATE: <u>6-16-15</u>		OBSERVERS: <u>R. Smith, E. Scherff</u>					
LEGAL DESCRIPTION	1/4 SECTION: <u>NE</u>	SECTION: <u>4</u>	TOWNSHIP: <u>11 N/S</u>	RANGE: <u>89 E/W</u>	PM: <u>6th</u>		
COUNTY: <u>Moffat</u>	WATERSHED: <u>Little Snake</u>		WATER DIVISION: <u>6</u>	DOW WATER CODE: <u>21953</u>			
MAP(S):	USGS:	USFS: <u>Zone 13</u>		<u>299499</u>	<u>4534973</u>		

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION:	<input checked="" type="radio"/> YES / <input type="radio"/> NO	METER TYPE: <u>M-M</u>
METER NUMBER:	DATE RATED:	CALIB/SPIN: _____ sec
CHANNEL BED MATERIAL SIZE RANGE: <u>sand to 8" cobble</u>		TAPE WEIGHT: <u>sunweyed</u> lbs/foot
PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES / <input type="radio"/> NO		TAPE TENSION: _____ lbs
NUMBER OF PHOTOGRAPHS: <u>3</u>		

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)	S K E T C H	LEGEND:		
<input checked="" type="radio"/> Tape @ Stake LB	0.0	<u>sunweyed</u>				Stake <input checked="" type="radio"/>
<input checked="" type="radio"/> Tape @ Stake RB	0.0	<u>sunweyed</u>				Station <input type="radio"/>
<input type="radio"/> WS @ Tape LB/RB	0.0	<u>5.0 / 5.0</u>				Photo <input type="radio"/>
<input type="radio"/> WS Upstream	<u>45.0</u>	<u>5.06</u>				Direction of Flow <input type="radio"/>
<input type="radio"/> WS Downstream	<u>62.5</u>	<u>5.33</u>				
SLOPE	<u>0.27 / 107.5 =</u>					

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES <input type="radio"/> NO <input checked="" type="radio"/>	DISTANCE ELECTROFISHED: _____ ft	FISH CAUGHT: YES/NO	WATER CHEMISTRY SAMPLED <input type="radio"/> YES / <input checked="" type="radio"/> NO															
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																		
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL	
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																		
<u>mayfly, caddisfly, beetles, worms</u>																		

COMMENTS

TDS =	<u>12 partans =</u>
PH =	<u>cottonwood - alder</u>
Cond =	<u>sedges</u>
Salinity =	

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: Slater Creek CROSS-SECTION NO.: 1 DATE: 6-16-15 SHEET OF

BEGINNING OF MEASUREMENT: EDGE OF WATER LOOKING DOWNSTREAM: LEFT / RIGHT Gage Reading: ft TIME: 1:10 pm

Features	Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
									At Point	Mean in Vertical		
	LS	0.0		1.57								
		3.2		2.37								
	G	3.6		2.68								
	W	5.4		5.00								
		7		5.85	0.85					.67		
		9		6.65	1.65					.99		
		11		6.8	1.80					1.16		
		13		6.6	1.60					1.05		
		15		6.3	1.30					1.26		
		17		6.15	1.15					1.24		
		19		6.0	1.00					1.35		
		21		6.20	1.20					1.52		
		23		6.5	1.50					2.18		
		25		6.75	1.75					2.14		
		27		6.8	1.80					1.90		
		29		6.9	1.90					2.16		
		31		6.8	1.80					2.41		
		33		6.6	1.60					2.90		
		35		6.4	1.40					2.75		
		37		6.3	1.30					2.30		
		39		6.0	1.00					2.54		
		41		5.95	.95					2.01		
		43		6.05	1.05					2.73		
		45		6.0	1.00					2.50		
		47		6.0	1.00					2.42		
		49		5.9	.90					1.82		
		51		5.85	.85					2.16		
		53		5.70	.70					2.35		
		55		5.50	.50					1.32		
		57		5.35	.35					1.50		
		59		5.30	.30					1.51		
		61		5.25	.25					0.42		
	W	62.0		5.00								
		75.0		4.05								
	G	82.8		2.66								
	LS	85.0		2.30								
TOTALS:												

End of Measurement: Time: Gage Reading: ft CALCULATIONS PERFORMED BY: CALCULATIONS CHECKED BY:

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdgt
 XS NUMBER: 1

 DATE: 16-Jun-15
 OBSERVERS: R. Smith, E. Scherff

 1/4 SEC: NE
 SECTION: 4
 TWP: 11N
 RANGE: 89W
 PM: Sixth

 COUNTY: Moffat
 WATERSHED: Little Snake
 DIVISION: 6
 DOW CODE: 21953

 USGS MAP: 0
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.0025

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdgt
 XS NUMBER: 1

DATA POINTS= 36

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
LS	0.00	1.57			0.00		0.00	0.00	0.0%
	3.20	2.37			0.00		0.00	0.00	0.0%
1 G	3.60	2.68			0.00		0.00	0.00	0.0%
W	5.40	5.00	0.00	0.00	0.00		0.00	0.00	0.0%
	7.00	5.85	0.85	0.67	1.81	0.85	1.53	1.03	0.8%
	9.00	6.65	1.65	0.99	2.15	1.65	3.30	3.27	2.7%
	11.00	6.80	1.80	1.16	2.01	1.80	3.60	4.18	3.4%
	13.00	6.60	1.60	1.05	2.01	1.60	3.20	3.36	2.7%
	15.00	6.30	1.30	1.26	2.02	1.30	2.60	3.28	2.7%
	17.00	6.15	1.15	1.24	2.01	1.15	2.30	2.85	2.3%
	19.00	6.00	1.00	1.35	2.01	1.00	2.00	2.70	2.2%
	21.00	6.20	1.20	1.52	2.01	1.20	2.40	3.65	3.0%
	23.00	6.50	1.50	2.18	2.02	1.50	3.00	6.54	5.3%
	25.00	6.75	1.75	2.14	2.02	1.75	3.50	7.49	6.1%
	27.00	6.80	1.80	1.90	2.00	1.80	3.60	6.84	5.6%
	29.00	6.90	1.90	2.16	2.00	1.90	3.80	8.21	6.7%
	31.00	6.80	1.80	2.41	2.00	1.80	3.60	8.68	7.0%
	33.00	6.60	1.60	2.90	2.01	1.60	3.20	9.28	7.5%
	35.00	6.40	1.40	2.75	2.01	1.40	2.80	7.70	6.3%
	37.00	6.30	1.30	2.30	2.00	1.30	2.60	5.98	4.9%
	39.00	6.00	1.00	2.54	2.02	1.00	2.00	5.08	4.1%
	41.00	5.95	0.95	2.01	2.00	0.95	1.90	3.82	3.1%
	43.00	6.05	1.05	2.73	2.00	1.05	2.10	5.73	4.7%
	45.00	6.00	1.00	2.50	2.00	1.00	2.00	5.00	4.1%
	47.00	6.00	1.00	2.42	2.00	1.00	2.00	4.84	3.9%
	49.00	5.90	0.90	1.82	2.00	0.90	1.80	3.28	2.7%
	51.00	5.85	0.85	2.16	2.00	0.85	1.70	3.67	3.0%
	53.00	5.70	0.70	2.35	2.01	0.70	1.40	3.29	2.7%
	55.00	5.50	0.50	1.32	2.01	0.50	1.00	1.32	1.1%
	57.00	5.35	0.35	1.50	2.01	0.35	0.70	1.05	0.9%
	59.00	5.30	0.30	1.51	2.00	0.30	0.60	0.91	0.7%
	61.00	5.25	0.25	0.42	2.00	0.25	0.38	0.16	0.1%
W	62.00	5.00	0.00	0.00	1.03		0.00	0.00	0.0%
	75.00	4.05			0.00		0.00	0.00	0.0%
1 G	82.80	2.66			0.00		0.00	0.00	0.0%
RS	85.00	2.30			0.00		0.00	0.00	0.0%

TOTALS -----

57.17 1.9 64.61 123.16 100.0%

(Max.)

Manning's n = 0.0423
 Hydraulic Radius= 1.12998152

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdgt
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	64.61	64.61	0.0%
4.75	64.61	79.21	22.6%
4.77	64.61	78.01	20.7%
4.79	64.61	76.81	18.9%
4.81	64.61	75.62	17.1%
4.83	64.61	74.44	15.2%
4.85	64.61	73.26	13.4%
4.87	64.61	72.09	11.6%
4.89	64.61	70.92	9.8%
4.91	64.61	69.76	8.0%
4.93	64.61	68.60	6.2%
4.95	64.61	67.45	4.4%
4.96	64.61	66.88	3.5%
4.97	64.61	66.31	2.6%
4.98	64.61	65.74	1.8%
4.99	64.61	65.17	0.9%
5.00	64.61	64.61	0.0%
5.01	64.61	64.04	-0.9%
5.02	64.61	63.48	-1.7%
5.03	64.61	62.91	-2.6%
5.04	64.61	62.35	-3.5%
5.05	64.61	61.78	-4.4%
5.07	64.61	60.66	-6.1%
5.09	64.61	59.54	-7.8%
5.11	64.61	58.42	-9.6%
5.13	64.61	57.30	-11.3%
5.15	64.61	56.18	-13.0%
5.17	64.61	55.07	-14.8%
5.19	64.61	53.96	-16.5%
5.21	64.61	52.85	-18.2%
5.23	64.61	51.74	-19.9%
5.25	64.61	50.64	-21.6%

WATERLINE AT ZERO
 AREA ERROR = 5.000

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdqt
 XS NUMBER: 1

Constant Manning's n

GL = lowest Grassline elevation corrected for sag

STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	2.68	79.09	2.87	4.22	227.26	80.95	100.0%	2.81	794.74	3.50
	4.00	70.66	1.82	2.90	128.42	71.76	88.6%	1.79	332.66	2.59
	4.05	70.34	1.78	2.85	124.90	71.41	88.2%	1.75	318.61	2.55
	4.10	69.61	1.74	2.80	121.40	70.66	87.3%	1.72	306.02	2.52
	4.15	68.89	1.71	2.75	117.94	69.91	86.4%	1.69	293.69	2.49
	4.20	68.17	1.68	2.70	114.51	69.16	85.4%	1.66	281.63	2.46
	4.25	67.44	1.65	2.65	111.12	68.41	84.5%	1.62	269.82	2.43
	4.30	66.72	1.62	2.60	107.77	67.66	83.6%	1.59	258.27	2.40
	4.35	66.00	1.58	2.55	104.45	66.91	82.7%	1.56	246.98	2.36
	4.40	65.28	1.55	2.50	101.17	66.16	81.7%	1.53	235.95	2.33
	4.45	64.55	1.52	2.45	97.92	65.42	80.8%	1.50	225.17	2.30
	4.50	63.83	1.48	2.40	94.71	64.67	79.9%	1.46	214.65	2.27
	4.55	63.11	1.45	2.35	91.54	63.92	79.0%	1.43	204.38	2.23
	4.60	62.38	1.42	2.30	88.40	63.17	78.0%	1.40	194.36	2.20
	4.65	61.66	1.38	2.25	85.30	62.42	77.1%	1.37	184.59	2.16
	4.70	60.94	1.35	2.20	82.24	61.67	76.2%	1.33	175.07	2.13
	4.75	60.21	1.32	2.15	79.21	60.92	75.3%	1.30	165.80	2.09
	4.80	59.49	1.28	2.10	76.21	60.17	74.3%	1.27	156.78	2.06
	4.85	58.77	1.25	2.05	73.26	59.42	73.4%	1.23	148.01	2.02
	4.90	58.05	1.21	2.00	70.34	58.67	72.5%	1.20	139.48	1.98
	4.95	57.32	1.18	1.95	67.45	57.92	71.6%	1.16	131.20	1.95
WL	5.00	56.60	1.14	1.90	64.60	57.17	70.6%	1.13	123.16	1.91
	5.05	56.31	1.10	1.85	61.78	56.86	70.2%	1.09	114.74	1.86
	5.10	56.01	1.05	1.80	58.97	56.55	69.9%	1.04	106.58	1.81
	5.15	55.72	1.01	1.75	56.18	56.24	69.5%	1.00	98.66	1.76
	5.20	55.42	0.96	1.70	53.40	55.92	69.1%	0.95	91.00	1.70
	5.25	55.13	0.92	1.65	50.64	55.61	68.7%	0.91	83.60	1.65
	5.30	53.04	0.90	1.60	47.93	53.50	66.1%	0.90	78.28	1.63
	5.35	50.94	0.89	1.55	45.34	51.40	63.5%	0.88	73.27	1.62
	5.40	50.18	0.85	1.50	42.81	50.62	62.5%	0.85	67.27	1.57
	5.45	49.42	0.82	1.45	40.32	49.85	61.6%	0.81	61.50	1.53
	5.50	48.66	0.78	1.40	37.87	49.07	60.6%	0.77	55.98	1.48
	5.55	48.06	0.74	1.35	35.45	48.46	59.9%	0.73	50.57	1.43
	5.60	47.47	0.70	1.30	33.06	47.85	59.1%	0.69	45.40	1.37
	5.65	46.88	0.65	1.25	30.70	47.24	58.4%	0.65	40.47	1.32
	5.70	46.28	0.61	1.20	28.37	46.63	57.6%	0.61	35.79	1.26
	5.75	45.52	0.57	1.15	26.08	45.86	56.6%	0.57	31.45	1.21
	5.80	44.76	0.53	1.10	23.82	45.08	55.7%	0.53	27.35	1.15
	5.85	44.00	0.49	1.05	21.60	44.31	54.7%	0.49	23.51	1.09
	5.90	41.88	0.46	1.00	19.45	42.17	52.1%	0.46	20.41	1.05
	5.95	40.75	0.43	0.95	17.39	41.04	50.7%	0.42	17.24	0.99
	6.00	34.63	0.45	0.90	15.45	34.90	43.1%	0.44	15.77	1.02
	6.05	30.00	0.46	0.85	13.84	30.25	37.4%	0.46	14.43	1.04
	6.10	28.37	0.44	0.80	12.38	28.61	35.3%	0.43	12.44	1.01
	6.15	26.75	0.41	0.75	11.00	26.97	33.3%	0.41	10.63	0.97
	6.20	25.12	0.39	0.70	9.70	25.33	31.3%	0.38	8.99	0.93
	6.25	23.67	0.36	0.65	8.48	23.85	29.5%	0.36	7.48	0.88
	6.30	22.21	0.33	0.60	7.34	22.37	27.6%	0.33	6.13	0.84
	6.35	20.42	0.31	0.55	6.27	20.56	25.4%	0.30	4.99	0.80
	6.40	18.62	0.28	0.50	5.29	18.75	23.2%	0.28	4.00	0.76
	6.45	17.33	0.25	0.45	4.40	17.44	21.5%	0.25	3.08	0.70
	6.50	16.04	0.22	0.40	3.56	16.13	19.9%	0.22	2.29	0.64
	6.55	14.68	0.19	0.35	2.79	14.75	18.2%	0.19	1.62	0.58
	6.60	13.32	0.16	0.30	2.09	13.37	16.5%	0.16	1.07	0.51
	6.65	11.80	0.12	0.25	1.46	11.83	14.6%	0.12	0.64	0.44
	6.70	9.73	0.10	0.20	0.93	9.76	12.1%	0.09	0.34	0.37
	6.75	7.67	0.06	0.15	0.49	7.68	9.5%	0.06	0.14	0.28

STREAM NAME: Slater Creek
XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdgt
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Qm)=	123.16 cfs
CALCULATED FLOW (Qc)=	123.16 cfs
(Qm-Qc)/Qm * 100 =	0.0 %
MEASURED WATERLINE (WLm)=	5.00 ft
CALCULATED WATERLINE (WLc)=	5.00 ft
(WLm-WLc)/WLm * 100 =	0.0 %
MAX MEASURED DEPTH (Dm)=	1.90 ft
MAX CALCULATED DEPTH (Dc)=	1.90 ft
(Dm-Dc)/Dm * 100	0.0 %
MEAN VELOCITY=	1.91 ft/sec
MANNING'S N=	0.042
SLOPE=	0.0025 ft/ft
.4 * Qm =	49.3 cfs
2.5 * Qm=	307.9 cfs

RECOMMENDED INSTREAM FLOW:

=====

FLOW (CFS)	PERIOD
=====	=====

_____	_____
_____	_____
_____	_____
_____	_____

RATIONALE FOR RECOMMENDATION:

=====

RECOMMENDATION BY: AGENCY DATE:

CWCB REVIEW BY: DATE:


STREAM NAME: Slater Creek
 XS LOCATION: 200 ft ds from Mary Hoffman Ditch hdgt
 XS NUMBER: 1 Jarrett Variable Manning's n Correction Applied


GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE


	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	2.68	79.09	2.87	4.22	227.26	80.95	100.0%	2.81	919.30	4.05
	4.00	70.66	1.82	2.90	128.42	71.76	88.6%	1.79	358.06	2.79
	4.05	70.34	1.78	2.85	124.90	71.41	88.2%	1.75	341.68	2.74
	4.10	69.61	1.74	2.80	121.40	70.66	87.3%	1.72	327.24	2.70
	4.15	68.89	1.71	2.75	117.94	69.91	86.4%	1.69	313.14	2.66
	4.20	68.17	1.68	2.70	114.51	69.16	85.4%	1.66	299.38	2.61
	4.25	67.44	1.65	2.65	111.12	68.41	84.5%	1.62	285.95	2.57
	4.30	66.72	1.62	2.60	107.77	67.66	83.6%	1.59	272.85	2.53
	4.35	66.00	1.58	2.55	104.45	66.91	82.7%	1.56	260.09	2.49
	4.40	65.28	1.55	2.50	101.17	66.16	81.7%	1.53	247.65	2.45
	4.45	64.55	1.52	2.45	97.92	65.42	80.8%	1.50	235.53	2.41
	4.50	63.83	1.48	2.40	94.71	64.67	79.9%	1.46	223.74	2.36
	4.55	63.11	1.45	2.35	91.54	63.92	79.0%	1.43	212.27	2.32
	4.60	62.38	1.42	2.30	88.40	63.17	78.0%	1.40	201.12	2.28
	4.65	61.66	1.38	2.25	85.30	62.42	77.1%	1.37	190.29	2.23
	4.70	60.94	1.35	2.20	82.24	61.67	76.2%	1.33	179.77	2.19
	4.75	60.21	1.32	2.15	79.21	60.92	75.3%	1.30	169.57	2.14
	4.80	59.49	1.28	2.10	76.21	60.17	74.3%	1.27	159.67	2.10
	4.85	58.77	1.25	2.05	73.26	59.42	73.4%	1.23	150.09	2.05
	4.90	58.05	1.21	2.00	70.34	58.67	72.5%	1.20	140.81	2.00
	4.95	57.32	1.18	1.95	67.45	57.92	71.6%	1.16	131.83	1.95
WL	5.00	56.60	1.14	1.90	64.60	57.17	70.6%	1.13	123.16	1.91
	5.05	56.31	1.10	1.85	61.78	56.86	70.2%	1.09	114.03	1.85
	5.10	56.01	1.05	1.80	58.97	56.55	69.9%	1.04	105.22	1.78
	5.15	55.72	1.01	1.75	56.18	56.24	69.5%	1.00	96.73	1.72
	5.20	55.42	0.96	1.70	53.40	55.92	69.1%	0.95	88.58	1.66
	5.25	55.13	0.92	1.65	50.64	55.61	68.7%	0.91	80.76	1.59
	5.30	53.04	0.90	1.60	47.93	53.50	66.1%	0.90	75.43	1.57
	5.35	50.94	0.89	1.55	45.34	51.40	63.5%	0.88	70.42	1.55
	5.40	50.18	0.85	1.50	42.81	50.62	62.5%	0.85	64.22	1.50
	5.45	49.42	0.82	1.45	40.32	49.85	61.6%	0.81	58.30	1.45
	5.50	48.66	0.78	1.40	37.87	49.07	60.6%	0.77	52.66	1.39
	5.55	48.06	0.74	1.35	35.45	48.46	59.9%	0.73	47.17	1.33
	5.60	47.47	0.70	1.30	33.06	47.85	59.1%	0.69	41.96	1.27
	5.65	46.88	0.65	1.25	30.70	47.24	58.4%	0.65	37.04	1.21
	5.70	46.28	0.61	1.20	28.37	46.63	57.6%	0.61	32.42	1.14
	5.75	45.52	0.57	1.15	26.08	45.86	56.6%	0.57	28.18	1.08
	5.80	44.76	0.53	1.10	23.82	45.08	55.7%	0.53	24.22	1.02
	5.85	44.00	0.49	1.05	21.60	44.31	54.7%	0.49	20.55	0.95
	5.90	41.88	0.46	1.00	19.45	42.17	52.1%	0.46	17.68	0.91
	5.95	40.75	0.43	0.95	17.39	41.04	50.7%	0.42	14.73	0.85
	6.00	34.63	0.45	0.90	15.45	34.90	43.1%	0.44	13.58	0.88
	6.05	30.00	0.46	0.85	13.84	30.25	37.4%	0.46	12.49	0.90
	6.10	28.37	0.44	0.80	12.38	28.61	35.3%	0.43	10.67	0.86
	6.15	26.75	0.41	0.75	11.00	26.97	33.3%	0.41	9.03	0.82
	6.20	25.12	0.39	0.70	9.70	25.33	31.3%	0.38	7.56	0.78
	6.25	23.67	0.36	0.65	8.48	23.85	29.5%	0.36	6.22	0.73
	6.30	22.21	0.33	0.60	7.34	22.37	27.6%	0.33	5.03	0.69
	6.35	20.42	0.31	0.55	6.27	20.56	25.4%	0.30	4.05	0.65
	6.40	18.62	0.28	0.50	5.29	18.75	23.2%	0.28	3.21	0.61
	6.45	17.33	0.25	0.45	4.40	17.44	21.5%	0.25	2.42	0.55
	6.50	16.04	0.22	0.40	3.56	16.13	19.9%	0.22	1.76	0.49
	6.55	14.68	0.19	0.35	2.79	14.75	18.2%	0.19	1.22	0.44
	6.60	13.32	0.16	0.30	2.09	13.37	16.5%	0.16	0.78	0.37
	6.65	11.80	0.12	0.25	1.46	11.83	14.6%	0.12	0.45	0.31
	6.70	9.73	0.10	0.20	0.93	9.76	12.1%	0.09	0.23	0.25
	6.75	7.67	0.06	0.15	0.49	7.68	9.5%	0.06	0.09	0.18


CROSS SECTION DATA ANALYSIS






Velocity vs. Discharge





Stage vs. Discharge





COLORADO WATER
CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

STREAM NAME: <u>Slater Creek</u>		CROSS-SECTION NO.: <u>1</u>	
CROSS-SECTION LOCATION: <u>0.5 miles downstream from confluence with Lake Creek</u> <u>- at very large composite boulder</u>			
DATE: <u>7-8-15</u>	OBSERVERS: <u>R. Smith, E. Scherff</u>		
LEGAL DESCRIPTION	1/4 SECTION: <u>NE</u>	SECTION: <u>23</u>	TOWNSHIP: <u>11 N/S</u>
COUNTY: <u>Moffat</u>	WATERSHED: <u>Little Snake</u>	RANGE: <u>89 E/W</u>	PM: <u>6th</u>
MAP(S):	USGS: <u>13 T 302950</u>	USFS: <u>4530369</u>	WATER DIVISION: <u>6</u>
			DOW WATER CODE: <u>21953</u>

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="radio"/> YES / <input type="radio"/> NO	METER TYPE: <u>M-M</u>
METER NUMBER: _____	DATE RATED: _____
CHANNEL BED MATERIAL SIZE RANGE: <u>cobbles to 2-foot boulders</u>	CALIB/SPIN: _____ sec
TAPE WEIGHT: <u>surveyed</u> lbs/foot	TAPE TENSION: <u>surveyed</u> lbs
PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES / <input type="radio"/> NO	NUMBER OF PHOTOGRAPHS: <u>3</u>

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)
⊗ Tape @ Stake LB	0.0	<u>surveyed</u>
⊗ Tape @ Stake RB	0.0	<u>surveyed</u>
① WS @ Tape LB/RB	0.0	<u>8.40 / 8.40</u>
② WS Upstream	<u>48.0</u>	<u>8.15</u>
③ WS Downstream	<u>53.0</u>	<u>9.60</u>
SLOPE	<u>1.45 / 101.0 = 0.014</u>	

S K E T C H

LEGEND:

Stake ⊗

Station ①

Photo ◊

Direction of Flow →

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES / <input checked="" type="radio"/> NO	DISTANCE ELECTROFISHED: _____ ft	FISH CAUGHT: YES/NO	WATER CHEMISTRY SAMPLED: YES / <input checked="" type="radio"/> NO														
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																	
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																	
<u>mayfly, caddisfly, stonefly - abundant</u>																	

COMMENTS

Riparian = Alder - Willow - Narrowleaf Cottonwood

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Slater Creek
 XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
 XS NUMBER: 1

 DATE: 8-Jul-15
 OBSERVERS: R. Smith, E. Scherff

 1/4 SEC: NE
 SECTION: 23
 TWP: 11N
 RANGE: 89W
 PM: Sixth

 COUNTY: Moffat
 WATERSHED: Little Snake River
 DIVISION: 6
 DOW CODE: 21953

 USGS MAP: 0
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.014

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Slater Creek
 XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
 XS NUMBER: 1

DATA POINTS= 38

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
LS	0.00	4.67			0.00		0.00	0.00	0.0%
1 G	1.60	6.50			0.00		0.00	0.00	0.0%
	3.50	7.32			0.00		0.00	0.00	0.0%
	6.00	8.04			0.00		0.00	0.00	0.0%
W	6.90	8.40	0.00	0.00	0.00		0.00	0.00	0.0%
	8.00	8.80	0.40	0.31	1.17	0.40	0.42	0.13	0.3%
	9.00	9.00	0.60	1.05	1.02	0.60	0.90	0.95	1.9%
	11.00	9.00	0.60	0.57	2.00	0.60	1.20	0.68	1.4%
	13.00	8.70	0.30	0.28	2.02	0.30	0.60	0.17	0.3%
	15.00	8.95	0.55	0.23	2.02	0.55	1.10	0.25	0.5%
	17.00	9.20	0.80	1.19	2.02	0.80	1.60	1.90	3.8%
	19.00	9.10	0.70	1.27	2.00	0.70	1.40	1.78	3.5%
	21.00	9.10	0.70	1.24	2.00	0.70	1.40	1.74	3.4%
	23.00	9.45	1.05	1.44	2.03	1.05	2.10	3.02	6.0%
	25.00	9.05	0.65	1.46	2.04	0.65	1.30	1.90	3.8%
	27.00	9.40	1.00	2.09	2.03	1.00	2.00	4.18	8.3%
	29.00	9.30	0.90	0.89	2.00	0.90	1.80	1.60	3.2%
	31.00	9.20	0.80	1.29	2.00	0.80	1.60	2.06	4.1%
	33.00	9.00	0.60	1.55	2.01	0.60	1.20	1.86	3.7%
	35.00	9.10	0.70	0.60	2.00	0.70	1.40	0.84	1.7%
	37.00	9.10	0.70	1.31	2.00	0.70	1.40	1.83	3.6%
	39.00	9.25	0.85	1.63	2.01	0.85	1.70	2.77	5.5%
	41.00	9.25	0.85	1.87	2.00	0.85	1.70	3.18	6.3%
	43.00	9.40	1.00	2.07	2.01	1.00	1.50	3.11	6.2%
	44.00	9.30	0.90	1.78	1.00	0.90	0.90	1.60	3.2%
	45.00	9.60	1.20	1.80	1.04	1.20	1.20	2.16	4.3%
	46.00	9.30	0.90	2.01	1.04	0.90	0.90	1.81	3.6%
	47.00	9.25	0.85	3.03	1.00	0.85	0.85	2.58	5.1%
	48.00	9.30	0.90	2.21	1.00	0.90	0.90	1.99	3.9%
	49.00	9.40	1.00	2.14	1.00	1.00	1.00	2.14	4.2%
	50.00	9.30	0.90	2.42	1.00	0.90	0.90	2.18	4.3%
	51.00	9.30	0.90	0.48	1.00	0.90	1.35	0.65	1.3%
	53.00	8.75	0.35	1.88	2.07	0.35	0.75	1.41	2.8%
W	55.30	8.40	0.00	0.00	2.33		0.00	0.00	0.0%
	57.00	8.06			0.00		0.00	0.00	0.0%
	58.60	7.30			0.00		0.00	0.00	0.0%
1 G	60.00	6.60			0.00		0.00	0.00	0.0%
RS	65.60	4.84			0.00		0.00	0.00	0.0%

TOTALS -----

48.88 1.2 35.07 50.47 100.0%
 (Max.)

Manning's n = 0.0979
 Hydraulic Radius= 0.71749867

STREAM NAME: Slater Creek
 XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
 XS NUMBER: 1

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	35.07	35.07	0.0%
8.15	35.07	47.41	35.2%
8.17	35.07	46.40	32.3%
8.19	35.07	45.40	29.5%
8.21	35.07	44.40	26.6%
8.23	35.07	43.41	23.8%
8.25	35.07	42.42	20.9%
8.27	35.07	41.43	18.1%
8.29	35.07	40.44	15.3%
8.31	35.07	39.46	12.5%
8.33	35.07	38.48	9.7%
8.35	35.07	37.50	6.9%
8.36	35.07	37.02	5.5%
8.37	35.07	36.53	4.2%
8.38	35.07	36.04	2.8%
8.39	35.07	35.56	1.4%
8.40	35.07	35.07	0.0%
8.41	35.07	34.59	-1.4%
8.42	35.07	34.11	-2.8%
8.43	35.07	33.63	-4.1%
8.44	35.07	33.14	-5.5%
8.45	35.07	32.67	-6.9%
8.47	35.07	31.71	-9.6%
8.49	35.07	30.76	-12.3%
8.51	35.07	29.81	-15.0%
8.53	35.07	28.86	-17.7%
8.55	35.07	27.92	-20.4%
8.57	35.07	26.98	-23.1%
8.59	35.07	26.05	-25.7%
8.61	35.07	25.12	-28.4%
8.63	35.07	24.19	-31.0%
8.65	35.07	23.26	-33.7%

WATERLINE AT ZERO

AREA ERROR = 8.400

STREAM NAME: Slater Creek
 XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
 XS NUMBER: 1

Constant Manning's n

GL = lowest Grassline elevation corrected for sag

STAGING TABLE *WL* = Waterline corrected for variations in field measured water surface elevations and sag

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.60	58.17	2.27	3.00	131.94	59.34	100.0%	2.22	403.60	3.06
	7.40	54.61	1.59	2.20	86.79	55.44	93.4%	1.57	210.12	2.42
	7.45	54.33	1.55	2.15	84.07	55.14	92.9%	1.52	199.96	2.38
	7.50	54.05	1.51	2.10	81.36	54.84	92.4%	1.48	190.02	2.34
	7.55	53.77	1.46	2.05	78.66	54.54	91.9%	1.44	180.30	2.29
	7.60	53.50	1.42	2.00	75.98	54.25	91.4%	1.40	170.79	2.25
	7.65	53.22	1.38	1.95	73.31	53.95	90.9%	1.36	161.50	2.20
	7.70	52.94	1.33	1.90	70.66	53.65	90.4%	1.32	152.44	2.16
	7.75	52.66	1.29	1.85	68.02	53.35	89.9%	1.27	143.59	2.11
	7.80	52.38	1.25	1.80	65.39	53.06	89.4%	1.23	134.98	2.06
	7.85	52.10	1.20	1.75	62.78	52.76	88.9%	1.19	126.58	2.02
	7.90	51.82	1.16	1.70	60.18	52.46	88.4%	1.15	118.42	1.97
	7.95	51.54	1.12	1.65	57.60	52.17	87.9%	1.10	110.48	1.92
	8.00	51.27	1.07	1.60	55.03	51.87	87.4%	1.06	102.78	1.87
	8.05	51.00	1.03	1.55	52.47	51.58	86.9%	1.02	95.30	1.82
	8.10	50.65	0.99	1.50	49.93	51.22	86.3%	0.97	88.14	1.77
	8.15	50.27	0.94	1.45	47.41	50.83	85.7%	0.93	81.26	1.71
	8.20	49.90	0.90	1.40	44.90	50.44	85.0%	0.89	74.61	1.66
	8.25	49.52	0.86	1.35	42.42	50.05	84.3%	0.85	68.21	1.61
	8.30	49.15	0.81	1.30	39.95	49.66	83.7%	0.80	62.05	1.55
	8.35	48.77	0.77	1.25	37.50	49.27	83.0%	0.76	56.13	1.50
WL	8.40	48.40	0.72	1.20	35.07	48.88	82.4%	0.72	50.47	1.44
	8.45	47.93	0.68	1.15	32.66	48.40	81.6%	0.67	45.12	1.38
	8.50	47.47	0.64	1.10	30.28	47.92	80.8%	0.63	40.03	1.32
	8.55	47.00	0.59	1.05	27.92	47.45	80.0%	0.59	35.20	1.26
	8.60	46.54	0.55	1.00	25.58	46.97	79.1%	0.54	30.63	1.20
	8.65	46.07	0.50	0.95	23.26	46.49	78.3%	0.50	26.33	1.13
	8.70	45.60	0.46	0.90	20.97	46.01	77.5%	0.46	22.30	1.06
	8.75	44.40	0.42	0.85	18.72	44.79	75.5%	0.42	18.79	1.00
	8.80	43.35	0.38	0.80	16.53	43.72	73.7%	0.38	15.52	0.94
	8.85	42.19	0.34	0.75	14.39	42.53	71.7%	0.34	12.54	0.87
	8.90	41.02	0.30	0.70	12.31	41.35	69.7%	0.30	9.85	0.80
	8.95	39.86	0.26	0.65	10.29	40.16	67.7%	0.26	7.45	0.72
	9.00	36.69	0.23	0.60	8.32	36.98	62.3%	0.23	5.53	0.66
	9.05	34.61	0.19	0.55	6.54	34.89	58.8%	0.19	3.85	0.59
	9.10	27.99	0.17	0.50	4.88	28.25	47.6%	0.17	2.71	0.56
	9.15	24.42	0.15	0.45	3.57	24.65	41.5%	0.14	1.76	0.49
	9.20	20.85	0.12	0.40	2.43	21.05	35.5%	0.12	1.04	0.43
	9.25	16.18	0.09	0.35	1.46	16.35	27.6%	0.09	0.52	0.36
	9.30	10.51	0.07	0.30	0.77	10.66	18.0%	0.07	0.24	0.31
	9.35	6.19	0.06	0.25	0.35	6.30	10.6%	0.06	0.09	0.26
	9.40	1.87	0.08	0.20	0.15	1.94	3.3%	0.08	0.05	0.32
	9.45	1.00	0.08	0.15	0.08	1.04	1.8%	0.07	0.02	0.31
	9.50	0.67	0.05	0.10	0.03	0.70	1.2%	0.05	0.01	0.24
	9.55	0.33	0.03	0.05	0.01	0.35	0.6%	0.02	0.00	0.15
	9.60	0.00	#DIV/0!	0.00	0.00	0.00	0.0%	#DIV/0!	#DIV/0!	#DIV/0!

STREAM NAME: Slater Creek
XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
XS NUMBER: 1

SUMMARY SHEET

MEASURED FLOW (Q_m)=	50.47	cfs
CALCULATED FLOW (Q_c)=	50.47	cfs
$(Q_m - Q_c) / Q_m * 100 =$	0.0	%
MEASURED WATERLINE (W_{Lm})=	8.40	ft
CALCULATED WATERLINE (W_{Lc})=	8.40	ft
$(W_{Lm} - W_{Lc}) / W_{Lm} * 100 =$	0.0	%
MAX MEASURED DEPTH (D_m)=	1.20	ft
MAX CALCULATED DEPTH (D_c)=	1.20	ft
$(D_m - D_c) / D_m * 100 =$	0.0	%
MEAN VELOCITY=	1.44	ft/sec
MANNING'S N=	0.098	
SLOPE=	0.014	ft/ft
.4 * Q_m =	20.2	cfs
2.5 * Q_m =	126.2	cfs

RECOMMENDED INSTREAM FLOW:

=====

FLOW (CFS)	PERIOD
=====	=====
_____	_____
_____	_____
_____	_____
_____	_____

RATIONALE FOR RECOMMENDATION:

=====

RECOMMENDATION BY: AGENCY: DATE:

CWCB REVIEW BY: DATE:


STREAM NAME: Slater Creek
 XS LOCATION: 0.5 mi dwnstr fr conf w Lake Creek
 XS NUMBER: 1 Jarrett Variable Manning's n Correction Applied

GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag


STAGING TABLE

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	6.60	58.17	2.27	3.00	131.94	59.34	100.0%	2.22	483.67	3.67
	7.40	54.61	1.59	2.20	86.79	55.44	93.4%	1.57	238.06	2.74
	7.45	54.33	1.55	2.15	84.07	55.14	92.9%	1.52	225.60	2.68
	7.50	54.05	1.51	2.10	81.36	54.84	92.4%	1.48	213.44	2.62
	7.55	53.77	1.46	2.05	78.66	54.54	91.9%	1.44	201.60	2.56
	7.60	53.50	1.42	2.00	75.98	54.25	91.4%	1.40	190.08	2.50
	7.65	53.22	1.38	1.95	73.31	53.95	90.9%	1.36	178.88	2.44
	7.70	52.94	1.33	1.90	70.66	53.65	90.4%	1.32	167.99	2.38
	7.75	52.66	1.29	1.85	68.02	53.35	89.9%	1.27	157.43	2.31
	7.80	52.38	1.25	1.80	65.39	53.06	89.4%	1.23	147.18	2.25
	7.85	52.10	1.20	1.75	62.78	52.76	88.9%	1.19	137.25	2.19
	7.90	51.82	1.16	1.70	60.18	52.46	88.4%	1.15	127.65	2.12
	7.95	51.54	1.12	1.65	57.60	52.17	87.9%	1.10	118.37	2.06
	8.00	51.27	1.07	1.60	55.03	51.87	87.4%	1.06	109.42	1.99
	8.05	51.00	1.03	1.55	52.47	51.58	86.9%	1.02	100.77	1.92
	8.10	50.65	0.99	1.50	49.93	51.22	86.3%	0.97	92.57	1.85
	8.15	50.27	0.94	1.45	47.41	50.83	85.7%	0.93	84.74	1.79
	8.20	49.90	0.90	1.40	44.90	50.44	85.0%	0.89	77.23	1.72
	8.25	49.52	0.86	1.35	42.42	50.05	84.3%	0.85	70.05	1.65
	8.30	49.15	0.81	1.30	39.95	49.66	83.7%	0.80	63.19	1.58
	8.35	48.77	0.77	1.25	37.50	49.27	83.0%	0.76	56.67	1.51
WL	8.40	48.40	0.72	1.20	35.07	48.88	82.4%	0.72	50.47	1.44
	8.45	47.93	0.68	1.15	32.66	48.40	81.6%	0.67	44.68	1.37
	8.50	47.47	0.64	1.10	30.28	47.92	80.8%	0.63	39.22	1.30
	8.55	47.00	0.59	1.05	27.92	47.45	80.0%	0.59	34.10	1.22
	8.60	46.54	0.55	1.00	25.58	46.97	79.1%	0.54	29.31	1.15
	8.65	46.07	0.50	0.95	23.26	46.49	78.3%	0.50	24.85	1.07
	8.70	45.60	0.46	0.90	20.97	46.01	77.5%	0.46	20.74	0.99
	8.75	44.40	0.42	0.85	18.72	44.79	75.5%	0.42	17.24	0.92
	8.80	43.35	0.38	0.80	16.53	43.72	73.7%	0.38	14.00	0.85
	8.85	42.19	0.34	0.75	14.39	42.53	71.7%	0.34	11.12	0.77
	8.90	41.02	0.30	0.70	12.31	41.35	69.7%	0.30	8.56	0.70
	8.95	39.86	0.26	0.65	10.29	40.16	67.7%	0.26	6.32	0.61
	9.00	36.69	0.23	0.60	8.32	36.98	62.3%	0.23	4.59	0.55
	9.05	34.61	0.19	0.55	6.54	34.89	58.8%	0.19	3.10	0.47
	9.10	27.99	0.17	0.50	4.88	28.25	47.6%	0.17	2.16	0.44
	9.15	24.42	0.15	0.45	3.57	24.65	41.5%	0.14	1.37	0.38
	9.20	20.85	0.12	0.40	2.43	21.05	35.5%	0.12	0.77	0.32
	9.25	16.18	0.09	0.35	1.46	16.35	27.6%	0.09	0.37	0.26
	9.30	10.51	0.07	0.30	0.77	10.66	18.0%	0.07	0.16	0.21
	9.35	6.19	0.06	0.25	0.35	6.30	10.6%	0.06	0.06	0.17
	9.40	1.87	0.08	0.20	0.15	1.94	3.3%	0.08	0.03	0.22
	9.45	1.00	0.08	0.15	0.08	1.04	1.8%	0.07	0.02	0.21
	9.50	0.67	0.05	0.10	0.03	0.70	1.2%	0.05	0.01	0.15
	9.55	0.33	0.03	0.05	0.01	0.35	0.6%	0.02	0.00	0.09
	9.60	0.00	#DIV/0!	0.00	0.00	0.00	0.0%	#DIV/0!	#DIV/0!	#DIV/0!


CROSS SECTION DATA ANALYSIS




Channel Bottom Computed Water Line




Velocity vs. Discharge





Stage vs. Discharge





COLORADO WATER
CONSERVATION BOARD

FIELD DATA FOR INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

STREAM NAME: <u>Slater Creek</u>		CROSS-SECTION NO.: <u>2</u>	
CROSS-SECTION LOCATION: <u>200 ft. downstream from Mary Hoffman Ditch headgate</u>			
DATE: <u>7-8-15</u>	OBSERVERS: <u>R. Smith, E. Scherff</u>		
LEGAL DESCRIPTION	1/4 SECTION: <u>NE</u>	SECTION: <u>4</u>	TOWNSHIP: <u>11 N/S</u>
COUNTY: <u>Moffat</u>	WATERSHED: <u>Little Snake</u>	RANGE: <u>89 E/W</u>	PM: <u>6th</u>
MAP(S):	USGS:	WATER DIVISION: <u>6</u>	DOW WATER CODE: <u>21953</u>
	USFS:		

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: <input checked="" type="radio"/> YES / <input type="radio"/> NO	METER TYPE: <u>M-M</u>
METER NUMBER:	DATE RATED:
CHANNEL BED MATERIAL SIZE RANGE: <u>sand to 8" cobble</u>	CALIB/SPIN: _____ sec
	TAPE WEIGHT: <u>surveyed</u> lbs/foot
PHOTOGRAPHS TAKEN: <input checked="" type="radio"/> YES / <input type="radio"/> NO	TAPE TENSION: <u>surveyed</u> lbs
	NUMBER OF PHOTOGRAPHS: <u>3</u>

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)
⊗ Tape @ Stake LB	0.0	<u>surveyed</u>
⊗ Tape @ Stake RB	0.0	<u>surveyed</u>
① WS @ Tape LB/RB	0.0	<u>5.10/5.10</u>
② WS Upstream	<u>40.5</u>	<u>5.00</u>
③ WS Downstream	<u>59.0</u>	<u>5.30</u>
SLOPE	<u>0.30/99.5 = 0.003</u>	

SKETCH

LEGEND:

Stake ⊗

Station ①

Photo ◊

Direction of Flow →

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES/NO <input checked="" type="radio"/> YES / <input type="radio"/> NO	DISTANCE ELECTROFISHED: _____ ft	FISH CAUGHT: YES/NO	WATER CHEMISTRY SAMPLED: YES/NO <input checked="" type="radio"/> YES / <input type="radio"/> NO														
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																	
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME:																	

COMMENTS

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: Slater Creek					CROSS-SECTION NO.: 2		DATE: 7-8-15		SHEET OF 			
BEGINNING OF MEASUREMENT			EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE)			LEFT / RIGHT		Gage Reading: ft		TIME: 12:20 pm		
Features	Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
									At Point	Mean in Vertical		
	LS	0.0		0.92								
	G	1.8		2.70								
		3.3		4.22								
	W	4.5		5.10	φ					φ		
		7		6.10	1.0					1.43		
		9		6.35	1.25					1.21		
		11		6.05	.95					.92		
		13		5.9	.8					.79		
		15		5.8	.7					.73		
		17		5.6	.5					.72		
		19		5.55	.45					.79		
		21		5.75	.65					1.27		
		23		6.1	1.0					1.79		
		25		6.3	1.2					1.84		
		27		6.25	1.15					2.05		
		29		6.2	1.1					2.3		
		31		6.05	.95					2.09		
		33		5.95	.85					2.11		
		35		5.7	.6					2.32		
		37		5.7	.6					2.01		
		39		5.65	.55					1.93		
		41		5.6	.5					.48		
		43		5.7	.6					1.75		
		45		5.6	.5					1.82		
		47		5.6	.5					1.42		
		49		5.4	.3					.35		
		51		5.3	.2					.28		
		53		5.35	.25					.40		
		55		5.2	.10					.18		
		57		5.15	.05					φ		
		59		5.15	.05					φ		
	W	60.3		5.10	φ					φ		
		62		4.75								
		67		4.32								
		70.5		3.96								
		73.5		3.55								
		75		3.50								
	G	78		2.76								
	RS	83.9		1.65								
TOTALS:												
End of Measurement			Time:		Gage Reading: ft			CALCULATIONS PERFORMED BY:			CALCULATIONS CHECKED BY:	

COLORADO WATER CONSERVATION BOARD
 INSTREAM FLOW / NATURAL LAKE LEVEL PROGRAM
 STREAM CROSS-SECTION AND FLOW ANALYSIS

LOCATION INFORMATION

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft dwnstr fr Hoffman Ditch hdgt
 XS NUMBER: 2

 DATE: 8-Jul-15
 OBSERVERS: R. Smith, E. Scherff

 1/4 SEC: NE
 SECTION: 4
 TWP: 11N
 RANGE: 89W
 PM: Sixth

 COUNTY: Moffat
 WATERSHED: Little Snake River
 DIVISION: 6
 DOW CODE: 21953

 USGS MAP: 0
 USFS MAP: 0

SUPPLEMENTAL DATA

*** NOTE ***
 Leave TAPE WT and TENSION
 at defaults for data collected
 with a survey level and rod

TAPE WT: 0.0106
 TENSION: 99999

CHANNEL PROFILE DATA

SLOPE: 0.003

INPUT DATA CHECKED BY:DATE.....

ASSIGNED TO:DATE.....

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft dwnstr fr Hoffman Ditch hdgt
 XS NUMBER: 2

DATA POINTS= 39

VALUES COMPUTED FROM RAW FIELD DATA

FEATURE	DIST	VERT DEPTH	WATER DEPTH	VEL	WETTED PERIM.	WATER DEPTH	AREA (Am)	Q (Qm)	% Q CELL
LS	0.00	0.92			0.00		0.00	0.00	0.0%
1 G	1.80	2.70			0.00		0.00	0.00	0.0%
	3.30	4.22			0.00		0.00	0.00	0.0%
W	4.50	5.10	0.00	0.00	0.00		0.00	0.00	0.0%
	7.00	6.10	1.00	1.43	2.69	1.00	2.25	3.22	6.3%
	9.00	6.35	1.25	1.21	2.02	1.25	2.50	3.03	5.9%
	11.00	6.05	0.95	0.92	2.02	0.95	1.90	1.75	3.4%
	13.00	5.90	0.80	0.79	2.01	0.80	1.60	1.26	2.5%
	15.00	5.80	0.70	0.33	2.00	0.70	1.40	0.46	0.9%
	17.00	5.60	0.50	0.12	2.01	0.50	1.00	0.12	0.2%
	19.00	5.55	0.45	0.46	2.00	0.45	0.90	0.41	0.8%
	21.00	5.75	0.65	1.27	2.01	0.65	1.30	1.65	3.2%
	23.00	6.10	1.00	1.79	2.03	1.00	2.00	3.58	7.0%
	25.00	6.30	1.20	1.84	2.01	1.20	2.40	4.42	8.7%
	27.00	6.25	1.15	2.05	2.00	1.15	2.30	4.72	9.3%
	29.00	6.20	1.10	2.30	2.00	1.10	2.20	5.06	9.9%
	31.00	6.05	0.95	2.09	2.01	0.95	1.90	3.97	7.8%
	33.00	5.95	0.85	2.11	2.00	0.85	1.70	3.59	7.0%
	35.00	5.70	0.60	2.32	2.02	0.60	1.20	2.78	5.5%
	37.00	5.70	0.60	2.01	2.00	0.60	1.20	2.41	4.7%
	39.00	5.65	0.55	1.93	2.00	0.55	1.10	2.12	4.2%
	41.00	5.60	0.50	0.48	2.00	0.50	1.00	0.48	0.9%
	43.00	5.70	0.60	1.75	2.00	0.60	1.20	2.10	4.1%
	45.00	5.60	0.50	1.82	2.00	0.50	1.00	1.82	3.6%
	47.00	5.60	0.50	1.42	2.00	0.50	1.00	1.42	2.8%
	49.00	5.40	0.30	0.35	2.01	0.30	0.60	0.21	0.4%
	51.00	5.30	0.20	0.28	2.00	0.20	0.40	0.11	0.2%
	53.00	5.35	0.25	0.40	2.00	0.25	0.50	0.20	0.4%
	55.00	5.20	0.10	0.18	2.01	0.10	0.20	0.04	0.1%
	57.00	5.15	0.05	0.00	2.00	0.05	0.10	0.00	0.0%
	59.00	5.15	0.05	0.00	2.00	0.05	0.08	0.00	0.0%
W	60.30	5.10	0.00	0.00	1.30		0.00	0.00	0.0%
	62.00	4.75			0.00		0.00	0.00	0.0%
	67.00	5.32			0.00		0.00	0.00	0.0%
	70.50	3.96			0.00		0.00	0.00	0.0%
	73.50	3.55			0.00		0.00	0.00	0.0%
	75.00	3.50			0.00		0.00	0.00	0.0%
1 G	78.00	2.76			0.00		0.00	0.00	0.0%
RS	83.90	1.65			0.00		0.00	0.00	0.0%

TOTALS -----

56.15 1.25 34.93 50.93 100.0%
 (Max.)

Manning's n = 0.0407
 Hydraulic Radius= 0.62211649

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft dwnstr fr Hoffman Ditch hdgt
 XS NUMBER: 2

WATER LINE COMPARISON TABLE

WATER LINE	MEAS AREA	COMP AREA	AREA ERROR
	34.93	35.21	0.8%
4.85	34.93	50.33	44.1%
4.87	34.93	49.08	40.5%
4.89	34.93	47.84	36.9%
4.91	34.93	46.60	33.4%
4.93	34.93	45.37	29.9%
4.95	34.93	44.15	26.4%
4.97	34.93	42.94	22.9%
4.99	34.93	41.73	19.5%
5.01	34.93	40.53	16.0%
5.03	34.93	39.33	12.6%
5.05	34.93	38.15	9.2%
5.06	34.93	37.55	7.5%
5.07	34.93	36.97	5.8%
5.08	34.93	36.38	4.1%
5.09	34.93	35.79	2.5%
5.10	34.93	35.21	0.8%
5.11	34.93	34.63	-0.9%
5.12	34.93	34.05	-2.5%
5.13	34.93	33.48	-4.2%
5.14	34.93	32.91	-5.8%
5.15	34.93	32.34	-7.4%
5.17	34.93	31.27	-10.5%
5.19	34.93	30.21	-13.5%
5.21	34.93	29.18	-16.5%
5.23	34.93	28.16	-19.4%
5.25	34.93	27.15	-22.3%
5.27	34.93	26.15	-25.1%
5.29	34.93	25.16	-28.0%
5.31	34.93	24.19	-30.8%
5.33	34.93	23.24	-33.5%
5.35	34.93	22.33	-36.1%

WATERLINE AT ZERO

AREA ERROR = 5.105

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft dwnstr fr Hoffman Ditch hdgt
 XS NUMBER: 2

Constant Manning's n

GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE

	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	2.76	76.14	2.57	3.59	195.72	77.83	100.0%	2.51	724.06	3.70
	4.10	66.94	1.48	2.25	99.09	67.92	87.3%	1.46	254.98	2.57
	4.15	66.76	1.43	2.20	95.75	67.72	87.0%	1.41	241.30	2.52
	4.20	66.59	1.39	2.15	92.41	67.51	86.7%	1.37	227.93	2.47
	4.25	66.39	1.34	2.10	89.09	67.29	86.5%	1.32	214.89	2.41
	4.30	66.20	1.30	2.05	85.77	67.07	86.2%	1.28	202.17	2.36
	4.35	66.00	1.25	2.00	82.47	66.84	85.9%	1.23	189.78	2.30
	4.40	65.80	1.20	1.95	79.17	66.62	85.6%	1.19	177.70	2.24
	4.45	65.61	1.16	1.90	75.89	66.40	85.3%	1.14	165.95	2.19
	4.50	65.41	1.11	1.85	72.61	66.18	85.0%	1.10	154.53	2.13
	4.55	65.21	1.06	1.80	69.35	65.95	84.7%	1.05	143.45	2.07
	4.60	65.02	1.02	1.75	66.09	65.73	84.5%	1.01	132.70	2.01
	4.65	64.82	0.97	1.70	62.84	65.51	84.2%	0.96	122.29	1.95
	4.70	64.62	0.92	1.65	59.61	65.29	83.9%	0.91	112.23	1.88
	4.75	64.36	0.88	1.60	56.38	65.00	83.5%	0.87	102.59	1.82
	4.80	63.48	0.84	1.55	53.19	64.09	82.3%	0.83	93.96	1.77
	4.85	62.60	0.80	1.50	50.03	63.17	81.2%	0.79	85.68	1.71
	4.90	61.73	0.76	1.45	46.93	62.26	80.0%	0.75	77.75	1.66
	4.95	60.85	0.72	1.40	43.86	61.35	78.8%	0.71	70.16	1.60
	5.00	59.97	0.68	1.35	40.84	60.44	77.7%	0.68	62.92	1.54
	5.05	59.09	0.64	1.30	37.86	59.53	76.5%	0.64	56.03	1.48
WL	5.10	58.11	0.60	1.25	34.93	58.51	75.2%	0.60	49.55	1.42
	5.15	54.05	0.59	1.20	32.09	54.43	69.9%	0.59	45.13	1.41
	5.20	51.48	0.57	1.15	29.45	51.84	66.6%	0.57	40.41	1.37
	5.25	50.12	0.54	1.10	26.91	50.46	64.8%	0.53	35.40	1.32
	5.30	48.48	0.50	1.05	24.44	48.79	62.7%	0.50	30.83	1.26
	5.35	44.77	0.49	1.00	22.12	45.06	57.9%	0.49	27.53	1.24
	5.40	43.69	0.46	0.95	19.91	43.97	56.5%	0.45	23.48	1.18
	5.45	43.07	0.41	0.90	17.74	43.34	55.7%	0.41	19.56	1.10
	5.50	42.44	0.37	0.85	15.60	42.70	54.9%	0.37	15.95	1.02
	5.55	41.58	0.32	0.80	13.49	41.82	53.7%	0.32	12.70	0.94
	5.60	36.27	0.32	0.75	11.50	36.50	46.9%	0.32	10.66	0.93
	5.65	31.14	0.32	0.70	9.82	31.35	40.3%	0.31	9.06	0.92
	5.70	24.36	0.34	0.65	8.40	24.55	31.5%	0.34	8.22	0.98
	5.75	22.85	0.32	0.60	7.22	23.03	29.6%	0.31	6.66	0.92
	5.80	21.49	0.28	0.55	6.11	21.65	27.8%	0.28	5.26	0.86
	5.85	19.68	0.26	0.50	5.08	19.82	25.5%	0.26	4.10	0.81
	5.90	17.90	0.23	0.45	4.14	18.02	23.2%	0.23	3.11	0.75
	5.95	16.37	0.20	0.40	3.28	16.47	21.2%	0.20	2.24	0.68
	6.00	14.29	0.18	0.35	2.51	14.38	18.5%	0.17	1.57	0.63
	6.05	12.28	0.15	0.30	1.85	12.34	15.9%	0.15	1.05	0.56
	6.10	10.82	0.12	0.25	1.27	10.87	14.0%	0.12	0.61	0.48
	6.15	8.92	0.09	0.20	0.78	8.96	11.5%	0.09	0.31	0.39
	6.20	6.89	0.06	0.15	0.38	6.92	8.9%	0.06	0.11	0.29
	6.25	3.66	0.03	0.10	0.12	3.68	4.7%	0.03	0.02	0.20
	6.30	0.66	0.02	0.05	0.02	0.67	0.9%	0.02	0.00	0.16

STREAM NAME: Slater Creek
 XS LOCATION: 200 ft downstr fr Hoffman Ditch hdgt
 XS NUMBER: 2

SUMMARY SHEET

MEASURED FLOW (Qm)=	50.93 cfs
CALCULATED FLOW (Qc)=	49.55 cfs
$(Qm-Qc)/Qm * 100 =$	2.7 %
MEASURED WATERLINE (WLm)=	5.10 ft
CALCULATED WATERLINE (WLc)=	5.10 ft
$(WLm-WLc)/WLm * 100 =$	-0.1 %
MAX MEASURED DEPTH (Dm)=	1.25 ft
MAX CALCULATED DEPTH (Dc)=	1.25 ft
$(Dm-Dc)/Dm * 100 =$	0.4 %
MEAN VELOCITY=	1.42 ft/sec
MANNING'S N=	0.041
SLOPE=	0.003 ft/ft
.4 * Qm =	20.4 cfs
2.5 * Qm=	127.3 cfs

RECOMMENDED INSTREAM FLOW:

=====

FLOW (CFS)	PERIOD
=====	=====
_____	_____
_____	_____
_____	_____
_____	_____

RATIONALE FOR RECOMMENDATION:

=====

RECOMMENDATION BY: AGENCY DATE:
 CWCB REVIEW BY: DATE:


STREAM NAME: Slater Creek
 XS LOCATION: 200 ft dwnstr fr Hoffman Ditch hdgt
 XS NUMBER: 2 Jarrett Variable Manning's n Correction Applied


GL = lowest Grassline elevation corrected for sag
 WL = Waterline corrected for variations in field measured water surface elevations and sag

STAGING TABLE


	DIST TO WATER (FT)	TOP WIDTH (FT)	AVG. DEPTH (FT)	MAX. DEPTH (FT)	AREA (SQ FT)	WETTED PERIM. (FT)	PERCENT WET PERIM (%)	HYDR RADIUS (FT)	FLOW (CFS)	AVG. VELOCITY (FT/SEC)
GL	2.76	76.14	2.57	3.59	195.72	77.83	100.0%	2.51	911.36	4.66
	4.10	66.94	1.48	2.25	99.09	67.92	87.3%	1.46	294.16	2.97
	4.15	66.76	1.43	2.20	95.75	67.72	87.0%	1.41	276.99	2.89
	4.20	66.59	1.39	2.15	92.41	67.51	86.7%	1.37	260.29	2.82
	4.25	66.39	1.34	2.10	89.09	67.29	86.5%	1.32	244.09	2.74
	4.30	66.20	1.30	2.05	85.77	67.07	86.2%	1.28	228.38	2.66
	4.35	66.00	1.25	2.00	82.47	66.84	85.9%	1.23	213.15	2.58
	4.40	65.80	1.20	1.95	79.17	66.62	85.6%	1.19	198.39	2.51
	4.45	65.61	1.16	1.90	75.89	66.40	85.3%	1.14	184.12	2.43
	4.50	65.41	1.11	1.85	72.61	66.18	85.0%	1.10	170.34	2.35
	4.55	65.21	1.06	1.80	69.35	65.95	84.7%	1.05	157.04	2.26
	4.60	65.02	1.02	1.75	66.09	65.73	84.5%	1.01	144.24	2.18
	4.65	64.82	0.97	1.70	62.84	65.51	84.2%	0.96	131.93	2.10
	4.70	64.62	0.92	1.65	59.61	65.29	83.9%	0.91	120.12	2.02
	4.75	64.36	0.88	1.60	56.38	65.00	83.5%	0.87	108.91	1.93
	4.80	63.48	0.84	1.55	53.19	64.09	82.3%	0.83	99.05	1.86
	4.85	62.60	0.80	1.50	50.03	63.17	81.2%	0.79	89.65	1.79
	4.90	61.73	0.76	1.45	46.93	62.26	80.0%	0.75	80.70	1.72
	4.95	60.85	0.72	1.40	43.86	61.35	78.8%	0.71	72.21	1.65
	5.00	59.97	0.68	1.35	40.84	60.44	77.7%	0.68	64.17	1.57
	5.05	59.09	0.64	1.30	37.86	59.53	76.5%	0.64	56.60	1.49
WL	5.10	58.11	0.60	1.25	34.93	58.51	75.2%	0.60	49.55	1.42
	5.15	54.05	0.59	1.20	32.09	54.43	69.9%	0.59	45.04	1.40
	5.20	51.48	0.57	1.15	29.45	51.84	66.6%	0.57	40.09	1.36
	5.25	50.12	0.54	1.10	26.91	50.46	64.8%	0.53	34.77	1.29
	5.30	48.48	0.50	1.05	24.44	48.79	62.7%	0.50	29.98	1.23
	5.35	44.77	0.49	1.00	22.12	45.06	57.9%	0.49	26.68	1.21
	5.40	43.69	0.46	0.95	19.91	43.97	56.5%	0.45	22.46	1.13
	5.45	43.07	0.41	0.90	17.74	43.34	55.7%	0.41	18.41	1.04
	5.50	42.44	0.37	0.85	15.60	42.70	54.9%	0.37	14.74	0.95
	5.55	41.58	0.32	0.80	13.49	41.82	53.7%	0.32	11.51	0.85
	5.60	36.27	0.32	0.75	11.50	36.50	46.9%	0.32	9.62	0.84
	5.65	31.14	0.32	0.70	9.82	31.35	40.3%	0.31	8.17	0.83
	5.70	24.36	0.34	0.65	8.40	24.55	31.5%	0.34	7.51	0.89
	5.75	22.85	0.32	0.60	7.22	23.03	29.6%	0.31	6.01	0.83
	5.80	21.49	0.28	0.55	6.11	21.65	27.8%	0.28	4.66	0.76
	5.85	19.68	0.26	0.50	5.08	19.82	25.5%	0.26	3.58	0.70
	5.90	17.90	0.23	0.45	4.14	18.02	23.2%	0.23	2.67	0.64
	5.95	16.37	0.20	0.40	3.28	16.47	21.2%	0.20	1.88	0.57
	6.00	14.29	0.18	0.35	2.51	14.38	18.5%	0.17	1.29	0.51
	6.05	12.28	0.15	0.30	1.85	12.34	15.9%	0.15	0.84	0.45
	6.10	10.82	0.12	0.25	1.27	10.87	14.0%	0.12	0.47	0.37
	6.15	8.92	0.09	0.20	0.78	8.96	11.5%	0.09	0.23	0.29
	6.20	6.89	0.06	0.15	0.38	6.92	8.9%	0.06	0.08	0.20
	6.25	3.66	0.03	0.10	0.12	3.68	4.7%	0.03	0.01	0.13
	6.30	0.66	0.02	0.05	0.02	0.67	0.9%	0.02	0.00	0.09


CROSS SECTION DATA ANALYSIS






Velocity vs. Discharge





Stage vs. Discharge




Little Snake Field Office Stream Surveys

July, 2014

Slater Creek – Water Code: 21953

Slater Creek, located on BLM lands administered by the Little Snake Field Office, was sampled on July 9, 2014 on a small portion of BLM land located west of county road 1, northeast of Craig, CO. Slater creek is tributary to the Little Snake River. Sampling was conducted with one pass to determine species presence and composition. The stream was too wide to effectively sample with one backpack electroshocker, so a two-pass population estimate was not completed. Personnel present were Tom Fresques and Kristen Doyle, BLM.





Slater Creek looking downstream of sample site



Slater Creek looking upstream at sample site



Bluehead sucker

STREAM SURVEY FISH SAMPLING FORM 2014									
WATER: Slater Creek					DATE: 7/9/14		GEAR: BPE-1		
Crew: Fresques, Doyle					Location: NE of Craig, CO				
#	Pass	Species	Length	Weight	#	Pass	Species	Length	Weight
1	1	SPD	73	4	27	1	CRC	70	2.7
2	1	BHS	104	9.7	28	1	SPD	71	3.0
3	1	SPD	68	3.5	29	1	SPD	69	2.9
4	1	SPD	71	4	30	1	SPD	82	5
5	1	MTS	66	4.6	31	1	SPD	68	2.8
6	1	SPD	100	9.2	32	1	CRC	53	1.7
7	1	SPD	79	6.1	33	1	CRC	103	9.8
8	1	SPD	62	2.9	34	1	SPD	46	1.2
9	1	SPD	68	3.2	35	1	SPD	47	1.7
10	1	SPD	72	3.8	36	1	SPD	68	3.8
11	1	SPD	114	11.8	37	1	SPD	65	3.1
12	1	SPD	74	4.6	38	1	SPD	65	3.3
13	1	SPD	70	3	39	1	SPD	75	3.8
14	1	SPD	69	2.7	40	1	SPD	78	4.2
15	1	SPD	91	8.1	41	1	FMW	60	2.7
16	1	SPD	73	4.5	42	1	SPD	64	3.5
17	1	CRC	114	14.7	43	1	SPD	49	1.6

18	1	SPD	77	3.6	44	1	SPD	66	3	
19	1	SPD	71	3.4	45	1	SPD	91	8.7	
20	1	SPD	73	4.2	46	1	SPD	87	5.9	
21	1	SPD	95	8.1	47	1	SPD	80	4.6	
22	1	SPD	67	3.8	48	1	CRC			
23	1	SPD	66	2.8	49	1	SPD	44	0.9	
24	1	SPD	46	0.9	50	1	SPD	58	2.5	
25	1	SPD	91	6.7	51	1	SPD	47	1.1	
26	1	SPD	72	3.1			SPD	47	1.2	
GPS Coordinates: Start = 13N 0299482, 4534964 End = 13N 0299504, 4534918										
H2O Temp:				Reach Length: Less than 100'			Stream		1. 26.9'	
Conductivity:				Shocker Settings:			Widths		2. 47.2'	
Habitat (Riparian): Narrowleaf cottonwood, alder, sedge, rush, mare's tail. Very well vegetated, wide riparian area.								3. 34.6'		
								4.		
								5.		
								Avg: 36.23'		
Habitat (Stream): Small reach of BLM. Water diversion at upper end. Stream is wide and relatively shallow but a few meander bend poos were present. Bed is primarily cobble with some fine sediment. Low gradient reach other than the water diversion, stream was too wide for 1 shocker, missed fish. C channel.										

Discussion:

Native species including speckled dace, mottled sculpin, and bluehead sucker were collected. Nonnative species collected included creek chub and fathead minnow. As noted, sampling was difficult with one shocker and fish were missed. Stream and riparian habitats were in good condition and consisted of large narrowleaf cottonwoods, willow, sedge, rush, and riparian grasses.

Recommendations:

- Sample this or a similar site with CPW with a bank rig unit to get better information and complete a two pass population estimate.
- Consider sampling in the spring under higher flows to attempt to document adult 3 Species use of this stream during the spawning season
- Periodically monitor stream and riparian habitats.











































