

Douglas County Government Department of Public Work Engineering

FILE#:	
PERMIT#	

Grading Erosion and Sediment Control (GESC) Permit Application

answered. PLEASE PRINT, except for signature.	can be taken on bus apprearion until an questions have been	
PROPERTY OWNER	CONTRACTOR	
NAME: Arapahoe County Water and Wastewater Authority (ACCWA)	COMPANY NAME: Fiore & Sons Inc.	
ADDRESS:	ADDRESS: 80 E. 62nd Ave. Suite 101 Denver CO 80216	
CONTACT NAME: Kevin McBrien	CONTACT NAME: Jake Logue	
PHONE: 303-790-4830 X371	PHONE: 303-429-8893	
EMAIL: kmcbrien@acwwa.com	EMAIL: jlogue@fioreandsons.com	
PROJECT ADDRESS: 9165 S. Chambers Road, Parker, CO 80134	PROJECT LOCATION: E470 & Chambers Road	
DISTURBED ACRES (including grading/excavation/fill)	IMPORT 107,000 CY C.Y. EXPORT 0.00 C.Y.	
PRELIMINARY PLAN/SITE PLAN APPROVED?	IMPORT/EXPORT VARIANCE? ☑Yes □No	
☐Yes ☐No DATE: 07/17/2019	COPY ATTACHED? ☐Yes ☑ No	
If no, Planning Signature:		
PROJECT NAME:		
Chambers Reservoir Rehabilitation Project		
Base Fee – \$250 00 PLUS	enewal \$100.00	
\$25.00x 38 disturbed acres = \$ 1,200.00	ransfer \$100.00 TOTAL \$ 1,200.00	
By signing below, both applicants hereby apply for a De	ouglas County GESC Permit for the aforementioned	
property and certify as follows: 1. To the best of my/our knowledge, the information provides	dad balleting	
	ded nerein is correct; Epared and submitted in accordance with the GESC Manual,	
as amended	spared and submitted in accordance with the GESC Manual,	
The GESC Permit is granted with the explicit understan	ding that it is the Permittees' responsibility to:	
Obtain all property access and use easements necessary for the project.		
Allow Douglas County unrestricted access to the site to	conduct regular site inspections	
Comply with all requirements of the GESC Manual, accepted GESC plan, and GESC Permit;		
4. Immediately cease land-disturbing activities upon receipt of a written Stop Work Order from an authorized		
representative of Douglas County. A Stop Work Order shall be issued and this Permit is suspended if the		
Permittees are not in compliance with the GESC Permit, GESC Plan and/or GESC Manual, or the Permittees fail to take corrective action within the time specified on the written notification of such non-compliance:		
Understand that in addition to other remedies, a violation	n of this GESC Permit shall constitute a violation of the	
Stormwater Ordinance No. O-013-001 and Section 31 of	of the Douglas County Zoning Resolution	
6 Understand any approval obtained from Douglas County does not obviate your need to comply with the requirements of the State of Colorado Department of Public Health and Environment, Colorado Discharge Permit System, General Permit, and Sections 7 and 9 of the Endangered Species Act of 1973, 16 U.S.C. 1531, et seq., as		
amended, or with any other applicable federal, state or	local laws or regulations	
During the date(s) and time(s) this Permit is in force. P.	ermittee takes full responsibility for all accidents, injuries	
damages or loss of property, including personal and Do	uglas County property. Permittee agrees to indemnify and	
hold harmless Douglas County and its officers, agents a	and employees from any and all claims, costs, expenses and	
attorneys' fees resulting from use of the facilities. Permi	ttee hereby releases, waives, discharges and covenants not	
to sue Douglas County, its officers, agents and employe	es on account of injury to person or property caused by the	
negligence of Douglas County, provided, however, that	Permittee shall not indemnify Douglas County and its	
Officials, Agents and Employees from damages resulting from the negligence of the County's Commissioners		
Officials, Directors, Agents and Employees This indemnification is intended to comply with CRS 13-50.5-102(8), as		
amended from time to time.		
I certify I am legally authorized to sign on behalf of and	bind the above listed entity(s).	
Property Owner: Culty Javell Date: 7/2/19 Contractor: Date: 7-4/9		
Time reduce. Charles the training to the train	Print Name: 37kg Lague Title: PM	