



January 2, 2021

Ms. Linda Bassi
Colorado Water Conservation Board
1313 Sherman Street
Denver, CO 80203

Dear Ms. Bassi and Colorado Water Conservation Board,

High Country Conservation Advocates (HCCA) submits this instream flow recommendation for Elk Creek, located in Gunnison County, Water Division 4.

HCCA's mission is to protect the health and natural beauty of the land, rivers, and wildlife in and around Gunnison County. Many of our members live and work here and enjoy recreational opportunities and a quality of life that is preserved by our valley's wildlife, habitat, and water resources. HCCA's 29 year-old water program has a long history of protecting waters in the Upper Gunnison Basin and in developing an environmental voice within key regional and state forums. In recent years, HCCA has partnered with the Bureau of Land Management to support instream flow proposals on the Slate River and Oh-Be-Joyful Creek. In 2016 HCCA submitted proposals to protect updated instream flows for Coal Creek and Brush Creek. HCCA partnered with Western Resource Advocates in 2017 to submit an instream flow proposal on Dutchman Creek. More recently HCCA submitted instream flow proposals for Gold Creek, Cement Creek and Spring Creek, all in Division 4.

The headwaters of Elk Creek originate on United States Forest Service (USFS) lands in Gunnison County. The Elk Creek riparian area consists primarily of mixed pine and spruce forest. Stream sampling conducted by the Environmental Protection Agency (EPA) in 2008 recorded brook in the lower portion of Elk Creek. While collecting water quality samples from Elk Creek in 2018, Coal Creek Watershed Coalition staff observed a tiger salamander and macroinvertebrates.

Elk Creek does not have an existing instream flow protection. From the headwaters of Elk Creek to its confluence with Coal Creek is approximately 2.7 miles.

HCCA has coordinated with local consultants to arrive at an instream flow recommendation that would protect a headwaters fishery on a reach that is currently unprotected. In considering this application, the Colorado Water Conservation Board (CWCB) has an opportunity to protect an important stream ecosystem by moving forward with an instream flow protection that would preserve the natural environment to a reasonable degree.

Enclosed you will find copies of data sheets from Colorado Parks and Wildlife (CPW) reflecting the Elk Creek aquatic environment. We have included USGS flow data for additional reference. We have attached R2Cross modeling runs, stream photos, and maps of the relevant reach. If you have any further questions regarding this recommendation, please feel free to contact Julie Nania at (509) 999-0012. HCCA thanks CPW and the CWCB for their support in developing this recommendation.

Sincerely,



Julie Nania
High Country Conservation Advocates
Water Director

Enclosure

ENCLOSURE - INSTREAM FLOW RECOMMENDATIONS FOR ELK CREEK

Below is a description of the proposed instream flow. Additional details can be found in Attachments A-E.

Location

Elk Creek is located within the Coal Creek watershed (HUC-12: 140200010204) in Gunnison County, Water Division 4 (Attachment A). The headwaters originate on the southwest side of Mount Emmons in Elk Basin, coming down from Scarp Ridge. Elk Creek flows south-southeast to the confluence with Coal Creek approximately 6 miles west of the Town of Crested Butte. The Elk Creek watershed is about 1.7 square miles and is on the Mt. Axtell United States Geologic Survey quad map (Attachment E).

The stream segment identified for the proposed instream flow appropriation is approximately 2.7 miles and starts on the southwest side of Mt. Emmons and terminates at the confluence of Elk Creek and Coal Creek.

Table 1. Land Status in the Elk Creek Watershed.

Upper Terminus ¹	Lower Terminus	Total Length (miles)	Land Ownership	
			Private (%)	Public (%) ²
Headwaters	Confluence with Coal Creek	2.7	Riparian Corridor ³ 15%	Riparian Corridor 85%
			Watershed Composition 16%	Watershed Composition 84%

1. The terminus for the proposed instream flow water right may need to be adjusted based upon physical and legal availability.
2. The public land in the Elk Creek Watershed is managed by the USFS.
3. The riparian corridor ownership percentages were calculated using stream length.

The Elk Creek watershed is 84 percent public land managed by the United States Forest Service (USFS). The riparian corridor of the proposed segment is 85 percent public land managed by the USFS.

Existing Instream Flow Right

Elk Creek does not have an existing instream flow water right.


Water Availability

Physical Availability

EPA contracts USGS to operate a seasonal stream gage on Elk Creek (USGS gage 09110990). The period of record for the gage is October 17, 2017 to present. The existing period of record suggests that flows in Elk Creek range from approximately 0.05 cfs to 40 cfs (Figure 1). The existing period of record includes

2018 which was an exceptionally dry year and 2019 which had a large snowpack and runoff. The USGS flow data are provided in Attachment F. There are no existing diversions on Elk Creek.

Figure 1. Seasonal stream flow in Elk Creek near the confluence with Coal Creek (USGS gage 09110990). The gage is operated seasonally from approximately April 1 to October 15.



Due to the limited period of record and seasonal operation of the Elk Creek gage, HCCA also relied on R2Cross assessments and StreamStats. StreamStats is an online program developed by the USGS in collaboration with the CWCB. StreamStats uses a regionally specific regression equation based on nearby active and historical stream gages to estimate stream flows at user-selected locations (Attachment D).

StreamStats reports a mean monthly flow of 0.90 cfs for October and a mean monthly flow of 0.65 cfs for April (See Attachment D). StreamStats reports a mean monthly flow of 6.49 cfs in May and 1.23 cfs in September, with a peak mean monthly flow of 16.5 cfs in June (See Attachment D).

The R2Cross results from 2019 and 2020 produced higher than expected summer and winter instream flow rates. Field observations and a review of the USGS flow data were used to reduce the preliminary instream flow rates. The channel geometry, step-pool sequences that tend to lack riffles, and high-gradient stream may have limited R2Cross' performance in the Elk Creek watershed.

Legal Availability

Mount Emmons Mining Company holds substantial conditional water rights for mining purposes. However, MEMC has declared in a memorandum of understanding with the Town of Crested Butte, Gunnison County, and several state agencies that they do not intend mine on the adjacent properties.

Biological Summary

Elk Creek is a cold-water, high gradient stream. The stream generally has cobble-sized substrate along with number of large boulders and ample woody debris. There is a mixture of cascades and small pools. Copley Lake, a shallow natural lake and wetland, is tributary to Elk Creek. Flows in Elk Creek support a robust riparian area. The riparian community is primarily a pine-spruce forest. The riparian zone is in good condition and provides shade and cover for the extant aquatic life community.

Water quality in Elk Creek has been impacted by historic mining. In recent years, the EPA has completed substantial reclamation work at the Standard Mine Superfund Site, near the headwaters of Elk Creek, to improve water quality in Elk Creek.

Sampling efforts in Elk Creek have identified a brook trout population in the lower portion of Elk Creek. In 2006, EPA found approximately 800 fish per hectare in lower Elk Creek. Prior to the reclamation effort, the fish density in Elk Creek was slightly lower than the fish density in creeks where little to no mining occurred (i.e. Splains Gulch). In a 2016, survey CPW identified brook trout in lower Elk Creek (Attachment B). Elk Creek is not stocked.

While the proponent was conducting the R2Cross assessment numerous macroinvertebrates were present on submerged rocks (see Photo 1). While collecting water quality samples from Elk Creek in 2018, Coal Creek Watershed Coalition staff observed a tiger salamander and macroinvertebrates (Photo 2).




Photo 1. An EPT taxa macroinvertebrate found on a large cobble in Elk Creek in October 2019.



Photo 2. A tiger salamander in the Elk Creek riparian area during a large rainstorm in October 2018.

Preliminary R2CROSS Analysis

HCCA has relied on the expertise of Alpine Environmental Consultants LLC to interpret output from the R2Cross model and develop a preliminary instream flow recommendation that will protect Elk Creek's natural environment to a reasonable degree.

Two R2Cross field surveys were completed on October 3, 2019 and June 24, 2019. R2Cross data entry, analysis, and interpretation were completed following fieldwork. These data were used to create the preliminary instream flow recommendations for Elk Creek (Table 2). The R2Cross output and field forms are attached for review (Attachment C).

Based on R2Cross results and water availability analysis (Table 2; and Attachment C), 0.2 cfs is recommended to protect the Elk Creek natural environment during winter months. This flow satisfies two of the required hydrologic criteria. A summer flow rate of 1.5 cfs is recommended based on the results of the 2020 cross-section and a review of the USGS stream flow data (Figure 2). Due to water availability, 0.65 cfs is recommended during the late summer.

The proposed dates for the winter ISF rate are August 16 to April 30. The proposed dates for the summer ISF rate are May 1 to July 10. The proposed dates for the late summer recommendation are July 11 to August 15.

Table 2. R2CROSS analysis summary and preliminary instream flow recommendations.

Cross Section (Date & Location)	Measured Discharge (cfs)	Bankful Top Width (ft)	Winter Flow Recommendation ¹ (cfs)	Summer Flow Recommendation (cfs)	Late-Summer Flow Recommendation (cfs)
Elk Creek #1 (10-3-19)	0.12	8.8	0.2	Out of range	
Elk Creek #2 (6-24-20)	2.31	7.7	1.3	1.51	
Proposed ISF Rate:			0.2	1.5	0.65

1) The winter ISF rate was reduced based on field observations and a review of USGS flow data.

Photographs



Photo 3. Elk Creek near cross-section looking upstream (10-3-2019).




Photo 4. Elk Creek near cross-section looking downstream. The woody debris, near the top of the

photo, created a medium-sized pool in the creek (10-3-2019).




Photo 5. Elk Creek cross-section view from the river-left bank (10-3-2019).




Photo 6. Elk Creek cross-section view from the river-right bank (6-24-2020).



Photo 7. Elk Creek cross-section looking upstream (6-24-2020).


Relationship to Existing State Policy

HCCA is proposing this instream flow to the CWCB in furtherance of the State of Colorado's policy "that the wildlife and their environment are to be protected, preserved, enhanced, and managed for the use, benefit, and enjoyment of the people of this state and its visitors... and that, to carry out such program and policy, there shall be a continuous operation of planning, acquisition, and development of wildlife habitats and facilities for wildlife-related opportunities." C.R.S. 33-1-101(1).

Attachments

- A –Watershed Map
- B- Biological Data
- C – R2Cross Analysis
- D – StreamStats
- E – USGS Topographic Quadrangle Map
- F – USGS Stream Flow Records (provided as a spreadsheet)

Attachment A- Watershed Map



Elk Creek Instream Flow Proposal Gunnison County, Colorado

Map prepared for HCCA- Elk Creek ISF Proposal
September 6, 2020

- Tributaries to Elk Creek
- Elk Creek- Proposed ISF Reach
- Elk Creek Watershed
- Diversion Structures

0 0.25 0.5 1 Miles

Attachment B- Biological Data

Requestee: Julie Nania

Affiliation: High Country Conservation Advocates

Approved By: John Alves

Conditions: Watercodes: 38166,38166,39962,39974,39328,38169,41323,48155,45135

Details: no sampling data for Deer Creek or Bear Creek; All location information removed from surveys associated with private property as per Colorado Statute

Date Extracted: Tuesday, September 10, 2019

Data Request Disclaimer

Colorado Parks and Wildlife (“CPW”) collects aquatic data from both internal sources and a variety of external governmental and non-governmental agencies. CPW provides this data, upon request, solely as a public service. As a significant proportion of this data comes from an outside agency, over which CPW lacks the ability to verify the protocols and data collection procedures, CPW makes no warranty, representation, or guarantee as to the content, accuracy or completeness of any of the data provided. CPW makes this data available on an “as is” basis and explicitly disclaims any representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. The CPW shall assume no liability for: 1. any errors, omissions, or inaccuracies in the data provided, regardless how it was caused; or, 2. any decision made or action taken or not taken by anyone using or relying upon data provided.

Use of Data

CPW may require a user of this data to terminate any and all display, distribution or other use of any or all of the data for any reason including, without limitation, violation of these Terms of Use.

<u>CalYear</u>	<u>SurveyID</u>	<u>Region</u>	<u>Drainage</u>	<u>WaterType</u>	<u>WaterId</u>	<u>WaterName</u>	<u>StationID</u>	<u>Station</u>	<u>SiteName</u>	<u>Location</u>
1977	10327	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	
1977	7074	Southwest	Gunnison River	Stream	38166	Elk Creek	5813 GU1429	HEADWATERS		ABV Hdwtrs
2006	10328	Southwest	Gunnison River	Stream	38166	Elk Creek	33675 GU4080			At CO RD 12
2006	9331	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	
2006	8921	Southwest	Gunnison River	Stream	38166	Elk Creek	5367 GU2201			1975 ABV Coal Creek
2007	8922	Southwest	Gunnison River	Stream	38166	Elk Creek	33675 GU4080			At CO RD 12
2007	7073	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	
2008	9332	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	
2008	53554	Southwest	Gunnison River	Stream	38166	Elk Creek	33675 GU4080			At CO RD 12
2009	24214	Southwest	Gunnison River	Stream	38166	Elk Creek	33675 GU4080			At CO RD 12
2009	24082	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	
2016	52212	Southwest	Gunnison River	Stream	38166	Elk Creek	33675 GU4080			At CO RD 12
2016	52216	Southwest	Gunnison River	Stream	38166	Elk Creek	8035 GU2223	0.1 MI ABV CO RD 12	150 M ABV CO RD 12	

<u>Elevation</u>	<u>Lat</u>	<u>Lon</u>	<u>UTMX</u>	<u>UTMY</u>	<u>HUC12</u>	<u>County</u>	<u>AreaBio</u>	<u>SampleDate</u>
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	6/21/1977
10963	38.87924533	-107.0749969	320040	4305422	140200010204	Gunnison	Dan Brauch	6/21/1977
9585	38.85690958	-107.0599976	321268	4302914	140200010204	Gunnison	Dan Brauch	7/18/2006
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	7/18/2006
10383	38.86710266	-107.0759964	319893	4304077	140200010204	Gunnison	Dan Brauch	7/19/2006
9585	38.85690958	-107.0599976	321268	4302914	140200010204	Gunnison	Dan Brauch	9/19/2007
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	9/19/2007
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	9/11/2008
9585	38.85690958	-107.0599976	321268	4302914	140200010204	Gunnison	Dan Brauch	9/11/2008
9585	38.85690958	-107.0599976	321268	4302914	140200010204	Gunnison	Dan Brauch	9/17/2009
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	9/17/2009
9585	38.85690958	-107.0599976	321268	4302914	140200010204	Gunnison	Dan Brauch	9/15/2016
9664	38.85758967	-107.060997	321158	4302992	140200010204	Gunnison	Dan Brauch	9/15/2016

<u>Survey Purpose</u>	<u>Protocol</u>	<u>Gear</u>	<u>NumNets</u>	<u>NumPasses</u>	<u>NumAnglers</u>	<u>StationLength</u>	<u>StationAsMiles</u>
Standard Survey or Population Estimate	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	100	0.018939
Standard Survey or Population Estimate	PRESENCE/ABSENCE	VISUAL	NULL	NULL	NULL	NULL	NULL
NULL	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	150	0.028409
NULL	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	300	0.056818
NULL	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	300	0.056818
NULL	TWO-PASS REMOVAL	NOT LISTED	NULL		2 NULL	150	0.028409
NULL	PRESENCE/ABSENCE	NOT LISTED	NULL	NULL	NULL	900	0.170455
NULL	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	300	0.056818
NULL	TWO-PASS REMOVAL	BPEF	NULL		2 NULL	328	0.062121
NULL	TWO-PASS REMOVAL	NOT LISTED	NULL		2 NULL	150	0.028409
NULL	PRESENCE/ABSENCE	BPEF	NULL	NULL	NULL	400	0.075758
Standard Survey or Population Estimate	TWO-PASS REMOVAL	Backpack EF	NULL		2 NULL	150	0.028409
NULL	TWO-PASS REMOVAL	BPEF	NULL		2 NULL	300	0.056818

	<u>StationAsKilometers</u>	<u>AvgWidth</u>	<u>StationAsAcres</u>	<u>StationAsHectares</u>	<u>TotalCatch</u>	<u>TotalWeight</u>	<u>ElecEffort</u>	<u>GillEffort</u>	<u>TrapEffort</u>	<u>SeinEffort</u>
	0.03048	4	0.009182736	0.003716122	7	450	1	NULL	NULL	NULL
NULL		1	NULL	NULL	0	NULL	NULL	NULL	NULL	NULL
	0.04572	6.5	0.022382919	0.009058046	4	116	0	0	0	NULL
	0.09144	7.25	0.049931127	0.020206411	0	NULL	0	0	0	NULL
	0.09144	8.8	0.060606058	0.024526403	0	NULL	0	0	0	NULL
	0.04572	6.5	0.022382919	0.009058046	32	1100	0	0	0	0
	0.27432	0	NULL	NULL	0	NULL	0	0	0	0
	0.09144	7.25	0.049931127	0.020206411	0	NULL	1	NULL	NULL	NULL
	0.099974	4.9	0.036896233	0.014931377	18	790	NULL	NULL	NULL	NULL
	0.04572	6.5	0.022382919	0.009058046	17	1055	NULL	NULL	NULL	NULL
	0.12192	7.25	0.066574836	0.026941882	0	NULL	1	NULL	NULL	NULL
	0.04572	6.5	0.022382919	0.009058046	13	757	NULL	NULL	NULL	NULL
	0.09144	NULL	NULL	NULL	0	NULL	NULL	NULL	NULL	NULL

<u>TotalEffort</u>	<u>EffortMetric</u>	<u>SpeciesID</u>	<u>SpeciesCode</u>	<u>CommonName</u>	<u>SpeciesMethod</u>	<u>SpeciesCatch</u>	<u>RelAbun</u>	<u>Threshold</u>	<u>NumBlwThreshold</u>
1	PASS		24 BRK	BROOK TROUT	Counts	7	1	130	0
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
1	PASS		24 BRK	BROOK TROUT	Counts	4	1	130	0
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
2	PASS		24 BRK	BROOK TROUT	Seber Lecren	32	1	130	6
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
2	PASS		24 BRK	BROOK TROUT	Seber Lecren	18	1	130	3
2	PASS		24 BRK	BROOK TROUT	Seber Lecren	17	1	130	0
1	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0
2	PASS		24 BRK	BROOK TROUT	Seber Lecren	13	1	130	0
2	PASS	NULL	XXX	No Fish Caught	Counts	0	NULL	NULL	0

<u>PercentCatch</u>	<u>FirstCatch</u>	<u>SecondCatch</u>	<u>ThirdCatch</u>	<u>AdditionalCatch</u>	<u>Marked</u>	<u>Recaptured</u>	<u>Captured</u>	<u>SpeciesWeight</u>	<u>Weighed</u>	<u>WeightCalcd</u>
	100	7	NUL	NUL	NUL	NUL	NUL	450	0	7
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
	100	4	NUL	NUL	NUL	NUL	NUL	116	4	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
	100	22	10	NUL	NUL	NUL	NUL	1186	26	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
	100	12	6	NUL	NUL	NUL	NUL	863	15	0
	100	16	1	NUL	NUL	NUL	NUL	1055	17	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0
	100	9	4	NUL	NUL	NUL	NUL	757	13	0
NULL	NULL	NULL	NUL	NUL	NUL	NUL	NUL		0	0

<u>Measured</u>	<u>MeanLength</u>	<u>LengthRange</u>	<u>ProbabilityOfCapture</u>	<u>PopulationEstimate</u>	<u>POP</u>	<u>Variance</u>	<u>LOWER</u>	<u>POP</u>	<u>CI</u>	<u>UPPER</u>	<u>POP</u>	<u>CI</u>
	7	177.71	152 - 203	NULL		7	NULL	NULL		NULL	NULL	
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
	4	140.75	133 - 151	NULL		4	NULL	NULL		NULL	NULL	
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
	32	150.03	103 - 215	0.5455	40.3333	74.69135802		23.3942		57.2724		
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
	18	157.5	127 - 200	0.5	24	72		7.3688		40.6312		
	17	178.35	142 - 215	0.9375	17.0667	0.085965432		16.492		17.6414		
NULL	NULL	NULL	NULL		0	NULL	NULL	NULL		NULL	NULL	
	13	165.23	139 - 188	0.5556	16.2	26.9568		6.0237		26.3763		
NULL	NULL	NULL		0	0	NULL	NULL	NULL		NULL	NULL	

<u>DataSource</u>	<u>SciColl</u>	<u>Surveyors</u>
Stream and lake databank	NULL	WEILER
Stream and lake databank	NULL	WEILER
Southwest Region Fisheries Management		BRAUCH, VIERA ET.AL.
Southwest Region Fisheries Management	NULL	BRAUCH, VIERA ET AL
Southwest Region Fisheries Management	NULL	BRAUCH ET.AL.
Southwest Region Fisheries Management		
Southwest Region Fisheries Management	NULL	CAPPS, MALICK, CALLAWAY
Southwest Region Fisheries Management		Golder
Southwest Region Fisheries Management		Jones, Oulton
Southwest Region Fisheries Management	NULL	Jones, Oulton
Southwest Region Fisheries Management		Brauch. Samuelsen
Southwest Region Fisheries Management		Brauch, Samuelsen

Comments

BRK 421 g TTL

NO FISH SAMPLING, WATER QUALITY ONLY.

BP EFISH, For contaminants of potential concern by U.S. EPA as part of Standard Mine cleanup assessment.

BP EFISH, no fish seen or taken additional half mile surveyed visually and no fish seen

BP EFISH, no fish seen or taken

NULL

UTM"S in NAD83; No fish sampled or seen

Backpack Electrofishing, no fish seen or taken.

From culvert on CR12 upstream. Original lengths were fork lengths and were adjusted to estimate total length of fish to report here.

Just above CO RD 12

Backpack Electrofishing, no fish seen or taken.

Sampled at CR 12

No fish seen or netted.

<u>CreatedBy</u>	<u>CreatedWhen</u>	<u>ModifiedBy</u>	<u>ModifiedWhen</u>	<u>timestamp</u>	<u>TableLastUpdated</u>	<u>SurveyFlag</u>
stauffera	00:00.0	RivermanC		30:54.3 0x00000000484153C0		00:30.7 NULL
stauffera	00:00.0	RivermanC		30:54.3 0x000000004843D902		00:30.7 NULL
brauchd	00:00.0	RivermanC		31:04.9 0x00000000484153C1		00:30.7 NULL
brauchd	00:00.0	RivermanC		31:04.9 0x000000004843CB6A		00:30.7 NULL
brauchd	00:00.0	RivermanC		31:04.9 0x000000004843CB0E		00:30.7 NULL
brauchd	53:36.0	RivermanC		26:57.6 0x000000004841494C		00:30.7 NULL
brauchd	53:14.0	RivermanC		26:57.6 0x000000004843D901		00:30.7 NULL
brauchd	52:16.0	RivermanC		17:00.9 0x000000004843CB6B		00:30.7 NULL
BRAUCHD	09:57.9	RivermanC		17:00.9 0x0000000048436A3F		00:30.7 NULL
brauchd	33:13.0	RivermanC		11:49.5 0x000000004842022E		00:30.7 NULL
brauchd	33:13.0	RivermanC		11:49.5 0x000000004843DDEB		00:30.7 NULL
KESLERJ	54:01.4	BRAUCHD		00:00.0 0x000000004843611B		00:30.7 NULL
KESLERJ	05:30.5	BRAUCHD		00:00.0 0x000000004843EB14		00:30.7 NULL

Attachment C- R2Cross Analysis and Field Forms

R2Cross RESULTS

Stream Name: Elk Creek

Stream Locations: Elk Creek downstream of Copley Lake drainage and ELK-08

Fieldwork Date: 10/03/2019

Cross-section: 1

Observers: JN AJB

Coordinate System: UTM Zone 13

X (easting): 319800

Y (northing): 4304254

Date Processed: 10/31/2020


Slope: 0.036

Computation method: Manning's n

R2Cross data filename: ELK CREEK 10-3-19 INPUT.xlsx

R2Cross version: 1.0.30

LOCATION



ANALYSIS RESULTS


Habitat Criteria Results

Bankfull top width (ft) = 8.77


	Habitat Criteria	Discharge (cfs)	Meeting Criteria
Mean Depth (ft)	0.2	0.2	
Percent Wetted Perimeter (%) **	50.0	0.02	
Mean Velocity (ft/s)	NA	NA	

**Values highlighted in yellow indicate that the discharge is less than 40% of measured Q or greater than 250% of measured Q.


Elk Creek - 10/03/2019 XS 1



Elk Creek - 10/03/2019 XS 1



Elk Creek - 10/03/2019 XS 1




STAGING TABLE

Feature	Distance to Water (ft)	Top Width (ft)	Mean Depth (ft)	Maximum Depth (ft)	Area (SQ ft)	Wetted Perimeter (ft)	Percent Wetted Perimeter	Hydraulic Radius (ft)	Mean Velocity (ft/s)	Discharge (cfs)
Bankfull	2.82	8.77	0.39	0.63	3.38	9.03	100.00%	0.37	0.24	0.81
	2.84	8.39	0.39	0.61	3.24	8.64	95.65%	0.38	0.24	0.78
	2.85	8.0	0.39	0.6	3.11	8.25	91.30%	0.38	0.24	0.75
	2.87	7.75	0.39	0.58	2.99	7.99	88.46%	0.37	0.24	0.71
	2.88	7.66	0.37	0.57	2.87	7.89	87.33%	0.36	0.23	0.67
	2.9	7.53	0.36	0.55	2.75	7.76	85.91%	0.35	0.23	0.63
	2.91	7.41	0.36	0.54	2.63	7.63	84.49%	0.34	0.23	0.6
	2.93	7.29	0.35	0.52	2.52	7.5	83.07%	0.34	0.22	0.56
	2.95	7.17	0.34	0.5	2.4	7.37	81.66%	0.33	0.22	0.52
	2.96	7.05	0.32	0.49	2.29	7.25	80.31%	0.32	0.21	0.49
	2.98	6.99	0.31	0.47	2.18	7.18	79.52%	0.3	0.21	0.45
	2.99	6.93	0.3	0.46	2.07	7.11	78.74%	0.29	0.2	0.42
	3.01	6.85	0.29	0.44	1.96	7.03	77.79%	0.28	0.2	0.39
	3.02	6.76	0.27	0.43	1.85	6.93	76.71%	0.27	0.19	0.35
	3.04	6.66	0.26	0.41	1.75	6.83	75.64%	0.26	0.19	0.32
	3.06	6.57	0.25	0.39	1.64	6.73	74.56%	0.24	0.18	0.3
	3.07	6.5	0.24	0.38	1.54	6.66	73.69%	0.23	0.17	0.27
	3.09	6.43	0.22	0.36	1.44	6.58	72.88%	0.22	0.17	0.24
	3.1	6.37	0.21	0.35	1.34	6.51	72.07%	0.21	0.16	0.21
	3.12	6.3	0.2	0.33	1.24	6.44	71.26%	0.19	0.15	0.19
	3.13	6.24	0.18	0.32	1.14	6.36	70.45%	0.18	0.15	0.17
	3.15	6.17	0.17	0.3	1.04	6.29	69.65%	0.17	0.14	0.14
	3.17	6.11	0.15	0.28	0.95	6.22	68.84%	0.15	0.13	0.12
Waterline	3.17	6.08	0.15	0.28	0.9	6.18	68.48%	0.15	0.13	0.12
	3.18	6.02	0.14	0.27	0.85	6.13	67.83%	0.14	0.12	0.1

3.2	5.83	0.13	0.25	0.76	5.93	65.60%	0.13	0.12	0.09
3.21	5.68	0.12	0.24	0.67	5.78	63.95%	0.12	0.11	0.07
3.23	5.54	0.1	0.22	0.58	5.63	62.39%	0.1	0.1	0.06
3.25	5.36	0.09	0.2	0.49	5.44	60.27%	0.09	0.09	0.05
3.26	5.06	0.08	0.19	0.41	5.14	56.96%	0.08	0.09	0.03
3.28	4.65	0.07	0.17	0.33	4.72	52.29%	0.07	0.08	0.03
3.29	4.25	0.06	0.16	0.26	4.32	47.79%	0.06	0.07	0.02
3.31	3.85	0.05	0.14	0.2	3.91	43.34%	0.05	0.06	0.01
3.32	3.33	0.04	0.13	0.14	3.38	37.46%	0.04	0.06	0.01
3.34	2.6	0.04	0.11	0.1	2.64	29.21%	0.04	0.05	0.0
3.36	1.62	0.04	0.09	0.06	1.66	18.35%	0.04	0.05	0.0
3.37	0.97	0.05	0.08	0.05	1.0	11.03%	0.05	0.06	0.0
3.39	0.77	0.04	0.06	0.03	0.79	8.76%	0.04	0.05	0.0
3.4	0.68	0.03	0.05	0.02	0.7	7.72%	0.03	0.04	0.0
3.42	0.53	0.02	0.03	0.01	0.54	5.97%	0.02	0.03	0.0
3.43	0.38	0.01	0.02	0.0	0.38	4.23%	0.01	0.02	0.0

MODEL SUMMARY

Measured Flow (Qm) = 0.12
Calculated Flow (Qc) = 0.12
 $(Qm-Qc)/Qm * 100 = 0.91\%$
Measured Waterline (WLm) = 3.19
Calculated Waterline (WLc) = 3.17
 $(WLm-WLc)/WLm * 100 = 0.52\%$
Max Measured Depth (Dm) = 0.29
Max Calculated Depth (Dc) = 0.28
 $(Dm-Dc)/Dm * 100 = 4.65\%$
Mean Velocity = 0.13
Manning's n = 0.613
 $0.4 * Qm = 0.05$
 $2.5 * Qm = 0.29$




FIELD DATA

Feature	Station	Rod Height (ft)	Water depth (ft)	Velocity (ft/s)
	2	1.04		
	2.5	1.53		
	3	1.98		
Bankfull	3.3	2.82		
	3.8	2.86		
	4.3	2.78		
	5.1	2.72		
	5.7	2.7		
	6.4	2.68		
	7	2.76		
	7.5	2.88		
	8	2.96		
Waterline	8.6	3.2	0	
	8.9	3.26	0.06	0
	9.7	3.32	0.12	0
	10.2	3.24	0.06	0.26
	10.5	3.34	0.15	0.36
	10.8	3.32	0.15	0.1
	11	3.34	0.16	0.04
	11.2	3.36	0.18	0.19
	11.4	3.38	0.2	0.27
	11.6	3.33	0.16	0.56
	11.8	3.32	0.16	0.24
	12	3.35	0.17	0.03
	12.4	3.34	0.18	-0.04
	12.7	3.36	0.2	0.1
	13	3.36	0.2	0.29
	13.2	3.45	0.29	0.33
	13.5	3.44	0.29	0
	13.8	3.4	0.26	0.01

	14.1	3.28	0.15	0.03
	14.4	3.2	0.03	0
Waterline	14.6	3.18	0	0
	14.8	3.06		
	15	3		
Bankfull	15.3	2.8		
	15.7	2.26		
	16.3	1.97		
	17	1.37		
	18	1.3		
	19	1.34		
	20	1.8		
	21	1.78		
	22	1.92		
	22.5	1.94		

Cross-section for Elk Creek - 10/03/2019 XS 1



COMPUTED FROM MEASURED FIELD DATA

Wetted Perimeter (ft)	Water Depth (ft)	Area (SQ ft)	Discharge (cfs)	Percent Discharge
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0.31	0.06	0.03	0	0
0.8	0.12	0.08	0	0
0.51	0.06	0.02	0.01	5.37
0.32	0.15	0.05	0.02	13.93
0.3	0.15	0.04	0	3.23
0.2	0.16	0.03	0	1.1
0.2	0.18	0.04	0.01	5.88
0.2	0.2	0.04	0.01	9.29
0.21	0.16	0.03	0.02	15.41
0.2	0.16	0.03	0.01	6.61
0.2	0.17	0.05	0	1.32
0.4	0.18	0.06	0	-2.17
0.3	0.2	0.06	0.01	5.16
0.3	0.2	0.05	0.01	12.47
0.22	0.29	0.07	0.02	20.58
0.3	0.29	0.09	0	0
0.3	0.26	0.08	0	0.67

0.32	0.15	0.04	0	1.16
0.31	0.03	0.01	0	0
0.2	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0

DISCLAIMER

"The Colorado Water Conservation Board makes no representations about the use of the software contained in the R2Cross platform for any purpose besides that for which it was designed. To the maximum extent permitted by applicable law, all information, modeling results, and software are provided "as is" without warranty or condition of any kind, including all implied warranties or conditions of merchantability, or fitness for a particular purpose. The user assumes all responsibility for the accuracy and suitability of this program for a specific application. In no event shall the Colorado Water Conservation Board or any state agency, official or employee be liable for any direct, indirect, punitive, incidental, special, consequential damages or any damages whatsoever including, without limitation, damages for loss of use, data, profits, or savings arising from the implementation, reliance on, or use of or inability to use the R2Cross platform.



COLORADO WATER
CONSERVATION BOARD

FIELD DATA
FOR
INSTREAM FLOW DETERMINATIONS



LOCATION INFORMATION

STREAM NAME:	Elk Creek			CROSS-SECTION NO.:
CROSS-SECTION LOCATION:	Elk 2X N 38°52.192 W 107°04.649 *Converted to UTM Z 3N NAD83 w/NCA			
DATE: 10/13/19	OBSERVERS: Ashley Bembeneck, Julie Nanig Elk Creek downstream of Copley Lake drainage and EPA's ELK-08 WQ site.			
LEGAL DESCRIPTION	1/4 SECTION:	SECTION:	TOWNSHIP:	N/S RANGE: E/W PM:
COUNTY: Gunnison	WATERSHED: Coal Creek		WATER DIVISION 4	DOW WATER CODE:
MAP(S): USGS:				
USFS:				

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION:	YES / NO	METER TYPE:	HACH 950(AEC)			
METER NUMBER: NA	DATE RATED: NA	CALIB/SPIN	NA sec	TAPE WEIGHT	NA lbs/foot	TAPE TENSION. NA lbs
CHANNEL BED MATERIAL SIZE RANGE: Pebbles to boulders		PHOTOGRAPHS TAKEN YES/NO		NUMBER OF PHOTOGRAPHS:		

CHANNEL PROFILE DATA

Add additional notes on photos on back

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)	SKETCH	LEGEND: Stake (X) Station (1) Photo (1) → Direction of Flow ← →
(X) Tape @ Stake LB	-0.0 2.0'	1.0'		
(X) Tape @ Stake RB	-0.0 22.5'	1.90'		
(1) WS @ Tape LB/RB	0.0	LEW: 3.20' / REW: 3.18'		
(2) WS Upstream	10'	5.40'		
(3) WS Downstream	6'	4.82'		
SLOPE	0.03625			

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES/NO	DISTANCE ELECTROFISHED: ft	FISH CAUGHT YES/NO	WATER CHEMISTRY SAMPLED: YES/NO														
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																	
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL
Saw tiger Salamander in Fall 2018																	

AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME

Seephoto #4 - Saw some macros in the EPT Family

COMMENTS

- Cross-section approximately 7' upstream of step-pool formed by woody debris. Drop is 2-3' into 8' long + 5' wide pool.
- REW stake set back to avoid rib of rocky soil.

DISCHARGE/CROSS SECTION NOTES * TSM = Too shallow to measure

STREAM NAME: Elk Creek downstream of Copley Lake Drainage.						CROSS-SECTION NO. ELK 2X		DATE 3 OCT 2019		SHEET 1 OF 2		
BEGINNING OF MEASUREMENT		EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE)		LEFT	RIGHT	Gage Reading: NA ft		TIME 13:00				
Features	Stake (S) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observa- tion (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
									At Point	Mean in Vertical		

(S)		2.0'	1.04'	Q								
		2.5'	1.53'	Q								
		3.0'	1.93'	Q								
(B)		3.3'	2.82'	Q								
		3.8'	2.86'	Q								
		4.3'	2.78'	Q								
		5.1'	2.72'	Q								
		5.7'	2.70'	Q								
		6.4'	2.68'	Q								
		7.0'	2.76'	Q								
		7.5'	2.88'	Q								
		8.0'	2.96'	Q								
(W)		8.6	3.20'	Q								
		8.9	3.26	0.06'					TSTM			
		9.7	3.32	0.12'					TSTM			
		10.2	3.24	0.06					0.26			
		10.5	3.34	0.15					0.36			
		10.8	3.32	0.15					0.10			
		11.0	3.34	0.16					0.04			
		11.2	3.36	0.18					0.19			
		11.4	3.38	0.2					0.27			
		11.6	3.33	0.16					0.56			
		11.8	3.32	0.16					0.24			
		12.0	3.35	0.17					0.03			
		12.4	3.34	0.18					-0.04			
		12.7	3.36	0.2					0.1			
		13.0	3.36	0.2					0.29			
		13.2	3.45	0.29					0.33			
		13.5	3.44	0.29					-0.02			
		13.8	3.4	0.26					0.01			
		14.1	3.29	0.15					0.03			
		14.4	3.2	0.03					TSTM			
(W)		14.6	3.18	Q								
		14.8	3.06	Q								
		15.0	3.0	Q								
		15.3	2.8	Q								
		15.7	2.26	Q								
		16.3	1.97	Q								
		17.0	1.37	Q								
		18	1.3	Q								
		19	1.34	Q								
		20	1.8	Q								
TOTALS												

End of Measurement	Time 14:30	Gage Reading NA ft	CALCULATIONS PERFORMED BY AJB	CALCULATIONS CHECKED BY AJB
--------------------	------------	--------------------	-------------------------------	-----------------------------

RB stake set into wood where able to pound stake
DISCHARGE/CROSS SECTION NOTES

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: Elk Creek downstream of Copley Lake + ELK-08						CROSS-SECTION NO.		DATE 10-3-19		SHEET 2 OF 2		
BEGINNING OF MEASUREMENT		EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE)			LEFT / RIGHT		Gage Reading: _____ ft		TIME			
Features	Stake (S) Grassline (G) Waterline (W) Rock (R)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observa- tion (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
		21	1.78	Q								
(G)		22	1.92	Q								
		22.5	1.94	Q								
TOTALS												
End of Measurement	Time 14:30	Gage Reading NA ft	CALCULATIONS PERFORMED BY: AJB				CALCULATIONS CHECKED BY: AJB					

End of Measurement

Time 14:30

Gage Readings

10

CALCULATIONS PERFORMED BY:

CALCULATIONS CHECKED BY

ATB

Cross-section: 1 @ Elk2X

Date: 10/3/19

drawing on back

Riffle Pebble Count Actual Measurements (mm) (cm)

Name: Julie Nania

E = embedded

1	2.4	26	2.9	51	28.2	76	3.3	
2	2.5	27	1.7	52	6.4	77	1.7	
3	8.2	28	1.3	53	7.6	78	6.3	
4	9.2 E	29	0.9	54	7.4	79	7.2	
5	2.8	30	2.6	55	7.8	80	12.4	101 5.6
6	3.4	31	0.7	56	17.4	81	8.1	102 5.7
7	5.8	32	5	57	7.2	82	9.2	103 21.2
8	1.2 BR	33	2.3	58	0.8	83	9.8	104
9	13	34	7.4 E	59	6.8	84	15.2	105
10	8.2	35	32.7	60	3.6	85	7.2	106
11	3.3	36	7.8 E	61	3.2	86	8.5	107
12	8.5	37	4.4	62	4.1	87	20.5 E	108
13	2.8	38	3.8	63	5.4	88	13.4	109
14	4.3	39	15.2	64	2.3	89	3.2	110
15	1.9	40	18.5	65	10.3	90	11.4	111
16	2.6	41	2.9	66	7.8	91	2.5	112
17	0.6	42	5.4	67	24.5 E	92	7.3	113
18	2.4	43	6.2	68	6.4	93	7.8	114
19	22.4	44	5.2	69	8.2	94	2.8	115
20	4.7	45	11.5	70	1.6	95	5.1	
21	5.7	46	5.4	71	13.2	96	2.6	
22	15.6	47	9.6	72	25.4	97	7.3	
23	2.3	48	24.0	73	Sand	98	4.2	
24	5.4	49	8.8	74	Sand	99	5.7	
25	12.5 E	50	9.2	75	9.2 E	100	2.6	

Please be sure to measure at least 100 pebbles (10 in 10 transects or 5 in 20 transects- depending on stream size, for accurate distributional representation.

EMBEDDEDNESS:

If intermediate particle axis is less than 32 mm chose the nearest cobble for embeddedness.

If no cobble >32 mm is present without taking a step, record 100% embedded.

	Random pebble for Percent Embeddedness (one per transect)										
5	7	10	9	3	8	5	2	1	7	#	D(e)/D(t)

D(e) = embedded depth; D(t) = total depth

48

BL

X section #1

BR

W 8 25 cm

R2Cross RESULTS

Stream Name: Elk Creek

Stream Locations: Elk Creek at EPA WQ monitoring station ELK-05

Fieldwork Date: 06/24/2020

Cross-section: 2

Observers: AJB, JN

Coordinate System: UTM Zone 13

X (easting): 320088

Y (northing): 4303828

Date Processed: 06/26/2020

Slope: 0.012

Computation method: Manning's n

R2Cross data filename: ELK-05 R2Cross Input 6-24-20.xlsx

R2Cross version: 1.0.19

LOCATION


ANALYSIS RESULTS

Habitat Criteria Results


Bankfull top width (ft) = 7.71

	Habitat Criteria	Discharge (cfs)	Meeting Criteria
Mean Depth (ft)	0.2	1.3	
Percent Wetted Perimeter (%) **	50.0	0.1	
Mean Velocity (ft/s)	1.0	1.51	


**Values highlighted in yellow indicate that the discharge is less than 40% of measured Q or greater than 250% of measured Q.



Elk Creek - 06/24/2020 XS 2



Elk Creek - 06/24/2020 XS 2




STAGING TABLE

Feature	Distance to Water (ft)	Top Width (ft)	Mean Depth (ft)	Maximum Depth (ft)	Area (SQ ft)	Wetted Perimeter (ft)	Percent Wetted Perimeter	Hydraulic Radius (ft)	Mean Velocity (ft/s)	Discharge (cfs)
Bankfull	1.88	7.71	0.36	0.52	2.77	8.13	100.00%	0.34	1.39	3.85
	1.89	7.65	0.35	0.51	2.67	8.06	99.10%	0.33	1.36	3.64
	1.91	7.58	0.34	0.49	2.57	7.98	98.21%	0.32	1.34	3.44
	1.92	7.52	0.33	0.48	2.47	7.91	97.31%	0.31	1.31	3.24
	1.93	7.45	0.32	0.47	2.38	7.84	96.41%	0.3	1.29	3.05
	1.95	7.39	0.31	0.46	2.28	7.77	95.51%	0.29	1.26	2.87
	1.96	7.32	0.3	0.44	2.18	7.69	94.62%	0.28	1.23	2.69
	1.97	7.25	0.29	0.43	2.09	7.62	93.72%	0.27	1.2	2.51
	1.98	7.19	0.28	0.42	1.99	7.55	92.82%	0.26	1.17	2.34
	1.99	7.17	0.27	0.41	1.97	7.53	92.58%	0.26	1.17	2.3
Waterline	2.0	7.12	0.27	0.4	1.9	7.47	91.93%	0.25	1.14	2.18
	2.01	7.09	0.26	0.39	1.81	7.43	91.38%	0.24	1.11	2.01
	2.02	7.04	0.24	0.38	1.72	7.38	90.73%	0.23	1.08	1.85
	2.04	7.0	0.23	0.36	1.63	7.32	90.07%	0.22	1.04	1.7
	2.05	6.95	0.22	0.35	1.54	7.27	89.41%	0.21	1.01	1.55
	2.06	6.91	0.21	0.34	1.45	7.22	88.76%	0.2	0.98	1.41
	2.08	6.86	0.2	0.33	1.36	7.16	88.10%	0.19	0.94	1.27
	2.09	6.82	0.19	0.31	1.27	7.11	87.44%	0.18	0.9	1.14
	2.1	6.77	0.17	0.3	1.18	7.05	86.73%	0.17	0.86	1.02
	2.11	6.67	0.16	0.29	1.09	6.94	85.36%	0.16	0.83	0.91
	2.13	6.57	0.15	0.27	1.01	6.83	83.99%	0.15	0.79	0.8
	2.14	6.47	0.14	0.26	0.92	6.72	82.62%	0.14	0.76	0.7
	2.15	6.38	0.13	0.25	0.84	6.61	81.24%	0.13	0.72	0.6
	2.17	6.28	0.12	0.23	0.75	6.49	79.87%	0.12	0.68	0.51
	2.18	6.18	0.11	0.22	0.67	6.38	78.50%	0.11	0.64	0.43

2.19	6.08	0.1	0.21	0.59	6.27	77.13%	0.09	0.59	0.35
2.21	5.53	0.09	0.2	0.52	5.7	70.09%	0.09	0.58	0.3
2.22	5.27	0.08	0.18	0.45	5.43	66.77%	0.08	0.54	0.24
2.23	5.02	0.08	0.17	0.38	5.16	63.46%	0.07	0.5	0.19
2.24	4.77	0.07	0.16	0.32	4.89	60.14%	0.06	0.46	0.15
2.26	4.16	0.06	0.14	0.26	4.27	52.51%	0.06	0.44	0.11
2.27	3.81	0.05	0.13	0.21	3.91	48.03%	0.05	0.4	0.08
2.28	3.46	0.05	0.12	0.16	3.54	43.56%	0.05	0.36	0.06
2.3	3.11	0.04	0.1	0.12	3.18	39.09%	0.04	0.32	0.04
2.31	1.36	0.07	0.09	0.09	1.42	17.52%	0.06	0.46	0.04
2.32	1.31	0.06	0.08	0.08	1.37	16.79%	0.06	0.41	0.03
2.33	1.26	0.05	0.06	0.06	1.31	16.06%	0.04	0.36	0.02
2.35	1.21	0.04	0.05	0.04	1.25	15.33%	0.03	0.3	0.01
2.36	1.02	0.03	0.04	0.03	1.05	12.95%	0.03	0.25	0.01
2.37	0.82	0.02	0.03	0.02	0.84	10.27%	0.02	0.2	0.0

MODEL SUMMARY


Measured Flow (Qm) =	2.31
Calculated Flow (Qc) =	2.3
(Qm-Qc)/Qm * 100 =	0.75%
Measured Waterline (WLm) =	2
Calculated Waterline (WLc) =	1.99
(WLm-WLc)/WLm * 100 =	0.87%
Max Measured Depth (Dm) =	0.4
Max Calculated Depth (Dc) =	0.41
(Dm-Dc)/Dm * 100 =	-3.13%
Mean Velocity =	1.17
Manning's n =	0.057
0.4 * Qm =	0.93
2.5 * Qm =	5.78



FIELD DATA

Feature	Station	Rod Height (ft)	Water depth (ft)	Velocity (ft/s)
	1	0.78		
	2	1.2		
Bankfull	2.1	1.78		
Waterline	2.3	2.01	0	0
	2.9	2.25	0.3	-0.02
	3.2	2.3	0.35	0.44
	3.7	2.3	0.35	0.77
	4	2.3	0.35	1.09
	4.3	2.25	0.3	1.46
	4.6	2.2	0.2	1.65
	5	2.2	0.2	1.71
	5.3	2.25	0.25	1.75
	5.6	2.3	0.3	2.02
	5.9	2.25	0.25	1.7
	6.2	2.25	0.25	1.72
	6.5	2.1	0.1	1.89
	6.9	2.3	0.3	1.34
	7.2	2.3	0.3	1.41
	7.7	2.3	0.3	1.02
	8	2.4	0.4	1.7
	8.3	2.35	0.35	1.58
	8.6	2.4	0.4	1.11
	9	2.4	0.4	0.45
Waterline	9.4	2	0	0
Bankfull	9.9	1.88		
	11.6	0.97		

Cross-section for Elk Creek - 06/24/2020 XS 2



COMPUTED FROM MEASURED FIELD DATA

Wetted Perimeter (ft)	Water Depth (ft)	Area (SQ ft)	Discharge (cfs)	Percent Discharge
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0.65	0.3	0.14	0	-0.12
0.3	0.35	0.14	0.06	2.66
0.5	0.35	0.14	0.11	4.66
0.3	0.35	0.1	0.11	4.95
0.3	0.3	0.09	0.13	5.68
0.3	0.2	0.07	0.12	4.99
0.4	0.2	0.07	0.12	5.17
0.3	0.25	0.07	0.13	5.67
0.3	0.3	0.09	0.18	7.86
0.3	0.25	0.07	0.13	5.51
0.3	0.25	0.07	0.13	5.58
0.34	0.1	0.04	0.07	2.86
0.45	0.3	0.1	0.14	6.08
0.3	0.3	0.12	0.17	7.32
0.5	0.3	0.12	0.12	5.29
0.32	0.4	0.12	0.2	8.82
0.3	0.35	0.1	0.17	7.17
0.3	0.4	0.14	0.16	6.72
0.4	0.4	0.16	0.07	3.11
0.57	0	0	0	0
0	0	0	0	0
0	0	0	0	0

DISCLAIMER

"The Colorado Water Conservation Board makes no representations about the use of the software contained in the R2Cross platform for any purpose besides that for which it was designed. To the maximum extent permitted by applicable law, all information, modeling results, and software are provided "as is" without warranty or condition of any kind, including all implied warranties or conditions of merchantability, or fitness for a particular purpose. The user assumes all responsibility for the accuracy and suitability of this program for a specific application. In no event shall the Colorado Water Conservation Board or any state agency, official or employee be liable for any direct, indirect, punitive, incidental, special, consequential damages or any damages whatsoever including, without limitation, damages for loss of use, data, profits, or savings arising from the implementation, reliance on, or use of or inability to use the R2Cross platform.



COLORADO WATER
CONSERVATION BOARD

FIELD DATA
FOR
INSTREAM FLOW DETERMINATIONS

Start time: 14:45
End time: 16:50
X Start to finish, includes
X-section set-up, pebble count.



LOCATION INFORMATION

STREAM NAME:		Elk Creek (tributary to Coal Creek near Crested Butte)			CROSS-SECTION NO.:	
CROSS-SECTION LOCATION:		Elk Creek at EPA WQ monitoring station ELK-05			2	
DATE:	6-24-20	OBSERVERS:	A. Bembenek, J. Naniu,			
LEGAL DESCRIPTION	% SECTION:	SECTION:	TOWNSHIP:	N/S	RANGE:	E/W PM:
COUNTY:	WATERSHED:		WATER DIVISION		DOW WATER CODE:	
MAP(S):	USGS:					
MAP(S):	USFS:					

EIK5HCCA N 38.86490° W 107.07367

UTM Zone 13N, 320088 Easting, 4303828 Northing

SUPPLEMENTAL DATA

SAG TAPE SECTION SAME AS DISCHARGE SECTION: YES / NO		METER TYPE: AEC Hach FH950	File name: 624 ELK05			
METER NUMBER: NA	DATE RATED:	CALIB/SPIN	NA sec	TAPE WEIGHT	NA lbs/foot	TAPE TENSION NA lbs
CHANNEL BED MATERIAL SIZE RANGE: Sand to small boulder		PHOTOGRAPHS TAKEN YES / NO		NUMBER OF PHOTOGRAPHS: 5 locations. See photo log.		

CHANNEL PROFILE DATA

STATION	DISTANCE FROM TAPE (ft)	ROD READING (ft)	SKETCH			LEGEND:
(X) Tape @ Stake LB	0.0	1.0'				Stake (X)
(X) Tape @ Stake RB	0.0	1.6				Station (1)
(1) WS @ Tape LB/RB	0.0	2.01'/2.01'				Photo (1→)
(2) WS Upstream	6.4' upstream	1.88'				Direction of Flow ←
(3) WS Downstream	1.9' downstream	1.98'				→
SLOPE	$(0.1' / 8.3) = 0.012$					

AQUATIC SAMPLING SUMMARY

STREAM ELECTROFISHED: YES / NO	DISTANCE ELECTROFISHED _____ ft	FISH CAUGHT: YES / NO	WATER CHEMISTRY SAMPLED: YES / NO														
LENGTH - FREQUENCY DISTRIBUTION BY ONE-INCH SIZE GROUPS (1.0-1.9, 2.0-2.9, ETC.)																	
SPECIES (FILL IN)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	>15	TOTAL
Saw several EPT macros. Banks covered in thick moss. Narrow but very robust riparian area.																	
AQUATIC INSECTS IN STREAM SECTION BY COMMON OR SCIENTIFIC ORDER NAME																	

COMMENTS

Distance upstream and downstream for slope were limited by length of feature and dense vegetation.
Elk Creek is a very steep cascade-pool system w/ ample woody debris. The cross-section is located
in a very short riffle between drops. Seep/spring channel flows into Elk Creek from left
bank immediately below cross-section.

Photo Log:

Location 1: DS of X-section, U/S view (multiple photos).

Location 2: Right bank stake looking to Left bank. Hummingbird flew to LBS to check out red part of clamp.
(multiple photos)

Location 3: Left bank stake looking to right bank. (multiple photos).

Location 4: Seep/spring tributary that flows into Elk Creek approximately 10' ds of x-section (multiple photos)

Location 5: VS of x-section, D/S view (multiple photos)

All photos on ATB's cell.

DISCHARGE/CROSS SECTION NOTES

STREAM NAME: Elk Creek @ ELK-05						CROSS-SECTION NO.: 2	DATE: 6/24/20	SHEET 1 OF 1				
BEGINNING OF MEASUREMENT		EDGE OF WATER LOOKING DOWNSTREAM: (0.0 AT STAKE)			LEFT / RIGHT	Gage Reading: _____ ft	TIME: 14:45					
Features	Stake (S)	Distance From Initial Point (ft)	Width (ft)	Total Vertical Depth From Tape/Inst (ft)	Water Depth (ft)	Depth of Observation (ft)	Revolutions	Time (sec)	Velocity (ft/sec)		Area (ft ²)	Discharge (cfs)
	Grassline (G)	Waterline (W)	Rock (R)						At Point	Mean in Vertical		

S	1		0.78									
	2		1.20									
BF	2.1		1.78									
W	2.3		2.01	0								
	2.9		2.25	0.30					-0.02			
	3.2		2.30	0.35					0.44			
	3.7		2.30	0.35					0.77			
	4		2.30	0.35					1.09			
	4.3		2.25	0.30					1.46			
	4.6		2.20	0.20					1.65			
	5		2.20	0.20					1.71			
	5.3		2.25	0.25					1.75			
	5.6		2.30	0.30					2.19 → use 2.02 as median			
	5.9		2.25	0.25					1.70			
	6.2		2.25	0.25					1.72			
emburred Rock	6.5		2.10	0.10					1.95	use redo 1.89		
	6.9		2.30	0.30					1.34			
	7.2		2.30	0.30					1.41			
emburred rocks	7.7		2.30	0.30					1.02	* 7.2 to 7.7 gap needed b/c of		
sloped V	8.0		2.40	0.40					1.70	rock		
	8.3		2.35	0.35					1.59			
	8.6		2.40	0.40					1.11			
	9		2.40	0.40					0.45			
W	9.4		2.00	0								
BF	9.9		1.88									
	10.9		1.46									
S	11.6		0.97									
repeats*	5.6		2.30	0.30					2.02 / 1.98			
	6.5		2.10	0.10					1.89 / [1.89] / 1.83			
* We repeated the velocity measurements at position 5.6' & 6.5'. Use median velocities.												
TOTALS												
End of Measurement		Time 16:50		Gage Reading _____ ft		CALCULATIONS PERFORMED BY:				CALCULATIONS CHECKED BY		

Hach Flow: 2.08 cfs. USGS Flume@ 16:30 = 3.18 cfs (P)

Elk Creek (tributary to Coal Creek near Crested Butte)
 3:00 pm 6/24/2020 J. Nania

Riffle Pebble Count Actual Measurements (mm) ^{cm}

1	0.9	26	1.8	51	29(E)	76	fines	
2	32E	27	13.2	52	7.0	77	5	
3	13.5	28	2.1	53	23(E)	78	3(E)	
4	28.5	29	5	54	15	79	fines	
5	F	30	7.1	55	3.5	80	2.5	101
6	10	31	5.2	56	1.9	81	8	102
7	2	32	6.8	57	33(E)	82	0.5	103
8	21	33	13.5 (E)	58	9	83	8	104
9	1	34	4.5	59	3.5	84	5.5(E)	105
10	12	35	8.5	60	1.8	85	8	106
11	3.5	36	24	61	2	86	4.5(E)	107
12	8	37	3	62	0.5	87	4	108
13	1.5	38	9	63	1	88	18(E)	109
14	2.2	39	1.5	64	1.6	89	fines	110
15	9	40	6.0	65	fines	90	2	111
16	4.4	41	3.5	66	10 (E)	91	2(E)	112
17	4	42	3.5	67	8	92	fines	113
18	7.8	43	11	68	0.3	93	fines	114
19	3.5 (E)	44	7	69	3.5	94	2	115
20	9.5 (E)	45	8	70	1.6 (E)	95	5	
21	6.5	46	22 (E)	71	6 (E)	96	12 (E)	
22	4.2	47	11 (E)	72	fines	97	1	
23	11.6	48	24	73	2(E)	98	fines	
24	7.4	49	9 (E)	74	4	99	2	
25	14.3	50	16 (E)	75	8	100	3	

Please be sure to measure at least 100 pebbles (10 in 10 transects or 5 in 20 transects- depending on stream size, for accurate distributional representation.
EMBEDDEDNESS:

If intermediate particle axis is less than 32 mm chose the nearest cobble for embeddedness.

If no cobble >32 mm is present without taking a step, record 100% embedded.

	Random pebble for Percent Embeddedness (one per transect)										#
5	7	10	9	3	8	5	2	1	7		D(e)/D(t)

D(e) = embedded depth; D(t) = total depth

Attachment D- StreamStats


StreamStats Report

Region ID: CO

Workspace ID: CO20191126235019521000

Clicked Point (Latitude, Longitude): 38.85603, -107.05964

Time: 2019-11-26 16:50:37 -0700



Basin Characteristics

Parameter	Code	Parameter Description	Value	Unit
DRNAREA		Area that drains to a point on a stream	1.68	square miles
BSLDEM10M		Mean basin slope computed from 10 m DEM	36	percent
PRECIP		Mean Annual Precipitation	33.75	inches
ELEV		Mean Basin Elevation	10955	feet
CSL1085LFP		Change in elevation divided by length between points 10 and 85 percent of distance along the longest flow path to the basin divide, LFP from 2D grid	703.1	feet per mile
EL7500		Percent of area above 7500 ft	100	percent

Parameter	Code	Parameter Description	Value	Unit
ELEVMAX		Maximum basin elevation	12300	feet
I24H100Y		Maximum 24-hour precipitation that occurs on average once in 100 years	3.71	inches
I24H2Y		Maximum 24-hour precipitation that occurs on average once in 2 years - Equivalent to precipitation intensity index	1.77	inches
I6H100Y		6-hour precipitation that is expected to occur on average once in 100 years	1.89	inches
I6H2Y		Maximum 6-hour precipitation that occurs on average once in 2 years	0.97	inches
LAT_OUT		Latitude of Basin Outlet	38.856021	degrees
LC11BARE		Percentage of barren from NLCD 2011 class 31	2.9	percent
LC11CRPHAY		Percentage of cultivated crops and hay, classes 81 and 82, from NLCD 2011	0	percent
LC11DEV		Percentage of developed (urban) land from NLCD 2011 classes 21-24	0.1	percent
LC11FOREST		Percentage of forest from NLCD 2011 classes 41-43	56.7	percent
LC11GRASS		Percent of area covered by grassland/herbaceous using 2011 NLCD	35.8	percent
LC11IMP		Average percentage of impervious area determined from NLCD 2011 impervious dataset	4.1	percent
LC11SHRUB		Percent of area covered by shrubland using 2011 NLCD	0	percent
LC11SNOIC		Percent snow and ice from NLCD 2011 class 12	0	percent
LC11WATER		Percent of open water, class 11, from NLCD 2011	0.6	percent
LC11WETLND		Percentage of wetlands, classes 90 and 95, from NLCD 2011	3.9	percent
LFPLENGTH		Length of longest flow path	3.21	miles
LONG_OUT		Longitude of Basin Outlet	-107.059617	degrees
MINBELEV		Minimum basin elevation	9540	feet
OUTLETELEV		Elevation of the stream outlet in thousands of feet above NAVD88.	9544	feet
RCN		Runoff-curve number as defined by NRCS (http://policy.nrcc.usda.gov/OpenNonWebContent.aspx?content=17758.wba)	47.5	dimens

Parameter	Code	Parameter Description	Value	Unit
RUNCO_CO		Soil runoff coefficient as defined by Verdin and Gross (2017)	0.38	dimens
SSURGOA		Percentage of area of Hydrologic Soil Type A from SSURGO	42.7	percent
SSURGOB		Percentage of area of Hydrologic Soil Type B from SSURGO	45.3	percent
SSURGOC		Percentage of area of Hydrologic Soil Type C from SSURGO	0	percent
SSURGOD		Percentage of area of Hydrologic Soil Type D from SSURGO	6.54	percent
STATSCLAY		Percentage of clay soils from STATSGO	24.02	percent
STORNHD		Percent storage (wetlands and waterbodies) determined from 1:24K NHD	0.7	percent
TOC		Time of concentration in hours	2.02	hours

Peak-Flow Statistics Parameters [Mountain Region Peak Flow]

Parameter	Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA		Drainage Area	1.68	square miles	1	1060
BSLDEM10M		Mean Basin Slope from 10m DEM	36	percent	7.6	60.2
PRECIP		Mean Annual Precipitation	33.75	inches	18	47

Peak-Flow Statistics Flow Report [Mountain Region Peak Flow]

PII: Prediction Interval-Lower, Piu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
2 Year Peak Flood	39.8	ft^3/s	49
5 Year Peak Flood	54.9	ft^3/s	44
10 Year Peak Flood	63.8	ft^3/s	41
25 Year Peak Flood	77.1	ft^3/s	40

Statistic	Value	Unit	SEp
50 Year Peak Flood	89.9	ft^3/s	39
100 Year Peak Flood	97.7	ft^3/s	36
200 Year Peak Flood	104	ft^3/s	36
500 Year Peak Flood	121	ft^3/s	33

Peak-Flow Statistics Citations

Capesius, J.P., and Stephens, V. C., 2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

Monthly Flow Statistics Parameters [Mountain Region Mean Flow]

Parameter Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA	Drainage Area	1.68	square miles	1	1060
PRECIP	Mean Annual Precipitation	33.75	inches	18	47

Monthly Flow Statistics Flow Report [Mountain Region Mean Flow]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
January Mean Flow	0.379	ft^3/s	50
February Mean Flow	0.348	ft^3/s	51
March Mean Flow	0.346	ft^3/s	49
April Mean Flow	0.65	ft^3/s	44
May Mean Flow	6.49	ft^3/s	46
June Mean Flow	16.5	ft^3/s	46
July Mean Flow	6.27	ft^3/s	76
August Mean Flow	2.4	ft^3/s	80
September Mean Flow	1.23	ft^3/s	59
October Mean Flow	0.901	ft^3/s	45
November Mean Flow	0.633	ft^3/s	46
December Mean Flow	0.445	ft^3/s	47

Monthly Flow Statistics Citations

Capesius, J.P., and Stephens, V. C.,2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

Annual Flow Statistics Parameters[Mountain Region Mean Flow]

Parameter Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA	Drainage Area	1.68	square miles	1	1060
PRECIP	Mean Annual Precipitation	33.75	inches	18	47

Annual Flow Statistics Flow Report[Mountain Region Mean Flow]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
Mean Annual Flow	3.17	ft^3/s	33

Annual Flow Statistics Citations

Capesius, J.P., and Stephens, V. C.,2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

Low-Flow Statistics Parameters[Mountain Region Min Flow]

Parameter Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA	Drainage Area	1.68	square miles	1	1060
PRECIP	Mean Annual Precipitation	33.75	inches	18	47
ELEV	Mean Basin Elevation	10955	feet	8600	12000

Low-Flow Statistics Flow Report[Mountain Region Min Flow]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
7 Day 2 Year Low Flow	0.179	ft^3/s	89

Statistic	Value	Unit	SEp
7 Day 10 Year Low Flow	0.108	ft^3/s	153
7 Day 50 Year Low Flow	0.0846	ft^3/s	126

Low-Flow Statistics Citations

Capesius, J.P., and Stephens, V. C.,2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

Flood-Volume Statistics Parameters [Mountain Region Max Flow]

Parameter Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA	Drainage Area	1.68	square miles	1	1060
PRECIP	Mean Annual Precipitation	33.75	inches	18	47

Flood-Volume Statistics Flow Report [Mountain Region Max Flow]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
7 Day 2 Year Maximum	23.6	ft^3/s	46
7 Day 10 Year Maximum	34	ft^3/s	35
7 Day 50 Year Maximum	44.8	ft^3/s	31

Flood-Volume Statistics Citations

Capesius, J.P., and Stephens, V. C.,2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

Flow-Duration Statistics Parameters [Mountain Region Flow Duration]

Parameter Code	Parameter Name	Value	Units	Min Limit	Max Limit
DRNAREA	Drainage Area	1.68	square miles	1	1060
PRECIP	Mean Annual Precipitation	33.75	inches	18	47

Flow-Duration Statistics Flow Report[Mountain Region Flow Duration]

PII: Prediction Interval-Lower, Plu: Prediction Interval-Upper, SEp: Standard Error of Prediction, SE: Standard Error (other -- see report)

Statistic	Value	Unit	SEp
10 Percent Duration	8.98	ft ³ /s	45
25 Percent Duration	1.95	ft ³ /s	55
50 Percent Duration	0.643	ft ³ /s	55
75 Percent Duration	0.329	ft ³ /s	64
90 Percent Duration	0.165	ft ³ /s	85

Flow-Duration Statistics Citations

Capesius, J.P., and Stephens, V. C., 2009, Regional Regression Equations for Estimation of Natural Streamflow Statistics in Colorado: U. S. Geological Survey Scientific Investigations Report 2009-5136, 32 p.
[\(http://pubs.usgs.gov/sir/2009/5136/\)](http://pubs.usgs.gov/sir/2009/5136/)

USGS Data Disclaimer: Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data for other purposes, nor on all computer systems, nor shall the act of distribution constitute any such warranty.

USGS Software Disclaimer: This software has been approved for release by the U.S. Geological Survey (USGS). Although the software has been subjected to rigorous review, the USGS reserves the right to update the software as needed pursuant to further analysis and review. No warranty, expressed or implied, is made by the USGS or the U.S. Government as to the functionality of the software and related material nor shall the fact of release constitute any such warranty. Furthermore, the software is released on condition that neither the USGS nor the U.S. Government shall be held liable for any damages resulting from its authorized or unauthorized use.

USGS Product Names Disclaimer: Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Application Version: 4.3.11

Attachment E- USGS Topographic Quadrangle Map



U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY



MOUNT AXTELL QUADRANGLE
COLORADO-GUNNISON CO.
7.5-MINUTE SERIES



Produced by the United States Geological Survey

North American Datum of 1983 (NAD83)
World Geodetic System of 1984 (WGS84) Projection and
100-meter grid; Universal Transverse Mercator, Zone 13S
10,000-foot ticks; Colorado Coordinate System of 1983 (central
zone)

This map is a legal document. Boundaries may be
generalized for this map scale. Private lands within government
reservations may not be shown. Obtain permission before
entering private lands.

Imagery.....NAIP, September 2013

Roads.....U.S. Census Bureau, 2015

Roads within US Forest Service Lands.....USFS Topo Data
with limited Forest Service updates, 2012 - 2016

Names.....GNIS, 2016

Hydrography.....National Hydrography Dataset, 2013


Boundaries.....Multiple sources; see metadata file 1972 - 2016

Public Land Survey System.....BLM, 2011

Wetlands.....FWS National Wetlands Inventory 1977 - 2014

UTM GRID AND 2015 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

U.S. National Grid
100,000-m Square ID
CD 4000 CC 400 Grid Zone Designation 13S



CONTOUR INTERVAL 40 FEET

NORTH AMERICAN VERTICAL DATUM OF 1988

This map was produced to conform with the
National Geospatial Program US Topo Product Standard, 2011.
A metadata file associated with this product is draft version 0.6.19

1	2	3
4	5	6
7	8	9

- 1 Marcellina Mountain
2 Oh-be-joyful
3 Gothic
4 Anthracite Range
5 Crested Butte
6 West Elk Peak
7 Squirrel Creek
8 Flat Top

ADJOINING QUADRANGLES

ROAD CLASSIFICATION	Local Connector	Local Road
Expressway		
Secondary Hwy		
Ramp		
Interstate Route		
US Route		
State Route		
FS Primary Route		
FS Passenger Route		
FS High Clearance Route		

Check with local Forest Service unit
for current travel conditions and restrictions.

MOUNT AXTELL, CO
2016

NSN 76430163593473
NSA REF NO. USGSX24K30473

Attachment F- USGS Flow Data (provided to CWCB staff as an Excel file)

```
# ----- WARNING -----
# Some of the data that you have obtained from this U.S. Geological Survey database
# may not have received Director's approval. Any such data values are qualified
# as provisional and are subject to revision. Provisional data are released on the
# condition that neither the USGS nor the United States Government may be held liable
# for any damages resulting from its use.
#
# Additional info: https://help.waterdata.usgs.gov/policies/provisional-data-statement
#
# File-format description: https://help.waterdata.usgs.gov/faq/about-tab-delimited-output
# Automated-retrieval info: https://help.waterdata.usgs.gov/faq/automated-retrievals
#
# Contact: gs-w_support_nwisweb@usgs.gov
# retrieved: 2020-09-06 18:54:35 EDT (caww01)
#
# Data for the following 1 site(s) are contained in this file
# USGS 09110990 ELK CREEK AT COAL CREEK ABV CRESTED BUTTE, CO
# -----
#
# Data provided for site 09110990
#      TS parameter statistic Description
# 243415 00060 00003 Discharge, cubic feet per second (Mean)
#
# Data-value qualification codes included in this output:
#
# A Approved for publication -- Processing and review completed.
# P Provisional data subject to revision.
# e Value has been estimated.
#
agency_cd    site_no datetime    243415_00060_00003    243415_00060_00003_cd
5s   15s   20d   14n   10s
USGS 09110990    2017-10-17    0.49  A:e
USGS 09110990    2017-10-18    0.49  A:e
USGS 09110990    2017-10-19    0.50  A:e
USGS 09110990    2017-10-20    0.51  A:e
USGS 09110990    2017-10-21    0.51  A:e
USGS 09110990    2017-10-22    0.48  A:e
USGS 09110990    2017-10-23    0.48  A:e
USGS 09110990    2017-10-24    0.45  A:e
USGS 09110990    2017-10-25    0.44  A:e
USGS 09110990    2017-10-26    0.43  A:e
USGS 09110990    2017-10-27    0.41  A:e
USGS 09110990    2017-10-28    0.41  A:e
USGS 09110990    2017-10-29    0.41  A:e
USGS 09110990    2017-10-30    0.41  A:e
USGS 09110990    2017-10-31    0.45  A:e
USGS 09110990    2017-11-01    0.46  A:e
USGS 09110990    2017-11-02    0.45  A:e
USGS 09110990    2017-11-03    0.44  A:e
```

USGS	09110990	2017-11-04	0.44	A:e
USGS	09110990	2017-11-05	0.45	A:e
USGS	09110990	2017-11-06	0.44	A:e
USGS	09110990	2017-11-07	0.42	A:e
USGS	09110990	2017-11-08	0.40	A:e
USGS	09110990	2017-11-09	0.37	A:e
USGS	09110990	2017-11-10	0.36	A:e
USGS	09110990	2017-11-11	0.37	A:e
USGS	09110990	2017-11-12	0.34	A:e
USGS	09110990	2017-11-13	0.35	A:e
USGS	09110990	2017-11-14	0.35	A:e
USGS	09110990	2017-11-15	0.33	A:e
USGS	09110990	2017-11-16		
USGS	09110990	2017-11-17		
USGS	09110990	2017-11-18		
USGS	09110990	2017-11-19		
USGS	09110990	2017-11-20		
USGS	09110990	2017-11-21		
USGS	09110990	2017-11-22		
USGS	09110990	2017-11-23		
USGS	09110990	2017-11-24		
USGS	09110990	2017-11-25		
USGS	09110990	2017-11-26		
USGS	09110990	2017-11-27		
USGS	09110990	2017-11-28		
USGS	09110990	2017-11-29		
USGS	09110990	2017-11-30		
USGS	09110990	2017-12-01		
USGS	09110990	2017-12-02		
USGS	09110990	2017-12-03		
USGS	09110990	2017-12-04		
USGS	09110990	2017-12-05		
USGS	09110990	2017-12-06		
USGS	09110990	2017-12-07		
USGS	09110990	2017-12-08		
USGS	09110990	2017-12-09		
USGS	09110990	2017-12-10		
USGS	09110990	2017-12-11		
USGS	09110990	2017-12-12		
USGS	09110990	2017-12-13		
USGS	09110990	2017-12-14		
USGS	09110990	2017-12-15		
USGS	09110990	2017-12-16		
USGS	09110990	2017-12-17		
USGS	09110990	2017-12-18		
USGS	09110990	2017-12-19		
USGS	09110990	2017-12-20		
USGS	09110990	2017-12-21		
USGS	09110990	2017-12-22		

USGS	09110990	2017-12-23
USGS	09110990	2017-12-24
USGS	09110990	2017-12-25
USGS	09110990	2017-12-26
USGS	09110990	2017-12-27
USGS	09110990	2017-12-28
USGS	09110990	2017-12-29
USGS	09110990	2017-12-30
USGS	09110990	2017-12-31
USGS	09110990	2018-01-01
USGS	09110990	2018-01-02
USGS	09110990	2018-01-03
USGS	09110990	2018-01-04
USGS	09110990	2018-01-05
USGS	09110990	2018-01-06
USGS	09110990	2018-01-07
USGS	09110990	2018-01-08
USGS	09110990	2018-01-09
USGS	09110990	2018-01-10
USGS	09110990	2018-01-11
USGS	09110990	2018-01-12
USGS	09110990	2018-01-13
USGS	09110990	2018-01-14
USGS	09110990	2018-01-15
USGS	09110990	2018-01-16
USGS	09110990	2018-01-17
USGS	09110990	2018-01-18
USGS	09110990	2018-01-19
USGS	09110990	2018-01-20
USGS	09110990	2018-01-21
USGS	09110990	2018-01-22
USGS	09110990	2018-01-23
USGS	09110990	2018-01-24
USGS	09110990	2018-01-25
USGS	09110990	2018-01-26
USGS	09110990	2018-01-27
USGS	09110990	2018-01-28
USGS	09110990	2018-01-29
USGS	09110990	2018-01-30
USGS	09110990	2018-01-31
USGS	09110990	2018-02-01
USGS	09110990	2018-02-02
USGS	09110990	2018-02-03
USGS	09110990	2018-02-04
USGS	09110990	2018-02-05
USGS	09110990	2018-02-06
USGS	09110990	2018-02-07
USGS	09110990	2018-02-08
USGS	09110990	2018-02-09

USGS	09110990	2018-02-10
USGS	09110990	2018-02-11
USGS	09110990	2018-02-12
USGS	09110990	2018-02-13
USGS	09110990	2018-02-14
USGS	09110990	2018-02-15
USGS	09110990	2018-02-16
USGS	09110990	2018-02-17
USGS	09110990	2018-02-18
USGS	09110990	2018-02-19
USGS	09110990	2018-02-20
USGS	09110990	2018-02-21
USGS	09110990	2018-02-22
USGS	09110990	2018-02-23
USGS	09110990	2018-02-24
USGS	09110990	2018-02-25
USGS	09110990	2018-02-26
USGS	09110990	2018-02-27
USGS	09110990	2018-02-28
USGS	09110990	2018-03-01
USGS	09110990	2018-03-02
USGS	09110990	2018-03-03
USGS	09110990	2018-03-04
USGS	09110990	2018-03-05
USGS	09110990	2018-03-06
USGS	09110990	2018-03-07
USGS	09110990	2018-03-08
USGS	09110990	2018-03-09
USGS	09110990	2018-03-10
USGS	09110990	2018-03-11
USGS	09110990	2018-03-12
USGS	09110990	2018-03-13
USGS	09110990	2018-03-14
USGS	09110990	2018-03-15
USGS	09110990	2018-03-16
USGS	09110990	2018-03-17
USGS	09110990	2018-03-18
USGS	09110990	2018-03-19
USGS	09110990	2018-03-20
USGS	09110990	2018-03-21
USGS	09110990	2018-03-22
USGS	09110990	2018-03-23
USGS	09110990	2018-03-24
USGS	09110990	2018-03-25
USGS	09110990	2018-03-26
USGS	09110990	2018-03-27
USGS	09110990	2018-03-28
USGS	09110990	2018-03-29
USGS	09110990	2018-03-30

USGS	09110990	2018-03-31		
USGS	09110990	2018-04-01	0.58	A:e
USGS	09110990	2018-04-02	0.79	A:e
USGS	09110990	2018-04-03	0.96	A:e
USGS	09110990	2018-04-04	0.67	A:e
USGS	09110990	2018-04-05	0.61	A:e
USGS	09110990	2018-04-06	0.70	A:e
USGS	09110990	2018-04-07	0.72	A:e
USGS	09110990	2018-04-08	5.54	A:e
USGS	09110990	2018-04-09	3.44	A:e
USGS	09110990	2018-04-10	1.68	A:e
USGS	09110990	2018-04-11	1.69	A:e
USGS	09110990	2018-04-12	2.90	A:e
USGS	09110990	2018-04-13	1.86	A:e
USGS	09110990	2018-04-14	1.05	A:e
USGS	09110990	2018-04-15	0.85	A:e
USGS	09110990	2018-04-16	1.27	A:e
USGS	09110990	2018-04-17	1.76	A:e
USGS	09110990	2018-04-18	1.28	A:e
USGS	09110990	2018-04-19	1.33	A:e
USGS	09110990	2018-04-20	1.63	A:e
USGS	09110990	2018-04-21	1.53	A:e
USGS	09110990	2018-04-22	1.39	A:e
USGS	09110990	2018-04-23	2.12	A:e
USGS	09110990	2018-04-24	3.46	A:e
USGS	09110990	2018-04-25	4.10	A
USGS	09110990	2018-04-26	5.12	A
USGS	09110990	2018-04-27	6.36	A
USGS	09110990	2018-04-28	6.82	A
USGS	09110990	2018-04-29	7.31	A
USGS	09110990	2018-04-30	7.16	A
USGS	09110990	2018-05-01	5.97	A
USGS	09110990	2018-05-02	4.56	A
USGS	09110990	2018-05-03	3.87	A
USGS	09110990	2018-05-04	3.79	A
USGS	09110990	2018-05-05	5.73	A
USGS	09110990	2018-05-06	7.92	A
USGS	09110990	2018-05-07	9.01	A
USGS	09110990	2018-05-08	12.3	A
USGS	09110990	2018-05-09	11.8	A
USGS	09110990	2018-05-10	14.2	A
USGS	09110990	2018-05-11	14.4	A
USGS	09110990	2018-05-12	13.0	A
USGS	09110990	2018-05-13	12.4	A
USGS	09110990	2018-05-14	12.1	A
USGS	09110990	2018-05-15	11.7	A
USGS	09110990	2018-05-16	12.2	A
USGS	09110990	2018-05-17	12.3	A
USGS	09110990	2018-05-18	10.2	A

USGS	09110990	2018-05-19	8.61	A
USGS	09110990	2018-05-20	7.38	A
USGS	09110990	2018-05-21	7.04	A
USGS	09110990	2018-05-22	7.57	A
USGS	09110990	2018-05-23	8.03	A
USGS	09110990	2018-05-24	8.40	A
USGS	09110990	2018-05-25	8.54	A
USGS	09110990	2018-05-26	7.33	A
USGS	09110990	2018-05-27	6.96	A
USGS	09110990	2018-05-28	6.27	A
USGS	09110990	2018-05-29	5.79	A
USGS	09110990	2018-05-30	5.63	A
USGS	09110990	2018-05-31	5.30	A
USGS	09110990	2018-06-01	4.78	A
USGS	09110990	2018-06-02	4.35	A
USGS	09110990	2018-06-03	4.06	A
USGS	09110990	2018-06-04	3.75	A
USGS	09110990	2018-06-05	3.49	A
USGS	09110990	2018-06-06	3.23	A
USGS	09110990	2018-06-07	2.98	A
USGS	09110990	2018-06-08	2.72	A
USGS	09110990	2018-06-09	2.35	A
USGS	09110990	2018-06-10	2.17	A
USGS	09110990	2018-06-11	2.04	A
USGS	09110990	2018-06-12	1.90	A
USGS	09110990	2018-06-13	1.77	A
USGS	09110990	2018-06-14	1.70	A
USGS	09110990	2018-06-15	1.62	A
USGS	09110990	2018-06-16	1.61	A
USGS	09110990	2018-06-17	2.20	A
USGS	09110990	2018-06-18	1.89	A
USGS	09110990	2018-06-19	1.60	A
USGS	09110990	2018-06-20	1.48	A
USGS	09110990	2018-06-21	1.38	A
USGS	09110990	2018-06-22	1.27	A
USGS	09110990	2018-06-23	1.17	A
USGS	09110990	2018-06-24	1.10	A
USGS	09110990	2018-06-25	1.04	A
USGS	09110990	2018-06-26	0.98	A
USGS	09110990	2018-06-27	0.92	A
USGS	09110990	2018-06-28	0.87	A
USGS	09110990	2018-06-29	0.81	A
USGS	09110990	2018-06-30	0.80	A
USGS	09110990	2018-07-01	0.78	A
USGS	09110990	2018-07-02	0.74	A
USGS	09110990	2018-07-03	0.73	A
USGS	09110990	2018-07-04	0.70	A
USGS	09110990	2018-07-05	0.70	A
USGS	09110990	2018-07-06	0.69	A

USGS	09110990	2018-07-07	0.72	A
USGS	09110990	2018-07-08	0.93	A
USGS	09110990	2018-07-09	0.76	A
USGS	09110990	2018-07-10	0.71	A
USGS	09110990	2018-07-11	0.74	A
USGS	09110990	2018-07-12	0.72	A
USGS	09110990	2018-07-13	0.67	A
USGS	09110990	2018-07-14	0.63	A
USGS	09110990	2018-07-15	0.63	A
USGS	09110990	2018-07-16	0.67	A
USGS	09110990	2018-07-17	0.67	A
USGS	09110990	2018-07-18	0.57	A
USGS	09110990	2018-07-19	0.53	A
USGS	09110990	2018-07-20	0.52	A
USGS	09110990	2018-07-21	0.50	A
USGS	09110990	2018-07-22	0.49	A
USGS	09110990	2018-07-23	0.48	A
USGS	09110990	2018-07-24	0.44	A
USGS	09110990	2018-07-25	0.42	A
USGS	09110990	2018-07-26	0.40	A
USGS	09110990	2018-07-27	0.39	A
USGS	09110990	2018-07-28	0.45	A
USGS	09110990	2018-07-29	0.42	A
USGS	09110990	2018-07-30	0.36	A
USGS	09110990	2018-07-31	0.33	A
USGS	09110990	2018-08-01	0.32	A
USGS	09110990	2018-08-02	0.32	A
USGS	09110990	2018-08-03	0.39	A
USGS	09110990	2018-08-04	0.34	A
USGS	09110990	2018-08-05	0.35	A
USGS	09110990	2018-08-06	0.30	A
USGS	09110990	2018-08-07	0.27	A
USGS	09110990	2018-08-08	0.26	A
USGS	09110990	2018-08-09	0.27	A
USGS	09110990	2018-08-10	0.27	A
USGS	09110990	2018-08-11	0.26	A
USGS	09110990	2018-08-12	0.25	A
USGS	09110990	2018-08-13	0.24	A
USGS	09110990	2018-08-14	0.23	A
USGS	09110990	2018-08-15	0.23	A
USGS	09110990	2018-08-16	0.35	A
USGS	09110990	2018-08-17	0.31	A
USGS	09110990	2018-08-18	0.33	A
USGS	09110990	2018-08-19	0.26	A
USGS	09110990	2018-08-20	0.24	A
USGS	09110990	2018-08-21	0.34	A
USGS	09110990	2018-08-22	0.36	A
USGS	09110990	2018-08-23	0.30	A
USGS	09110990	2018-08-24	0.24	A

USGS	09110990	2018-08-25	0.22	A
USGS	09110990	2018-08-26	0.24	A
USGS	09110990	2018-08-27	0.27	A
USGS	09110990	2018-08-28	0.21	A
USGS	09110990	2018-08-29	0.19	A
USGS	09110990	2018-08-30	0.18	A
USGS	09110990	2018-08-31	0.18	A
USGS	09110990	2018-09-01	0.17	A
USGS	09110990	2018-09-02	0.17	A
USGS	09110990	2018-09-03	0.17	A
USGS	09110990	2018-09-04	0.16	A
USGS	09110990	2018-09-05	0.32	A
USGS	09110990	2018-09-06	0.20	A
USGS	09110990	2018-09-07	0.15	A
USGS	09110990	2018-09-08	0.11	A
USGS	09110990	2018-09-09	0.11	A
USGS	09110990	2018-09-10	0.09	A
USGS	09110990	2018-09-11	0.08	A
USGS	09110990	2018-09-12	0.07	A
USGS	09110990	2018-09-13	0.07	A
USGS	09110990	2018-09-14	0.06	A
USGS	09110990	2018-09-15	0.06	A
USGS	09110990	2018-09-16	0.06	A
USGS	09110990	2018-09-17	0.06	A
USGS	09110990	2018-09-18	0.05	A
USGS	09110990	2018-09-19	0.19	A
USGS	09110990	2018-09-20	0.18	A
USGS	09110990	2018-09-21	0.09	A
USGS	09110990	2018-09-22	0.08	A
USGS	09110990	2018-09-23	0.08	A
USGS	09110990	2018-09-24	0.10	A
USGS	09110990	2018-09-25	0.08	A
USGS	09110990	2018-09-26	0.07	A
USGS	09110990	2018-09-27	0.06	A
USGS	09110990	2018-09-28	0.06	A
USGS	09110990	2018-09-29	0.06	A
USGS	09110990	2018-09-30	0.06	A
USGS	09110990	2018-10-01	0.10	A
USGS	09110990	2018-10-02	0.33	A
USGS	09110990	2018-10-03	0.58	A
USGS	09110990	2018-10-04	0.22	A
USGS	09110990	2018-10-05	0.19	A
USGS	09110990	2018-10-06	0.19	A
USGS	09110990	2018-10-07	0.15	A
USGS	09110990	2018-10-08	0.17	A
USGS	09110990	2018-10-09	0.17	A
USGS	09110990	2018-10-10	0.31	A
USGS	09110990	2018-10-11	0.34	A
USGS	09110990	2018-10-12	0.38	A

USGS	09110990	2018-10-13	0.44	A
USGS	09110990	2018-10-14	0.46	A:e
USGS	09110990	2018-10-15	0.29	A:e
USGS	09110990	2018-10-16	0.50	A:e
USGS	09110990	2018-10-17	0.42	A
USGS	09110990	2018-10-18	0.46	A
USGS	09110990	2018-10-19	0.49	A
USGS	09110990	2018-10-20	0.54	A
USGS	09110990	2018-10-21	0.63	A
USGS	09110990	2018-10-22	0.76	A
USGS	09110990	2018-10-23	0.92	A
USGS	09110990	2018-10-24	0.93	A
USGS	09110990	2018-10-25	0.70	A
USGS	09110990	2018-10-26	0.57	A
USGS	09110990	2018-10-27	0.52	A
USGS	09110990	2018-10-28	0.52	A
USGS	09110990	2018-10-29	0.49	A
USGS	09110990	2018-10-30	0.46	A
USGS	09110990	2018-10-31	0.35	A:e
USGS	09110990	2018-11-01	0.30	A:e
USGS	09110990	2018-11-02	0.25	A:e
USGS	09110990	2018-11-03	0.29	A:e
USGS	09110990	2018-11-04	0.26	A:e
USGS	09110990	2018-11-05	0.30	A:e
USGS	09110990	2018-11-06	0.27	A:e
USGS	09110990	2018-11-07	0.24	A:e
USGS	09110990	2018-11-08	0.21	A:e
USGS	09110990	2018-11-09	0.21	A:e
USGS	09110990	2018-11-10	0.21	A:e
USGS	09110990	2018-11-11	0.31	A:e
USGS	09110990	2018-11-12	0.27	A:e
USGS	09110990	2018-11-13	0.21	A:e
USGS	09110990	2018-11-14	0.21	A:e
USGS	09110990	2018-11-15	0.21	A:e
USGS	09110990	2018-11-16		
USGS	09110990	2018-11-17		
USGS	09110990	2018-11-18		
USGS	09110990	2018-11-19		
USGS	09110990	2018-11-20		
USGS	09110990	2018-11-21		
USGS	09110990	2018-11-22		
USGS	09110990	2018-11-23		
USGS	09110990	2018-11-24		
USGS	09110990	2018-11-25		
USGS	09110990	2018-11-26		
USGS	09110990	2018-11-27		
USGS	09110990	2018-11-28		
USGS	09110990	2018-11-29		
USGS	09110990	2018-11-30		

USGS	09110990	2018-12-01
USGS	09110990	2018-12-02
USGS	09110990	2018-12-03
USGS	09110990	2018-12-04
USGS	09110990	2018-12-05
USGS	09110990	2018-12-06
USGS	09110990	2018-12-07
USGS	09110990	2018-12-08
USGS	09110990	2018-12-09
USGS	09110990	2018-12-10
USGS	09110990	2018-12-11
USGS	09110990	2018-12-12
USGS	09110990	2018-12-13
USGS	09110990	2018-12-14
USGS	09110990	2018-12-15
USGS	09110990	2018-12-16
USGS	09110990	2018-12-17
USGS	09110990	2018-12-18
USGS	09110990	2018-12-19
USGS	09110990	2018-12-20
USGS	09110990	2018-12-21
USGS	09110990	2018-12-22
USGS	09110990	2018-12-23
USGS	09110990	2018-12-24
USGS	09110990	2018-12-25
USGS	09110990	2018-12-26
USGS	09110990	2018-12-27
USGS	09110990	2018-12-28
USGS	09110990	2018-12-29
USGS	09110990	2018-12-30
USGS	09110990	2018-12-31
USGS	09110990	2019-01-01
USGS	09110990	2019-01-02
USGS	09110990	2019-01-03
USGS	09110990	2019-01-04
USGS	09110990	2019-01-05
USGS	09110990	2019-01-06
USGS	09110990	2019-01-07
USGS	09110990	2019-01-08
USGS	09110990	2019-01-09
USGS	09110990	2019-01-10
USGS	09110990	2019-01-11
USGS	09110990	2019-01-12
USGS	09110990	2019-01-13
USGS	09110990	2019-01-14
USGS	09110990	2019-01-15
USGS	09110990	2019-01-16
USGS	09110990	2019-01-17
USGS	09110990	2019-01-18

USGS	09110990	2019-01-19
USGS	09110990	2019-01-20
USGS	09110990	2019-01-21
USGS	09110990	2019-01-22
USGS	09110990	2019-01-23
USGS	09110990	2019-01-24
USGS	09110990	2019-01-25
USGS	09110990	2019-01-26
USGS	09110990	2019-01-27
USGS	09110990	2019-01-28
USGS	09110990	2019-01-29
USGS	09110990	2019-01-30
USGS	09110990	2019-01-31
USGS	09110990	2019-02-01
USGS	09110990	2019-02-02
USGS	09110990	2019-02-03
USGS	09110990	2019-02-04
USGS	09110990	2019-02-05
USGS	09110990	2019-02-06
USGS	09110990	2019-02-07
USGS	09110990	2019-02-08
USGS	09110990	2019-02-09
USGS	09110990	2019-02-10
USGS	09110990	2019-02-11
USGS	09110990	2019-02-12
USGS	09110990	2019-02-13
USGS	09110990	2019-02-14
USGS	09110990	2019-02-15
USGS	09110990	2019-02-16
USGS	09110990	2019-02-17
USGS	09110990	2019-02-18
USGS	09110990	2019-02-19
USGS	09110990	2019-02-20
USGS	09110990	2019-02-21
USGS	09110990	2019-02-22
USGS	09110990	2019-02-23
USGS	09110990	2019-02-24
USGS	09110990	2019-02-25
USGS	09110990	2019-02-26
USGS	09110990	2019-02-27
USGS	09110990	2019-02-28
USGS	09110990	2019-03-01
USGS	09110990	2019-03-02
USGS	09110990	2019-03-03
USGS	09110990	2019-03-04
USGS	09110990	2019-03-05
USGS	09110990	2019-03-06
USGS	09110990	2019-03-07
USGS	09110990	2019-03-08

USGS	09110990	2019-03-09
USGS	09110990	2019-03-10
USGS	09110990	2019-03-11
USGS	09110990	2019-03-12
USGS	09110990	2019-03-13
USGS	09110990	2019-03-14
USGS	09110990	2019-03-15
USGS	09110990	2019-03-16
USGS	09110990	2019-03-17
USGS	09110990	2019-03-18
USGS	09110990	2019-03-19
USGS	09110990	2019-03-20
USGS	09110990	2019-03-21
USGS	09110990	2019-03-22
USGS	09110990	2019-03-23
USGS	09110990	2019-03-24
USGS	09110990	2019-03-25
USGS	09110990	2019-03-26
USGS	09110990	2019-03-27
USGS	09110990	2019-03-28
USGS	09110990	2019-03-29
USGS	09110990	2019-03-30
USGS	09110990	2019-03-31
USGS	09110990	2019-04-01
USGS	09110990	2019-04-02
USGS	09110990	2019-04-03
USGS	09110990	2019-04-04
USGS	09110990	2019-04-05
USGS	09110990	2019-04-06
USGS	09110990	2019-04-07
USGS	09110990	2019-04-08
USGS	09110990	2019-04-09
USGS	09110990	2019-04-10
USGS	09110990	2019-04-11
USGS	09110990	2019-04-12
USGS	09110990	2019-04-13
USGS	09110990	2019-04-14
USGS	09110990	2019-04-15
USGS	09110990	2019-04-16
USGS	09110990	2019-04-17
USGS	09110990	2019-04-18
USGS	09110990	2019-04-19
USGS	09110990	2019-04-20
USGS	09110990	2019-04-21
USGS	09110990	2019-04-22
USGS	09110990	2019-04-23
USGS	09110990	2019-04-24
USGS	09110990	2019-04-25
USGS	09110990	2019-04-26

USGS	09110990	2019-04-27		
USGS	09110990	2019-04-28		
USGS	09110990	2019-04-29		
USGS	09110990	2019-04-30		
USGS	09110990	2019-05-01	4.08	A
USGS	09110990	2019-05-02	3.41	A
USGS	09110990	2019-05-03	3.22	A
USGS	09110990	2019-05-04	3.51	A
USGS	09110990	2019-05-05	3.99	A
USGS	09110990	2019-05-06	5.25	A:e
USGS	09110990	2019-05-07	6.02	A
USGS	09110990	2019-05-08	5.63	A
USGS	09110990	2019-05-09	4.70	A
USGS	09110990	2019-05-10	4.04	A
USGS	09110990	2019-05-11	3.81	A
USGS	09110990	2019-05-12	4.67	A
USGS	09110990	2019-05-13	6.86	A
USGS	09110990	2019-05-14	9.00	A
USGS	09110990	2019-05-15	11.7	A
USGS	09110990	2019-05-16	13.7	A
USGS	09110990	2019-05-17	13.7	A
USGS	09110990	2019-05-18	9.27	A
USGS	09110990	2019-05-19	7.24	A
USGS	09110990	2019-05-20	5.90	A
USGS	09110990	2019-05-21	4.83	A
USGS	09110990	2019-05-22	4.17	A
USGS	09110990	2019-05-23	3.76	A
USGS	09110990	2019-05-24	3.59	A
USGS	09110990	2019-05-25	3.95	A
USGS	09110990	2019-05-26	4.61	A
USGS	09110990	2019-05-27	4.90	A
USGS	09110990	2019-05-28	4.64	A
USGS	09110990	2019-05-29	4.48	A
USGS	09110990	2019-05-30	5.03	A
USGS	09110990	2019-05-31	6.75	A
USGS	09110990	2019-06-01	10.6	A
USGS	09110990	2019-06-02	15.0	A
USGS	09110990	2019-06-03	17.1	A
USGS	09110990	2019-06-04	17.5	A
USGS	09110990	2019-06-05	20.0	A
USGS	09110990	2019-06-06	25.0	A
USGS	09110990	2019-06-07	27.8	A
USGS	09110990	2019-06-08	34.5	A
USGS	09110990	2019-06-09	33.1	A
USGS	09110990	2019-06-10	28.3	A
USGS	09110990	2019-06-11	28.0	A
USGS	09110990	2019-06-12	31.9	A
USGS	09110990	2019-06-13	39.4	A
USGS	09110990	2019-06-14	38.8	A

USGS	09110990	2019-06-15	32.8	A
USGS	09110990	2019-06-16	30.6	A
USGS	09110990	2019-06-17	27.8	A
USGS	09110990	2019-06-18	24.6	A
USGS	09110990	2019-06-19	29.4	A
USGS	09110990	2019-06-20	31.0	A
USGS	09110990	2019-06-21	28.3	A
USGS	09110990	2019-06-22	22.8	A
USGS	09110990	2019-06-23	19.0	A
USGS	09110990	2019-06-24	17.2	A
USGS	09110990	2019-06-25	18.6	A
USGS	09110990	2019-06-26	21.5	A
USGS	09110990	2019-06-27	26.3	A
USGS	09110990	2019-06-28	31.6	A
USGS	09110990	2019-06-29	34.1	A
USGS	09110990	2019-06-30	32.1	A
USGS	09110990	2019-07-01	33.6	A
USGS	09110990	2019-07-02	29.3	A
USGS	09110990	2019-07-03	27.3	A
USGS	09110990	2019-07-04	23.8	A
USGS	09110990	2019-07-05	21.6	A
USGS	09110990	2019-07-06	19.8	A
USGS	09110990	2019-07-07	18.5	A
USGS	09110990	2019-07-08	18.1	A
USGS	09110990	2019-07-09	16.3	A:e
USGS	09110990	2019-07-10	14.9	A:e
USGS	09110990	2019-07-11	13.8	A:e
USGS	09110990	2019-07-12	12.7	A:e
USGS	09110990	2019-07-13	11.5	A:e
USGS	09110990	2019-07-14	10.6	A:e
USGS	09110990	2019-07-15	9.68	A:e
USGS	09110990	2019-07-16	8.76	A
USGS	09110990	2019-07-17	7.94	A
USGS	09110990	2019-07-18	6.92	A
USGS	09110990	2019-07-19	6.01	A
USGS	09110990	2019-07-20	5.45	A
USGS	09110990	2019-07-21	5.00	A
USGS	09110990	2019-07-22	4.65	A
USGS	09110990	2019-07-23	4.46	A
USGS	09110990	2019-07-24	4.29	A
USGS	09110990	2019-07-25	3.63	A
USGS	09110990	2019-07-26	3.27	A
USGS	09110990	2019-07-27	3.19	A
USGS	09110990	2019-07-28	3.20	A
USGS	09110990	2019-07-29	2.82	A
USGS	09110990	2019-07-30	2.80	A
USGS	09110990	2019-07-31	2.71	A
USGS	09110990	2019-08-01	2.51	A
USGS	09110990	2019-08-02	2.30	A

USGS	09110990	2019-08-03	2.14	A
USGS	09110990	2019-08-04	2.11	A
USGS	09110990	2019-08-05	2.02	A
USGS	09110990	2019-08-06	1.85	A
USGS	09110990	2019-08-07	1.74	A
USGS	09110990	2019-08-08	1.66	A
USGS	09110990	2019-08-09	1.58	A
USGS	09110990	2019-08-10	1.50	A
USGS	09110990	2019-08-11	1.69	A
USGS	09110990	2019-08-12	1.55	A
USGS	09110990	2019-08-13	1.38	A
USGS	09110990	2019-08-14	1.29	A
USGS	09110990	2019-08-15	1.23	A
USGS	09110990	2019-08-16	1.17	A
USGS	09110990	2019-08-17	1.13	A
USGS	09110990	2019-08-18	1.09	A
USGS	09110990	2019-08-19	1.08	A
USGS	09110990	2019-08-20	1.06	A
USGS	09110990	2019-08-21	1.02	A
USGS	09110990	2019-08-22	1.00	A
USGS	09110990	2019-08-23	0.97	A
USGS	09110990	2019-08-24	0.96	A
USGS	09110990	2019-08-25	0.91	A
USGS	09110990	2019-08-26	0.84	A
USGS	09110990	2019-08-27	0.78	A
USGS	09110990	2019-08-28	0.76	A
USGS	09110990	2019-08-29	0.78	A
USGS	09110990	2019-08-30	0.82	A
USGS	09110990	2019-08-31	0.81	A
USGS	09110990	2019-09-01	0.79	A
USGS	09110990	2019-09-02	0.78	A
USGS	09110990	2019-09-03	0.78	A
USGS	09110990	2019-09-04	0.80	A
USGS	09110990	2019-09-05	0.79	A
USGS	09110990	2019-09-06	0.75	A
USGS	09110990	2019-09-07	0.76	A
USGS	09110990	2019-09-08	0.82	A
USGS	09110990	2019-09-09	0.78	A
USGS	09110990	2019-09-10	0.74	A
USGS	09110990	2019-09-11	0.75	A
USGS	09110990	2019-09-12	0.70	A
USGS	09110990	2019-09-13	0.66	A
USGS	09110990	2019-09-14	0.64	A
USGS	09110990	2019-09-15	0.63	A
USGS	09110990	2019-09-16	0.67	A
USGS	09110990	2019-09-17	0.69	A
USGS	09110990	2019-09-18	0.64	A
USGS	09110990	2019-09-19	0.59	A
USGS	09110990	2019-09-20	0.59	A

USGS	09110990	2019-09-21	0.54	A
USGS	09110990	2019-09-22	0.53	A
USGS	09110990	2019-09-23	0.52	A
USGS	09110990	2019-09-24	0.50	A
USGS	09110990	2019-09-25	0.47	A
USGS	09110990	2019-09-26	0.47	A
USGS	09110990	2019-09-27	0.46	A
USGS	09110990	2019-09-28	0.44	A
USGS	09110990	2019-09-29	0.41	A
USGS	09110990	2019-09-30	0.40	A
USGS	09110990	2019-10-01	0.38	A
USGS	09110990	2019-10-02	0.37	A
USGS	09110990	2019-10-03	0.36	A
USGS	09110990	2019-10-04	0.38	A
USGS	09110990	2019-10-05	0.36	A
USGS	09110990	2019-10-06	0.35	A
USGS	09110990	2019-10-07	0.33	A
USGS	09110990	2019-10-08	0.34	A
USGS	09110990	2019-10-09	0.34	A
USGS	09110990	2019-10-10	0.34	A:e
USGS	09110990	2019-10-11	0.34	A:e
USGS	09110990	2019-10-12	0.35	A:e
USGS	09110990	2019-10-13	0.28	A:e
USGS	09110990	2019-10-14	0.27	A
USGS	09110990	2019-10-15	0.23	A
USGS	09110990	2019-10-16	0.25	A
USGS	09110990	2019-10-17	0.29	A
USGS	09110990	2019-10-18	0.36	A
USGS	09110990	2019-10-19	0.33	A:e
USGS	09110990	2019-10-20	0.33	A:e
USGS	09110990	2019-10-21	0.44	A:e
USGS	09110990	2019-10-22	0.38	A
USGS	09110990	2019-10-23	0.29	A
USGS	09110990	2019-10-24	0.24	A:e
USGS	09110990	2019-10-25	0.27	A:e
USGS	09110990	2019-10-26	0.28	A:e
USGS	09110990	2019-10-27	0.28	A
USGS	09110990	2019-10-28	0.25	A:e
USGS	09110990	2019-10-29	0.23	A:e
USGS	09110990	2019-10-30	0.15	A:e
USGS	09110990	2019-10-31	0.12	A
USGS	09110990	2019-11-01	0.18	A
USGS	09110990	2019-11-02	0.17	A
USGS	09110990	2019-11-03	0.18	A
USGS	09110990	2019-11-04	0.18	A:e
USGS	09110990	2019-11-05	0.16	A
USGS	09110990	2019-11-06	0.15	A
USGS	09110990	2019-11-07	0.14	A
USGS	09110990	2019-11-08	0.13	A

USGS	09110990	2019-11-09	0.13	A
USGS	09110990	2019-11-10	0.14	A
USGS	09110990	2019-11-11	0.13	A
USGS	09110990	2019-11-12	0.12	A:e
USGS	09110990	2019-11-13	0.15	A
USGS	09110990	2019-11-14	0.11	A
USGS	09110990	2019-11-15	0.12	A
USGS	09110990	2019-11-16		
USGS	09110990	2019-11-17		
USGS	09110990	2019-11-18		
USGS	09110990	2019-11-19		
USGS	09110990	2019-11-20		
USGS	09110990	2019-11-21		
USGS	09110990	2019-11-22		
USGS	09110990	2019-11-23		
USGS	09110990	2019-11-24		
USGS	09110990	2019-11-25		
USGS	09110990	2019-11-26		
USGS	09110990	2019-11-27		
USGS	09110990	2019-11-28		
USGS	09110990	2019-11-29		
USGS	09110990	2019-11-30		
USGS	09110990	2019-12-01		
USGS	09110990	2019-12-02		
USGS	09110990	2019-12-03		
USGS	09110990	2019-12-04		
USGS	09110990	2019-12-05		
USGS	09110990	2019-12-06		
USGS	09110990	2019-12-07		
USGS	09110990	2019-12-08		
USGS	09110990	2019-12-09		
USGS	09110990	2019-12-10		
USGS	09110990	2019-12-11		
USGS	09110990	2019-12-12		
USGS	09110990	2019-12-13		
USGS	09110990	2019-12-14		
USGS	09110990	2019-12-15		
USGS	09110990	2019-12-16		
USGS	09110990	2019-12-17		
USGS	09110990	2019-12-18		
USGS	09110990	2019-12-19		
USGS	09110990	2019-12-20		
USGS	09110990	2019-12-21		
USGS	09110990	2019-12-22		
USGS	09110990	2019-12-23		
USGS	09110990	2019-12-24		
USGS	09110990	2019-12-25		
USGS	09110990	2019-12-26		
USGS	09110990	2019-12-27		

USGS	09110990	2019-12-28
USGS	09110990	2019-12-29
USGS	09110990	2019-12-30
USGS	09110990	2019-12-31
USGS	09110990	2020-01-01
USGS	09110990	2020-01-02
USGS	09110990	2020-01-03
USGS	09110990	2020-01-04
USGS	09110990	2020-01-05
USGS	09110990	2020-01-06
USGS	09110990	2020-01-07
USGS	09110990	2020-01-08
USGS	09110990	2020-01-09
USGS	09110990	2020-01-10
USGS	09110990	2020-01-11
USGS	09110990	2020-01-12
USGS	09110990	2020-01-13
USGS	09110990	2020-01-14
USGS	09110990	2020-01-15
USGS	09110990	2020-01-16
USGS	09110990	2020-01-17
USGS	09110990	2020-01-18
USGS	09110990	2020-01-19
USGS	09110990	2020-01-20
USGS	09110990	2020-01-21
USGS	09110990	2020-01-22
USGS	09110990	2020-01-23
USGS	09110990	2020-01-24
USGS	09110990	2020-01-25
USGS	09110990	2020-01-26
USGS	09110990	2020-01-27
USGS	09110990	2020-01-28
USGS	09110990	2020-01-29
USGS	09110990	2020-01-30
USGS	09110990	2020-01-31
USGS	09110990	2020-02-01
USGS	09110990	2020-02-02
USGS	09110990	2020-02-03
USGS	09110990	2020-02-04
USGS	09110990	2020-02-05
USGS	09110990	2020-02-06
USGS	09110990	2020-02-07
USGS	09110990	2020-02-08
USGS	09110990	2020-02-09
USGS	09110990	2020-02-10
USGS	09110990	2020-02-11
USGS	09110990	2020-02-12
USGS	09110990	2020-02-13
USGS	09110990	2020-02-14

USGS	09110990	2020-02-15		
USGS	09110990	2020-02-16		
USGS	09110990	2020-02-17		
USGS	09110990	2020-02-18		
USGS	09110990	2020-02-19		
USGS	09110990	2020-02-20		
USGS	09110990	2020-02-21		
USGS	09110990	2020-02-22		
USGS	09110990	2020-02-23		
USGS	09110990	2020-02-24		
USGS	09110990	2020-02-25		
USGS	09110990	2020-02-26		
USGS	09110990	2020-02-27		
USGS	09110990	2020-02-28		
USGS	09110990	2020-02-29		
USGS	09110990	2020-03-01		
USGS	09110990	2020-03-02		
USGS	09110990	2020-03-03		
USGS	09110990	2020-03-04		
USGS	09110990	2020-03-05		
USGS	09110990	2020-03-06		
USGS	09110990	2020-03-07		
USGS	09110990	2020-03-08		
USGS	09110990	2020-03-09		
USGS	09110990	2020-03-10		
USGS	09110990	2020-03-11		
USGS	09110990	2020-03-12		
USGS	09110990	2020-03-13		
USGS	09110990	2020-03-14		
USGS	09110990	2020-03-15		
USGS	09110990	2020-03-16		
USGS	09110990	2020-03-17		
USGS	09110990	2020-03-18		
USGS	09110990	2020-03-19		
USGS	09110990	2020-03-20		
USGS	09110990	2020-03-21		
USGS	09110990	2020-03-22		
USGS	09110990	2020-03-23		
USGS	09110990	2020-03-24		
USGS	09110990	2020-03-25		
USGS	09110990	2020-03-26		
USGS	09110990	2020-03-27		
USGS	09110990	2020-03-28		
USGS	09110990	2020-03-29		
USGS	09110990	2020-03-30		
USGS	09110990	2020-03-31		
USGS	09110990	2020-04-01	0.29	A
USGS	09110990	2020-04-02	0.29	A
USGS	09110990	2020-04-03	0.29	A

USGS	09110990	2020-04-04	0.29	A
USGS	09110990	2020-04-05	0.29	A
USGS	09110990	2020-04-06	0.34	A
USGS	09110990	2020-04-07	0.54	A
USGS	09110990	2020-04-08	0.82	A
USGS	09110990	2020-04-09	1.19	A
USGS	09110990	2020-04-10	1.42	A
USGS	09110990	2020-04-11	1.39	A
USGS	09110990	2020-04-12	1.53	A
USGS	09110990	2020-04-13	1.16	A
USGS	09110990	2020-04-14	0.90	A
USGS	09110990	2020-04-15	0.77	A
USGS	09110990	2020-04-16	0.67	A
USGS	09110990	2020-04-17	0.59	A
USGS	09110990	2020-04-18	0.56	A
USGS	09110990	2020-04-19	0.54	A
USGS	09110990	2020-04-20	0.54	A
USGS	09110990	2020-04-21	0.65	A
USGS	09110990	2020-04-22	0.93	A
USGS	09110990	2020-04-23	1.18	A
USGS	09110990	2020-04-24	1.21	A
USGS	09110990	2020-04-25	1.52	A
USGS	09110990	2020-04-26	2.30	A
USGS	09110990	2020-04-27	3.41	A
USGS	09110990	2020-04-28	5.20	A
USGS	09110990	2020-04-29	6.84	A
USGS	09110990	2020-04-30	8.11	A
USGS	09110990	2020-05-01	10.7	A
USGS	09110990	2020-05-02	11.7	A
USGS	09110990	2020-05-03	12.0	A
USGS	09110990	2020-05-04	11.5	A
USGS	09110990	2020-05-05	10.4	A
USGS	09110990	2020-05-06	10.0	A
USGS	09110990	2020-05-07	10.1	A
USGS	09110990	2020-05-08	9.80	A
USGS	09110990	2020-05-09	9.72	A
USGS	09110990	2020-05-10	10.1	A
USGS	09110990	2020-05-11	9.39	A
USGS	09110990	2020-05-12	9.32	A
USGS	09110990	2020-05-13	10.4	A
USGS	09110990	2020-05-14	10.8	A
USGS	09110990	2020-05-15	10.5	A
USGS	09110990	2020-05-16	10.5	A
USGS	09110990	2020-05-17	13.1	A
USGS	09110990	2020-05-18	15.8	A
USGS	09110990	2020-05-19	15.5	A
USGS	09110990	2020-05-20	15.2	A
USGS	09110990	2020-05-21	12.6	A
USGS	09110990	2020-05-22	11.6	A

USGS	09110990	2020-05-23	10.4	A
USGS	09110990	2020-05-24	10.2	A
USGS	09110990	2020-05-25	9.96	A
USGS	09110990	2020-05-26	10.4	A
USGS	09110990	2020-05-27	12.4	A
USGS	09110990	2020-05-28	15.3	A
USGS	09110990	2020-05-29	18.6	A
USGS	09110990	2020-05-30	18.4	A
USGS	09110990	2020-05-31	18.8	A
USGS	09110990	2020-06-01	16.6	A
USGS	09110990	2020-06-02	16.4	A
USGS	09110990	2020-06-03	15.2	A
USGS	09110990	2020-06-04	13.9	A
USGS	09110990	2020-06-05	12.6	A
USGS	09110990	2020-06-06	16.9	A
USGS	09110990	2020-06-07	13.0	A
USGS	09110990	2020-06-08	10.5	A
USGS	09110990	2020-06-09	10.2	A
USGS	09110990	2020-06-10	8.17	A
USGS	09110990	2020-06-11	6.95	A
USGS	09110990	2020-06-12	6.55	A
USGS	09110990	2020-06-13	6.49	A
USGS	09110990	2020-06-14	6.31	A
USGS	09110990	2020-06-15	5.85	A
USGS	09110990	2020-06-16	5.47	A
USGS	09110990	2020-06-17	5.16	A
USGS	09110990	2020-06-18	4.89	A
USGS	09110990	2020-06-19	4.82	A
USGS	09110990	2020-06-20	4.54	A
USGS	09110990	2020-06-21	4.38	A
USGS	09110990	2020-06-22	4.13	A
USGS	09110990	2020-06-23	3.94	A
USGS	09110990	2020-06-24	3.64	A
USGS	09110990	2020-06-25	3.48	A
USGS	09110990	2020-06-26	3.29	A
USGS	09110990	2020-06-27	3.04	A
USGS	09110990	2020-06-28	2.88	A
USGS	09110990	2020-06-29	2.69	A
USGS	09110990	2020-06-30	2.54	A
USGS	09110990	2020-07-01	2.37	A
USGS	09110990	2020-07-02	2.23	A
USGS	09110990	2020-07-03	2.13	A
USGS	09110990	2020-07-04	2.06	A
USGS	09110990	2020-07-05	1.94	A
USGS	09110990	2020-07-06	1.83	A
USGS	09110990	2020-07-07	1.72	A
USGS	09110990	2020-07-08	1.63	A
USGS	09110990	2020-07-09	1.55	A
USGS	09110990	2020-07-10	1.46	A

USGS	09110990	2020-07-11	1.38	A
USGS	09110990	2020-07-12	1.33	A
USGS	09110990	2020-07-13	1.39	A
USGS	09110990	2020-07-14	1.41	A
USGS	09110990	2020-07-15	1.33	A
USGS	09110990	2020-07-16	1.28	A
USGS	09110990	2020-07-17	1.24	A
USGS	09110990	2020-07-18	1.18	A
USGS	09110990	2020-07-19	1.15	A
USGS	09110990	2020-07-20	1.10	A
USGS	09110990	2020-07-21	1.04	A
USGS	09110990	2020-07-22	1.04	A
USGS	09110990	2020-07-23	1.03	A
USGS	09110990	2020-07-24	1.11	A
USGS	09110990	2020-07-25	1.12	A
USGS	09110990	2020-07-26	1.11	A
USGS	09110990	2020-07-27	1.17	A
USGS	09110990	2020-07-28	0.98	A
USGS	09110990	2020-07-29	0.93	A
USGS	09110990	2020-07-30	0.87	A
USGS	09110990	2020-07-31	0.85	A
USGS	09110990	2020-08-01	0.82	A
USGS	09110990	2020-08-02	0.80	A
USGS	09110990	2020-08-03	0.77	A
USGS	09110990	2020-08-04	0.74	A
USGS	09110990	2020-08-05	0.71	A
USGS	09110990	2020-08-06	0.69	A
USGS	09110990	2020-08-07	0.66	A
USGS	09110990	2020-08-08	0.64	A
USGS	09110990	2020-08-09	0.63	A
USGS	09110990	2020-08-10	0.61	A
USGS	09110990	2020-08-11	0.60	P
USGS	09110990	2020-08-12	0.60	P
USGS	09110990	2020-08-13	0.58	P
USGS	09110990	2020-08-14	0.57	P
USGS	09110990	2020-08-15	0.54	P
USGS	09110990	2020-08-16	0.53	P
USGS	09110990	2020-08-17	0.53	P
USGS	09110990	2020-08-18	0.52	P
USGS	09110990	2020-08-19	0.50	P
USGS	09110990	2020-08-20	0.50	P
USGS	09110990	2020-08-21	0.49	P
USGS	09110990	2020-08-22	0.48	P
USGS	09110990	2020-08-23	0.47	P
USGS	09110990	2020-08-24	0.46	P
USGS	09110990	2020-08-25	0.47	P
USGS	09110990	2020-08-26	0.47	P
USGS	09110990	2020-08-27	0.45	P
USGS	09110990	2020-08-28	0.46	P

USGS	09110990	2020-08-29	0.54	P
USGS	09110990	2020-08-30	0.52	P
USGS	09110990	2020-08-31	0.50	P
USGS	09110990	2020-09-01	0.49	P
USGS	09110990	2020-09-02	0.42	P
USGS	09110990	2020-09-03	0.39	P
USGS	09110990	2020-09-04	0.38	P
USGS	09110990	2020-09-05	0.36	P

Discharge Measurement Field Visit Data Report (Filters: Name begins with Elk Creek; Division = 4;)

Div	Name	CWCB Case Number	Segment ID	Meas. Date	UTM	Location	Flow Amount (cfs)	Meas #	Rating	Station ID
4	Elk Creek		214/A-006	09/30/2020	UTMx: 321261 UTMy: 4302923	At trail US of road culvert	0.16	93020	P	



Discharge Measurement Summary

Site name Elk cr
Site number 93020
Operator(s) Ks
File name Elk cr_20200930-111903.ft
Comment

Start time	9/30/2020 11:03 AM	Sensor type	Top Setting
End time	9/30/2020 11:18 AM	Handheld serial number	FT2H1747037
Start location latitude	38.834	Probe serial number	FT2P1747048
Start location longitude	-107.062	Probe firmware	1.30
Calculations engine	FlowTracker2	Handheld software	1.7

# Stations	Avg interval (s)	Total discharge (ft³/s)
13	40	0.160

Total width (ft)	Total area (m²)	Wetted Perimeter (ft)
3.700	0.151	4.478

Mean SNR (dB)	Mean depth (ft)	Mean velocity (m/s)
44.771	0.441	0.030


Mean temp (°C)	Max depth (ft)	Max velocity (m/s)
4.585	0.800	0.239

Discharge Uncertainty		
Category	ISO	IVE
Accuracy	1.0%	1.0%
Depth	1.2%	16.5%
Velocity	7.4%	78.6%
Width	0.4%	0.4%
Method	6.2%	
# Stations	3.9%	
Overall	10.5%	80.3%

Discharge equation	Mid Section
Discharge uncertainty	IVE
Discharge reference	Rated
Data Collection Settings	
Salinity	0.000 PSS-78
Temperature	-
Sound speed	-
Mounting correction	0.000 %

Summary overview




No changes were made to this file
Quality control warnings



Discharge Measurement Summary

Site name Elk cr
Site number 93020
Operator(s) Ks
File name Elk cr_20200930-111903.ft
Comment

Station Warning Settings		
Station discharge OK	Station discharge < 5.000%	
Station discharge caution	5.000% >= Station discharge < 10.000%	
Station discharge warning	Station discharge >= 10.000%	





Discharge Measurement Summary

Site name Elk cr
Site number 93020
Operator(s) Ks
File name Elk cr_20200930-111903.ft
Comment

Measurement results														
St#	Time	Location (ft)	Method	Depth (ft)	%Depth	Measured Depth (ft)	Samples	Velocity (m/s)	Correction	Mean Velocity (m/s)	Area (m ²)	Flow (ft ³ /s)	%Q	
0	11:03 AM	3.200	None	0.000	0.000	0.000	0	0.000	1.000	0.000	0.000	0.000	0.000	✓
1	11:03 AM	3.800	0.6	0.300	0.600	0.180	80	0.000	1.000	0.000	0.013	0.000	-0.114	✓
2	11:05 AM	4.100	0.6	0.200	0.600	0.120	80	0.077	1.000	0.077	0.006	0.015	9.473	✓
3	11:06 AM	4.400	0.6	0.300	0.600	0.180	80	0.009	1.000	0.009	0.008	0.003	1.628	✓
4	11:07 AM	4.700	0.6	0.550	0.600	0.330	80	0.017	1.000	0.017	0.015	0.009	5.677	✓
5	11:08 AM	5.000	0.6	0.600	0.600	0.360	80	-0.032	1.000	-0.032	0.017	-0.019	-11.816	✓
6	11:10 AM	5.300	0.6	0.800	0.600	0.480	80	-0.051	1.000	-0.051	0.022	-0.041	-25.316	✓
7	11:11 AM	5.600	0.6	0.600	0.600	0.360	80	0.034	1.000	0.034	0.017	0.020	12.734	✓
8	11:13 AM	5.900	0.6	0.500	0.600	0.300	80	0.239	1.000	0.239	0.014	0.117	73.413	✓
9	11:14 AM	6.200	0.6	0.600	0.600	0.360	80	0.034	1.000	0.034	0.017	0.020	12.577	✓
10	11:15 AM	6.500	0.6	0.500	0.600	0.300	80	0.027	1.000	0.027	0.014	0.013	8.381	✓
11	11:17 AM	6.800	0.6	0.500	0.600	0.300	80	0.065	1.000	0.065	0.009	0.021	13.363	✓
12	11:18 AM	6.900	None	0.000	0.000	0.000	0	0.000	1.000	0.065	0.000	0.000	0.000	✓



Discharge Measurement Summary

Site name Elk cr
Site number 93020
Operator(s) Ks
File name Elk cr_20200930-111903.ft
Comment

Quality Control Settings	
Maximum depth change	50.000%
Maximum spacing change	100.000%
SNR threshold	10.000 dB
Standard error threshold	0.010 m/s
Spike threshold	10.000%
Maximum velocity angle	20.000 deg
Maximum tilt angle	5.000 deg

Quality control warnings

St#	Time	Location (ft)	Method	Depth (ft)	%Depth	Measured Depth (ft)	Warnings
1	11:03 AM	3.800	0.6	0.300	0.600	0.180	Large SNR Variation,SNR Threshold Variation
5	11:08 AM	5.000	0.6	0.600	0.600	0.360	Velocity Angle > QC
6	11:10 AM	5.300	0.6	0.800	0.600	0.480	Velocity Angle > QC
7	11:11 AM	5.600	0.6	0.600	0.600	0.360	Velocity Angle > QC,High Stn % Discharge
8	11:13 AM	5.900	0.6	0.500	0.600	0.300	Standard Error > QC,High Stn % Discharge
9	11:14 AM	6.200	0.6	0.600	0.600	0.360	Beam SNRs Not Similar,Large SNR Variation,SNR Threshold Variation,Standard Error > QC,High % Spikes,High Stn % Discharge
10	11:15 AM	6.500	0.6	0.500	0.600	0.300	Velocity Angle > QC
11	11:17 AM	6.800	0.6	0.500	0.600	0.300	Velocity Angle > QC,High Stn % Discharge





Discharge Measurement Summary

Site name	Elk cr
Site number	93020
Operator(s)	Ks
File name	Elk cr_20200930-111903.ft
Comment	




Automated beam check Start time 9/30/2020 11:02:45 AM



Automated beam check Quality control warnings

No quality control warnings





Discharge Measurement Summary

Site name	Elk cr
Site number	93020
Operator(s)	Ks
File name	Elk cr_20200930-111903.ft
Comment	



Automated beam check Start time 9/30/2020 11:02:45 AM



Automated beam check Quality control warnings

No quality control warnings