

December 10, 2014

Michael Coleman  
ACA Products, Inc.  
702 Gregg Drive  
Buena Vista, CO 81211



**COLORADO**  
Division of Reclamation,  
Mining and Safety  
Department of Natural Resources

1313 Sherman Street, Room 215  
Denver, CO 80203

***RE: ACA 301 Pit, File No. M-2014-055, Comments Regarding 112c Application***

Dear Mr. Coleman:

On December 9, 2014 the Division of Reclamation, Mining and Safety (Division) received comments regarding the above referenced application from the Division of Water Resources.

Please note jurisdictional issues presented by the DWR.

If you require additional information, or have questions or concerns, please contact me at the Division's Grand Junction Field Office.

Sincerely,



**Dustin Czapla**

Environmental Protection Specialist  
Department of Natural Resources  
Division of Reclamation, Mining and Safety  
101 South 3<sup>rd</sup>, Suite 301  
Grand Junction, CO 81501  
Phone: (970) 243-6299  
Fax: (970) 241-1516

Cc: DWR Comments dated December 9, 2014





DEPARTMENT OF NATURAL RESOURCES

DIVISION OF WATER RESOURCES

John W. Hickenlooper  
Governor

Mike King  
Executive Director

Dick Wolfe, P.E.  
Director/State Engineer

Response to Reclamation Permit Application Consideration

DATE: December 9, 2014  
TO: Dustin M. Czapla, Environmental Protection Specialist  
CC: Division 2 Office; District 11 Water Commissioner  
FROM: Caleb Foy, E.I.T. CRF  
RE: ACA 301 Pit, File No. M-2014-055  
Operator: ACA Products, Inc.  
Contact: Shiela Moore, (719) 395-3790  
Sec. 27, Twp. 14S, Rng. 78W, 6<sup>th</sup> P.M., Chaffee County

---

CONDITIONS FOR APPROVAL

- ☒ The proposed operation does not anticipate exposing groundwater. Therefore, exposure of ground water must not occur during or after mining operations. If stormwater is contained on-site, it must infiltrate into the ground or be released to the natural stream system within 72 hours, or all work must cease until a substitute water supply plan, or augmentation plan approved by water court, is obtained. Reclamation plans must ensure water will not be retained onsite for more than 72 hours unless an augmentation plan approved by water court is obtained.
- ☒ Other: All water brought on site for mining needs shall be a legal supply of water provided by an appropriate supplier.

---

**COMMENTS:** The local Water Commissioner, Brian Sutton, may be contacted at (719) 221-0367 or [brian.sutton@state.co.us](mailto:brian.sutton@state.co.us) regarding legal supplies of water in the area.

Office of the State Engineer

1313 Sherman Street, Suite 818 • Denver, CO 80203 • Phone: 303-866-3581 • Fax: 303-866-3589

<http://water.state.co.us>