



STATE OF
COLORADO

Musick - DNR, Jason <jason.musick@state.co.us>

Terror Creek Loadout, C-1983-059, Second Quarter 2016 Pond Inspection Report Review Letter

1 message

Musick - DNR, Jason <jason.musick@state.co.us>
To: Doug Smith <Doug.Smith@oxbow.com>

Wed, Jul 13, 2016 at 1:51 PM

Good afternoon Doug,

Attached is the Division's review of the 2nd quarter 2016 pond inspection report associated with the Terror Creek Loadout.

Please let me know if you have any questions or comments.

Thanks,
Jason

Jason Musick
Environmental Protection Specialist III
Coal Regulatory Program



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

P 303.866.3567 x 8134 | F 303.832.8106
1313 Sherman Street, Room 215, Denver, CO 80203
jason.musick@state.co.us | <http://mining.state.co.us>



2Q16_Pond.pdf
84K



COLORADO

Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203

July 13, 2016

Doug Smith
Oxbow Mining, LLC.
P.O. Box 535
Somerset, CO 81434

RE: **Oxbow Mining, LLC, Terror Creek Loadout, Permit C-1983-059**
Second Quarter 2016 Pond Inspection Report Review

Dear Mr. Smith:

The Colorado Division of Reclamation, Mining, and Safety (CDRMS) has reviewed and found the above referenced report to be in compliance with the following CDRMS regulation:

4.05.9(17) - Examined at least quarterly by a qualified person designated by the operator, for appearance of structural weakness and other hazardous conditions.

4.05.9(17) - A copy of the report shall be submitted to the Division on a quarterly basis.

The second quarter sediment pond inspection reports were received by the Division on 05 July 2016. Sediment pond inspections were conducted by Oxbow Mining, LLC. on 27 June 2016.

It is noted that no issues were noted and the pond inspections reflect observations noted by the Division.

If you have any questions feel free to contact me. (303) 866-3567 ext 8134

Sincerely,

Jason Musick
Environmental Protection Specialist

