



COLORADO

Division of Reclamation,
Mining and Safety

Department of Natural Resources
1313 Sherman Street, Room 215
Denver, Colorado 80203

July 3, 2017

Edwin Olivares
GCC Rio Grande, Inc.
3372 Lime Road
Pueblo, CO 81004

**Re: Technical Revision (TR-06) Adequacy Review #3
Pueblo Cement Plant and Limestone Quarry, File No. M-2002-004**

Dear Mr. Olivares,

The Division of Reclamation, Mining and Safety (Division) has reviewed the July 3, 2017 response to the Division's June 1, 2017 follow-up adequacy review of Technical Revision (TR-06) for the Pueblo Cement Plant and Limestone Quarry, File No. M-2002-004, and submits the following comments.

3. - 4. The map submitted appears to meet all map requirements except the legend is illegible. Please re-submit the map with a corrected legend.

This concludes the Division's third adequacy review of TR-06. If you need additional information or have any questions, please contact me at Division of Reclamation, Mining and Safety, 1313 Sherman Street, Room 215, Denver, CO 80203, by telephone at **303-866-3567 x8132**, or by email at elliott.russell@state.co.us.

Sincerely,

Elliott R. Russell
Environmental Protection Specialist

Cc: Wally Erickson, Division of Reclamation, Mining & Safety

