

User:jimb@newelkcoal.com, Permittee User



[View Certification](#)



[Download COR](#)

# DMR Copy of Submission

|                                                                                                                                                                                                              |                           |                    |                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------|----------------------------------------|
| <i>Permit</i>                                                                                                                                                                                                |                           |                    |                                        |
| Permit ID:                                                                                                                                                                                                   | CO0000906                 | Major:             |                                        |
| Permittee:                                                                                                                                                                                                   | New Elk Coal Company LLC  | Permittee Address: | 12250 Hwy 12<br>Weston , CO81092       |
| Facility:                                                                                                                                                                                                    | NEW ELK MINE              | Facility Location: | 12250 HWY 12<br>WESTON , CO81091       |
| Permitted Feature:                                                                                                                                                                                           | 001 - External Outfall    | Discharge:         | 001-A - Mine Water to Purgatoire River |
| <i>Report Dates &amp; Status</i>                                                                                                                                                                             |                           |                    |                                        |
| Monitoring Period:                                                                                                                                                                                           | From 05/01/18 to 05/31/18 | DMR Due Date:      | 06/28/18                               |
| Status:                                                                                                                                                                                                      | <b>NetDMR Validated</b>   |                    |                                        |
| <i>Considerations for Form Completion</i>                                                                                                                                                                    |                           |                    |                                        |
| 30 Day Average is highest monthly average during period reported. SAR calculation-see Appendix B, 31, pg 50. SAR-report calculated limit @ MLOC=EG, adjusted SAR @ MLOC=P. Oil & grease - see I.C.1.a, pg 5. |                           |                    |                                        |
| <i>Principal Executive Officer</i>                                                                                                                                                                           |                           |                    |                                        |
| First Name:                                                                                                                                                                                                  |                           | Last Name:         |                                        |
| Title:                                                                                                                                                                                                       |                           | Telephone:         |                                        |
| <i>No Data Indicator (NODI)</i>                                                                                                                                                                              |                           |                    |                                        |
| Form NODI:                                                                                                                                                                                                   | -                         |                    |                                        |

| Parameter          |                                    | NODI  | Quantity or Loading |         |       | Quality or Concentration          |                                   |         | # of Ex.   | Freq. of Analysis       | Smpl. Type           |
|--------------------|------------------------------------|-------|---------------------|---------|-------|-----------------------------------|-----------------------------------|---------|------------|-------------------------|----------------------|
| Code               | Name                               |       | Value 1             | Value 2 | Units | Value 1                           | Value 2                           | Value 3 |            |                         |                      |
| 00010              | Temperature, water deg. centigrade | Smpl. |                     |         |       |                                   |                                   |         |            |                         |                      |
| 1 - Effluent Gross |                                    |       |                     |         |       |                                   |                                   |         |            |                         |                      |
| Season: 0          |                                    | Req.  |                     |         |       | Req Mon MX WK AV C - No Discharge | Req Mon DAILY MX C - No Discharge |         | 04 - deg C | 99/99 - Continuous      | RC - Recorder (auto) |
| NODI: -            |                                    | NODI  |                     |         |       |                                   |                                   |         |            |                         |                      |
| 00094              | Conductivity                       | Smpl. |                     |         |       |                                   |                                   |         |            |                         |                      |
| 1 - Effluent Gross |                                    |       |                     |         |       |                                   |                                   |         |            |                         |                      |
| Season: 0          |                                    | Req.  |                     |         |       | <=3.1 30DA AVG                    |                                   |         | 7B - dS/m  | 02/30 - Twice Per Month | GR - GRAB            |
| NODI: -            |                                    | NODI  |                     |         |       | C - No Discharge                  |                                   |         |            |                         |                      |
| 00400              | pH                                 | Smpl. |                     |         |       |                                   |                                   |         |            |                         |                      |
| 1 - Effluent Gross |                                    |       |                     |         |       |                                   |                                   |         |            |                         |                      |
| Season: 0          |                                    | Req.  |                     |         |       | >=6.5 MINIMUM                     | <=9 MAXIMUM                       |         | 12 - SU    | 02/30 - Twice Per Month | GR - GRAB            |
| NODI: -            |                                    | NODI  |                     |         |       | C - No Discharge                  | C - No Discharge                  |         |            |                         |                      |
| 00440              | Bicarbonate ion- [as               |       |                     |         |       |                                   |                                   |         |            |                         |                      |

|                                                               |       |  |                                               |                                            |              |                                                 |
|---------------------------------------------------------------|-------|--|-----------------------------------------------|--------------------------------------------|--------------|-------------------------------------------------|
| HCO3]<br>1 - Effluent Gross                                   | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 19 -<br>mg/L | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB   |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Solids, total<br>00530<br>suspended<br>1 - Effluent Gross     | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | <=35 30DA<br>AVG<br>C - No<br>Discharge       | <=70 MX 7D<br>AV<br>C - No Discharge       | 19 -<br>mg/L | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB   |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Calcium,<br>00918total<br>recoverable<br>1 - Effluent Gross   | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 19 -<br>mg/L | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB   |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Magnesium,<br>00921total<br>recoverable<br>1 - Effluent Gross | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 19 -<br>mg/L | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB   |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Sodium,<br>00923total<br>recoverable<br>1 - Effluent Gross    | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 19 -<br>mg/L | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB   |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Sodium<br>00931adsorption<br>ratio<br>EG - Effluent<br>Gross  | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 23 -<br>%    | 02/30 -<br>Twice Per<br>Month<br>CA -<br>CALCTD |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Sodium<br>00931adsorption<br>ratio<br>P - See Comments        | Smpl. |  |                                               |                                            |              |                                                 |
| Season: 0                                                     | Req.  |  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | Req<br>Mon DAILY<br>MX<br>C - No Discharge | 23 -<br>%    | 02/30 -<br>Twice Per<br>Month<br>CA -<br>CALCTD |
| NODI: -                                                       | NODI  |  |                                               |                                            |              |                                                 |
| Arsenic,<br>00978total<br>recoverable                         | Smpl. |  |                                               |                                            |              |                                                 |

|  |                                               |                                         |                               |                                               |
|--|-----------------------------------------------|-----------------------------------------|-------------------------------|-----------------------------------------------|
|  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | 28 -<br>ug/L                            | 02/30 -<br>Twice Per<br>Month | GR -<br>GRAB                                  |
|  | Req<br>Mon 30DA<br>AVG<br>C - No<br>Discharge | 28 -<br>ug/L                            | 02/30 -<br>Twice Per<br>Month | GR -<br>GRAB                                  |
|  | Req<br>Mon ROLL<br>AVG<br>C - No<br>Discharge | 28 -<br>ug/L                            | 02/30 -<br>Twice Per<br>Month | GR -<br>GRAB                                  |
|  | <=27 30DA<br>AVG<br>C - No<br>Discharge       | <=28 DAILY<br>MX<br>C - No<br>Discharge | 28 -<br>ug/L                  | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB |
|  | Req<br>Mon ROLL<br>AVG<br>C - No<br>Discharge | 28 -<br>ug/L                            | 02/30 -<br>Twice Per<br>Month | GR -<br>GRAB                                  |
|  | <=5 30DA<br>AVG<br>C - No<br>Discharge        | <=12 DAILY<br>MX<br>C - No<br>Discharge | 28 -<br>ug/L                  | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB |
|  | Req<br>Mon ROLL<br>AVG<br>C - No<br>Discharge | 28 -<br>ug/L                            | 02/30 -<br>Twice Per<br>Month | GR -<br>GRAB                                  |
|  | <=7.8 30DA<br>AVG                             | <=29 DAILY<br>MX                        | 28 -<br>ug/L                  | 02/30 -<br>Twice Per<br>Month<br>GR -<br>GRAB |

|                                                                     |       |                                            |                                                    |                         |                         |           |
|---------------------------------------------------------------------|-------|--------------------------------------------|----------------------------------------------------|-------------------------|-------------------------|-----------|
| NODI: -                                                             | NODI  | C - No Discharge                           | C - No Discharge                                   |                         |                         |           |
| Selenium, 01323potentially dissolvd<br>P - See Comments             | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  | Req<br>Mon ROLL<br>AVG<br>C - No Discharge | 28 - ug/L                                          | 02/30 - Twice Per Month | GR - GRAB               |           |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Oil and grease 03582<br>1 - Effluent Gross                          | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  |                                            | <=10 INST<br>MAX<br>C - No Discharge               | 19 - mg/L               | 77/77 - Contingent      | GR - GRAB |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Flow, in conduit or 50050thru treatment plant<br>1 - Effluent Gross | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  | <=1.08 30DA<br>AVG<br>C - No Discharge     | Req<br>Mon DAILY03 - MGD<br>MX<br>C - No Discharge | 99/99 - Continuous      | RC - Recorder (auto)    |           |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Mercury, 50092total low level<br>1 - Effluent Gross                 | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  |                                            | <=10 30DA<br>AVG<br>C - No Discharge               | 28 - ug/L               | 02/30 - Twice Per Month | GR - GRAB |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Mercury, 50092total low level<br>P - See Comments                   | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  |                                            | Req<br>Mon ROLL<br>AVG<br>C - No Discharge         | 28 - ug/L               | 02/30 - Twice Per Month | GR - GRAB |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Boron, total 82057<br>1 - Effluent Gross                            | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  |                                            | <=40 30DA<br>AVG<br>C - No Discharge               | 28 - ug/L               | 02/30 - Twice Per Month | GR - GRAB |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Boron, total 82057<br>P - See Comments                              | Smpl. |                                            |                                                    |                         |                         |           |
| Season: 0                                                           | Req.  |                                            | Req<br>Mon ROLL<br>AVG<br>C - No Discharge         | 28 - ug/L               | 02/30 - Twice Per Month | GR - GRAB |
| NODI: -                                                             | NODI  |                                            |                                                    |                         |                         |           |
| Oil and grease visual 84066<br>1 - Effluent Gross                   | Smpl. |                                            |                                                    |                         |                         |           |
|                                                                     |       | Req                                        | AB -                                               |                         | 02/30 -                 | VI -      |

|           |      |                     |               |                    |        |
|-----------|------|---------------------|---------------|--------------------|--------|
| Season: 0 | Req. | Mon INST<br>MAX     | abst=0;prst=1 | Twice Per<br>Month | VISUAL |
| NODI: -   | NODI | C - No<br>Discharge |               |                    |        |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

New Elk Coal Company LLC

User:jimb@newelkcoal.com

Name:James Begano

E-Mail:jimb@newelkcoal.com

Date/Time:2018-06-20 09:02 (Time Zone:-06:00)

Report Last Signed By

User:jimb@newelkcoal.com

Name:James Begano

E-Mail:jimb@newelkcoal.com

Date/Time:2018-06-20 09:04 (Time Zone:-06:00)

User:jimb@newelkcoal.com, Permittee User



[View Certification](#) |



[Download COR](#)

# DMR Copy of Submission

|                                                                                                                                                                            |                           |                    |                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------|----------------------------------------|
| <i>Permit</i>                                                                                                                                                              |                           |                    |                                        |
| Permit ID:                                                                                                                                                                 | CO0000906                 | Major:             |                                        |
| Permittee:                                                                                                                                                                 | New Elk Coal Company LLC  | Permittee Address: | 12250 Hwy 12<br>Weston , CO81092       |
| Facility:                                                                                                                                                                  | NEW ELK MINE              | Facility Location: | 12250 HWY 12<br>WESTON , CO81091       |
| Permitted Feature:                                                                                                                                                         | 007 - External Outfall    | Discharge:         | 007-A - Runoff Pond 7/Purgatoire River |
| <i>Report Dates &amp; Status</i>                                                                                                                                           |                           |                    |                                        |
| Monitoring Period:                                                                                                                                                         | From 05/01/18 to 05/31/18 | DMR Due Date:      | 06/28/18                               |
| Status:                                                                                                                                                                    | <b>NetDMR Validated</b>   |                    |                                        |
| <i>Considerations for Form Completion</i>                                                                                                                                  |                           |                    |                                        |
| 30 Day Average is highest monthly average during period reported. TSS & total iron limits will be waived and settleable solids limits applied for <10YR,24hr precip event. |                           |                    |                                        |
| <i>Principal Executive Officer</i>                                                                                                                                         |                           |                    |                                        |
| First Name:                                                                                                                                                                | Last Name:                |                    |                                        |
| Title:                                                                                                                                                                     | Telephone:                |                    |                                        |
| <i>No Data Indicator (NODI)</i>                                                                                                                                            |                           |                    |                                        |
| Form NODI:                                                                                                                                                                 | -                         |                    |                                        |

| Parameter    |                         | NODI  | Quantity or Loading |         |       | Quality or Concentration |                  |                  | # of Ex.  | Freq. of Analysis       | Smpl. Type |
|--------------|-------------------------|-------|---------------------|---------|-------|--------------------------|------------------|------------------|-----------|-------------------------|------------|
| Code         | Name                    |       | Value 1             | Value 2 | Units | Value 1                  | Value 2          | Value 3          |           |                         |            |
| 00400        | pH                      |       |                     |         |       |                          |                  |                  |           |                         |            |
| 1 - Effluent |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |
| Gross        |                         |       |                     |         |       |                          |                  |                  |           |                         |            |
| Season: 0    |                         | Req.  |                     |         |       | >=6.5 MINIMUM            |                  | <=9 MAXIMUM      | 12 - SU   | 02/30 - Twice Per Month | GR - GRAB  |
| NODI: -      |                         | NODI  |                     |         |       | C - No Discharge         |                  | C - No Discharge |           |                         |            |
| 00530        | Solids, total suspended |       |                     |         |       |                          |                  |                  |           |                         |            |
| 1 - Effluent |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |
| Gross        |                         |       |                     |         |       |                          |                  |                  |           |                         |            |
| Season: 0    |                         | Req.  |                     |         |       |                          | <=35 30DA AVG    | <=70 MX 7D AV    | 19 - mg/L | 02/30 - Twice Per Month | GR - GRAB  |
| NODI: -      |                         | NODI  |                     |         |       |                          | C - No Discharge | C - No Discharge |           |                         |            |
| 00545        | Solids, settleable      |       |                     |         |       |                          |                  |                  |           |                         |            |
|              |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |

[illegible]

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

No errors.

*No attachments.*

*New Elk Coal Company LLC*

User: jimb@newelkcoal.com

Name: James Begano

E-Mail: [jimb@newelkcoal.com](mailto:jimb@newelkcoal.com)

Date/Time: 2018-06-20 09:03 (Time Zone:-06:00)

User: jimb@newelkcoal.com

Name: James Begano

E-Mail: [jimb@newelkcoal.com](mailto:jimb@newelkcoal.com)

Date/Time: 2018-06-20 09:04 (Time Zone:-06:00)

User:jimb@newelkcoal.com, Permittee User



[View Certification](#) |



[Download COR](#)

# DMR Copy of Submission

Permit

Permit ID:

CO0000906

Major:

Permittee:

New Elk Coal Company LLC

Permittee Address:

12250 Hwy 12  
Weston , CO81092

Facility:

NEW ELK MINE

Facility Location:

12250 HWY 12  
WESTON , CO81091

Permitted Feature:

008 - External Outfall

Discharge:

008-A - Refuse Area Pond to Purgatoire River

Report Dates & Status

Monitoring Period:

From 05/01/18 to 05/31/18

DMR Due Date:

06/28/18

Status:

NetDMR Validated

Considerations for Form Completion

30 Day Average is highest monthly average during period reported. TSS & total iron limits will be waived and settleable solids limits applied for <10YR,24hr precip event.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

-

| Parameter    |                         | NODI  | Quantity or Loading |         |       | Quality or Concentration |                  |                  | # of Ex.  | Freq. of Analysis       | Smpl. Type |
|--------------|-------------------------|-------|---------------------|---------|-------|--------------------------|------------------|------------------|-----------|-------------------------|------------|
| Code         | Name                    |       | Value 1             | Value 2 | Units | Value 1                  | Value 2          | Value 3          |           |                         |            |
| 00400        | pH                      |       |                     |         |       |                          |                  |                  |           |                         |            |
| 1 - Effluent |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |
| Gross        |                         |       |                     |         |       |                          |                  |                  |           |                         |            |
| Season: 0    |                         | Req.  |                     |         |       | >=6.5 MINIMUM            |                  | <=9 MAXIMUM      | 12 - SU   | 02/30 - Twice Per Month | GR - GRAB  |
| NODI: -      |                         | NODI  |                     |         |       | C - No Discharge         |                  | C - No Discharge |           |                         |            |
| 00530        | Solids, total suspended |       |                     |         |       |                          |                  |                  |           |                         |            |
| 1 - Effluent |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |
| Gross        |                         |       |                     |         |       |                          |                  |                  |           |                         |            |
| Season: 0    |                         | Req.  |                     |         |       |                          | <=35 30DA AVG    | <=70 MX 7D AV    | 19 - mg/L | 02/30 - Twice Per Month | GR - GRAB  |
| NODI: -      |                         | NODI  |                     |         |       |                          | C - No Discharge | C - No Discharge |           |                         |            |
| 00545        | Solids, settleable      |       |                     |         |       |                          |                  |                  |           |                         |            |
|              |                         | Smpl. |                     |         |       |                          |                  |                  |           |                         |            |

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

No errors.

*No attachments.*

*New Elk Coal Company LLC*

User: jimb@newelkcoal.com

|            |                                     |
|------------|-------------------------------------|
| User:      | jimb@newelkcoal.com                 |
| Name:      | James Begano                        |
| E-Mail:    | jimb@newelkcoal.com                 |
| Date/Time: | 2018-06-20 09:03 (Time Zone:-06:00) |

User: jimb@newelkcoal.com

|            |                                     |
|------------|-------------------------------------|
| User:      | jimb@newelkcoal.com                 |
| Name:      | James Begano                        |
| E-Mail:    | jimb@newelkcoal.com                 |
| Date/Time: | 2018-06-20 09:04 (Time Zone:-06:00) |

User:jimb@newelkcoal.com, Permittee User



[View Certification](#) |



[Download COR](#)

# DMR Copy of Submission

Permit

Permit ID:

CO0000906

Major:

Permittee:

New Elk Coal Company LLC

Permittee Address:

12250 Hwy 12  
Weston , CO81092

Facility:

NEW ELK MINE

Facility Location:

12250 HWY 12  
WESTON , CO81091

Permitted Feature:

010 - External Outfall

Discharge:

010-A - Surface Runoff from SAE to Purgatoire River

Report Dates & Status

Monitoring Period:

From 05/01/18 to 05/31/18

DMR Due Date:

06/28/18

Status:

NetDMR Validated

Considerations for Form Completion

30 Day Average is highest monthly average during period reported.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

-

| Parameter            |                    | Quantity or Loading |         |         | Quality or Concentration |                                    |               | # of Ex.                           | Freq. of Analysis | Smpl. Type                           |
|----------------------|--------------------|---------------------|---------|---------|--------------------------|------------------------------------|---------------|------------------------------------|-------------------|--------------------------------------|
| Code                 | Name               | NODI                | Value 1 | Value 2 | Units                    | Value 1                            | Value 2       | Value 3                            | Units             |                                      |
| 00400pH              | 1 - Effluent Gross | Smpl.               |         |         |                          |                                    |               |                                    |                   |                                      |
| Season: 0            |                    | Req.                |         |         |                          | >=6.5 MINIMUM                      |               | <=9 MAXIMUM                        | 12 - SU           | 02/30 - Twice Per Month<br>GR - GRAB |
| NODI: -              |                    | NODI                |         |         |                          | F - Insufficient Flow for Sampling |               | F - Insufficient Flow for Sampling |                   |                                      |
| 00530total suspended | 1 - Effluent Gross | Smpl.               |         |         |                          |                                    |               |                                    |                   |                                      |
| Season: 0            |                    | Req.                |         |         |                          |                                    | <=35 30DA AVG | <=70 MX 7D AV                      | 19 - mg/L         | 02/30 - Twice Per Month<br>GR - GRAB |

|                                                                                     |       |                                             |                                             |                                             |                                          |              |                                                                |
|-------------------------------------------------------------------------------------|-------|---------------------------------------------|---------------------------------------------|---------------------------------------------|------------------------------------------|--------------|----------------------------------------------------------------|
| NODI: -                                                                             | NODI  |                                             |                                             | F -<br>Insufficient<br>Flow for<br>Sampling | F - Insufficient<br>Flow for<br>Sampling |              |                                                                |
| 00980 Iron, total<br>recoverable<br>1 - Effluent<br>Gross                           | Smpl. |                                             |                                             |                                             |                                          |              |                                                                |
| Season: 0                                                                           | Req.  |                                             |                                             | <=3000 30DA<br>AVG                          | <=6000 DAILY<br>MX                       | 28 -<br>ug/L | 02/30 -<br>Twice<br>Per<br>Month<br>GR -<br>GRAB               |
| NODI: -                                                                             | NODI  |                                             |                                             | F -<br>Insufficient<br>Flow for<br>Sampling | F - Insufficient<br>Flow for<br>Sampling |              |                                                                |
| 50050 Flow, in<br>conduit or<br>thru<br>treatment<br>plant<br>1 - Effluent<br>Gross | Smpl. |                                             |                                             |                                             |                                          |              |                                                                |
| Season: 0                                                                           | Req.  | Req<br>Mon 30DA<br>AVG                      | Req<br>Mon DAILY<br>MX                      | 03 -<br>MGD                                 |                                          |              | 02/30 -<br>Twice<br>Per<br>Month<br>RC -<br>Recorder<br>(auto) |
| NODI: -                                                                             | NODI  | F -<br>Insufficient<br>Flow for<br>Sampling | F -<br>Insufficient<br>Flow for<br>Sampling |                                             |                                          |              |                                                                |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

| Name                          | Type | Size  |
|-------------------------------|------|-------|
| CO0000906_DMRCOV_2018_05.docx | docx | 42989 |

Report Last Saved By

New Elk Coal Company LLC

User: jimb@newelkcoal.com

Name: James Begano

E-Mail: jimb@newelkcoal.com

Date/Time: 2018-06-22 13:23 (Time Zone:-06:00)

Report Last Signed By

User: jimb@newelkcoal.com

Name: James Begano

E-Mail: jimb@newelkcoal.com

Date/Time: 2018-06-22 13:23 (Time Zone:-06:00)

