



STATE OF  
COLORADO

Simmons - DNR, Leigh <leigh.simmons@state.co.us>

---

## NetDMR COR Submission for: CO0000132

1 message

---

**Doug Smith** <Doug.Smith@oxbow.com>  
To: "leigh.simmons@state.co.us" <leigh.simmons@state.co.us>  
Cc: Mike Ludlow <Mike.Ludlow@oxbow.com>

Wed, Jan 2, 2019 at 12:03 PM

Leigh,

Please find, for your records, the attached copy of the Sanborn & Elk Creek Mine Discharge Monitoring Reports that were submitted for the month of December 2018. (There was no discharge) Oxbow has submitted these to the CDPHE electronically. No hard copy will follow, but copies will be made and kept with the Elk Creek Mine Records.

Per your request, all DMR's have been scanned and are attached.

Any questions or concerns, please contact me.

Doug Smith

(970)929-6034

---

**20190101 December DMR's to CDRMS.pdf**  
4982K

## DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> CO0000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility Location:</b> SANBORN CRK & ELK CRK MINES 3737 HIGHWAY 133 SOMERSET, CO 81434														
<b>Major:</b> No	<b>Permittee Address:</b> PO Box 535 Somerset, CO 81434-0535	<b>Discharge:</b> 007-A SEDIMENT POND TO HUBBARD CREEK															
<b>Permitted Feature:</b> External Outfall																	
<b>Report Dates &amp; Status</b>	<b>Monitoring Period:</b> From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated														
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LIMIT APPLIED FOR <>10YR/24HR PRECIP EVENT; SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR/24HR EVENT-SEE I.A.1.PP-5, AND I.A.2.P.5 FOR QMNTS.TDS MONITORING-SEE PART VIA.2.G OF RATIONALE. 30 DAY AVG. IS HIGHEST MONTHLY AVG. DURING PERIOD REPRD.																	
<b>Principal Executive Officer</b>	First Name: Mike	Title: President	Telephone: 970-928-5122														
<b>Last Name:</b> Ludlow																	
<b>No Data Indicator (NODI)</b>																	
<b>Form NODI:</b> -	<b>Parameter Name:</b>	<b>Monitoring Location Season &amp; Param. NODI</b>	<b>Quantity or Loading</b>														
Code	Parameter Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Exc.	Frequency of Analysis	Sample Type
00400 pH	1 - Effluent Gross	0	-	Sample	Permit Req.	>=	6.5 MINIMUM	C - No Discharge	<=	9 MAXIMUM	12 - SLU	01/30 - Monthly	IS - IN SITU				
00530 Solids, total suspended	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	35 30DA AVG	C - No Discharge	<=	70 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB				
00545 Solids, settleable	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	3500 30DA AVG	C - No Discharge	<=	7000 DAILY MX	25 - mL/L	01/30 - Monthly	GR - GRAB				
01045 iron, total [as Fe]	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	3500 30DA AVG	C - No Discharge	<=	7000 DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB				
03582 Oil and grease	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	10 INST MAX	C - No Discharge	<=	77777 Contingent	19 - mg/L		GR - GRAB				
50750 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	Req Mon DAILY MX 03 - MGD	C - No Discharge	<=	Req Mon DAILY MX 03 - MGD	19 - mg/L	01/30 - Monthly	N - INSTAN				
70295 Solids, total dissolved	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	Req Mon 30DA AVG	C - No Discharge	<=	Req Mon 30DA AVG	19 - mg/L	01/30 - Quarterly	GR - GRAB				
84068 Oil and grease visual	1 - Effluent Gross	0	-	Sample	Permit Req.	<=	Req Mon INST MAX SP - Net Yr-1	C - No Discharge	<=	Req Mon INST MAX SP - Net Yr-1	1 - VISUAL	01/30 - Monthly	VI - VISUAL				
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
<b>Edit Check Errors</b> No errors.																	
<b>Comments</b> No attachments.																	
<b>Attachments</b> <b>Report Last Saved By</b> <b>Oxbow Mining LLC</b>																	
User:	GHGSMITHOXBOW Douglas Smith doug.smith@oxbow.com																
Name:																	
E-Mail:																	
Date/Time:	2019-01-02 09:07 (Time Zone: -07:00)																
<b>Report Last Signed By</b>																	
User:	GHGSMITHOXBOW Douglas Smith																
Name:																	

## DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> CO0000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility:</b> SANBORN CRK & ELK CRK MINES						
<b>Major:</b>	No	<b>Permittee Address:</b> PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b> 3737 HIGHWAY 133 SOMERSET, CO 81434						
<b>Permitted Feature:</b>	009 External Outfall	<b>Discharge:</b> 009-A SURF RUNOFF TO N FK GUNIS RVR							
<b>Report Dates &amp; Status</b>	<b>Monitoring Period:</b> From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 0128/19	<b>Status:</b> NetDMR Validated						
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED AND SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR-24HR EVENT-SEE LA.1 PP 4-5, AND LA.2 P. 5 FOR ROUNDS TDS MONITORING-SEE PART VIA.2.G OF RATIONALE. 30 DAY AVG. IF HIGHEST MONTHLY AVG. DURING PERIOD REPRD.									
<b>Principal Executive Officer</b> First Name: Mike      Last Name: Ludlow <b>No Data Indicator (NODI)</b> <b>Form NODI:</b> -									
<b>Parameter</b>	<b>Name</b>	<b>Monitoring Location</b>	<b>Season</b>						
<b>Code</b>	<b>Param. NODI</b>								
		Quantity or Landing		Quantity or Concentration		# of Ex.	Frequency of Analysis	Sample Type	
		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units
00400 pH	1 - Effluent Gross	0	-	>=	6.5 MINIMUM		<=	S MAXIMUM	12 - SU
					C - No Discharge			C - No Discharge	01/30 - Monthly
00530 Solids, total suspended	1 - Effluent Gross	0	-	<=	35 30DA AVG	<=	70 DAILY MX	19 - mg/L	GR - GRAB
					C - No Discharge			C - No Discharge	01/30 - Monthly
00545 Solids, settleable	1 - Effluent Gross	0	-		Req Mon 30DA AVG		Req Mon Daily MX 25 - mL/L		GR - GRAB
					C - No Discharge			C - No Discharge	01/30 - Monthly
01045 iron, total [as Fe]	1 - Effluent Gross	0	-	<=	3500 30DA AVG	<=	7000 DAILY MX	28 - ug/L	GR - GRAB
					C - No Discharge			C - No Discharge	01/30 - Monthly
03582 Oil and grease	1 - Effluent Gross	0	-	<=	10 INST MAX		19 - mg/L		GR - GRAB
					C - No Discharge			C - No Discharge	77/77 - Contingent
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-		Req Mon DAILY MX 03 - WGD				IN - INST
					C - No Discharge				
70295 Solids, total dissolved	1 - Effluent Gross	0	-		Req Mon 30DA AVG		Req Mon Daily MX 19 - mg/L		GR - GRAB
					C - No Discharge			C - No Discharge	01/30 - Quarterly
84066 Oil and grease visual	1 - Effluent Gross	0	-		Req Mon INST MAX gp - NaCl-Y=1				VI - VISUAL
					C - No Discharge				
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.									
<b>Edit Check Errors</b> No errors. <b>Comments</b> No attachments. <b>Attachments</b> <b>Report Last Saved By</b> <b>Oxbow Mining LLC</b> User: GHGSMITHOXBOW Name: Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2019-01-02 09:08 (Time Zone: -07:00) <b>Report Last Signed By</b> User: GHGSMITHOXBOW Name: Douglas Smith									

## DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> CO0000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility:</b> SANBORN CRK & ELK CRK MINES													
<b>Major:</b>	No	<b>Permittee Address:</b> PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b> 3737 HIGHWAY 133 SOMERSET, CO 81434													
<b>Permitted Feature:</b>	010 External Outfall	<b>Discharge:</b> 010-A SEDIMENT POND TO SANBORN CREEK														
<b>Report Dates &amp; Status</b>	<b>Monitoring Period:</b> From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated													
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR-24HR PRECIP EVENT. SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR-24HR EVENT-SEE I.A.1.PP 4-5, AND I.A.2, P. 5 FOR RQMENTS.TDS																
<b>Principal Executive Officer</b>	First Name: Mike Last Name: Ludlow	Title: President	Telephone: 970-529-5122													
<b>No Data Indicator (NODI)</b>																
<b>Form NODI:</b> -	<b>Parameter Name:</b>	<b>Monitoring Location Season # Param. NODI</b>	<b>Quantity or Loading</b>													
Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Frequency of Analysis	Sample Type	
00400 pH	1 - Effluent Gross	0	-			>=	6.5 MINIMUM					<=	9 MAXIMUM	12 - SLU	01/30 - Monthly	IS - INSTITU
00530 Solids, total suspended	1 - Effluent Gross	0	-			<=	35 30DA AVG	C - No Discharge	<=	70 DAILY MX	C - No Discharge	<=	19 - mg/L	01/30 - Monthly	GR - GRAB	
00545 Solids, settleable	1 - Effluent Gross	0	-				Req Mon 30DA AVG	C - No Discharge		Req Mon DAILY MX 25 - mL/L	C - No Discharge			01/30 - Monthly	GR - GRAB	
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-			<=	3500 30DA AVG	C - No Discharge	<=	7000 DAILY MX	C - No Discharge	<=	28 - ug/L	01/30 - Monthly	GR - GRAB	
03582 Oil and grease	1 - Effluent Gross	0	-			<=	10 INST MAX	C - No Discharge	<=	77777 - Contingent	C - No Discharge				GR - GRAB	
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-				Req Mon 30DA AVG	C - No Discharge		Req Mon DAILY MX 03 - mgD	C - No Discharge			01/30 - Monthly	IN - INSTAN	
70295 Solids, total dissolved	1 - Effluent Gross	0	-				Req Mon 30DA AVG	C - No Discharge		Req Mon DAILY MX 19 - mg/L	C - No Discharge			01/30 - Quarterly	GR - GRAB	
84066 Oil and grease visual	1 - Effluent Gross	0	-				Rq Man INST MAX SP - N=2,Y=1	C - No Discharge		Rq Man DAILY MX 19 - mg/L	C - No Discharge			01/30 - Monthly	VI - VISUAL	
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																
<b>Edit Check Errors</b>																
No errors.																
<b>Comments</b>																
<b>Attachments</b>																
No attachments.																
<b>Report Last Saved By</b>																
Oxbow Mining LLC																
User:	GHSMSITHOXBOW Douglas Smith E-Mail: doug.smith@oxbow.com															
Date/Time:	2019-01-02 09:08 (Time Zone: -07:00)															
<b>Report Last Signed By</b>																
User:	GHSMSITHOXBOW Douglas Smith															
Name:																

## DMR Copy of Record

<b>Permit</b>	CO0000132	<b>Permittee:</b>	Oxbow Mining LLC	<b>Facility:</b>	SANBORN CRK & ELK CRK MINES											
<b>Major:</b>	No	<b>Permittee Address:</b>	PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b>	3737 HIGHWAY 133 SOMERSET, CO 81434											
<b>Permitted Feature:</b>	012 External Outfall	<b>Discharge:</b>	012-A SEDIMENT POND TO ELK CREEK													
<b>Report Dates &amp; Status:</b>	From 12/01/18 to 12/31/18	<b>DMR Due Date:</b>	01/26/19	<b>Status:</b>	NetDMR Validated											
<b>Considerations for Form Completion</b> TDS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR/24HR EVENT-SEE IA.1.PP 4-5, AND IA.2, P. 5 FOR RQMTNS. TDS MONITORING-SEE PART VIA.2.G OF RATIONALE. 30 DAY AVG. IS HIGHEST MONTHLY AVG. DURING PERIOD REPTD.																
<b>Principal Executive Officer</b>	Mike Ludlow	<b>Title:</b>	President	<b>Telephone:</b>	970-929-5122											
<b>No Data Indicator (NODI)</b>																
<b>Form NODI:</b>																
Parameter	Name	Monitoring Location	Season #	Param. NODI												
Code	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Exc.	Frequency of Analysis	Sample Type
00400 pH	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)		>=	6.5 MINIMUM	C - No Discharge	<=	9 MAXIMUM	12 - SU			01/30 - Monthly	IS - IN SITU	
00530 Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)		<=	35 30DA AVG	C - No Discharge	<=	70 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
00545 Solids, settleable	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)			Req Mon 30DA AVG	C - No Discharge		Req Mon DAILY MX 25	mL/L			01/30 - Monthly	GR - GRAB	
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)		<=	3000 30DA AVG	C - No Discharge	<=	6000 DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB	
03582 Oil and grease	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)			Req Mon 30DA AVG	C - No Discharge	<=	10 INST MAX	19 - mg/L			7/7/7 - Contingent	GR - GRAB	
50505 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)			Req Mon DAILY MX 03 - MGD	C - No Discharge						01/30 - Monthly	IN - INSTAN	
70285 Solids, total dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)			Req Mon QRTR AVG	C - No Discharge						01/30 - Quarterly	GR - GRAB	
84066 Oil and grease visual	1 - Effluent Gross	0	-	Sample Permit Req. Value (NODI)			Req Mon INST MAX SP - Net(Y=1)	C - No Discharge						01/30 - Monthly	VI - VISUAL	
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																
<b>Edit Check Errors</b>																
No errors.																
<b>Comments</b>																
<b>Attachments</b>																
No attachments.																
<b>Report Last Saved By</b>																
<b>Oxbow Mining LLC</b>	Douglas Smith	GHSMSITHOXBOW														
User:	Name:															
E-Mail:	Email:	doug.smith@oxbow.com														
Date/Time:	Date/Time:	2019-01-22 09:09 (Time Zone: -07:00)														
<b>Report Last Signed By</b>																
<b>GHSMSITHOXBOW</b>	Douglas Smith	GHSMSITHOXBOW														
User:	Name:															

## DMR Copy of Record

<b>Permit</b>	Permit #:	CO0000132	Permittee:	Oxbow Mining LLC	Facility:	SANBORN CRK & ELK CRK MINES
	Major:	No	Permittee Address:	PO Box 535 Somerset, CO 81434-0535	Facility Location:	3737 HIGHWAY 133 SOMERSET, CO 81434
<b>Permitted Feature:</b>	013 External Outfall	<b>Discharge:</b>	013-A RUNOFF TO N FORK GUNNISON R.			
<b>Report Dates &amp; Status</b>	Monitoring Period:	From 12/01/18 to 12/31/18	DMR Due Date:	01/28/19	Status:	NetDMR Validated
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR <=10YR,24HR PRECIP EVENT-SEE I.A.1.PP 4-5, AND I.A.2, P. 5 FOR RQMTS.TDS MONITORING-SEE PART V.IA.2.G OF RATIONALE. 30 DAY AVG. IS HIGHEST MONTHLY AVG. DURING PERIOD REPTD.						
<b>Principal Executive Officer</b>	First Name:	Mike	Title:	President	Telephone:	970-929-5122
	Last Name:	Ludlow				
<b>No Data Indicator (NODI)</b>						
<b>Form NODI:</b>	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading	
					Qualifier 1	Value 1
					Qualifier 2	Value 2
					Units	Qualifier 1
					Value 1	Value 2
					Qualifier 2	Value 3
					Qualififer 3	Value 3
					Units	# of Ex.
					Frequency of Analysis	Sample Type
0040 pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	>=	6.5 MINIMUM C - No Discharge
00530 Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	35 30DA AVG C - No Discharge
00545 Solids, settleable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	Req Mon 30DA AVG C - No Discharge
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	Req Mon DAILY MX 25 - mL/L C - No Discharge
03582 Oil and grease	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	3000 30DA AVG C - No Discharge
50500 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	6000 DAILY MX C - No Discharge
70295 Solids, total dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	10 INST MAX C - No Discharge
8066 Oil and grease visual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<=	7777 - Contingent C - No Discharge
						IN - INSTAN
						01/30 - Monthly
						01/30 - Quarterly
						01/30 - Monthly
						VI - VISUAL
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.						
<b>Edit Check Errors</b> No errors.						
<b>Comments</b>						
<b>Attachments</b> No attachments.						
<b>Report Last Saved By</b>						
Oxbow Mining LLC	User:	GHGSMITHOXBOW				
	Name:	Douglas Smith				
	E-Mail:	doug.smith@oxbow.com				
	Date/Time:	2019-01-02 09:09 (Time Zone: -07:00)				
<b>Report Last Signed By</b>						
GHGSMITHOXBOW	User:	GHGSMITHOXBOW				
	Name:	Douglas Smith				

## DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> C00000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility:</b> SANBORN CRK & ELK CRK MINES													
<b>Major:</b>	No	<b>Permittee Address:</b> PO Box 535	<b>Facility Location:</b> 3737 HIGHWAY 133 SOMERSET, CO 81434													
<b>Permitted Feature:</b>	014 External Outfall	<b>Discharge:</b> 014-A SURF RUNOFF TO N FK GUNNISON R														
<b>Report Dates &amp; Status</b>	<b>Monitoring Period:</b> From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated													
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED AND SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR/24HR PRECIP EVENT. SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR/24HR EVENT SEE I.A.1.PP 4-5, AND I.A.2, P. 5 FOR ROMINTS/TDS MONITORING-SEE PART V.IA.G OF RATIONALE. 30 DAY AVG. IS HIGHEST MONTHLY AVG.																
<b>Principal Executive Officer</b>	First Name: Mike	Title: President	Telephone: 970-929-5122													
<b>Last Name:</b>	Ludlow															
<b>No Data Indicator (NODI)</b>																
<b>Form NODI:</b>	<b>Parameter Name:</b>	<b>Monitoring Location:</b>	<b>Season # Param. NODI:</b>													
Code	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Excursions	Frequency of Analysis	Sample Type
00400 pH	1 - Effluent Gross	0	-	-		>=	6.5 MINIMUM	C - No Discharge	<=	9 MAXIMUM	12 - SU	01/30 - Monthly	IS - IN SITU			
00530 Solids, total suspended	1 - Effluent Gross	0	-	-		<=	35-30DA AVG	C - No Discharge	<=	70 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB			
00545 Solids, settleable	1 - Effluent Gross	0	-	-		Req Mon 30DA AVG	C - No Discharge	Req Mon DAILY MX 25 - mL/L		01/30 - Monthly	GR - GRAB					
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-	-		<=	3000-30DA AVG	C - No Discharge	<=	6000 DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB			
03582 Oil and grease	1 - Effluent Gross	0	-	-		<=	3000-30DA AVG	C - No Discharge	<=	10 INST MAX	19 - mg/L	7/7/7 - Contingent	GR - GRAB			
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	-		Req Mon 30DA AVG	C - No Discharge	Req Mon DAILY MX 03 - MGD		01/30 - Monthly	IN - INSTAN					
70295 Solids, total dissolved	1 - Effluent Gross	0	-	-		Req Mon QTR AVG	C - No Discharge	Req Mon DAILY MX 19 - mg/L		01/90 - Quarterly	GR - GRAB					
8406 Oil and grease visual	1 - Effluent Gross	0	-	-		Req Mon INST MAX 9P - Nod=Y=1	C - No Discharge	Req Mon INST MAX 9P - Nod=Y=1		01/30 - Monthly	VI - VISUAL					
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																
<b>Edit Check Errors</b> No errors.																
<b>Comments</b>																
<b>Attachments</b> No attachments.																
<b>Report Last Saved By</b>																
Oxbow Mining LLC	GHSMSITHOXBOW Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2019-01-02 09:10 (Time Zone: -07:00)															
<b>Report Last Signed By</b>																
GHSMSITHOXBOW	GHSMSITHOXBOW Douglas Smith Name:															
Date/Time:																
User:																
Name:																

DMR Copy of Record

**DMR Copy of Record**

<b>Permit</b>	CO0000132	<b>Permittee:</b> Oxbow Mining LLC PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b> SANBORN CRK & ELK CRK MINES 3737 HIGHWAY 133 SOMERSET, CO 81434
<b>Major:</b>	No	<b>Permittee Address:</b>	
<b>Permitted Feature:</b>	015 External Outfall	<b>Discharge:</b> 015-W ACUTE WET TESTING FOR 015A	
<b>Report Dates &amp; Status</b>			
<b>Monitoring Period:</b>	From 10/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated
SEE LA.4.A, PP 5-6 FOR DETAILS OF TEST PROCEDURE. REPORT LCS0 - STATISTICAL PINT VSTIMATE WHICH ISLETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.			
<b>Principal Executive Officer</b>			
First Name:	Mike	Title:	President
Last Name:	Ludlow		
<b>No Data Indicator (NODI)</b>			
Form NODI:	-	Monitoring Location Season # Param. NODI	
Code	Parameter Name	Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 1	Quantity or Concentration
TANIC LC50 Static 96Hr Acute Pimephales	1 - Effluent Gross	0	Sample Perm Req. Value (NODI)
		-	>= 100 MN/VALUE
<b>Submission Note</b>			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.			
<a href="#">Edit</a> <a href="#">Check Errors</a>			
No errors.			
<b>Comments</b>			
<b>Attachments</b>			
No attachments.			
<b>Report Last Saved By</b>			
Oxbow Mining LLC			
User:	GHGSMITH@OXBOW		
Name:	Douglas	Smith	doug.smith@oxbow.com
E-Mail:			
Date/Time:	2019-01-02 09:11 (Time Zone: -07:00)		
<b>Report Last Signed By</b>			
User:	GHGSMITH@OXBOW		
Name:	Douglas	Smith	doug.smith@oxbow.com
E-Mail:			
Date/Time:	2019-01-02 09:14 (Time Zone: -07:00)		

## DMR Copy of Record

<b>Permit</b>	CO0000132	<b>Permittee:</b>	Oxbow Mining LLC	<b>Facility:</b>	SANBORN CRK & ELK CRK MINES
<b>Major:</b>	No	<b>Permittee Address:</b>	PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b>	3737 HIGHWAY 133 SOMERSET, CO 81434
<b>Permitted Feature:</b>	016 External Outfall	<b>Discharge:</b>	016-A SURFACE RUNOFF TO ELK CREEK		
<b>Report Dates &amp; Status</b>	From 12/01/18 to 12/31/18	<b>DMR Due Date:</b>	01/28/19	<b>Status:</b>	NetDMR Validated
<b>Monitoring Period:</b>					
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LMT APPLIED FOR <=10YR-24 HR PRECIP EVENT; SETTLEABLE SOLIDS LIMITS MAY BE WAIVED FOR >10YR-24HR EVENT-SEE I.A.1.PP 4-5, AND I.A.2., P. 5 FOR RQMTS. TDS					
<b>Principal Executive Officer</b>					
<b>First Name:</b>	Mike	<b>Title:</b>	President	<b>Telephone:</b>	970-929-5122
<b>Last Name:</b>	Ludlow				
<b>No Data Indicator (NODI)</b>					
<b>Form NODI:</b>	-	<b>Monitoring Location Season # Param. NODI</b>		<b>Quantity or Loading</b>	
<b>Parameter</b>	<b>Name</b>	<b>Qualifier 1</b>	<b>Value 1</b>	<b>Qualifier 2</b>	<b>Value 2</b>
00440 pH	1 - Effluent Gross	0	-	>=	6.5 MINIMUM
00530 Solids, total suspended	1 - Effluent Gross	0	-	<=	35 30DA AVG
00545 Solids, settleable	1 - Effluent Gross	0	-	<=	70 DAILY MX
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-	<=	Req Mon 30DA AVG
03582 Oil and grease	1 - Effluent Gross	0	-	<=	Req Mon DAILY MX 25 - mL/L
50500 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	<=	C - No Discharge
70285 Solids, total dissolved	1 - Effluent Gross	0	-	<=	3000 30DA AVG
84066 Oil and grease visual	1 - Effluent Gross	0	-	<=	10 INST MAX
				<=	19 - mg/L
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon QTRTR AVG
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C - No Discharge
				<=	Req Mon INST MAX SP - N=1;Y=1
				<=	C - No Discharge
				<=	Req Mon DAILY MX 19 - mg/L
				<=	C -

## DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> C00000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility:</b> SANBORN CRK & ELK CRK MINES														
<b>Major:</b> No	<b>Permittee Address:</b> PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b> 3737 HIGHWAY 133 SOMERSET, CO 81434															
<b>Permitted Feature:</b> 017 External Outfall	<b>Discharge:</b> 0774 SURF RUNOFF TO N. FK GUNS RIV																
<b>Report Dates &amp; Status</b>	<b>Monitoring Period:</b> From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated														
<b>Considerations for Form Completion</b> TSS & TOTAL IRON LIMITS WILL BE WAIVED AND SETTLEABLE SOLIDS LIMIT APPLIES FOR <=10YR 24HR PRECIP EVENT. SEE 1A.1 PP 4-5, AND 1A.2, P 5 FOR RMQNTS. TDS MONITORING - SEE PART VI A.2.G OF RATIONALE. 30 DAY AVG IS HIGHEST MONTHLY AVG. DURING PERIOD RP1D																	
<b>Principal Executive Officer</b>	<b>First Name:</b> Mike	<b>Title:</b> President	<b>Telephone:</b> 970-929-5122														
<b>Last Name:</b> Ludlow																	
<b>No Data Indicator (NODI)</b>																	
<b>Form NODI:</b>	<b>Monitoring Location Season #</b>	<b>Param. NODI</b>															
Code	Name	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400 pH	1 - Effluent Gross	0	-				>=	6.5 MINIMUM	<=	9 MAXIMUM		12 SU		0/1/30 - Monthly	IS - INSTITU		
00530 Solids, total suspended	1 - Effluent Gross	0	-				<=	35 30DA AVG	<=	70 DAILY MX		19 - mg/L		0/1/30 - Monthly	GR - GRAB		
00545 Solids, settleable	1 - Effluent Gross	0	-					Req Mon 30DA AVG		Req Mon DAILY MX 25 - mL/L				0/1/30 - Monthly	GR - GRAB		
01045 Iron, total [as Fe]	1 - Effluent Gross	0	-				<=	3000 30DA AVG	<=	6000 DAILY MX		28 - ug/L		0/1/30 - Monthly	GR - GRAB		
03582 Oil and grease	1 - Effluent Gross	0	-					Req Mon 30DA AVG		C - No Discharge				77/77 - Contingent	GR - GRAB		
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-					Req Mon DAILY MX 03 - MGD						0/1/30 - Monthly	IN - INSTAN		
70295 Solids, total dissolved	1 - Effluent Gross	0	-					Req Mon QTR AVG		Req Mon DAILY MX 19 - mg/L				0/1/30 - Quarterly	GR - GRAB		
84086 Oil and grease visual	1 - Effluent Gross	0	-					Req Mon INST MAX gp - NaCl/Y=1		C - No Discharge				0/1/30 - Monthly	VI - VISUAL		
<b>Submission Note</b> If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																	
<b>Edit Check Errors</b>																	
No errors.																	
<b>Comments</b>																	
<b>Attachments</b>																	
<b>No attachments.</b>																	
<b>Report Last Saved By</b>																	
<b>Oxbow Mining LLC</b>	<b>User:</b> GHGSMITHOXBOW																
	Douglas Smith																
	E-Mail: doug.smith@oxbow.com																
	Date/Time: 2019-01-02 05:12 (Time Zone: -07:00)																
<b>Report Last Signed By</b>																	
<b>GHGSMITHOXBOW</b>	<b>User:</b> GHGSMITHOXBOW																
	Douglas Smith																
	Name:																

DMR Copy of Record

<b>Permit</b>	<b>Permit #:</b> CO00000132	<b>Permittee:</b> Oxbow Mining LLC	<b>Facility:</b> SANBORN CRK & ELK CRK MINES															
<b>Major:</b>	No	<b>Permittee Address:</b> PO Box 535 Somerset, CO 81434-0535	<b>Facility Location:</b> 3737 HIGHWAY 133 SOMERSET, CO 81434															
<b>Permitted Feature:</b>	019 External Outfall	<b>Discharge:</b>	SURFACE RUNOFF TO HUBBARD CRK															
<b>Report Dates &amp; Status</b>	From 12/01/18 to 12/31/18	<b>DMR Due Date:</b> 01/28/19	<b>Status:</b> NetDMR Validated															
<b>Considerations for Form Completion</b>																		
TSS & TOTAL IRON LIMITS WILL BE WAIVED, AND SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10.24HR PRECIP EVENT; SETTLEABLE SOLIDS LIMIT MAY BE WAIVED FOR >10YR. 24HR EVENT-SEE IA1.PP 4-5, AND IA2.P 5 FOR ROMNTS TDS.																		
<b>Principal Executive Officer</b> First Name: Mike Last Name: Ludow <b>No Data Indicator (NODI)</b> - <b>Form NODI:</b> Parameter Name Monitoring Location Season # Param. NODI																		
Code	Qualifier 1	Value 1	Quantity or Loading	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	# of Ex. Frequency of Analysis	Sample Type
01400 pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		>=	6.5 MINIMUM	C - No Discharge	=	9 MAXIMUM	12 - SU	01/30 - Monthly	IS - INSTU					
00530 Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		<=	35 30DA AVG	C - No Discharge	<=	70 MX 7D AV	19 - mg/L	01/30 - Monthly	GR - GRAB					
01045 Solids, settleable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI			Req Mon 30DA AVG	C - No Discharge		Req Mon DAILY MX 25 - mL/L		01/30 - Monthly	GR - GRAB					
01045 from, total [gas Fe]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		<=	3000 30DA AVG	C - No Discharge	<=	6000 DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB					
03582 Oil and grease	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		<=	10 INST MAX	C - No Discharge	<=	77777 Contingent								
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI			Req Mon 30DA AVG	C - No Discharge		01/30 - Monthly								
70285 Solids, total dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI			Req Mon 30DA AVG	C - No Discharge		01/30 - Quarterly								
84066 Oil and grease visual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI			Req Mon INST MAX SP	C - No Discharge		01/30 - Monthly								
<b>Submission Note</b>																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
<b>Edit Check Errors</b> No errors. <b>Comments</b> <b>Attachments</b> No attachments. <b>Report Last Saved By</b> <b>Oxbow Mining LLC</b> User: GHGSMITHOXBOW Name: Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2019-01-02 09:12 (Time Zone: -07:00)																		
<b>Report Last Signed By</b> <b>Oxbow Mining LLC</b> User: GHGSMITHOXBOW Name: Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2019-01-02 09:12 (Time Zone: -07:00)																		