



EAST AREA

- REFER TO COVERSHEET/OVERALL PLAN FOR ADJACENT PROPERTY OWNERS; REFER TO EXISTING CONDITIONS SHEET FOR SOURCE OF SUPPLY/TOPOGRAPHY, BENCHMARK, FLOODPLAIN AND WETLANDS
- 2. ALONG THE SOUTH PLATTE RIVER, THE LIMIT OF MINING SHALL BE 100' FROM THE TOP OF IMPROVED WEST BANK OF THE SOUTH PLATTE RIVER AS ALLOWED BY URBAN DRAINAGE AND FLOOD
- 3. INSTALLATION OF THE PIPES UNDER IGOTH AVENUE (SH 7) FOR TRANSPORTING AGGREGATE MATERIAL FROM PHASE I TO THE PROCCESING PLANT SHALL REQUIRE APPROVAL OF THE COLORADO DEPARTMENT OF TRANSPORTATION (CDOT). TRUCK EXPORT OF AGGREGATE AND/OR BORROW MATERIAL SHALL ONLY BE ALLOWED BY APPROVAL OF THE COLORADO DEPARTMENT OF TRANSPORTATION (CDOT) OF AN ACCESS PERMIT THAT MAY INCLUDE CONSTRUCTION OF ROADWAY IMPROVEMENTS DEEMED NECESSARY BY CDOT.
- 4. AN ENGINEERING STABILITY ANALYSIS HAS BEEN PERFORMED TO ENSURE ANY MINING OCCURING WITHIN 200' OF A MAN-MADE STRUCTURE NOT OWNED BY THE APPLICANT/OPERATOR HAS ADEQUATE SETBACK. THE DISTANCES REQUIRED BY THE STABILITY ANALYSIS ARE INCLUDED ON THIS PLAN.
- 5. FOR PHASE 2 AND 3, THE OPERATOR WILL USE DRY MINING TECHNIQUES AND EXCAVATE MATERAIL BY BACKHOE, BULLDOZERS, AND SIMILAR EQUIPMENT. THE MINING FOR THESE PHASES WILL INVOLVE INSTALLATION OF A SLURRY WALL, DE-WATERING ACTIVE MINING AREAS, AND PUMPING WATER FROM DE-WATERED AREAS IN ACCORDANCE WITH THE DISCHARGE PERMIT. THE PHASE I MINE AREA WILL BE WET MINED.
- 6. TOPSOIL AND OVERBURDEN STOCKPILES SHALL BE TEMPORARILY STORED IN THE AREAS SHOWN. THE STOCKPILES IN THE FLOODPLAIN SHALL BE ALIGNED PARALLEL TO THE FLOOD-FLOW DIRECTION OF THE S. PLATTE RIVER, HAVE A MAXIMUM HEIGHT OF 30', A MAXIMUM LENGTH OF 300', MAXIMUM 3H:IV SLOPES, AND A MINIMUM OF 100' BETWEEN
- 7. OVERBURDEN AND TOPSOIL STOCKPILES ABOVE EXISTING GRADE, THAT ARE EXPECTED TO BE PRESENT FOR OVER I YEAR, WILL BE SEEDED WITH A TEMPORARY SEED MIX AS WEATHER PERMITS.
- 8. STOCKPILED TOPSOIL WILL BE SEGREGATED FROM OTHER SPOIL
- 9. THE OPERATION WILL INVOLVE CONCURRENT MINING AND RECLAMATION WITH FINAL SLOPES BEING 3H:IV, AND PLACEMENT OF 6" TOPSOIL ON ALL RECONSTRUCTED AREAS ABOVE THE PROPOSED HIGH WATER LEVEL OF THE FUTURE RESERVOIR; AND OTHER DISTURBED AREAS AS NECESSARY.
- 10. TETRA TECH RMC INC. IS NOT RESPONSIBLE FOR SAFETY, IN, ON, OR ABOUT THE PROJECT SITE, NOR FOR COMPLIANCE BY THE APPROPRIATE PARTY OF ANY REGULATIONS THERETO.
- II. A MINIMUM OF TEN (IO) FEET OF CLEARANCE FROM ANY EXISTING POWERLINE OR FUTURE POWERLINE SHALL BE MAINTAINED AT ALL TIMES AS OUTLINED BY STATE STATUTES.
- 12. UTILITIES SHOWN ON THIS PLAN WERE FIELD LOCATED AT THE TIME OF PLAN PREPARATION. FOR SAFTEY, THE OPERATOR SHOULD LOCATE UTILITES PRIOR TO SLURRY WALL CONSTRUCTION,
- 13. SLURRY WALL SHOWN HEREIN IS GENERAL LOCATION ONLY. REFER TO THE SLURRY WALL DESIGN PLANS AND SPECIFICAITONS FOR
- 14. PRIOR TO DISTURBANCE OF ANY WATERS OF THE U.S., AI WILL GET APPROPRIATE APPROVALS FROM THE U.S. ARMY CORPS OF
- 15. NO IRRIGATION DITCHES WILL BE DISTURBED UNTIL AN AGREEMENT HAS BEEN REACHED WITH THE DITCH COMPANY.
- 16. MINING OR FILL PLACEMENT IN THE "WEST FILL AREA" WILL BEGIN IN DECEMBER THROUGH FEBRUARY. IF MINING OR FILL ACTIVITY MUST BEGIN DURING THE MONTHS OF MARCH TO NOVEMBER, AGGREGATE INDUSTRIES-WCR, INC. WILL SURVEY TO DETERMINE IF BURROW OWLS

## TUCSON SOUTH RESOURCE MLRB 112 PERMIT MINING MAP


A TRACT OF LAND LOCATED IN THE NEI/4. SWI/4 AND SEI/4 OF SECTION I AND THE NEI/4 OF THE NWI/4 OF SECTION 12, TOWNSHIP I SOUTH, RANGE 67 WEST OF THE 6TH P.M., COUNTY OF ADAMS, STATE OF COLORADO. CONTAINING 290.71± ACRES





TUCSON STREET CONVEYOR CROSSING DETAIL

THIS DETAIL IS INTENDED TO BE CONCEPTUAL DESIGN. INSTALLATION OF THE CONVEYOR CROSSING BOX UNDER TUCSON STREET IS SUBJECT TO APPROVAL OF ADAMS COUNTY PUBLIC WORKS DEPT. AND COORDINATION



KEY MAP NOT TO SCALE

RECORD	DATE	DECIONED DV. VE
RECORD	DATE	DESIGNED BY: KF
ADEQUACY REVIEW 10-20-04	11-17-04	PREPARED BY: BP/SR
ADAMS COUNTY REFERRAL RESPONSE	12-14-04	
		CHECKED BY: KF
		JOB NO: 80-3919.019.01

