

2018

ANNUAL HYDROLOGIC REPORT



BOWIE RESOURCES, LLC
BOWIE NO. 2 MINE
P.O. BOX 483
PAONIA, COLORADO 81428
PERMIT C-1996-083

PREPARED BY:



2018 Annual Hydrology Report

Bowie Resources, LLC

Bowie No. 2 Mine

Permit Number C-1996-083

Paonia, Colorado

Introduction

The Bowie No. 2 Mine was built and opened by Bowie Resources during the spring and summer months of 1997 with coal production/development beginning on August 15, 1997. This room and pillar operation began developing a main and submain system of underground entries to provide the ventilation, haulage and coal conveyor support for years to come. These entries are driven carefully on projections, held to minimum widths with larger than normal coal pillars left in place to assure adequate support for the life of the mine. The mine began longwall production during November 1999.

The following 2018 Annual Hydrology Report describes the hydrologic monitoring for surface and ground water within the permit and adjacent area of the Bowie No. 2 Mine and presents baseline data for the natural mine plan progression.

In this report, springs, ponds and streams (including ditches, rivers, and canals) are considered surface water. Alluvial wells and drill holes are sampled and analyzed as ground water. Please refer to the permit application for a discussion of the methods employed during the gathering of field parameters. Permit Map-09 (attached as an exhibit in this report) indicates the location of all monitoring points referred to in this report.

At the request of the Division, we have included baseline data for all Springs, Streams, Drill Holes and Alluvial Wells on the annual tabulation figures. Previously, parameters not tested and tested but found below the Method Detection Limit (MDL) were left blank. Blank cells represent a "not tested" condition, while a "<MDL" notation is made for the condition where a parameter falls below the Method Detection Limit. Additional requests from the Division during the approval process for PR-04 have added other improvements to the tables, including minimum/maximum/average values for the baseline period and minimum/maximum/average values for the operational influenced period of the monitoring point.

Table 1 (immediately following this narrative) defines the monitoring points by type and sample frequency, field parameter sampling schedule and laboratory parameter sampling schedule.

Table 2 contains a listing of the laboratory parameters for surface and ground water to be tested in accordance with the mining permit application. Laboratory analysis are performed by Accutest Laboratories, Inc., 4036 Youngfield Street, Wheat Ridge, CO 80033 and Enviro-Chem Analytical, Inc., 685 West Gunnison Avenue, Grand Junction, CO.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 3 contains a listing of the field parameters and their application to the Springs, Streams, Drill Holes and Ponds within the permit boundary. Flow readings for springs and small streams are reported in gallons per minute. Stream and river flows are reported in cubic feet per second.

Table 4 contains local precipitation data for the year. This data is available from the internet at www.wrcc.dri.edu/summary/Climsmco.html select Paonia 1 SW (056306). The average precipitation for the period of record (1893 through 2016) is 15.39 inches. Precipitation during 2016 totaled 11.61 inches which is below average. Data for 2018 was not collected, however through September 19 at the Bowie No. 2 mine site, 4.51 inches was recorded which is much below annual average. Management change at the end of September is the reason the rain gauge data was not recorded. Recording was started again January 1, 2019 and will be available for the 2019 AHR.

Table 5 contains a listing of all monitoring points, with descriptions of their locations and a reference to the Monitoring Point Figure that contains this year's monitoring data. The included charts are given a figure number. During 2015 and 2016, approval of Technical Revision Nos. 103 and 107 eliminated, or temporarily suspended forty-seven (47) monitoring points. Table 5 hi-lights the changes to the monitoring program.

Monitoring point figures follow this introduction. Each Monitoring Point has an individual table which tabulates the annual data collection and reports Minimum, Maximum, Average and Baseline data. A reference in each footnote explains the period used for baseline data.

Flow data for the North Fork of the Gunnison River is obtained from the USGS from a website <http://nwiscolo.cr.usgs.gov/historic.html>. This flow reading is obtained telemetrically from a station near Somerset, CO and is reflective of upper river flows only. This monitoring point is identified by the USGS as 09132500.

Flow data for the Fire Mountain Canal is obtained from Mr. Trey Dennison, member of the Fire Mountain Canal and Reservoir Company, whose phone number is (970) 527-5166 or cell (970) 589-2857. This flow is representative of the upper and lower flows.

Monitoring point identifiers near the mine portals are historic and follow no specific naming convention. Monitoring points located in other areas typically follow a convention where the first letter(s) designates a water source type, such as "S" for Spring or "SP" for Spring and Pond. The numeral(s) following the first letter designate what Section the water source is located, for instance, SP34-2 would be a spring and pond in Section 34. The numeral separated with a dash indicates an index number for that point. SP34-2 would be the second monitoring point found in Section 34.

CDPS Monitoring Points

DMRs are submitted monthly to the Colorado Department of Public Health and Environment with copies to the Division of Reclamation, Mining and Safety and are included herein by reference.

North Fork Alluvium Monitoring Wells

Alluvial monitoring wells AW-1 through AW-6 are located near the mine entrance along the north side of Bowie Road. These wells are monitored quarterly for field parameters and semi-annually for full suite laboratory parameters during the second and fourth quarters in accordance with the permit application. Alluvial monitoring wells AW-7 through AW-9 are located near the mine entrance along the south side of Bowie Road. AW-10 cannot be reliably sampled due to a collapse of the casing, and was eliminated from the monitoring plan. These wells were installed as a requirement of PR-03 which allowed the mine operator to relocate Sediment Pond B to the south side of the highway. Alluvial Wells 11 through 13 were installed during the fall of 2000 to monitor the alluvium in the area where the new coal loadout (PR-06) was constructed. Alluvial well 13 was eliminated by the construction of the unit train loadout. Alluvial well 14 was installed during 2003 west of Pond K. Alluvial wells 15 through 17 were installed during the fourth quarter of 2003 and are located north of Bowie Road below coal mine waste disposal area #2.

The 2018 sampling season provides results consistent with baseline information provided in the permit application, showing no adverse impact to groundwater during the construction of the mine except for alluvial wells 16 and 17. These two alluvial wells located south of the gob pile have conductivity values significantly higher than baseline conditions. There has not been any significant degradation of alluvial wells 11 and 12 which are located below gob pile #3. Alluvial well 6 again had high conductivity values, but not on the magnitude of 2017. Looking at the trendline on the chart for Conductivity, since November of 1996, conductivity has been trending higher. Alluvial well 3's conductivity values are also trending higher. The well is located below the coal stockpile pad, which has not held a significant amount of coal for the last two years. However, looking at the chart associated with AW-3, since November 1996 it too has been trending higher.

Surface Water Monitoring Stations: PONDS

Ponds were sampled for water quality when discharging or inflows/outflows were occurring. Ponds are typically spring-fed or seep-fed and exhibit diffuse non-concentrated areas of inflow. Often the pond outlets present the only point of concentrated flow at which flow measurements and field parameters can be obtained. Where possible, quality measurements are obtained at the pond inlet. Stagnant water in ponds is not sampled since water quality results would show the effects of

evaporation and stock use and could not be used to evaluate potential mine affects. Ponds are monitored quarterly. The following information is collected for the ponds; 1) inflow; 2) outflow; and 3) water level below spillway outlet or depth of water in pond measured from the bottom of the pond. Field data collected during the 2018 sampling season is consistent with baseline information provided in the permit application.

Surface Water Monitoring Stations: SPRINGS

Forty-nine springs and springs with ponds were monitored during the 2018 monitoring season in accordance with the Hydrologic Monitoring Plan. This plan indicates that identified springs will be inspected quarterly for field parameters with full suite laboratory parameters required on springs with flows greater than five (5) gallons per minute. During the construction phase of the mine, four (4) springs (S-6, S-7, S-9 and S-15) were eliminated by road and portal bench construction activities. The 2018 field and laboratory analysis are consistent with baseline data provided in the permit application. There has been a trend in many of the springs that shows the conductivity increases as the flow decreases. This trend is most likely caused by the increased time the water is in contact with the alluvium because of the lower flows.

Surface Water Monitoring Stations: STREAMS AND DITCHES

Twenty-three surface water monitoring stations including the North Fork of the Gunnison, Terror Creek, Hubbard Creek, Freeman Gulch, the Deer Trail Ditch, Stephens Draw, and the Fire Mountain Canal are monitored quarterly for field parameters and semi-annually for full suite analysis. The results of the 2018 field and laboratory studies are consistent with baseline information supplied in the permit application.

The USGS, with right of way permission from the USDA-Forest Service, installed continuous monitoring stations on both Hubbard and Terror Creeks. Similar stations are installed near each creek's confluence with the North Fork of the Gunnison River. These stations have been calibrated by the USGS's hydrology department and now provide accurate readings for the Annual Hydrology Reports. The USGS did not collect flow data for their station during 2018. Flow data for the creeks were determined by Resource Engineering during 2018.

Surface Water Monitoring Stations: SMALL AREA EXEMPTIONS

The locations of the small area exemptions are presented on Map 20. The Applicant will monitor the flow from the small area exemptions to assure compliance with 4.05.2(3). The Applicant will use its best efforts to obtain samples. The samples will be analyzed for pH, conductivity and total settleable solids. Samples will be in compliance if they contain settleable solid levels of 0.5 ml/l or less and the pH is greater than 6.5

and less than 9.0. No small area exemption sampling was performed during the year.

Coal Member of Mesaverde

Eleven bedrock wells were monitored during the 2018 sampling season. These holes were monitored quarterly for field parameters and semi-annually for full suite laboratory analysis. Data collected and evaluated is consistent with the baseline information provided in the permit application except for DH-39 which is adjacent to the repaired DH-15. DH-39 again had high conductivity for all four quarters. The trend in increased conductivity began after DH-15 was sealed and replaced with DH-15A, see description in the following paragraph. The mine construction work during 1997 required the elimination of four monitored drill holes. These holes are DH 42, DH 52, DH 54 and DH 55 and were located near the mine portals. Drill Holes DH-13 and DH-34b were eliminated by mining. Drill hole DH-34c was damaged by ground movement. DH-16 is blocked at 60-feet so no monitoring can be performed. Drill Holes DH-57, 57a and DH-58, 58a were added in conjunction with the Terror Creek Coal Exploration Plan, with monitoring beginning in the fall of 1999. Drill holes DH-57 and DH57a were destroyed by longwall mining during 2001. DH-58 and 58a were eliminated by mining during late 2003 so they are no longer monitored.

D-Seam monitoring wells DH-15, DH-25 and DH-38 can no longer be monitored since all three have damaged well casings. During 2016, DH-15 was sealed and replaced by new D-Seam monitoring well DH-15A. The new well is located near the old monitoring well. Monitoring of DH-15A began the fourth quarter of 2016.

Drill holes DH-65, DH-66, DH-67D, DH-67blw and DH-67abv were added in conjunction with the Iron Point Federal coal lease, with some monitoring beginning during the fall of 2000. DH-67D was damaged during 2003 so no monitoring was performed. The DH-67 holes were refurbished during 2004. DH-66 was eliminated by mining during early 2004 so it is no longer monitored. DH-67blw had a pinched casing so a new DH-67blw was drilled during 2014. Obtaining a sample from DH 67B has been challenging. Field parameters were obtained all four quarters, but a full-suite sample was only obtained during the second quarter.

Drill holes DD-NM4X98-27, 28 and 29 were in-mine monitoring holes which were added to the monitoring program during 2003. The three monitoring points were abandoned when the mine activity retreated from the east mains in mid 2004. TC-03-01, 02 and 03 were added to the monitoring program during 2003. TC-03-03 was sealed in 2010 because a ventilation shaft was constructed where TC-03-03 was located. Monitoring wells TC-03-01 and TC-03-02 could not be rehabilitated during 2014. The wells could be used as water level piezometers but the wells are not functional for water quality data. Monitoring results for these well is of questionable value.

Drill holes CWI-DH-58 and CWI-DH-60 were added to the monitoring program in 2011 with the approval of permit revision 12 to cover the area west of Terror Creek.

Monitoring well CWI-DH-60 was cleaned and rehabilitated between August 20 and August 23, 2014. On August 22, 2014, the well was evacuated using the airlift and bailing techniques and the water quality showed a pH of 7.70 s.u., conductivity of 863 $\mu\text{S}/\text{cm}$, and temperature of 20.5° C. After a 12 hour recovery period, the SWL was measured at 892.0 feet btoc (August 23, 2014).

A new well CWI-DH-58a was drilled to replace CWI-DH-58 late in 2014. The Applicant drilled DH-2010-1SS and DH-2010-1B during 2011. DH-2010-1B is completed in the B-Seam and DH-2010-1SS is completed in a water bearing zone above the B-Seam. Drill hole 2010-1B was refurbished during 2014. After the 2014 well rehabilitation work, 2010-1B had the following water quality: pH 9.75 su, conductivity 277 umhos/cm, total iron 4.31 mg/l, manganese 0.0621 mg/l.

Conclusion

The results of the hydrologic monitoring conducted during the 2018 season indicate consistent chemical and physical properties when compared with the baseline values provided in the permit application. Longwall mining is the focus of all mining operations at Bowie No. 2 Mine. Longwall mining ceased February 26, 2016 so there was no mining during the calendar year. Prior mining has not affected the local hydrology during the current year. Water quality at all monitored sites remains good overall and no chemical or physical impacts have been noted. Except as noted above, none of the field or laboratory parameter results indicate an adverse impact associated with the mining operations of the Bowie No. 2 Mine on the local hydrology.

The Operator inadvertently left off SW-10 from the 2018 monitoring program. He is back on track in 2019 and data will be evaluated during the next AHR.

Many sites require four quarters of sampling for field parameters (Terror Creek Drainage system, Dove Gulch, nearly all of the Ponds, many of the S-Series Springs, etc.). However, due to snowpack, many sites were not accessible until the second quarter of 2018. In those cases, the first quarter data has been left off of the summary sheet, so there are only three quarters of data available.

Summary of Hydrology Monitoring Stations

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring - SPRINGS WITH PONDS									
SP5-1	Terror Creek-Spring/Pond 5-1	7400		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP6-4	Terror Creek-Spring/Pond 6-4	8040		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
SP7-1	Terror Creek-Spring/Pond 7-1	7780		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP7-5	Stevens Gulch-Spring/Pond 7-5	8300		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP12-4	Stevens Gulch-Spring/Pond12-4	8040		Quarterly	Quarterly	Annually	Yes	No	Permanently Suspended TR-103
SP16	Terror Creek-Spring/Pond 16	7780		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
SP17	Terror Creek-Spring/Pond 17	7520		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP18	Terror Creek-Spring/Pond 18	7280		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP19	Stevens Gulch-Spring/Pond 19	8240		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP20	Terror Creek-Spring/Pond 20	7840	4	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP22	Terror Creek-Spring/Pond 22	7560		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP23	Stevens Gulch-Spring/Pond 23	7480		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP34-11	Sheep Corral-Spring/Pond 34-11	7440	3	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
ST36-2	Flat Tanks	8160		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
ST36-4	Oak Hills Spring Lower Tank	8040		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
ST36-5	Oak Hiles Spring Upper Tank	8240		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
Surface Water Monitoring - SPRINGS									
S-1	B Gulch-Spring 1	6990	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-2	Freeman Gulch-Spring 2	7920	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-3	Freeman Gulch-Spring 3	7920	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-4	Terror Creek-Spring 4	7880	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-4a	Terror Creek-Spring 4a	7910	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5	Sheep Corral-Spring 5	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5a	Sheep Corral-Spring 5a	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5b	Sheep Corral-Spring 5b	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-8	C Gulch-Spring 8	7220	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-10	Steven's Draw-Spring 10	7550	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-11	Steven's Draw-Spring 11	7940	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-12	B Gulch-Spring 12	7650	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-13	Freeman Gulch-Spring 13	7500	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-14	Steven's Draw-Spring 14	7100	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-16	Terror Creek-Spring 16	7750	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-17	Freeman Gulch-Spring 17	7110	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-18	Terror Creek-Spring 18	7750	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - SPRINGS (cont.)									
S1-3	Terror Creek-Spring 1-3	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S1-5	Terror Creek-Spring 1-5	8020	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S2-2	Hubbard Creek-Spring 2-2	6740	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-3	Hubbard Creek-Spring 2-3	6740	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-9	Hubbard Creek-Spring 2-9	6320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-10	Hubbard Creek-Spring 2-10	6320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S3-1	Sheep Corral-Spring 3-1	6840	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-2	Seep West of Terror Creek Road	7200	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-3	Red's Spring & Pipeline	7200	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-4	Hugh's Family Pipe & Spring	7320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S6-1	Terror Creek-Spring 6-1	7720	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S6-6	Terror Creek-Spring 6-6	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S6-7	West Fork Terror Ck Concrete Box	7600	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-4	Stevens Gulch-Spring 7-4	8190	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-9	Terror Creek-Spring 7-9	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-10	Terror Creek-Spring 7-10	7880	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S8-5	Terror Creek-Spring 8-5	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S21	Terror Creek-Spring 21	7100	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S33-4	Sheep Corral-Spring 33-4	7790	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-7	Sheep Corral-Spring 34-7	7390	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-10	Dove Gulch-Spring 34-10	6640	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-19	Hubbard Creek-Spring 34-19	6460	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-20	Hubbard Creek-Spring 34-20	6440	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-21	Hubbard Creek-Spring 34-21	6430	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-22	Hubbard Creek-Spring 34-22	6700	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-23	Hubbard Creek-Spring 34-23	6650	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-24	Hubbard Creek-Spring 34-24	6390	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-25	Dove Gulch-Spring 34-25	6680	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S36-7	Seeps 11 Below Stevens Gulch Rd	8120	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 1

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - STREAMS AND DITCHES									
A-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
B-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
B-Gulch-up	Drainage System	7080	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
C-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
C-Gulch-up	Drainage System	7120	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
D2-1	Sheep Corral-Drainage System	6360	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D21-1	Terror Creek-Confluence w/NFG	5760	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
D32-4	Terror Creek-Drainage System	7480	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
D33-14	Upper Sheep Corral Gulch	7320	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D34-13	Dove Gulch-Drainage System	6440	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D34-14	Hubbard Creek-Drainage System	6560	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
Deer-low	Canal-Deer Trail Ditch	5920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Aug, List 2
Deer-up	Canal-Deer Trail Ditch	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Aug, List 2
D-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
D-Gulch-up	Drainage System	7160	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
FMC-Low	Canal-Fire Mountain Canal	5920	N/A	May/Jul/Sep	Semi-Annually	Annually	Yes	No	No winter monitoring - 1st & 3rd Qrt, List 1
FMC-up	Canal-Fire Mountain Canal	5960	N/A	May/Jul/Sep	Semi-Annually	Annually	Yes	No	No winter monitoring - 1st & 3rd Qrt, List 1
Free-low	Freeman Gulch-Drainage System	7560	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Free-up	Freeman Gulch-Drainage System	6360	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Hub-low	Hubbard Creek-Drainage System	5880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
Hub-up	Hubbard Creek-Drainage System	6320	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
NFG-low	North Fork-Drainage System	5680	N/A	Quarterly	Semi-Annually	Annually	Yes	No	2nd & 4th Qrt, List 1 - August, List 2 - Flow USGS
NFG-up	North Fork-Drainage System	5880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	2nd & 4th Qrt, List 1 - August, List 2 - Flow USGS
Steph-low	Steven's Draw-Drainage System	7000	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Steph-up	Steven's Draw-Drainage System	7920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-01	West Fork Terror Ck-Downstream	7140	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-02	Terror Creek-Mid Stream	7040	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-04	West Terror Creek Trib -Upstream	7880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-05	Stevens Gulch-Downstream	6600	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-10	Terror Ditch	6480	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-11	Stevens Gulch-Upstream	8084	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-12	West Fork Terror Ck-Upstream	7920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
EF-1	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
EF-2 thru 9	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Temporarily Suspended TR-103
EF-7 thru 9	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 1

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation	Depth	Frequency of Measurements		Report Frequency	Report Format		Comments
		(ft.)	(ft.)	Field Par.	Lab. Par.		AHR	DMR	
Coal Member of Mesaverde									
DH-15	Steven's Draw-Drill Hole	7143	218	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
DH-25	C Gulch-Drill Hole	7144	325	Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
DH-38	D Gulch-Drill Hole	7245	454	Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
DH-15a	Steven's Draw-Drill Hole	7143	218	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
DH-39	Steven's Draw-Drill Hole	7143	181	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-49	B Gulch-Drill Hole	7203	324	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67B	Hubbard Creek-Monitoring Well	6451	594	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67D	Hubbard Creek-Monitoring Well	6450	325	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67abv	Hubbard Creek-Monitoring Well	6451	193	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67blw	Hubbard Creek-Monitoring Well	6451	360	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
TC-03-01(B)	Terror Creek - Monitoring Well-Upper	7118	713	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
TC-03-02	Terror Creek - Monitoring Well	7095	586	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
CWI-DH-58A	Upper B Seam	7442	575	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
CWI-DH-60	Upper B Seam (B1)	7921	1085	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH2010-1B	Above Upper B Seam - Deep	7545	1220	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH2010-1SS	Upper B Seam - Shallow	7545	1140	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
North Fork Alluvium Monitoring Wells									
AW-1	Alluvial Well	5978	120	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-2	Alluvial Well	5967	50.4	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-3	Alluvial Well	5963	150	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-4	Alluvial Well	5978	60	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-5	Alluvial Well	5982	100	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-6	Alluvial Well	5981	112	Quarterly	Semi-Annually	Annually	Yes	No	Lab analysis 2nd & 4th Qrts
AW-7	Alluvial Well	5950	188	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-8	Alluvial Well	5950	60	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-9	Alluvial Well	5946	80	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-11	Alluvial Well	5884	60.86	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 2000 - Lab 2nd & 4th Qrts
AW-12	Alluvial Well	5878	45.38	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 2000 - Lab 2nd & 4th Qrts
AW-14	Alluvial Well	5822	30	Quarterly	Semi-Annually	Annually	Yes	No	Installed Summer of 2003 - Lab 2nd & 4th Qrts
AW-15	Alluvial Well	5973	86	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts
AW-16	Alluvial Well	5965	75	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts
AW-17	Alluvial Well	5951	62	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - PONDS									
P-1	Steven's Draw-Pond 1	7080	5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-2	Freeman Gulch-Pond 2	7600	5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-3	Terror Creek-Pond 3	7730	4.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-4	Terror Creek-Pond 4	7880	3.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-5	Sheep Corral-Pond 5	7800	8	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-6	Terror Creek-Pond 6	7880	3	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P1-4	W Fork Terror Creek-Pond 1-4	7960		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-6	W Fork Terror Creek-Pond 1-6	7980		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-11	W Fork Terror Creek-Pond 1-11	8000		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-12	W Fork Terror Creek-Pond 1-12	7860		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P5-5	Hugh's Pipe & Pond	7320		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P6-2	W Fork Terror Creek-Pond 6-2	8000		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P6-5	W Fork Terror Creek-Pond 6-5	8020		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-2	Stevens Gulch-Pond 7-2	8190		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-7	Stevens Gulch-Pond 7-7	8380		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-11	Stevens Gulch-Pond 7-11	8400		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P8-4	Terror Creek-Pond 8-4	6980		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-1	Stevens Gulch-Pond 12-1	7950		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-2	Stevens Gulch-Pond 12-2	8030		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-9	Stevens Gulch-Pond 12-9	7800		Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
P12-10	Stevens Gulch-Pond 12-10	7820		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-11	Stevens Gulch-Pond 12-11	7800		Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
P17-1	Coal Gulch-Pond 17-1	7340		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P18-1	Coal Gulch-Pond 18-1	7760		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P18-4	Stevens Gulch-Pond 18-4	8350		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P81	Stevens Gulch-Pond 81	8640		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P82	Terror Creek-Pond 82	7580		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P83	Coal Gulch-Pond 83	7820	2.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P33-3	Sheep Corral-Pond 33-3	7760	5.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P31-1	Dry Pond Below Stevens Gulch Rd	8120		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-1	Flat Pond Above Stevens Gulch Rd	8120		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-3	Meadow Pond	8140		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-6	Dry Pond 11	8140		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103

LAB PARAMETER LIST

SURFACE WATER LIST 1

Field Parameters	
Flow Rate (gpm)	
Water Level	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temerature (C)	
*Dissolved Oxygen (mg/l)	
Lab Parameters	
Wet Chemistry	MDL
Bicarbonate (HCO_3^-) (mg/l)	2 mg/L
Chloride (Cl) (mg/l)	0.5 mg/L
Conductivity (umhos/cm)	1 umhos/cm
Nitrate/Nitrite (mg/l)	0.1 mg/L
pH (Standard Units)	0.1 s.u.
Hardness (mg/l)	1 mg/L
Phosphate (PO_4^{3-} as P) (mg/l)	0.02 mg/L
Residue, Filterable (TDS) @ 180 C (mg/l)	0.5 mg/L
Residue, NonFilterable (TSS) (mg/l)	0.5 mg/L
Sodium Absorption Ratio in Water	0.15
Sulfate (SO_4^{2-}) (mg/l)	0.6 mg/L
Metals	
Aluminum (Al), total recoverable (mg/l)	0.05 mg/L
Arsenic (As), total recoverable (mg/l)	0.002 mg/L
Cadmium (Cd), total recoverable (mg/l)	0.0002 mg/L
Calcium (Ca^{+2}), total recoverable (mg/l)	0.2 mg/L
Copper (Cu), total recoverable (mg/l)	0.01 mg/L
Iron (Fe), total recoverable & Diss (mg/l)	0.01 mg/L
Lead (Pb), total recoverable (mg/l)	0.02 mg/L
Magnesium (Mg^{+2}), total recoverable (mg/l)	0.2 mg/L
Manganese (Mn), total recoverable (mg/l)	0.01 mg/L
Mercury (Hg), total recoverable (mg/l)	0.000025 mg/L
Molybdenum (Mo), total recoverable (mg/l)	0.02 mg/L
Selenium (Se), total recoverable (mg/l)	0.001 mg/L
Sodium (Na^+), total recoverable (mg/l)	0.2 mg/L
Zinc (Zn), total recoverable (mg/l)	0.005 mg/L
Organic Analysis	
Oil and Grease (mg/l)	0.5 mg/L

SURFACE WATER LIST 2

Field Parameters	
Flow Rate (gpm)	
Water Level	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temerature (C)	
*Dissolved Oxygen (mg/l)	
Lab Parameters	
Wet Chemistry	MDL
pH (Standard Units)	0.1 s.u.
Residue, Filterable (TDS) @ 180 C (mg/l)	0.5 mg/L
Ammonia (NH_3) (mg/l)	0.1 mg/L
Chloride (Cl) (mg/l)	0.5 mg/L
Cyanide (CN) (mg/l)	0.2 mg/L
Dissolved Oxygen (mg/l)	Report
Hardness (mg/l)	1 mg/L
Nitrate (NO_3^-) (mg/l)	0.1 mg/L
Nitrite (NO_2^-) (mg/l)	0.01 mg/L
Sulfide (S) (mg/l)	0.2 mg/L
Sulfate (SO_4^{2-}) (mg/l)	0.1 mg/L
Metals	
Arsenic (As), total recoverable (ug/l)	0.002 mg/L
Boron, total recoverabel (mg/l)	0.1 mg/L
Cadmium (Cd), total recoverable (ug/l)	0.0002 mg/L
Calcium (Ca^{+2}), dissolved (mg/l)	0.2 mg/L
Cadmium (Cd), total recoverable (ug/l)	0.0002 mg/L
Chromium III CrIII (ug/l)	0.01 mg/L
Chromium VI CrIV (ug/l)	0.02 mg/L
Copper (Cu), total recoverable (ug/l)	0.01 mg/L
Iron (Fe), dissolved (ug/l)	0.005 mg/L
Iron (Fe), total recoverable (ug/l)	0.001 mg/L
Lead (Pb), total recoverable (ug/l)	0.01 mg/L
Manganese (Mn), dissolved (ug/l)	0.01 mg/L
Manganese (Mn), total recoverable (ug/l)	0.01 mg/L
Mercury (Hg), total recoverable (ug/l)	0.000025 mg/L
Nickel, total recoverable (ug/l)	0.02 mg/L
Selenium (Se), total recoverable (ug/l)	0.001 mg/L
Silver (Ag), total recoverable (ug/l)	0.001 mg/L
Zinc (Zn), total recoverable (ug/l)	0.005 mg/L

GROUND WATER

Field Parameters	
Water Elevation (Feet)	
Depth to Water (Feet)	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temperature (C)	
Lab Parameters	
Wet Chemistry	MDL
Bicarbonate (HCO_3^-) (mg/l)	2 mg/L
Carbonate (CO_3^{2-}) (mg/l)	2 mg/L
Chloride (Cl) (mg/l)	0.5 mg/L
Conductivity (umhos/cm)	1 umhos/cm
Nitrate/Nitrite (mg/l)	0.1 mg/L
Ammonia (NH_3) (mg/l)	0.1 mg/L
pH (Lab Units)	0.1 mg/L
Hardness (mg/l)	1 mg/L
Phosphate (PO_4^{3-} as P) (mg/l)	0.02 mg/L
Residue, Filterable (TDS) @ 180 C (mg/l)	0.5 mg/L
Sulfate (SO_4^{2-}) (mg/l)	0.6 mg/L
Metals	
Arsenic (As), dissolved (mg/l)	0.002 mg/L
Cadmium (Cd), dissolved (mg/l)	0.0002 mg/L
Calcium (Ca^{+2}), dissolved (mg/l)	0.2 mg/L
Iron (Fe), dissolved (mg/l)	0.01 mg/L
Iron (Fe), total recoverable (mg/l)	0.01 mg/L
Magnesium (Mg^{+2}), dissolved (mg/l)	0.2 mg/L
Manganese (Mn), dissolved (mg/l)	0.01 mg/L
Manganese (Mn), total recoverable (mg/l)	0.01 mg/L
Mercury (Hg), dissolved (mg/l)	0.000025 mg/L
Selenium (Se), dissolved (mg/l)	0.001 mg/L
Sodium (Na^+), dissolved (mg/l)	0.2 mg/L
Zinc (Zn), dissolved (mg/l)	0.005 mg/L

Refer to Pages 2.05-134 and 2.05-135
 of Permit Application

Surface Water List 2 is applicable
 annually for North Fork Gunnison
 and Deer Trail Ditch only

NOTE: Springs are considered
 Surface Water

*Dissolved Oxygen is reported for
 Deer Trail Ditch, Fire Mountain
 Canal and North Fork Gunnison


FIELD PARAMETER LIST

Parameter	Unit	Wells	Ponds	Streams	Springs
Conductivity	umhos/cm	Yes	Yes	Yes	Yes
Flow Rate	CFS/GPM	No	Yes	Yes	Yes
pH	Standard	Yes	Yes	Yes	Yes
Temperature	C	Yes	Yes	Yes	Yes
Water Level	Feet	Yes	Yes	No	No

PRECIPITATION VALUES

Monthly Precipitation Values

Month	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
January	1.13	1.08	1.93	0.73	0.55	0.26	1.31	2.05	0.81	0.68	1.67	0.91	0.42	0.49	1.22	1.83	0.66	1.02	0.9
February	0.83	0.38	1.27	1.06	0.11	1.35	1.46	1.38	0.28	0.92	1.1	1	1.66	0.87	1.41	0.89	2.16	1	0.85
March	1.43	0.42	1.03	0.42	1.03	1.17	0.14	1.93	1.58	1.39	0.54	0.89	1.2	1.22	0.3	1.14	0.77	0.76	0.3
April	1.43	2.54	0.42	0.57	0.61	0.49	3.3	1.37	0.83	1.2	0.77	1.09	0.51	1.68	0.62	1.3	1.31	1.75	1.21
May	0.16	1.00	0.67	1.75	0.28	1.81	0	1.22	0.17	1.18	0.64	2.73	1.68	0.83	0.09	1.24	1.71	3.86	1.33
June	0.47	0.94	0.86	0.39	0.04	0.48	0.34	1.64	0.5	0.99	0.67	0.63	0.55	0.32	0.05	0	0.21	1.05	0.51
July	0.66	2.7	0.89	1.31	0.28	0.76	0.02	0.4	3.06	0.85	0.24	0.27	1.44	1.74	1.26	1.37	1.11	2.43	0.8
August	1.18	1.42	1.27	2.35	0.66	0.46	0.48	1.71	0.87	1.16	2.07	0.33	2.09	0.46	2.35	0.78	2.13	1.96	1.81
September	0.75	1.16	1.27	0.34	2.43	1.93	2.85	2.84	2.32	3.2	0.62	0.32	1.15	1.2	0.92	3.28	2.96	1.2	1.07
October	1.88	0.05	0.75	0.84	2.53	0.46	1.37	2.11	5.08	1.37	0.74	0.58	1.84	1.55	0.64	2.12	1.17	1.94	0.49
November	1.87	0.07	0.73	1.85	0.9	1.74	1.72	0.84	1.39	0	0.91	0.77	0.58	0.96	0.61	0.91	0.65	1.48	0.16
December	1.00	0.57	0.78	0.99	0.71	1.03	1.26	1.47	0.65	4.20	1.55	1.36	1.91	1.01	1.41	0.69	1.56	2.70	2.18
Minimum	0.16	0.05	0.42	0.34	0.04	0.26	0.00	0.40	0.17	0.00	0.24	0.27	0.42	0.32	0.05	0.00	0.21	0.76	0.16
Average	1.07	1.03	0.99	1.05	0.84	1.00	1.19	1.58	1.46	1.43	0.96	0.91	1.25	1.03	0.91	1.30	1.37	1.76	0.97
Maximum	1.88	2.7	1.93	2.35	2.53	1.93	3.30	2.84	5.08	4.20	2.07	2.73	2.09	1.74	2.35	3.28	2.96	3.86	2.18
Total	12.79	12.33	11.87	12.60	10.13	11.94	14.25	18.96	17.54	17.14	11.52	10.88	15.03	12.33	10.88	15.55	16.40	21.15	11.61



This data is obtained from the internet at www.wrcc.dri.edu/summary/Climsmco.html select Paonia 1 SW (056306).

** No data recorded during the 2017 or 2018 water year.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

			Chart	Fig No.
<i>Indicates the monitoring point has been removed/suspended</i>				
Surface Water Monitoring Stations: SPRINGS WITH PONDS				
SP5-1	Terror Creek - Spring/Pond 5-1	Monitoring Point Report Figure No.	1	
SP6-4	Terror Creek - Spring/Pond 6-4	Monitoring Point Report Figure No.		
SP7-1	Terror Creek - Spring/Pond 7-1	Monitoring Point Report Figure No.	2	
SP7-5	Stevens Gulch - Spring/Pond 7-5	Monitoring Point Report Figure No.	3	
SP12-4	Stevens Gulch - Spring/Pond 12-4	Monitoring Point Report Figure No.		
SP16	Terror Creek - Spring/Pond 16	Monitoring Point Report Figure No.		
SP17	Terror Creek - Spring/Pond 17	Monitoring Point Report Figure No.	4	5
SP18	Terror Creek - Spring/Pond 18	Monitoring Point Report Figure No.	6	
SP19	Stevens Gulch - Spring/Pond 19	Monitoring Point Report Figure No.	7	
SP20	Terror Creek - Spring/Pond 20	Monitoring Point Report Figure No.	8	9
SP22	Terror Creek - Spring/Pond 22	Monitoring Point Report Figure No.	10	
SP23	Steven Gulch - Spring/Pond 23	Monitoring Point Report Figure No.	11	
SP34-11	Sheep Corral - Spring/Pond 34-11	Monitoring Point Report Figure No.	12	13
ST36-2	Flat Tanks above Stevens Gulch Road	Monitoring Point Report Figure No.		
ST36-4	Tank and Spring below Stevens Gulch Road	Monitoring Point Report Figure No.		
ST36-5	Tank and Spring above Stevens Gulch Road	Monitoring Point Report Figure No.		

Surface Water Monitoring Stations: SPRINGS

S-1	B Gulch - Spring 1	Monitoring Point Report Figure No.	14	
S-2	Freeman Gulch - Spring 2	Monitoring Point Report Figure No.	15	
S-3	Freeman Gulch - Spring 3	Monitoring Point Report Figure No.	16	
S-4	Terror Creek - Spring 4	Monitoring Point Report Figure No.	17	
S-4a	Terror Creek - Spring 4a	Monitoring Point Report Figure No.	18	19
S-5	Sheep Corral - Spring 5	Monitoring Point Report Figure No.	20	
S-5a	Sheep Corral - Spring 5a	Monitoring Point Report Figure No.	21	
S-5b	Sheep Corral - Spring 5b	Monitoring Point Report Figure No.	22	23
S-8	C Gulch - Spring 8	Monitoring Point Report Figure No.	24	
S-10	Stevens Draw - Spring 10	Monitoring Point Report Figure No.	25	
S-11	Stevens Draw - Spring 11	Monitoring Point Report Figure No.	26	
S-12	B Gulch - Spring 12	Monitoring Point Report Figure No.	27	
S-13	Freeman Gulch - Spring 13	Monitoring Point Report Figure No.	28	
S-14	Stevens Draw - Spring 14	Monitoring Point Report Figure No.	29	
S-16	Terror Creek - Spring 16	Monitoring Point Report Figure No.	30	31
S-17	Freeman Gulch - Spring 17	Monitoring Point Report Figure No.	32	
S-18	Terror Creek - Spring 18	Monitoring Point Report Figure No.	33	
S1-3	Terror Creek - Spring 1-3	Monitoring Point Report Figure No.		
S1-5	Terror Creek - Spring 1-5	Monitoring Point Report Figure No.		
S2-2	Hubbard Creek - Spring 2-2	Monitoring Point Report Figure No.	34	35
S2-3	Hubbard Creek - Spring 2-3	Monitoring Point Report Figure No.	36	37
S2-9	Hubbard Creek - Spring 2-9	Monitoring Point Report Figure No.	38	
S2-10	Hubbard Creek - Spring 2-10	Monitoring Point Report Figure No.	39	
S3-1	Sheep Corral - Spring 3-1	Monitoring Point Report Figure No.	40	
S5-2	Seep West of Terror Creek Road	Monitoring Point Report Figure No.	41	
S5-3	Red's Spring & Pipeline	Monitoring Point Report Figure No.		
SP5-4	Hugh's Family Pipe & Spring	Monitoring Point Report Figure No.		
S6-1	Terror Creek - Spring 6-1	Monitoring Point Report Figure No.		
S6-6	Terror Creek - Spring 6-6	Monitoring Point Report Figure No.	42	
S6-7	South Side of West Fork Terror Creek Spring 6-7	Monitoring Point Report Figure No.		

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 5

Monitoring Point Reports

Table of Contents

			Chart	Fig No.
S7-4	Stevens Gulch - Spring 7-4	Monitoring Point Report Figure No.	43	
S7-9	Terror Creek - Spring 7-9	Monitoring Point Report Figure No.	44	
S7-10	Terror Creek - Spring 7-10	Monitoring Point Report Figure No.	45	
S8-5	Terror Creek - Spring 8-5	Monitoring Point Report Figure No.	46	
S21	Terror Creek - Spring 21	Monitoring Point Report Figure No.	47	
S33-4	Sheep Corral - Spring 33-4	Monitoring Point Report Figure No.	48	
S34-7	Sheep Corral - Spring 34-7	Monitoring Point Report Figure No.	49	
S34-10	Dove Gulch - Spring 34-10	Monitoring Point Report Figure No.	50	
S34-19	Hubbard Creek - Spring 34-19	Monitoring Point Report Figure No.	51	
S34-20	Hubbard Creek - Spring 34-20	Monitoring Point Report Figure No.	52	
S34-21	Hubbard Creek - Spring 34-21	Monitoring Point Report Figure No.	53	
S34-22	Hubbard Creek - Spring 34-22	Monitoring Point Report Figure No.	54	
S34-23	Hubbard Creek - Spring 34-23	Monitoring Point Report Figure No.	55	
S34-24	Hubbard Creek - Spring 34-24	Monitoring Point Report Figure No.	56	
S34-25	Dove Gulch - Spring 34-25	Monitoring Point Report Figure No.	57	58
S36-7	Seeps 11 below Stevens Gulch Road	Monitoring Point Report Figure No.		

Surface Water Monitoring Stations - STREAMS AND DITCHES

A-Gulch-lo	Drainage System	Monitoring Point Report Figure No.		
B-Gulch-lo	Drainage System	Monitoring Point Report Figure No.		
B-Gulch-up	Drainage System	Monitoring Point Report Figure No.		
C-Gulch-lo	Drainage System	Monitoring Point Report Figure No.		
C-Gulch-up	Drainage System	Monitoring Point Report Figure No.		
D2-1	Sheep Corral - Drainage System	Monitoring Point Report Figure No.	59	
D21-1	Terror Creek - Confluence w/NFG	Monitoring Point Report Figure No.	60	61
D32-4	Terror Creek - Drainage System	Monitoring Point Report Figure No.	62	63
D33-14	Upper Sheep Corral Gulch	Monitoring Point Report Figure No.	64	
D34-13	Dove Gulch - Drainage System	Monitoring Point Report Figure No.	65	
D34-14	Hubbard Creek - Drainage System	Monitoring Point Report Figure No.	66	67
Deer-low	Canal - Deer Trail Ditch	Monitoring Point Report Figure No.	68	69
Deer-up	Canal - Deer Trail Ditch	Monitoring Point Report Figure No.	70	71
D-Gulch-lo	Drainage System	Monitoring Point Report Figure No.		
D-Gulch-up	Drainage System	Monitoring Point Report Figure No.		
FMC-low	Canal - Fire Mountain Canal	Monitoring Point Report Figure No.	72	
FMC-up	Canal - Fire Mountain Canal	Monitoring Point Report Figure No.	73	
Free-low	Freeman Gulch - Drainage System	Monitoring Point Report Figure No.	74	75
Free-up	Freeman Gulch - Drainage System	Monitoring Point Report Figure No.	76	
Hub-low	Hubbard Creek - Drainage System	Monitoring Point Report Figure No.	77	78
Hub-up	Hubbard Creek - Drainage System	Monitoring Point Report Figure No.		
NFG-low	North Fork - Drainage System	Monitoring Point Report Figure No.	79	80
NFG-up	North Fork - Drainage System	Monitoring Point Report Figure No.	81	82
Steph-low	Stevens Draw - Drainage System	Monitoring Point Report Figure No.	83	84
Steph-up	Stevens Draw - Drainage System	Monitoring Point Report Figure No.	85	
SW-01	West Fork Terror Creek - Downstream	Monitoring Point Report Figure No.	86	
SW-02	Terror Creek - Mid Stream	Monitoring Point Report Figure No.	87	
SW-04	Terror Creek - Upstream	Monitoring Point Report Figure No.		

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

			Chart	Fig No.
SW-05	Stevens Gulch - Downstream	Monitoring Point Report Figure No.	88	89
SW-10	Terror Ditch	Monitoring Point Report Figure No.	90	91
SW-11	Stevens Gulch - Upstream	Monitoring Point Report Figure No.	92	
SW-12	West Fork Terror Creek - Upstream	Monitoring Point Report Figure No.	93	
EFH-1	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-2	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-3	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-4	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-5	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-6	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-7	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-8	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		
EFH-9	Ephemeral Channel in Spruce Stomp Lease	Monitoring Point Report Figure No.		

Coal Member of Mesaverde

DH-15	Stevens Draw - Drill Hole	Monitoring Point Report Figure No.		
DH-25	C Gulch - Drill Hole	Monitoring Point Report Figure No.		
DH-38	D Gulch - Drill Hole	Monitoring Point Report Figure No.		
DH-15a	Stevens Draw - Drill Hole	Monitoring Point Report Figure No.	94	
DH-39	Stevens Draw - Drill Hole	Monitoring Point Report Figure No.	95	96
DH-49	B Gulch - Drill Hole	Monitoring Point Report Figure No.	97	98
DH-67B	Hubbard Creek - Monitoring Well	Monitoring Point Report Figure No.	99	
DH-67D	Hubbard Creek - Monitoring Well	Monitoring Point Report Figure No.	100	
DH-67abv	Hubbard Creek - Monitoring Well	Monitoring Point Report Figure No.	101	
DH-67blw	Hubbard Creek - Monitoring Well	Monitoring Point Report Figure No.	102	
TC-03-01 Upper (B)	Terror Creek - Monitoring Well	Monitoring Point Report Figure No.		
TC-03-02	Terror Creek - Monitoring Well	Monitoring Point Report Figure No.		
CWI-DH-58A	Upper B Seam & Above (B1)	Monitoring Point Report Figure No.	103	
CWI-DH-60	Upper B Seam (B1)	Monitoring Point Report Figure No.	104	
DH-2010-1B	B Seam	Monitoring Point Report Figure No.	105	
DH-2010-1SS	Above B Seam	Monitoring Point Report Figure No.	106	

North Fork Alluvium Monitoring Wells

AW-1	Alluvial Well	Monitoring Point Report Figure No.	107	108
AW-2	Alluvial Well	Monitoring Point Report Figure No.	109	
AW-3	Alluvial Well	Monitoring Point Report Figure No.	110	111
AW-4	Alluvial Well	Monitoring Point Report Figure No.	112	113
AW-5	Alluvial Well	Monitoring Point Report Figure No.	114	115
AW-6	Alluvial Well	Monitoring Point Report Figure No.	116	117
AW-7	Alluvial Well	Monitoring Point Report Figure No.	118	
AW-8	Alluvial Well	Monitoring Point Report Figure No.	119	
AW-9	Alluvial Well	Monitoring Point Report Figure No.	120	
AW-11	Alluvial Well	Monitoring Point Report Figure No.	121	
AW-12	Alluvial Well	Monitoring Point Report Figure No.	122	
AW-14	Alluvial Well	Monitoring Point Report Figure No.	123	
AW-15	Alluvial Well	Monitoring Point Report Figure No.	124	
AW-16	Alluvial Well	Monitoring Point Report Figure No.	125	
AW-17	Alluvial Well	Monitoring Point Report Figure No.	126	

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

Chart
Fig No.

Surface Water Monitoring Stations: PONDS

P-1	Stevens Draw - Pond 1	Monitoring Point Report Figure No.	127	
P-2	Freeman Gulch - Pond 2	Monitoring Point Report Figure No.	128	
P-3	Terror Creek - Pond 3	Monitoring Point Report Figure No.	129	
P-4	Terror Creek - Pond 4	Monitoring Point Report Figure No.	130	
P-5	Sheep Corral - Pond 5	Monitoring Point Report Figure No.	131	
P-6	Terror Creek - Pond 6	Monitoring Point Report Figure No.	132	
P33-3	Sheep Corral - Pond 33-3	Monitoring Point Report Figure No.	133	
P1-4	W Fork Terror Creek - Pond 1-4	Monitoring Point Report Figure No.		
P1-6	W Fork Terror Creek - Pond 1-6	Monitoring Point Report Figure No.		
P1-11	W Fork Terror Creek - Pond 1-11	Monitoring Point Report Figure No.		
P1-12	W Fork Terror Creek - Pond 1-12	Monitoring Point Report Figure No.		
P5-5	Hugh's Pipe and Pond	Monitoring Point Report Figure No.		
P6-2	W Fork Terror Creek - Pond 6-2	Monitoring Point Report Figure No.		
P6-5	W Fork Terro Creek - Pond 6-5	Monitoring Point Report Figure No.	134	
P7-2	Stevens Gulch - Pond 7-2	Monitoring Point Report Figure No.	135	
P7-7	Stevens Gulch - Pond 7-7	Monitoring Point Report Figure No.	136	
P7-11	Stevens Gulch - Pond 7-11	Monitoring Point Report Figure No.	137	
P8-4	Terror Creek - Pond 8-4	Monitoring Point Report Figure No.	138	
P12-1	Stevens Gulch - Pond 12-1	Monitoring Point Report Figure No.	139	
P12-2	Stevens Gulch - Pond 12-2	Monitoring Point Report Figure No.	140	
P12-9	Stevens Gulch - Pond 12-9	Monitoring Point Report Figure No.		
P12-10	Stevens Gulch - Pond 12-10	Monitoring Point Report Figure No.	141	
P12-11	Stevens Gulch - Pond 12-11	Monitoring Point Report Figure No.		
P17-1	Coal Gulch - Pond 17-1	Monitoring Point Report Figure No.	142	
P18-1	Coal Gulch - Pond 18-1	Monitoring Point Report Figure No.	143	
P18-4	Stevens Gulch - Pond 18-4	Monitoring Point Report Figure No.	144	
P81	Stevens Gulch - Pond 81	Monitoring Point Report Figure No.	145	
P82	Terror Creek - Pond 82	Monitoring Point Report Figure No.	146	
P83	Coal Gulch - Pond 83	Monitoring Point Report Figure No.	147	
P31-1	Dry Pond below Stevens Gulch Road	Monitoring Point Report Figure No.		
P36-1	Flat Pond above Stevens Gulch Road	Monitoring Point Report Figure No.		
P36-3	Meadow Pond above Stevens Gulch Road	Monitoring Point Report Figure No.		
P36-6	Dry Pond 11	Monitoring Point Report Figure No.		

SP5-1
 Terror Creek - Pond Spring 5-1
 Elevation - 7400

Initiated	7/18/1985	7/18/1985	7/18/1985
Activated	3/31/2015	3/31/2015	3/31/2015
Date	10/1/2018	7/11/2018	5/29/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Damp	Damp	0.00
		Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0.00	0.94	7.36	0.00	1.53	4.12			
Inflow	GPM	0.00	0.00	0.00	0.02	0.62	2.96	0.12	0.02	0.09
Freeboard	Feet	0.00	0.00	0.00	0.00	0.00	0.00			
Temperature	Celsius	4.1	12.8	23.2	3.80	11.24	20.10	9.5	20.1	12.8
Conductivity	umhos/cm	490	672	804	697.00	786.22	830.00	828	801	697
pH	su	7.3	8.2	9.0	7.91	8.23	8.55	8.55	8.44	8.24
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	256.0	383.5	441.6	453.00	467.50	482.00			
Carbonate	mg/L	16.0	16.0	16.0	0.00	0.00	0.00			
Chloride	mg/L	2.0	6.4	10.0	3.90	4.27	4.50			
Conductivity	umhos/cm	552.0	656.8	974.0	680.00	690.67	700.00			
Hardness	mg/L	182.0	250.8	287.0	246.00	250.33	256.00			
Acidity	mg/L	14.0	14.0	14.0	-410.00	-390.00	-380.00			
pH	su	6.4	7.9	8.7	7.58	7.84	8.05			
ResidueFilterable-TDS	mg/L	320.0	374.9	451.0	428.00	442.67	457.00			
ResidueNonFilterable-TSS	mg/L	2.0	128.0	742.0	91.30	119.15	147.00			
SAR		1.2	1.7	2.5	2.31	2.42	2.52			
Sulfate	mg/L	16.0	34.3	70.0	16.90	18.37	19.80			
Calcium (Dissolved)	mg/L	30.0	57.8	69.0	0.00	0.00	0.00			
Magnesium (Total)	mg/L	18.0	25.9	28.0	22.00	23.27	23.90			
Sodium (Dissolved)	mg/L	43.0	61.0	76.0	0.00	0.00	0.00			
Iron (Total)	mg/L	0.4	0.4	0.4	0.25	0.60	0.98			
Iron (Dissolved)	mg/L	0.1	0.1	0.1	0.01	0.03	0.05			
Manganese (Total)	mg/L	0.06	0.06	0.06	0.05	0.11	0.16			

The area of concern for monitoring point SP5-1 was affected by the mining operation on or about March 31, 2015.

Negative value of acidity indicates alkalinity

SP7-1
Terror Creek - Pond Spring 7-1
Depth 3'
Elevation - 7780

Initiated	7/25/1985	7/25/1985	7/25/1985
Activated	6/1/2013	6/1/2013	6/1/2013
Date	10/1/2018	7/11/2018	5/29/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			No flow	Damp	3.9
		Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0	3.35	30	0	3.17	16.91			
Inflow	GPM	0	0.00	0	0	2.51	10.9	No flow	no flow	Damp
Freeboard	Feet	0	1.07	3	0	0.22	0.8		0.8	
Temperature	Celsius	10.3	16.68	32	7.4	14.69	22.8			17.5
Conductivity	umhos/cm	353	602.53	928	539	613.20	654			539
pH	su	6.7	7.95	9.4	7.57	8.24	8.63			8.22
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	226	382.24	603	253.3	318.57	368			
Chloride	mg/L	2	8.98	54.59	2.3	5.27	13.08			
Conductivity	umhos/cm	450	633.06	1120	475	523.00	585			
Hardness	mg/L	145	233.44	295	190.3	227.57	254			
Nitrate-Nitrite	mg/L	0.3	0.30	0.3	0.031	0.03	0.031			
Oil and Grease	mg/L	0	<MDL	0	0	<MDL	0			
pH	su	7	7.81	8.4	7.18	7.95	8.22			
Phosphate	mg/L	0	<MDL	0	0.073	0.09	0.11			
ResidueFilterable-TDS	mg/L	280	404.33	808	348	366.50	382			
ResidueNonFilterable-TSS	mg/L	2	85.47	580	7	40.78	81.2			
SAR		1.2	1.70	2.9	1.37	2.01	3.681			
Sulfate	mg/L	10	20.32	39	27.99	29.97	33.6			
Aluminum (TREC)	mg/L	0.034	0.03	0.034	0.12	249.86	999			
Arsenic (TREC)	mg/L	0.06	0.06	0.06	0.002	0.00	0.002			
Cadmium (TREC)	mg/L	0.02	0.02	0.02	0.002	0.00	0.002			
Calcium (TREC)	mg/L	33	50.86	70.6	41.9	52.93	58.8			
Copper (TREC)	mg/L	0.003	0.00	0.003	0.009	0.01	0.009			
Iron (TREC)	mg/L	1.24	1.24	1.24	0.157	0.48	1.19			
Lead (TREC)	mg/L	0.02	0.02	0.02	0.02	0.02	0.02			
Magnesium (TREC)	mg/L	13.9	25.89	37	20.8	23.15	26.1			
Manganese (TREC)	mg/L	0.376	0.38	0.376	0.03	0.06	0.09			
Mercury (TREC)	mg/L	0.00003	0.00	0.00003	2E-05	0.00	2E-05			
Molybdenum (TREC)	mg/L	0.007	0.01	0.007	0.001	0.00	0.001			
Selenium (TREC)	mg/L	0.003	0.00	0.003	0.002	0.00	0.002			
Sodium (TREC)	mg/L	78.1	78.10	78.1	45.2	67.73	116.7			
Zinc (TREC)	mg/L	0.01	0.01	0.01	0.02	0.02	0.02			

The area of concern for monitoring point SP7-1 was activated on or about 06/1/2013.

SP7-5
 Steven's Gulch - Pond Spring 7-5
 Elevation - 8300

Initiated	7/6/1983	7/6/1983	7/6/1983
Activated			
Date	11/29/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	
		Min	Ave	Max	Min	Ave	Max			
Inflow	GPM	0.00	0.92	4.49				0.000	0.000	0.000
Outflow	GPM	0.00	0.14	0.75				0.000	0.000	0.000
Freeboard	Feet	0.00	0.40	2.20						2.1
Temperature	Celsius	3.5	9.9	21.7						
Conductivity	umhos/cm	202	328	800						
pH	su	6.4	7.6	9.0						
Field Comments								Dry	Dry	
Lab Parameters	UNITS									
Bicarbonate	mg/L	71.81	183.45	227.00						
Chloride	mg/L	<MDL	4.39	19.82						
Conductivity	umhos/cm	184	298	430						
Hardness	mg/L	74.97	154.5	228.0						
Nitrate-Nitrite	mg/L	<MDL	0.256	0.256						
Oil & Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.7	7.4	8.4						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	163	204	260						
ResidueNonFilterable-TSS	mg/L	<MDL	42	236						
SAR		0.250	0.350	0.933						
Sulfate	mg/L	<MDL	18.2	154.0						
Aluminum (TREC)	mg/L	<MDL	0.022	0.022						
Arsenic (TREC)	mg/L	<MDL	0.04	0.04						
Cadmium (TREC)	mg/L	<MDL	0.01	0.01						
Calcium (TREC)	mg/L	19.8	27.7	35.6						
Copper (TREC)	mg/L	<MDL	0.02	0.02						
Iron (TREC)	mg/L	0.10	0.31	0.62						
Lead (TREC)	mg/L	<MDL	0.05	0.05						
Magnesium (TREC)	mg/L	6.2	16.1	27.0						
Manganese (TREC)	mg/L	<MDL	0.02	0.02						
Mercury (TREC)	mg/L	<MDL	0.00004	0.00004						
Molybdenum (TREC)	mg/L	<MDL	0.006	0.006						
Selenium (TREC)	mg/L	<MDL	0.023	0.023						
Sodium (TREC)	mg/L	8.50	17.53	26.56						
Zinc (TREC)	mg/L	<MDL	0.006	0.006						

The area of concern for monitoring point SP7-5 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

SP17
 Terror Creek - Pond Spring 17
 Depth 4'
 Elevation - 7520


Initiated Date	4/15/1983	4/15/1983	4/15/1983
	10/9/2018	7/11/2018	5/1/2018

Field Parameters	UNITS	Summary Information					
		Baseline			Operation		
		Min	Ave	Max	Min	Ave	Max
Outflow	GPM	0	2.22	22.5			0
Inflow	GPM	0	11.76	90			0
Freeboard	Feet	0	0	0.6			0.6
Temperature	Celsius	3.6	9.7	25			10.6
Conductivity	umhos/cm	240	470	791			599
pH	su	6.8	7.6	9.3			7.8
Field Comments							8.02
Lab Parameters	UNITS						
Bicarbonate	mg/L	186.0	263.2	361.0			
Chloride	mg/L	<MDL	5	34.74			
Conductivity	umhos/cm	340	487	686			
Hardness	mg/L	17.00	175.34	232.00			
Nitrate-Nitrite	mg/L	<MDL	0.63	1.1			
Oil and Grease	mg/L	<MDL	<MDL	<MDL			
pH	su	6.8	7.6	8.3			
Phosphate	mg/L	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	145	287	430			
ResidueNonFilterable-TSS	mg/L	<MDL	17	74			
SAR		1.08	2.61	41.10			
Sulfate	mg/L	5.35	27.27	68			
Aluminum (TREC)	mg/L	<MDL	242.112	1210			
Arsenic (TREC)	mg/L	<MDL	0.01	0.02			
Cadmium (TREC)	mg/L	<MDL	0.01	0.01			
Calcium (TREC)	mg/L	37.9	44.6	56.2			
Copper (TREC)	mg/L	<MDL	0.01	0.01			
Iron (TREC)	mg/L	0.0197	0.34	2.25			
Lead (TREC)	mg/L	<MDL	0.03	0.04			
Magnesium (TREC)	mg/L	11.7	15.5	18.9			
Manganese (TREC)	mg/L	<MDL	0.024	0.0862			
Mercury (TREC)	mg/L	<MDL	0.00008	0.00022			
Molybdenum (TREC)	mg/L	<MDL	0.003	0.006			
Selenium (TREC)	mg/L	<MDL	0.00531	0.014			
Sodium (TREC)	mg/L	36.3	52.3	112.6			
Zinc (TREC)	mg/L	<MDL	0.010	0.02			

The area of concern for monitoring point SP17 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

A diffuse flow from an area of approximately 30' x 20' discharges into a pond measuring approximately 30' x 50'. (Hanna, 99)

Plot of Flow and Conductivity



SP18
 Terror Creek - Pond Spring 18
 Elevation - 7280

Initiated	4/15/1983	4/15/1983	4/15/1983
Activated			
Date	10/1/2018	7/11/2018	5/29/2019

Summary Information

Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Outflow	GPM	0.17	1.27	3.96			0.60	0.30	1.08
Inflow	GPM	0.09	2.78	17.50			0.80	2.04	2.60
Freeboard	Feet	0.00	0.00	0.00			0		0
Temperature	Celsius	3.0	10.4	21.3			9.6	12.1	9.0
Conductivity	umhos/cm	260	624	832			679	679	541
pH	su	7.7	8.3	8.9			8.1	8.4	8.5
Field Comments									
Lab Parameters	UNITS								
Bicarbonate	mg/L	133.0	343.7	408.7					
Chloride	mg/L	3.00	7.94	62.04					
Conductivity	umhos/cm	230	606	892					
Hardness	mg/L	86.00	235.68	277.00					
Nitrate-Nitrite	mg/L	<MDL	0.5	0.8					
Oil and Grease	mg/L	<MDL	<MDL	<MDL					
pH	su	7.2	8.0	8.3					
Phosphate	mg/L	<MDL	0.023	0.024					
ResidueFilterable-TDS	mg/L	110	344	678					
ResidueNonFilterable-TSS	mg/L	2	39	171					
SAR		0.89	1.39	1.84					
Sulfate	mg/L	10	27	53					
Aluminum (TREC)	mg/L	0.028	260.405	806.000					
Arsenic (TREC)	mg/L	<MDL	0.04	0.04					
Cadmium (TREC)	mg/L	<MDL	0.01	0.01					
Calcium (TREC)	mg/L	57.9	62.4	66.8					
Copper TREC)	mg/L	<MDL	0.003	0.003					
Iron (TREC)	mg/L	0.24	1.24	4.51					
Lead (TREC)	mg/L	0.03	0.03	0.03					
Magnesium (TREC)	mg/L	21.0	24.7	28.1					
Manganese (TREC)	mg/L	0.01	3.04	21.20					
Mercury (TREC)	mg/L	<MDL	0.00007	0.00007					
Molybdenum (TREC)	mg/L	<MDL	0.010	0.010					
Selenium (TREC)	mg/L	<MDL	0.012	0.012					
Sodium (TREC)	mg/L	49.1	56.7	69.7					
Zinc (TREC)	mg/L	<MDL	0.004	0.004					

The area of concern for monitoring point SP18 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

SP19
 Steven's Gulch - Pond Spring 19
 Elevation - 8240

Initiated	8/22/1983	8/22/1983	8/22/1983
Activated	2/28/2015	2/28/2015	2/28/2015
Date	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Outflow	GPM	0	0.41	8.62	0	0.53	3.75	0	0
Inflow	GPM	0	0.03	0.49	0	0.32	2.50	0	0
Freeboard	Feet	0	1.45	2.70	0	1.05	1.80		1.8
Temperature	Celsius	-1.4	17.66	27.50	12.5	15.20	17.90		
Conductivity	umhos/cm	110	286.89	545.00	140	146.75	153.50		
pH	su	7.7	8.43	10.00	8.1	8.23	8.35		
Field Comments								Dry	Dry
Lab Parameters	UNITS								
Bicarbonate	mg/L	84.2	166.2	256.2					
Carbonate	mg/L								
Chloride	mg/L	<MDL	3	7					
Conductivity	umhos/cm	150	272	410					
Hardness	mg/L	61	120	185					
pH	su	6.9	7.5	8.4					
ResidueFilterable-TDS	mg/L	100	174	256					
ResidueNonFilterable-TSS	mg/L	6	64	396					
SAR		0.15	0.37	1.00					
Sulfate	mg/L	<MDL	24	101					
Calcium (Dissolved)	mg/L	16	28	41					
Magnesium (Total)	mg/L	5	12	20					
Sodium (Dissolved)	mg/L	3	9	23					

The area of concern for monitoring point SP19 was affected by the mining operation on or about February 28, 2015.

* Data not provided in field notes

SP20
 Terror Creek - Pond Spring 20
 Depth 4'
 Elevation - 7840

Initiated	5/15/1983	5/15/1983	5/15/1983
Activated	6/30/2013	6/30/2013	6/30/2013
Date	10/9/2018	8/6/2018	5/1/2018


Field Parameters	UNITS	Summary Information								
		Baseline			Operation					
		Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0.0	0.6	2.3	0.5	8.5	42.2	1.05	2.10	5.10
Inflow	GPM	0.0	3.5	37.5	0.6	13.1	45.0	1.4	3.3	10.8
Freeboard	Feet	0.0	0.0	0.8	0.0	0.0	0.0			
Temperature	Celsius	2.0	8.8	27.7	6.7	7.9	9.8	8.2	9.8	8.1
Conductivity	umhos/cm	250.0	471.2	674.0	460.0	582.3	639.0	634	623	626
pH	su	5.3	7.5	8.9	7.0	7.4	7.8	7.52	7.76	7.68
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	144.7	289.9	342.0	247.4	330.9	385.0	333	327	329
Chloride	mg/L	0.0	5.0	28.3	2.3	2.7	4.6	2.4	3.1	2.6
Conductivity	umhos/cm	311.5	513.5	714.0	484.0	522.2	591.0	542	522	484
Hardness	mg/L	108.0	207.6	511.9	197.0	223.2	243.0	218	219	223
Nitrate-Nitrite	mg/L	<MDL	0.3	0.3	<MDL	<MDL	0.1	<MDL	<MDL	<MDL
Oil and Grease	mg/L	<MDL	<MDL	0.0	<MDL	<MDL	0.0	<MDL	<MDL	<MDL
pH	su	6.7	7.4	8.5	7.0	7.4	8.0	7.95	7.43	7.61
Phosphate	mg/L	<MDL	<MDL	0.0	<MDL	0.0	0.0	0.028	0.031	0.024
ResidueFilterable-TDS	mg/L	240.0	318.8	460.0	337.0	358.7	438.0	360	351	344
ResidueNonFilterable-TSS	mg/L	<MDL	88.9	1800.0	<MDL	9.0	9.0	<MDL	<MDL	<MDL
SAR		0.5	1.3	2.3	1.2	1.9	5.4	1.4	1.42	1.33
Sulfate	mg/L	0.8	12.5	60.0	0.0	28.1	33.1	32.5	31.5	33.1
Aluminum (TREC)	mg/L	<MDL	0.2	0.5	<MDL	93.1	186.0	<MDL	<MDL	<MDL
Arsenic (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Cadmium (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Calcium (TREC)	mg/L	36.3	69.1	128.3	42.1	53.4	59.8	53.1	54.3	51.3
Copper (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Iron (TREC)	mg/L	0.0	0.1	0.2	0.0	0.1	0.3	0.055	<MDL	<MDL
Lead (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Magnesium (TREC)	mg/L	17.2	28.6	46.5	20.2	21.8	22.9	20.7	20.2	<MDL
Manganese (TREC)	mg/L	<MDL	0.0	0.0	<MDL	7.7	23.0	0.0068	<MDL	23
Mercury (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Molybdenum (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	0.0114	0.0104	<MDL
Selenium (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL
Sodium (TREC)	mg/L	40.2	47.6	53.1	43.6	53.1	124.8	45.5	46.2	51.3
Zinc (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0	<MDL	<MDL	<MDL

Activated 6/30/2013

This spring and pond consists of an area of approximately 20' x 20' of diffuse flow which is collected in a pond of approximately 30' x 60'. (Hanna, 99)

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



SP22
 Terror Creek - Pond Spring 22
 Depth 4'
 Elevation - 7480

Initiated	7/18/1983	7/18/1983	7/18/1983	7/18/1983
Activated	8/5/2012	8/5/2012	8/5/2012	8/5/2012
Date	10/1/2018	8/6/2018	5/29/2018	3/28/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Inflow	GPM	0.00	0.33	5.63	0.00	0.24	5.81	0.00	0.00	0.00	0.00
Outflow	GPM	0.00	0.00	0.00	0.00	0.01	0.20	0.00	0.00	0.00	0.00
Freeboard	Feet	0.0	1.1	4.0	0.00	0.23	1.20	0.00	0.00	0.00	1.20
Temperature	Celsius	6.9	16.9	28.6							
Conductivity	umhos/cm	343	661	915							
pH	su	7.3	8.3	9.7							
Field Comments								Dry	Dry	Dry	Dry
Lab Parameters	UNITS										
Bicarbonate	mg/L	165.9	343.4	584							
Carbonate	mg/L	<MDL	1.928	11.71							
Chloride	mg/L	1	7.621	13							
Conductivity	umhos/cm	390	629.2	878							
Hardness	mg/L	132	277.6	377							
pH	su	7.3	8.013	8.56							
ResidueFilterable-TDS	mg/L	145	377.3	564							
ResidueNonFilterable-TSS	mg/L	4	20.58	65							
SAR		0.53	1.087	1.897							
Sulfate	mg/L	14	48.52	230							
Calcium (Dissolved)	mg/L	17	57.89	90							
Magnesium (Total)	mg/L	12	32.36	51							
Sodium (Dissolved)	mg/L	14	40.51	63							

The monitoring point for Spring and Pond 22 is located on an east facing slope that drains down toward Terror Creek.

Baseline Information is derived from monitoring events beginning on 7/18/83 through 8/5/2012,
 Point SP22 influenced by mining on 8/5/12.

SP23
 Stevens Gulch - Pond Spring 23
 Elevation - 8300

Initiated	8/22/1983	8/22/1983	8/22/1983
Activated	7/15/2014	7/15/2014	7/15/2014
Date	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Outflow	GPM	0.00	1.05	9.29	0.00	62.50	0.00	0.00	0.00
Inflow	GPM							Dry	Dry
Freeboard	Feet	0.00	0.02	0.28	0.00	0.60	3.10	3.1	1.1
Temperature	Celsius	-0.10	10.07	21.70	3.50	10.19	16.20		
Conductivity	umhos/cm	220.00	403.91	891.00	220	395	521		
pH	su	6.80	7.42	9.60	6.9	7.5	9.4		
Field Comments									
Lab Parameters	UNITS								
Bicarbonate	mg/L	91.9	254.6	424.6					
Chloride	mg/L	<MDL	5.15	17.37					
Conductivity	umhos/cm	236	424	670					
Hardness	mg/L	105.00	209.37	322.00					
Nitrate-Nitrite	mg/L	0.11	0.11	0.11					
Oil and Grease	mg/L	<MDL	<MDL	<MDL					
pH	su	6.4	7.3	8.4					
Phosphate	mg/L	<MDL	<MDL	<MDL					
ResidueFilterable-TDS	mg/L	156	270	380					
ResidueNonFilterable-TSS	mg/L	2	61	216					
SAR		0.120	0.437	1.010					
Sulfate	mg/L	<MDL	10.08	43.00					
Aluminum (TREC)	mg/L	0.0210	0.0210	0.0210					
Arsenic (TREC)	mg/L	0.0200	0.0200	0.0200					
Cadmium (TREC)	mg/L	0.0100	0.0100	0.0100					
Calcium (TREC)	mg/L	41.300	41.300	41.300					
Copper (TREC)	mg/L	0.003	0.003	0.003					
Iron (TREC)	mg/L	0.15	0.54	1.15					
Lead (TREC)	mg/L	0.05	0.05	0.05					
Magnesium (TREC)	mg/L	11.0	23.4	38.0					
Manganese (TREC)	mg/L	0.010	0.067	0.110					
Mercury (TREC)	mg/L	0.00008	0.00008	0.00008					
Molybdenum (TREC)	mg/L	0.0030	0.0030	0.0030					
Selenium (TREC)	mg/L	0.0180	0.0180	0.0180					
Sodium (TREC)	mg/L	15.78	15.78	15.78					
Zinc (TREC)	mg/L	0.010	0.010	0.010					

*Multiple Seeps Inflow - Unmeasurable

Activated 7/15/2014

SP34-11
 Sheep Corral - Spring/Pond 34-11
 Elevation - 7440
 Depth - 3'


Initiated	10/27/1997	10/27/1997	10/27/1997
Activated	6/1/2002	6/1/2002	6/1/2002
Date	10/24/2018	7/10/2018	5/8/2018

Summary Information										
Field Parameters	UNITS	Baseline			Operation					
		Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0.0	2.2	18.8	0.0	3.06	17.00	0	0	0
Inflow	GPM				0.0	2.07	6.49	0.72	0.6	1.2
FieldComment										
ph	su	6.9	7.5	8.0	6.9	7.66	8.50	8.1	7.86	7.9
Conductivity	umhos/cm	130	325	450	360	554	710	597	699	613
Temperature	Celsius	6.1	10.0	15.1	4.5	8.0	12.8	7.6	12	5.7
Lab Parameters	UNITS									
Bicarbonate	mg/L	165	197	217	137.9	236.3	331.0			
Chloride	mg/L	<MDL	2	3	<MDL	5.30	11.79			
Conductivity	umhos/cm	324	412	482	367.8	469.8	554.0			
Hardness	mg/L	92	103	111	100.0	121.4	152.5			
Nitrate-Nitrite	mg/L	<MDL	0.03	0.09	<MDL	1.744	2.580			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	0.077	0.077			
pH	su	6.9	7.5	8.0	6.23	7.21	8.09			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.048	0.072			
ResidueFilterable-TDS	mg/L	180	247	290	55.5	230.1	371.0			
ResidueNonFilterable-TSS	mg/L	<MDL	51	154	<MDL	31.4	60.5			
SAR		<MDL	<MDL	<MDL	2.09	3.25	4.75			
Sulfate	mg/L	30	33	40	26.34	41.42	57.42			
Aluminum	mg/L	0.04	2.15	6.34	<MDL	56.59	226.00			
Arsenic	mg/L	<MDL	0.0003	0.001	0.009	0.013	0.015			
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.006			
Calcium	mg/L	27.5	30.3	32.1	7.7	30.4	43.6			
Copper	mg/L	<MDL	0.31	0.92	<MDL	<MDL	<MDL			
Iron (Total)	mg/L	0.04	2.35	6.89	0.01	0.16	0.38			
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.03	0.03			
Magnesium	mg/L	5.7	6.7	7.5	3.41	7.02	10.60			
Manganese (Total)	mg/L	<MDL	0.046	0.137	<MDL	0.01	0.02			
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0002			
Molybdenum	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Selenium	mg/L	<MDL	<MDL	<MDL	0.0010	0.0205	0.0560			
Sodium	mg/L	30.8	49.5	64.1	59.7	216.9	807.0			
Zinc	mg/L	<MDL	0.01	0.04	0.01	0.02	0.02			

The monitoring point for SP34-11 is along the old coal exploration road winding down Sheep Corral Gulch. The spring in sandstone just above the pond surface.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



SP34-11 - Sheep Corral Spring and Pond 34-11

Figure 13

S-1
B Gulch - Spring 1
Elevation - 6990

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	10/24/2018	7/9/2018	5/8/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.38	1.25	0.00	0.02	0.75	0	0	0	0
FieldComment											
ph	su	8.4	8.6	8.7	8.1	8.3	8.5				
Conductivity	umhos/cm	1520	2053	2300	2000	2067	2200				
Temperature	Celsius	2.4	10.5	17.1	12.8	17.2	20.1				
Lab Parameters	UNITS										
Bicarbonate	mg/L	784	784	784							
Chloride	mg/L	28	28	28							
Conductivity	umhos/cm	2140	2140	2140							
Hardness	mg/L	570	570	570							
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.5	7.5	7.5							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	1480	1480	1480							
ResidueNonFilterable-TSS	mg/L	30	30	30							
SAR		5.66	5.66	5.66							
Sulfate	mg/L	490	490	490							
Aluminum	mg/L	0.89	0.89	0.89							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	52	52	52							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	1.01	1.01	1.01							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	107	107	107							
Manganese (Total)	mg/L	0.017	0.017	0.017							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molybdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	0.002	0.002	0.002							
Sodium	mg/L	307	307	307							
Zinc	mg/L	0.01	0.01	0.01							

The S-1 monitoring point location is along the Stevens Draw road where it crosses B Gulch. This spring is located on the upper side of the road, discharges along the road and eventually contributes its flow through Sediment Pond B.

S-2
 Freeman Gulch - Spring 2
 Elevation - 7920

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	11/10/2001	11/10/2001	11/10/2001
Date	10/24/2018	7/9/2018	5/4/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.22	1.88	0.00	0.00	0.30	0	0	0
FieldComment										
ph	su	6.8	7.3	7.8						
Conductivity	umhos/cm	40	106	525						
Temperature	Celsius	1.2	10.2	19.1						
Lab Parameters	UNITS									
Bicarbonate	mg/L	57	57	57						
Chloride	mg/L	1	1	1						
Conductivity	umhos/cm	126	126	126						
Hardness	mg/L	44	44	44						
Nitrate-Nitrite	mg/L	0.51	0.51	0.51						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.0	6.0	6.0						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	90	90	90						
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL						
SAR		0.43	0.43	0.43						
Sulfate	mg/L	<MDL	<MDL	<MDL						
Aluminum	mg/L	0.10	0.10	0.10						
Arsenic	mg/L	0.002	0.002	0.002						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	14.2	14.2	14.2						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.71	0.71	0.71						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	2.1	2.1	2.1						
Manganese (Total)	mg/L	0.063	0.063	0.063						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	6.5	6.5	6.5						
Zinc	mg/L	<MDL	<MDL	<MDL						

The monitoring point for S-2 is located along the old coal exploration road which leads down into Freeman Gulch, to Pond 2, Drill holes 34B and 34C and the monitoring point for the Upper end of Freeman Gulch.

S-3
 Freeman Gulch - Spring 3
 Elevation - 7920

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	10/15/2001	10/15/2001	10/15/2001
Date	10/24/2018	7/9/2018	5/4/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.29	3.75	0.00	0.00	0.00	0	0	0
FieldComment										
ph	su	6.7	7.8	8.5						
Conductivity	umhos/cm	120	222	443						
Temperature	Celsius	7.6	15.6	28.7						
Lab Parameters	UNITS									
Bicarbonate	mg/L	77	77	77						
Chloride	mg/L	4	4	4						
Conductivity	umhos/cm	164	164	164						
Hardness	mg/L	72	72	72						
Nitrate-Nitrite	mg/L	0.05	0.05	0.05						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	7.5	7.5	7.5						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	110	110	110						
ResidueNonFilterable-TSS	mg/L	8	8	8						
SAR		0.34	0.34	0.34						
Sulfate	mg/L	<MDL	<MDL	<MDL						
Aluminum	mg/L	0.35	0.35	0.35						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	21.7	21.7	21.7						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.37	0.37	0.37						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	4.2	4.2	4.2						
Manganese (Total)	mg/L	0.014	0.014	0.014						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	6.6	6.6	6.6						
Zinc	mg/L	<MDL	<MDL	<MDL						

The monitoring point for S-3 is located along the old coal exploration road which leads down into Freeman Gulch, to Pond 2, Drill Holes 34B and 34C and the monitoring point for the Upper end of Freeman Gulch.

S-4
 Terror Creek - Spring 4
 Elevation - 7880

Initiated	6/12/1995	6/13/1995	6/14/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	11/13/2018	7/10/2018	5/18/2018


Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Damp	8.01
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.24	3.75	0.00	0.25	2.37			0.012
FieldComment										
ph	su	6.4	7.4	9.0	7.1	7.5	8.0			8.01
Conductivity	umhos/cm	80	268	433	300	385	537			428
Temperature	Celsius	1.2	10.0	24.0	1.8	6.5	10.7			6.1
Lab Parameters	UNITS									
Bicarbonate	mg/L	56	56	56	231.8	231.8	231.8			
Chloride	mg/L	2	2	2	49.63	49.63	49.63			
Conductivity	umhos/cm	99	99	99	438	441	443			
Hardness	mg/L	44	44	44	150.69	150.69	150.69			
Nitrate-Nitrite	mg/L	0.62	0.62	0.62	0.32	0.32	0.32			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.7	6.7	6.7	6.8	6.9	7.1			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	60	60	60	236	245	253			
ResidueNonFilterable-TSS	mg/L	16	16	16	1	19	36			
SAR		0.29	0.29	0.29	1.85	1.85	1.85			
Sulfate	mg/L	<MDL	<MDL	<MDL	60.51	60.51	60.51			
Aluminum (TREC)	mg/L	0.98	0.98	0.98	0.039	0.039	0.039			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Calcium (TREC)	mg/L	13.6	13.6	13.6	46	46	46			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Iron (TREC)	mg/L	0.88	0.88	0.88	0.15	0.56	0.97			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	2.4	2.4	2.4	8.7	8.7	8.7			
Manganese (TREC)	mg/L	0.03	0.03	0.03	0.020	0.026	0.032			
Mercury (TREC)	mg/L	0.0002	0.0002	0.0002	0.00006	0.00006	0.00006			
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Sodium (TREC)	mg/L	4.5	4.5	4.5	52.9	52.9	52.9			
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			

The monitoring point for S-4 is located along an unmarked road in an un-named gulch leading down from the broad ridge that separates Sheep Corral and Freeman Gulches from Terror Creek. This spring feeds P-4.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



S-4a
 Terror Creek - Spring 4a
 Elevation - 7910

Initiated	11/9/1995	11/9/1995	11/9/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	11/13/2018	7/10/2018	5/18/2018


Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	7.71	7.83
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.30	0.72	1.88	0.00	0.50	1.50		0.3	0.03
FieldComment										
ph	su	7.2	7.8	8.5	6.3	7.5	8.1		7.71	7.83
Conductivity	umhos/cm	200	239	280	200	276	389		389	352
Temperature	Celsius	2.4	7.4	14.2	4.3	6.6	15.0		15	6.1
Lab Parameters	UNITS									
Bicarbonate	mg/L	146	146	146	204.9	204.9	204.9			
Chloride	mg/L	2	2	2	47.15	47.15	47.15			
Conductivity	umhos/cm	289	289	289	313	321	330			
Hardness	mg/L	125	125	125	131.95	131.95	131.95			
Nitrate-Nitrite	mg/L	0.16	0.16	0.16	0.31	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	7.30	7.30	7.30	7.1	7.3	7.5			
Phosphate	mg/L	0.08	0.08	0.08	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	200	200	200	196	226	263			
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	2	27	48			
SAR		0.49	0.49	0.49	0.658	0.658	0.658			
Sulfate	mg/L	13	13	13	14.41	14.41	14.41			
Aluminum (TREC)	mg/L	0.88	0.88	0.88	0.023	0.023	0.023			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.006	0.006	0.006			
Calcium (TREC)	mg/L	43.10	43.10	43.10	44.4	44.4	44.4			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.002	0.002			
Iron (TREC)	mg/L	1.23	1.23	1.23	0.08	0.54	1.24			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	4.30	4.30	4.30	5.12	5.12	5.12			
Manganese (TREC)	mg/L	0.02	0.02	0.02	0.01	0.02	0.03			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00008	0.00008	0.00008			
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.007	0.007	0.007			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Sodium (TREC)	mg/L	12.5	12.5	12.5	17.6	17.6	17.6			
Zinc (TREC)	mg/L	0.03	0.03	0.03	0.006	0.006	0.006			

The monitoring point for S-4a is located along an unmarked road in an un-named gulch leading down from the broad ridge that separates Sheep Corral and Freeman Gulches from Terror Creek. This spring feeds P-4.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



S-4a - Terror Creek Spring 4a

Figure 20

S-5
Sheep Corral - Spring 5
Elevation - 7800

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	11/13/2018	7/10/2018	5/18/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Min	Ave	Max
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.27	0.80	0.00	0.20	1.88	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	7.2	7.6	8.1	7.1	7.4	7.8			
Conductivity	umhos/cm	190	332	400	310	358	430			
Temperature	Celsius	4.0	7.2	11.8	5.0	6.6	8.9			
Lab Parameters	UNITS									
Bicarbonate	mg/L	188	191	193	203.5	203.5	203.5			
Chloride	mg/L	2	2	2	32.26	32.26	32.26			
Conductivity	umhos/cm	406	407	407	414	414	414			
Hardness	mg/L	113	118	123	132.93	132.93	132.93			
Nitrate-Nitrite	mg/L	<MDL	0.08	0.15	0.31	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.90	7.00	7.10	7.08	7.08	7.08			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	220	225	230	268	268	268			
ResidueNonFilterable-TSS	mg/L	<MDL	14	28	6	6	6			
SAR		1.51	1.52	1.53	1.78	1.78	1.78			
Sulfate	mg/L	17	23	29	33.75	33.75	33.75			
Aluminum (TREC)	mg/L	<MDL	0.16	0.32	0.028	0.028	0.028			
Arsenic (TREC)	mg/L	<MDL	0.001	0.001	0.006	0.006	0.006			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Calcium (TREC)	mg/L	34.00	35.55	37.10	40.9	40.9	40.9			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.002	0.002			
Iron (TREC)	mg/L	<MDL	0.32	0.64	0.05	0.05	0.05			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	6.70	7.00	7.30	7.48	7.48	7.48			
Manganese (TREC)	mg/L	0.017	0.027	0.037	0.003	0.003	0.003			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00006	0.00006	0.00006			
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.011	0.011	0.011			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.012	0.012	0.012			
Sodium (TREC)	mg/L	36.50	37.45	38.40	47.8	47.8	47.8			
Zinc (TREC)	mg/L	<MDL	0.005	0.010	0.006	0.006	0.006			

The monitoring point location for S-5 is located along an unmapped road which leads down an un-named gulch which leads into Sheep Corral Gulch. This spring feeds Pond 5.

S-5a
 Sheep Corral - Spring 5A
 Elevation - 7860

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	11/13/2018	7/10/2018	5/18/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation					
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.13	0.89	4.30	0.00	0.25	3.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	6.9	7.4	8.0	7.0	7.3	8.3			
Conductivity	umhos/cm	160	301	400	340	388	448			
Temperature	Celsius	4.0	6.7	9.1	5.1	6.6	7.8			
Lab Parameters	UNITS									
Bicarbonate	mg/L	184.00	185.00	186.00						
Chloride	mg/L	2.00	2.00	2.00						
Conductivity	umhos/cm	388	391	393						
Hardness	mg/L	125.00	128.00	131.00						
Nitrate-Nitrite	mg/L	<MDL	0.03	0.05						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.90	7.40	7.90						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	190.00	205.00	220.00						
ResidueNonFilterable-TSS	mg/L	<MDL	17.00	34.00						
SAR		1.10	1.11	1.12						
Sulfate	mg/L	21.00	25.00	29.00						
Aluminum	mg/L	<MDL	0.34	0.69						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	37.80	38.70	39.60						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.02	0.48	0.95						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	7.50	7.70	7.90						
Manganese (Total)	mg/L	<MDL	0.019	0.037						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	28.10	28.60	29.10						
Zinc	mg/L	0.02	0.02	0.02						

The monitoring point location for S-5a is located along an unmapped road which is down an un-named gulch which leads into Sheep Corral Gulch. This spring feeds Pond 5.

S-5b
 Sheep Corral - Spring 5B
 Elevation - 7860

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	11/13/2018	7/10/2018	5/18/2018

Summary Information


Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Flow	GPM				0.06	0.54	2.80	0.6	0.084
FieldComment									
ph	su				7.6	8.0	8.9	8.9	8.2
Conductivity	umhos/cm				400	516	622	622	617
Temperature	Celsius				4.6	8.0	12.8	4.6	8.2
Lab Parameters	UNITS								
Bicarbonate	mg/L				277.8	277.8	277.8		
Chloride	mg/L				22.33	22.33	22.33		
Conductivity	umhos/cm				541	562	580		
Hardness	mg/L				114.78	114.78	114.78		
Nitrate-Nitrite	mg/L				0.32	0.32	0.32		
Oil and Grease	mg/L				<MDL	<MDL	<MDL		
pH	su				7.30	7.54	7.77		
Phosphate	mg/L				<MDL	<MDL	<MDL		
ResidueFilterable-TDS	mg/L				312	353	406		
ResidueNonFilterable-TSS	mg/L				14	30	60		
SAR					3.62	3.62	3.62		
Sulfate	mg/L				41.98	41.98	41.98		
Aluminum (TREC)	mg/L				0.034	0.034	0.034		
Arsenic (TREC)	mg/L				0.055	0.055	0.055		
Cadmium (TREC)	mg/L				0.01	0.01	0.01		
Calcium (TREC)	mg/L				33.4	33.4	33.4		
Copper (TREC)	mg/L				0.01	0.01	0.01		
Iron (TREC)	mg/L				0.24	0.51	0.81		
Lead (TREC)	mg/L				0.02	0.02	0.02		
Magnesium (TREC)	mg/L				7.62	7.62	7.62		
Manganese (TREC)	mg/L				0.083	0.118	0.180		
Mercury (TREC)	mg/L				0.00004	0.00004	0.00004		
Molybdenum (TREC)	mg/L				0.013	0.013	0.013		
Selenium (TREC)	mg/L				0.004	0.004	0.004		
Sodium (TREC)	mg/L				90.5	90.5	90.5		
Zinc (TREC)	mg/L				0.005	0.005	0.005		

The area of concern for monitoring point S-5b was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

The monitoring point location for S-5b is located along an unmapped road which is down an un-named gulch which leads into Sheep Corral Gulch. It is located across the draw from Springs 5 and 5a to the west.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



S-5b - Sheep Corral Spring 5b

Figure 24

S-8
C Gulch - Spring 8
Elevation - 7220

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	11/1/2002	11/1/2002	11/1/2002	11/1/2002
Date	11/29/2018	7/9/2018	5/8/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.08	2.50	0.00	0.00	0.00	0	0	0	0
FieldComment											
ph	su	6.90	6.90	6.90							
Conductivity	umhos/cm	1380	1380	1380							
Temperature	Celsius	13.70	13.70	13.70							
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S-8 is located just above the mine portal road which crosses over the mine portals on the utility bench of the mine.

Baseline Information for Point S-8 is derived from events beginning on 6/12/95 through 11/1/02.
 Point influenced by mining on 11/1/02.

S-10
 Stevens Draw - Spring 10
 Elevation - 7550

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	11/1/2002	11/1/2002	11/1/2002	11/1/2002
Date	10/25/2018	7/10/2018	5/4/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			0	0	0	0
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.17	2.50	0.00	0.00	0.00	0	0	0	0
FieldComment								Dry	Dry	Dry	Snow cover
ph	su	8.40	8.50	8.60							
Conductivity	umhos/cm	620	640	660							
Temperature	Celsius	19.80	21.10	22.40							
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S-10 is located along the Stevens Draw road and is located on the lower side of the road.

Baseline Information for Point S-10 is derived from events beginning on 7/12/95 through 11/1/02.
 Point influenced by mining on 11/1/02.

S-11
 Stevens Draw - Spring 11
 Elevation - 7940

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	1/15/2001	1/15/2001	1/15/2001	1/15/2001
Date	10/6/2017	7/10/2018	5/4/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Snow cover
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.00	0.00	0.00	0.07	4.00	0	0	0	0
FieldComment											
ph	su				7.6	7.6	7.6				
Conductivity	umhos/cm				160	160	160				
Temperature	Celsius				7.7	7.7	7.7				
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable -TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S-11 is located along the Stevens Draw road and is located on the lower side of the road.

Baseline Information for Point S-11 is derived from events beginning on 7/12/95 through 1/15/01.
 Point influenced by mining on 1/15/01.

S-12
B Gulch - Spring 12
Elevation - 7650

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2004	7/1/2004	7/1/2004	7/1/2004
Date	10/25/2018	7/9/2018	5/8/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			0	0	0	0
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
pH	su										
Conductivity	umhos/cm										
Temperature	Celsius										
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable -TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S-12 is located along a switchback road that ascends the southern facing exposure of the canyon wall of the North Fork of the Gunnison River. The road leads to the broad ridge which separates the Hubbard Creek and Terror Creek drainage systems.

S-13
 Freeman Gulch - Spring 13
 Elevation - 7500

Initiated	9/27/1995	9/27/1995	9/27/1995
Activated	11/18/1999	11/18/1999	11/18/1999
Date	11/29/2018	7/9/2018	5/8/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation					
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.01	0.27	0.00	0.01	0.94	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	8.2	8.2	8.2						
Conductivity	umhos/cm	300	300	300						
Temperature	Celsius	10.0	10.0	10.0						
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molybdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The monitoring point for S-13 is located along an old coal exploration road which eventually reaches Drillhole 13. This spring is located on the northern facing slopes of Freeman Gulch.

S-14
 Stevens Draw - Spring 14
 Elevation - 7100

Initiated Activated Date	9/27/1995	9/27/1995	9/27/1995	9/27/1995
	10/25/2018	7/10/2018	6/26/2018	3/20/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			0	0	0	0
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.14	1.50				0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.6	8.1	8.6							
Conductivity	umhos/cm	1020	1124	1300							
Temperature	Celsius	3.1	11.2	22.2							
Lab Parameters	UNITS										
Bicarbonate	mg/L	472	472	472							
Chloride	mg/L	16	16	16							
Conductivity	umhos/cm	1220	1220	1220							
Hardness	mg/L	414	414	414							
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.2	7.2	7.2							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable -TDS	mg/L	780	780	780							
ResidueNonFilterable-TSS	mg/L	22	22	22							
SAR		2.55	2.55	2.55							
Sulfate	mg/L	209.0	209.0	209.0							
Aluminum	mg/L	0.24	0.24	0.24							
Arsenic	mg/L	0.002	0.002	0.002							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	80.1	80.1	80.1							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	1.68	1.68	1.68							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	51.9	51.9	51.9							
Manganese (Total)	mg/L	0.184	0.184	0.184							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molybdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	<MDL	<MDL							
Sodium	mg/L	118	118	118							
Zinc	mg/L	<MDL	<MDL	<MDL							

The area of concern for monitoring point S-14 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S-14 is located on a fork of the Stevens Draw road just above Pond 1. Spring seeps from the east bank of drainage along about 100' sections. (Hanna, 1995)

S-16
 Terror Creek - Spring 16
 Elevation - 7750

Initiated	10/11/1995	10/11/1995	10/11/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	11/13/2018	7/10/2018	5/18/2018


Summary Information

Field Parameters	UNITS	Baseline			Operation			Damp	Damp	Damp
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.06	2.67	18.75	0.00	0.72	11.10			
FieldComment								Damp	Damp	Damp
ph	su	6.9	7.2	7.6	6.7	7.4	7.9			
Conductivity	umhos/cm	160	236	280	220	321	482			
Temperature	Celsius	4.5	7.0	12.0	5.2	6.9	9.3			
Lab Parameters	UNITS									
Bicarbonate	mg/L	107	129	159	178.0	185.9	193.8			
Chloride	mg/L	<MDL	2	5	1.70	19.46	37.22			
Conductivity	umhos/cm	230	260	296	317	381	449			
Hardness	mg/L	59	93	114	115.00	116.36	117.72			
Nitrate-Nitrite	mg/L	<MDL	0.10	0.24	<MDL	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.4	6.9	7.5	6.69	6.92	7.25			
Phosphate	mg/L	<MDL	0.07	0.33	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	140	164	190	192	237	284			
ResidueNonFilterable-TSS	mg/L	<MDL	2	8	2	8	21			
SAR		0.60	0.70	0.75	1.33	1.38	1.42			
Sulfate	mg/L	<MDL	3.4	12.0	19.60	29.15	38.69			
Aluminum (TREC)	mg/L	0.03	0.07	0.17	0.017	0.017	0.017			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.007	0.007	0.007			
Calcium (TREC)	mg/L	18.2	28.7	35.1	35.7	35.8	35.9			
Copper (TREC)	mg/L	<MDL	0.002	0.010	<MDL	0.003	0.003			
Iron (TREC)	mg/L	0.03	0.15	0.49	0.02	0.18	0.42			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.02	0.02	0.02			
Magnesium (TREC)	mg/L	3.2	5.3	6.5	<MDL	6.52	6.94			
Manganese (TREC)	mg/L	<MDL	0.005	0.017	<MDL	0.014	0.030			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0001			
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.009	0.009			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.002			
Sodium (TREC)	mg/L	10.5	15.4	18.2	32.9	34.5	36.1			
Zinc (TREC)	mg/L	<MDL	0.01	0.02	<MDL	0.007	0.007			

The monitoring point for S-16 is located on an un-mapped road in an un-named gulch which discharges eventually into Terror Creek.
 The flow from S-16 contributes to Pond 3, which is just below it.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



S-17
 Freeman Gulch - Spring 17
 Elevation - 7110

Initiated	5/9/1996	5/9/1996	5/9/1996
Activated	12/7/2000	12/7/2000	12/7/2000
Date	10/24/2018	7/30/2018	5/8/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Wet
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	2.11	20.00	0.00	0.00	0.00	0	0	0
FieldComment										
ph	su	8.40	8.61	8.80						8.24
Conductivity	umhos/cm	480.00	532.50	580.00						895
Temperature	Celsius	8.40	16.33	25.00						11.5
Lab Parameters	UNITS									
Bicarbonate	mg/L	266.00	280.25	298.00						
Chloride	mg/L	2.00	2.50	3.00						
Conductivity	umhos/cm	511.00	538.25	586.00						
Hardness	mg/L	177.00	200.00	216.00						
Nitrate-Nitrite	mg/L	<MDL	0.02	0.04						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	8.10	8.25	8.40						
Phosphate	mg/L	<MDL	0.01	0.03						
ResidueFilterable-TDS	mg/L	300.00	342.50	380.00						
ResidueNonFilterable-TSS	mg/L	<MDL	72.00	134.00						
SAR		1.15	1.50	2.08						
Sulfate	mg/L	20.00	27.50	30.00						
Aluminum	mg/L	0.10	2.52	5.42						
Arsenic	mg/L	<MDL	0.001	0.005						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	42.00	50.33	55.00						
Copper	mg/L	<MDL	0.003	0.01						
Iron (Total)	mg/L	0.10	2.80	6.08						
Lead	mg/L	<MDL	0.01	0.02						
Magnesium	mg/L	17.50	18.05	19.00						
Manganese (Total)	mg/L	<MDL	0.04	0.09						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	0.0003	0.001						
Sodium	mg/L	38.30	47.70	62.70						
Zinc	mg/L	<MDL	0.02	0.04						

Baseline Closed at end of 2000 Monitoring Season

The monitoring point location for S-17 is located on the southern facing slopes of Freeman Gulch and is accessed by foot from trails that originate on the Hubbard Creek Road.

S-18
 Terror Creek - Spring 18
 Elevation - 7750

Initiated	6/28/1999	6/28/1999	6/28/1999
Activated			
Date	10/24/2018	7/30/2018	5/8/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	8.31	8.5
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.73	5.00				0.006	0.18	
FieldComment										
ph	su	6.7	8.0	10.2						
Conductivity	umhos/cm	220	379	670					410	438
Temperature	Celsius	2.9	10.6	17.8					15.8	10.2
Lab Parameters	UNITS									
Bicarbonate	mg/L	167.7	248.2	401.0						
Chloride	mg/L	<MDL	<MDL	<MDL						
Conductivity	umhos/cm	331.1	426.0	600.0						
Hardness	mg/L	115.9	165.6	266.0						
Nitrate-Nitrite	mg/L	<MDL	1.09	2.13						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.52	7.72	8.33						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	117.5	229.6	377.0						
ResidueNonFilterable-TSS	mg/L	1	22	64						
SAR		1.35	1.49	1.68						
Sulfate	mg/L	14.41	21.34	25.73						
Aluminum	mg/L	<MDL	0.86	1.59						
Arsenic	mg/L	<MDL	0.008	0.010						
Cadmium	mg/L	<MDL	0.002	0.002						
Calcium	mg/L	30.0	43.7	66.8						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.023	0.750	1.800						
Lead	mg/L	<MDL	0.01	0.01						
Magnesium	mg/L	8.92	13.76	24.20						
Manganese (Total)	mg/L	<MDL	0.02	0.02						
Mercury	mg/L	<MDL	0.00004	0.00004						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	0.070	0.086						
Sodium	mg/L	36.0	44.0	53.8						
Zinc	mg/L	0.01	0.02	0.03						

The area of concern for monitoring point S-18 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S-18 is located on an unmapped road in an un-named gulch which discharges eventually into Terror Creek. The flow from S-18 contributes to Pond 6, which is just below it.

S2-2
 Hubbard Creek - Spring 2-2
 Elevation - 6740

Initiated	6/9/1998	6/9/1998	6/9/1998
Activated	9/15/2001	9/15/2001	9/15/2001
Date	10/24/2018	7/30/2018	5/8/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Damp	8.53
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.0	1.5	15.5	0.0	0.6	7.1			0
FieldComment										
ph	su	6.9	7.5	8.0	7.4	8.7	9.3			8.53
Conductivity	umhos/cm	580	680	780	930	1625	2100			1397
Temperature	Celsius	11.5	12.3	13.2	0.1	14.6	26.3			11.7
Lab Parameters	UNITS									
Bicarbonate	mg/L	339	350	361	489.6	536.9	584.2			
Carbonate	mg/L	<MDL	<MDL	<MDL	15.6	19.5	23.4			
Chloride	mg/L	2	3	3	<MDL	2.5	2.5			
Conductivity	umhos/cm	685	702	718	1042.2	1142.9	1243.7			
Hardness	mg/L	208	212	215	132.5	144.6	156.7			
Nitrate-Nitrite	mg/L	0.07	0.09	0.12	<MDL	<MDL	<MDL			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	7.7	7.8	7.8	8.5	8.7	8.8			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	390.0	420.0	450.0	941	964	987			
ResidueNonFilterable-TSS	mg/L	38.0	49.0	60.0	130	252	374			
SAR		<MDL	<MDL	<MDL	8.6	10.4	12.3			
Sulfate	mg/L	40.0	40.0	40.0	179.5	199.0	218.6			
Aluminum	mg/L	1.94	2.15	2.36	0.19	0.48	0.77			
Arsenic	mg/L	<MDL	<MDL	<MDL	0.077	0.092	0.107			
Cadmium	mg/L	<MDL	<MDL	<MDL	0.010	0.011	0.012			
Calcium	mg/L	51.5	52.5	53.6	24.70	27.91	31.11			
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	0.013	0.013			
Iron (Total)	mg/L	1.56	1.90	2.25	0.375	1.948	3.520			
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.06	0.06			
Magnesium	mg/L	19.4	19.6	19.8	17.19	18.19	19.18			
Manganese (Total)	mg/L	0.017	0.021	0.024	0.012	0.023	0.034			
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0002	0.0003			
Molybdenum	mg/L	<MDL	<MDL	<MDL	<MDL	0.005	0.005			
Selenium	mg/L	<MDL	<MDL	<MDL	0.005	0.076	0.146			
Sodium	mg/L	69.4	78.6	87.8	247.8	273.4	299.0			
Zinc	mg/L	0.02	0.02	0.02	0.02	0.03	0.03			

Baseline Information for Point S2-2 is derived from events beginning on 6/9/98 through 9/15/2001.
 Point influenced by mining on 9/15/01.

S2-3
 Hubbard Creek - Spring 2-3
 Elevation - 6740

Initiated	6/9/1998	6/9/1998	6/9/1998
Activated	9/24/1999	9/24/1999	9/24/1999
Date	10/24/2018	7/30/2018	5/8/2018

Summary Information


Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.0	0.2	1.3	0.0	0.00	0.00	0	0	0
FieldComment										
ph	su	7.8	7.8	7.8						
Conductivity	umhos/cm	740	740	740						
Temperature	Celsius	12.1	12.1	12.1						
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable -TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molybdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

Influenced by the disturbance of Freeman Gulch

The monitoring point for S2-3 is located along the same old coal exploration road used to access S2-2. It is located near the bottom of Freeman Gulch, along the upper edge of the road.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Plot of Flow and Conductivity



S2-9
 Hubbard Creek - Spring 2-9
 Elevation - 6320'

Initiated	4/1/1999	4/1/1999	4/1/1999	4/1/1999
Activated	9/24/1999	9/24/1999	9/24/1999	9/24/1999
Date	11/28/2018	7/18/2018	5/10/2018	3/5/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	1.3	3.8	0.0	0.00	0.00	0	0	0	0
FieldComment											
ph	su	7.5	7.5	7.5							
Conductivity	umhos/cm	1340	1340	1340							
Temperature	Celsius	4.6	4.6	4.6							
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
Residue Filterable-TDS	mg/L										
Residue NonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S2-9 is found along the Hubbard Creek road near the mouth of Freeman Gulch. The flow and field parameters are measured at the outlet end of a 24" culvert that directs this runoff from this spring into Hubbard Creek.

S2 - 10
 Hubbard Creek - Spring 2-10
 Elevation - 6320'

Initiated	4/1/1999	4/1/1999	4/1/1999	4/1/1999
Activated	9/24/1999	9/24/1999	9/24/1999	9/24/1999
Date	10/25/2018	7/18/2019	5/10/2018	3/5/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	0.9	3.6	0.0	0.1	4.2	0	0	0	0
FieldComment											
ph	su	7.4	7.4	7.4	8.0	8.6	10.2				
Conductivity	umhos/cm	840	840	840	940	1294	1670				
Temperature	Celsius	4.9	4.9	4.9	4.0	17.2	24.6				
Lab Parameters	UNITS										
Bicarbonate	mg/L				570.7	570.7	570.7				
Chloride	mg/L				<MDL	<MDL	<MDL				
Conductivity	umhos/cm				1048.5	1048.5	1048.5				
Hardness	mg/L				375.48	375.48	375.48				
Nitrate-Nitrite	mg/L				<MDL	<MDL	<MDL				
Oil and Grease	mg/L				11.39	11.39	11.39				
pH	su				8.34	8.34	8.34				
Phosphate	mg/L				<MDL	<MDL	<MDL				
Residue Filterable-TDS	mg/L				1052	1052	1052				
Residue NonFilterable-TSS	mg/L				15	15	15				
SAR					0.29	0.29	0.29				
Sulfate	mg/L				205.39	205.39	205.39				
Aluminum	mg/L				0.25	0.25	0.25				
Arsenic	mg/L				0.0066	0.0066	0.0066				
Cadmium	mg/L				<MDL	<MDL	<MDL				
Calcium	mg/L				53.4	53.4	53.4				
Copper	mg/L				0.06	0.06	0.06				
Iron (Total)	mg/L				0.51	0.51	0.51				
Lead	mg/L				0.08	0.08	0.08				
Magnesium	mg/L				58.8	58.8	58.8				
Manganese (Total)	mg/L				0.03	0.03	0.03				
Mercury	mg/L				0.0002	0.0002	0.0002				
Molybdenum	mg/L				<MDL	<MDL	<MDL				
Selenium	mg/L				0.0068	0.0068	0.0068				
Sodium	mg/L				12.94	12.94	12.94				
Zinc	mg/L				0.055	0.055	0.055				

Influenced by the disturbance of Freeman Gulch.

The monitoring point for S2-10 is found along the Hubbard Creek road near the mouth of Freeman Gulch. The flow and field parameters are measured where the flow crosses the Hubbard Creek road, just before it enters Hubbard Creek.

S3-1
 Sheep Corral - Spring 3-1
 Elevation - 6840

Initiated	5/21/2003	5/21/2003	5/21/2003
Activated	5/21/2003	5/21/2003	5/21/2003
Date	10/24/2018	7/30/2018	5/8/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Damp	Damp
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM				0.00	0.64	6.34			
FieldComment								Dry	Damp	Damp
ph	su				7.2	8.0	8.6			
Conductivity	umhos/cm				968	1244	1520			
Temperature	Celsius				4.1	10.6	19.5			
Lab Parameters	UNITS									
Bicarbonate	mg/L				489.0	489.0	489.0			
Chloride	mg/L				3.0	3.0	3.0			
Conductivity	umhos/cm				845.0	845.0	845.0			
Hardness	mg/L				326.0	326.0	326.0			
Nitrate-Nitrite	mg/L				0.2	0.2	0.2			
Oil and Grease	mg/L				0.0	<MDL	0.0			
pH	su				7.8	7.8	7.8			
Phosphate	mg/L				0.0	<MDL	0.0			
Residue Filterable-TDS	mg/L				557.0	557.0	557.0			
Residue NonFilterable-TSS	mg/L				0.0	<MDL	0.0			
SAR					2.2	2.2	2.2			
Sulfate	mg/L				96.3	96.3	96.3			
Aluminum	mg/L				0.0	<MDL	0.0			
Arsenic	mg/L				0.0	<MDL	0.0			
Cadmium	mg/L				0.0	0.0	0.0			
Calcium	mg/L				83.3	83.3	83.3			
Copper	mg/L				0.0	<MDL	0.0			
Iron (Total)	mg/L				0.0	<MDL	0.0			
Lead	mg/L				0.0	<MDL	0.0			
Magnesium	mg/L				28.6	28.6	28.6			
Manganese (Total)	mg/L				0.0	<MDL	0.0			
Mercury	mg/L				0.0	<MDL	0.0			
Molybdenum	mg/L				0.0	0.0	0.0			
Selenium	mg/L				0.1	0.1	0.1			
Sodium	mg/L				108.0	108.0	108.0			
Zinc	mg/L				0.0	<MDL	0.0			

The area of concern for monitoring point S3-1 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

S5-2
Powerline Seep - Spring 5-2
Elevation - 7200


Initiated	10/29/2012	10/29/2012	10/29/2012	10/29/2012
Activated				
Date	10/1/2018	7/9/2018	6/12/2018	3/28/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Damp
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.34	0.34	0.34				Dry	Dry	Dry	Damp
Temperature	Celsius	9.2	9.2	9.2							
Conductivity	umhos/cm	850	850	850							
pH	su	7.6	7.6	7.6							
Field Comments											
Lab											

The area of concern for monitoring point S5-2 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Plot of Flow and Conductivity



S6-6
 Terror Creek - Spring 6-6
 Elevation - 7860

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated	7/22/2012	7/22/2012	7/22/2012
Date	10/1/2018	7/11/2018	5/1/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.13	3.10				0	0	0
Temperature	Celsius	15.8	18.3	21.1						
Conductivity	umhos/cm	239	298	432						
pH	su	7.8	8.3	8.7						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	117.1	117.1	117.1						
Carbonate	mg/L									
Chloride	mg/L	1	1	1						
Conductivity	umhos/cm	235	235	235						
Hardness	mg/L	95	95	95						
pH	su	7.9	7.9	7.9						
Residue Filterable-TDS	mg/L	132	132	132						
ResidueNon Filterable-TSS	mg/L	32	32	32						
SAR		0.71	0.71	0.71						
Sulfate	mg/L	10	10	10						
Calcium (Dissolved)	mg/L	25	25	25						
Magnesium (Total)	mg/L	8	8	8						
Sodium (Dissolved)	mg/L	16	16	16						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point S6-6 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

S7-4
 Steven's Gulch - Spring 7-4
 Elevation - 7780

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated			
Date	11/29/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation		
		Min	Ave	Max	Min	Ave	Max
Flow	GPM	0.00	1.80	11.13			
Temperature	Celsius	8.1	12.1	24.3			
Conductivity	umhos/cm	250	336	530			
pH	su	6.6	7.5	8.2			
Field Comments						Dry	Dry
Lab Parameters	UNITS						
Bicarbonate	mg/L	40.9	155.3	225.7			
Chloride	mg/L	<MDL	7.58	22.33			
Conductivity	umhos/cm	226	286	353			
Hardness	mg/L	124.53	149.11	184.00			
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL			
Oil and Grease	mg/L	<MDL	<MDL	<MDL			
pH	su	6.6	7.4	8.2			
Phosphate	mg/L	<MDL	<MDL	<MDL			
Residue Filterable-TDS	mg/L	172	218	305			
ResidueNon Filterable-TSS	mg/L	11	35	52			
SAR		0.25	0.77	2.63			
Sulfate	mg/L	<MDL	8.71	14.82			
Aluminum (TREC)	mg/L	<MDL	0.024	0.024			
Arsenic (TREC)	mg/L	<MDL	0.026	0.026			
Cadmium (TREC)	mg/L	<MDL	0.02	0.02			
Calcium (TREC)	mg/L	25.30	25.30	25.30			
Copper (TREC)	mg/L	0.01	0.01	0.01			
Iron (TREC)	mg/L	0.35	0.47	0.58			
Lead (TREC)	mg/L	0.04	0.04	0.04			
Magnesium (TREC)	mg/L	13.0	15.0	18.0			
Manganese (TREC)	mg/L	0.01	0.01	0.01			
Mercury (TREC)	mg/L	<MDL	0.00007	0.00007			
Molybdenum (TREC)	mg/L	<MDL	0.002	0.002			
Selenium (TREC)	mg/L	<MDL	0.018	0.018			
Sodium (TREC)	mg/L	12.99	12.99	12.99			
Zinc (TREC)	mg/L	<MDL	0.01	0.01			

The area of concern for monitoring point S7-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

S7-9
 Terror Creek - Spring 7-9
 Elevation - 7800

Initiated	7/19/1983	7/19/1983	7/19/1983	7/19/1983
Activated	7/22/2012	7/22/2012	7/22/2012	7/22/2012
Date	10/1/2018	7/11/2018	5/29/2018	3/28/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Damp	Damp
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.01	0.27	0.00	0.00	0.00				
Temperature	Celsius	8.6	11.3	15.2							
Conductivity	umhos/cm	271	614	791							
pH	su	7.0	7.5	8.0							
Field Comments								Dry	Dry	Damp	Damp
Lab Parameters	UNITS										
Bicarbonate	mg/L	139.1	326.2	427.0							
Carbonate	mg/L										
Chloride	mg/L	1.0	5.7	11.0							
Conductivity	umhos/cm	259.0	522.3	678.0							
Hardness	mg/L	104.0	264.3	347.0							
pH	su	6.7	7.5	8.0							
Residue Filterable-TDS	mg/L	144.0	327.0	425.0							
ResidueNon Filterable-TSS	mg/L	94.0	129.3	170.0							
SAR		0.1	0.6	0.9							
Sulfate	mg/L	4.0	26.0	43.0							
Calcium (Dissolved)	mg/L	30.0	68.0	88.0							
Magnesium (Total)	mg/L	7.0	23.0	31.0							
Sodium (Dissolved)	mg/L	3.0	24.7	38.0							
Potassium	mg/L										
TDS Ratio (grav./calc.)											

The monitoring point for Spring 7-9 is located on an east facing slope that drains down toward Terror Creek.

S7-10
 Terror Creek - Spring 7-10
 Elevation - 7880

Initiated	8/1/1983	8/1/1983	8/1/1983
Activated	12/31/2013	12/31/2013	12/31/2013
Date	11/29/2018	7/11/2018	5/29/2018

Field Parameters	UNITS	Summary Information						Operation	
		Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Flow	GPM	0.00	1.56	18.75	0.00	1.60	3.75		
Temperature	Celsius	1.6	7.81	21.7	6.40	7.63	10.30		
Conductivity	umhos/cm	190	480	660	420.00	589.29	686.00		
pH	su	7.0	7.6	8.4	6.80	7.47	7.93		
Field Comments								No flow	
Lab Parameters	UNITS								
Bicarbonate	mg/L	142.00	259.51	384.00	241.77	296.89	352.00		
Chloride	mg/L	<MDL	6.8	54.6	4.6	7.8	10.9		
Conductivity	umhos/cm	292	487	722	542	561	580		
Hardness	mg/L	3.00	203.62	258.00	214.04	220.02	226.00		
Nitrate-Nitrite	mg/L	0.3	0.3	0.31	<MDL				
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL				
pH	su	6.76	7.58	8.59	7.08	7.22	7.35		
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL				
Residue Filterable-TDS	mg/L	190	319	476	358	394	430		
Residue NonFilterable-TSS	mg/L	<MDL	57	272	14	14	14		
SAR		0.470	0.920	3.959	1.610	2.785	3.959		
Sulfate	mg/L	0.4	22.0	49.8	35.9	42.9	49.8		
Aluminum (TREC)	mg/L	0.023	0.023	0.110	0.110	0.110	0.110		
Arsenic (TREC)	mg/L	0.0100	0.0100	0.0100	0.0010	0.0010	0.0010		
Cadmium (TREC)	mg/L	0.020	0.020	0.020	0.002	0.002	0.002		
Calcium (TREC)	mg/L	36.1	36.1	54.9	43.5	49.2	54.90		
Copper (TREC)	mg/L	0.0010	0.0010	0.0120	0.0120	0.0120	0.0120		
Iron (TREC)	mg/L	0.06	0.22	0.49	0.02	0.17	0.31		
Magnesium (TREC)	mg/L	24.70	24.70	25.60	21.50	23.55	25.60		
Manganese (TREC)	mg/L	<MDL	0.0123	0.0260	0.0260	0.0260	0.03		
Mercury (TREC)	mg/L	0.0000	0.0000	0.0000	0.00002	0.00002	0.00002		
Molybdenum (TREC)	mg/L	0.003	0.003	0.003	0.001	0.001	0.001		
Selenium (TREC)	mg/L	0.023	0.023	0.023	0.003	0.003	0.003		
Sodium (TREC)	mg/L	32.3	32.3	133.1	55.8	94.5	133.1		
Zinc (TREC)	mg/L	0.006	0.006	0.011	0.011	0.011	0.011		

This spring consists of a small 2' x 5' area of exposed rocks. Spring water bubbles up through the rocks. (Hanna, 99)

Activated December 31, 2013

S8-5
 Terror Creek - Spring 8-5
 Elevation - 7800

Initiated	7/19/1983	7/19/1983	7/19/1983	7/19/1983
Activated	7/15/2012	7/15/2012	7/15/2012	7/15/2012
Date	10/1/2018	7/11/2018	5/29/2018	3/28/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Damp
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0	0.50	8.62	0.00	0.00	3.00				
Temperature	Celsius	7.5	13.80	24.4							
Conductivity	umhos/cm	660	746.00	920							
pH	su	7.3	8.01	8.8							
Field Comments								Dry	Dry	Dry	Damp
Lab Parameters	UNITS										
Bicarbonate	mg/L	334	397.13	475							
Carbonate	mg/L										
Chloride	mg/L	6	8.50	11							
Conductivity	umhos/cm	606	686.00	774							
Hardness	mg/L	247	315.13	380							
pH	su	7.0	7.89	8.2							
Residue Filterable-TDS	mg/L	355	404.38	460							
Residue NonFilterable-TSS	mg/L	4	146.00	502							
SAR		0.89	0.99	1.24							
Sulfate	mg/L	30	40.13	56							
Calcium (Dissolved)	mg/L	64.1	75.60	96.7							
Magnesium (Total)	mg/L	21.1	30.71	36.0							
Sodium (Dissolved)	mg/L	31.9	40.14	48							
Potassium	mg/L	1.10	1.10	1.10							
TDS Ratio (grav./calc.)		1.11	1.11	1.11							

The monitoring point for Spring 8.5 is located on an east facing slope that drains down toward Terror Creek.

S21
 Terror Creek - Spring 21
 Elevation - 7100

Initiated	4/15/1983	4/15/1983	4/15/1983	4/15/1983
Activated	12/1/2010	12/1/2010	12/1/2010	12/1/2010
Date	10/25/2018	7/11/2018	5/29/2018	3/27/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			0.18
		Min	Ave	Max	Min	Ave	Max	
Flow	GPM	0	1.03	7.5	0	0.90	9.11	
Temperature	Celsius	2.5	12.1	20.2	4	9.18	16.2	5.4
Conductivity	umhos/cm	360	687	907	1011	1218.38	1592	1592
pH	su	7.2	7.9	8.5	7.65	9.29	17.1	7.9
Field Comments					0	#DIV/0!	0	Dry Damp Damp
Lab Parameters	UNITS							
Bicarbonate	mg/L	268	388.56	456	93.08	294.04	495	
Carbonate	mg/L	<MDL	0.23	3.5				
Chloride	mg/L	2	8.78	14	10.4	16.10	21.8	
Conductivity	umhos/cm	555	679.72	775	434	636.00	838	
Hardness	mg/L	279	350.00	442	323	335.31	347.625	
Nitrate-Nitrite	mg/L				0.1	0.10	0.1	
Oil/Grease	mg/L				<MDL	<MDL	<MDL	
pH	su	7	7.88	8.4	7.76	7.93	8.09	
ResidueFilterable-TDS	mg/L	330	408.44	535	340	463.50	587	
ResidueNonFilterable-TSS	mg/L	2	24.92	106	6.6	11.80	17	
SAR		0.48	0.65	1	2.259	2.785	3.31	
Sulfate	mg/L	30	50.22	91	89.6	96.66	103.72	
Calcium (Dissolved)	mg/L	58	84.47	108				
Magnesium (Total)	mg/L	25	33.81	42	35.4	43.90	52.4	
Sodium (Dissolved)	mg/L	22	27.92	44				
Potassium	mg/L	2	2.00	2				
TDS Ratio (grav./calc.)		1	1.00	1				
Aluminum, TREC	mg/L				<MDL	0.20	0.2	
Arsenic, TREC	mg/L				<MDL	0.00	0.001	
Cadmium, TREC	mg/L				<MDL	0.00	0.002	
Calcium, TREC	mg/L				52.8	64.00	75.2	
Copper, TREC	mg/L				<MDL	0.01	0.01	
Iron, TREC	mg/L				0.0855	0.18	0.27	
Lead, TREC	mg/L				<MDL	0.06	0.06	
Manganese, TREC	mg/L				0.0108	0.04	0.06	
Mercury, TREC	mg/L				<MDL	3.000E-05	3.000E-05	
Molybdenum, TREC	mg/L				<MDL	0.00	0.001	
Selenium, TREC	mg/L				<MDL	0.01	0.007	
Sodium, TREC	mg/L				96.8	111.90	127	
Zinc, TREC	mg/L				<MDL	0.01	0.01	

Baseline Information for Point S21 is derived from events beginning on 4/15/83 through 12/1/10.
 Point influenced by mining on 12/1/10.

S33-4
 Sheep Corral - Spring 33-4
 Elevation - 7790

Initiated	10/30/1997	10/30/1997	10/30/1997
Activated	12/1/2001	12/1/2001	12/1/2001
Date	10/24/2018	7/10/2018	5/18/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.0	0.0	0.0	0.0	0.0	0.0			
FieldComment								Dry	Dry	Dry
ph	su									
Conductivity	umhos/cm									
Temperature	Celsius									
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molybdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

This spring was found during the fall of 1997 and was not locatable after 1998.

The monitoring point for S33-4 (Spring 33-4) is located above P33-3 in a roadless fork. Evidence of a dry spring was found in October and has not been relocated.

S34-7
 Sheep Corral - Spring 34-7
 Elevation - 7390

Initiated	10/27/1997	10/27/1997	10/27/1997
Activated	6/1/2002	6/1/2002	6/1/2002
Date	10/24/2018	7/10/2018	5/18/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.30	4.41	0.0	0.03	1.00			
FieldComment								Dry	Dry	Dry
ph	su	6.8	7.5	8.0	7.2	7.9	8.4			
Conductivity	umhos/cm	160	258	300	330	625	1170			
Temperature	Celsius	5.9	11.2	19.8	3.7	13.6	24.5			
Lab Parameters	UNITS									
Bicarbonate	mg/L	200	200	200						
Chloride	mg/L	4	4	4						
Conductivity	umhos/cm	420	420	420						
Hardness	mg/L	129	129	129						
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL						
Oil and Grease	mg/L	4	4	4						
pH	su	8.0	8.0	8.0						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	230	230	230						
ResidueNonFilterable-TSS	mg/L	138	138	138						
SAR		<MDL	<MDL	<MDL						
Sulfate	mg/L	30.0	30.0	30.0						
Aluminum	mg/L	3.51	3.51	3.51						
Arsenic	mg/L	0.001	0.001	0.001						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	37.0	37.0	37.0						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	3.58	3.58	3.58						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	8.9	8.9	8.9						
Manganese (Total)	mg/L	0.113	0.113	0.113						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	41.0	41.0	41.0						
Zinc	mg/L	0.03	0.03	0.03						

The monitoring point for S34-7 is located just to the south of an old coal exploration road which winds down Sheep Corral Gulch.

S34-10
 Dove Gulch - Spring 34-10
 Elevation - 6640

Initiated Activated Date	6/2/1998	6/2/1998	6/2/1998	6/2/1998
	11/28/2018	7/18/2018	5/10/2018	3/26/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Damp
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	0.6	11.0	0.0	0.4	16.4				
FieldComment											
ph	su	7.3	7.4	7.4	8.2	8.4	8.7				
Conductivity	umhos/cm	320	435	550	1160	1340	1689				
Temperature	Celsius	8.2	9.1	10.6	6.7	11.6	19.6				
Lab Parameters	UNITS										
Bicarbonate	mg/L	325	335	344	284.2	284.2	284.2				
Carbonate	mg/L	<MDL	<MDL	<MDL	3.6	3.6	3.6				
Chloride	mg/L	5	5	5	0.86	0.86	0.86				
Conductivity	umhos/cm	622	681	740	1032.1	1032.1	1032.1				
Hardness	mg/L	170	186	202	236.3	236.3	236.3				
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Oil and Grease	mg/L	<MDL	<MDL	<MDL	2.43	2.43	2.43				
pH	su	7.8	7.8	7.8	8.43	8.43	8.43				
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L	370	400	430	751	751	751				
ResidueNonFilterable-TSS	mg/L	<MDL	31	62	29	29	29				
SAR		<MDL	<MDL	<MDL	3.39	3.39	3.39				
Sulfate	mg/L	40	50	60	194.69	194.69	194.69				
Aluminum	mg/L	0.07	1.96	3.86	0.25	0.25	0.25				
Arsenic	mg/L	<MDL	0.001	0.001	0.064	0.064	0.064				
Cadmium	mg/L	<MDL	<MDL	<MDL	0.015	0.015	0.015				
Calcium	mg/L	40.1	43.4	46.8	55.4	55.4	55.4				
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Iron (Total)	mg/L	0.05	1.65	3.26	0.102	0.102	0.102				
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Magnesium	mg/L	16.9	18.8	20.7	23.8	23.8	23.8				
Manganese (Total)	mg/L	<MDL	0.027	0.055	<MDL	<MDL	<MDL				
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0001	0.0001				
Molybdenum	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01				
Selenium	mg/L	0.001	0.001	0.001	0.0036	0.0036	0.0036				
Sodium	mg/L	70.2	77.4	84.6	119.8	119.8	119.8				
Zinc	mg/L	<MDL	0.01	0.03	0.011	0.011	0.011				

The monitoring point for S34-10 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot from the remnants of an old coal exploration road in the mouth of Dove Gulch. It is one of three springs found in this location, originating in the sandstone outcrop and discharges via sheet flow into Dove Gulch.

S34-19
 Hubbard Creek - Spring 34-19
 Elevation - 6460

Initiated Activated Date	6/9/1998	6/9/1998	6/9/1998
	11/28/2019	7/23/2019	5/10/2019

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.0	0.2	7.5						
FieldComment										
ph	su	7.1	7.9	8.6						
Conductivity	umhos/cm	149	1008	2400						
Temperature	Celsius	3.3	13.5	22.4						
Lab Parameters	UNITS									
Bicarbonate	mg/L	434	434	434						
Chloride	mg/L	9	9	9						
Conductivity	umhos/cm	911	911	911						
Hardness	mg/L	197	197	197						
Nitrate-Nitrite	mg/L	0.1	0.1	0.1						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	7.6	7.6	7.6						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	550	550	550						
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL						
SAR		<MDL	<MDL	<MDL						
Sulfate	mg/L	290.0	290.0	290.0						
Aluminum	mg/L	0.2	0.2	0.2						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	44.7	44.7	44.7						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.2	0.2	0.2						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	20.8	20.8	20.8						
Manganese (Total)	mg/L	0.006	0.006	0.006						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molybdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	0.002	0.002	0.002						
Sodium	mg/L	132.0	132.0	132.0						
Zinc	mg/L	<MDL	<MDL	<MDL						

The area of concern for monitoring point S34-19 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S34-19 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

S34-20
 Hubbard Creek - Spring 34-20
 Elevation - 6440

Initiated Activated Date	6/2/1998	6/2/1998	6/2/1998	6/2/1998
	10/25/2018	7/18/2018	5/10/2018	3/5/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			0	0	0	0
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	0.0	0.6				0	0	0	0
FieldComment								Dry	Dry	Dry	No flow
ph	su	7.6	7.8	8.2							
Conductivity	umhos/cm	860	1140	1320							
Temperature	Celsius	12.5	18.4	24.1							
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The area of concern for monitoring point S34-20 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S34-20 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

S34-21
 Hubbard Creek - Spring 34-21
 Elevation - 6430

Initiated Activated Date	6/2/1998	6/2/1998	6/2/1998	6/2/1998
	10/25/2018	7/18/2018	5/10/2018	3/5/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	0.5	10.7	0.0	0.1	3.2	0	0	0	0
FieldComment											
ph	su	7.6	7.6	7.6	7.4	7.8	8.4				
Conductivity	umhos/cm	620	620	620	700	1531	1980				
Temperature	Celsius	18.7	18.7	18.7	15.3	19.7	26.4				
Lab Parameters	UNITS										
Bicarbonate	mg/L	454	454	454							
Chloride	mg/L	6	6	6							
Conductivity	umhos/cm	831	831	831							
Hardness	mg/L	226	226	226							
Nitrate-Nitrite	mg/L	0.2	0.2	0.2							
Oil and Grease	mg/L	3.0	3.0	3.0							
pH	su	8.1	8.1	8.1							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	490	490	490							
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL							
SAR		<MDL	<MDL	<MDL							
Sulfate	mg/L	70	70	70							
Aluminum	mg/L	0.18	0.18	0.18							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	52.9	52.9	52.9							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	0.14	0.14	0.14							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	22.9	22.9	22.9							
Manganese (Total)	mg/L	<MDL	<MDL	<MDL							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molybdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	<MDL	<MDL							
Sodium	mg/L	105.0	105.0	105.0							
Zinc	mg/L	<MDL	<MDL	<MDL							

The monitoring point for S34-21 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

S34-22
 Hubbard Creek - Spring 34-22
 Elevation - 6700

Initiated Activated Date	6/2/1998	6/2/1998	6/2/1998	6/2/1998
	11/28/2018	7/18/2018	5/10/2018	3/26/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	No flow
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	1.5	35.0	0.0	0.3	13.6	0	0	0	0
FieldComment											
ph	su	7.2	7.3	7.4	7.8	8.0	8.4				
Conductivity	umhos/cm	230	230	230	1260	1499	1808				
Temperature	Celsius	17.2	17.2	17.2	8.5	9.9	12.1				
Lab Parameters	UNITS										
Bicarbonate	mg/L	302	302	302	285.4	285.4	285.4				
Carbonate	mg/L	12	15	18	18.1	18.1	18.1				
Chloride	mg/L	4	4	4	<MDL	<MDL	<MDL				
Conductivity	umhos/cm	602	602	602	1011.5	1011.5	1011.5				
Hardness	mg/L	171	171	171	238.8	238.8	238.8				
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Oil and Grease	mg/L	<MDL	<MDL	<MDL	2.41	2.41	2.41				
pH	su	8.2	8.2	8.2	8.8	8.8	8.8				
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L	380	380	380	854	854	854				
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	40	40	40				
SAR		<MDL	<MDL	<MDL	4.19	4.19	4.19				
Sulfate	mg/L	50	50	50	223.91	223.91	223.91				
Aluminum	mg/L	0.31	0.31	0.31	0.23	0.23	0.23				
Arsenic	mg/L	<MDL	<MDL	<MDL	0.064	0.064	0.064				
Cadmium	mg/L	<MDL	<MDL	<MDL	0.026	0.026	0.026				
Calcium	mg/L	38.3	38.3	38.3	53.9	53.9	53.9				
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Iron (Total)	mg/L	0.27	0.27	0.27	0.187	0.187	0.187				
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
Magnesium	mg/L	18.3	18.3	18.3	25.3	25.3	25.3				
Manganese (Total)	mg/L	<MDL	<MDL	<MDL	0.1	0.1	0.1				
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0001	0.0001				
Molybdenum	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01				
Selenium	mg/L	<MDL	<MDL	<MDL	0.0048	0.0048	0.0048				
Sodium	mg/L	74.4	74.4	74.4	149	149	149				
Zinc	mg/L	<MDL	<MDL	<MDL	0.006	0.006	0.006				

The monitoring point for S34-22 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot from the remnants of an old coal exploration road in the mouth of Dove Gulch. It is one of three springs found in this location, originating in the sandstone outcrop and discharges via sheet flow into Dove Gulch.

S34-23
 Hubbard Creek - Spring 34-23
 Elevation - 6650

Initiated Activated Date	6/2/1998	6/2/1998	6/2/1998	6/2/1998
	11/28/2018	7/18/2018	5/10/2018	3/26/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Damp
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.0	3.5	75.0	0.0	0.1	4.6	0	0	0	0
FieldComment											
ph	su	7.6	7.8	8.0	8.5	8.5	8.5				
Conductivity	umhos/cm	320	390	460	900	900	900				
Temperature	Celsius	12.1	14.0	15.9	9.0	9.0	9.0				
Lab Parameters	UNITS										
Bicarbonate	mg/L	249	268	287							
Chloride	mg/L	2	3	4							
Conductivity	umhos/cm	537	545	552							
Hardness	mg/L	169	171	173							
Nitrate-Nitrite	mg/L	<MDL	0.01	0.02							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	8.1	8.3	8.4							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	330	335	340							
ResidueNonFilterable-TSS	mg/L	<MDL	11	22							
SAR		<MDL	<MDL	<MDL							
Sulfate	mg/L	30	40	50							
Aluminum	mg/L	0.32	0.95	1.57							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	40.5	41.8	43.1							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	0.25	0.77	1.29							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	15.9	16.1	16.4							
Manganese (Total)	mg/L	<MDL	0.013	0.026							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molybdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	0.001	0.001	0.001							
Sodium	mg/L	59.8	61.1	62.4							
Zinc	mg/L	<MDL	0.005	0.010							

The monitoring point for S34-23 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot from the remnants of an old coal exploration road in the mouth of Dove Gulch. It is one of three springs found in this location, originating in the sandstone outcrops and discharges via sheet flow into Dove Gulch.

S34-24
 Hubbard Creek - Spring 34-24
 Elevation - 6390

Initiated	6/2/1998	6/2/1998	6/2/1998	6/2/1998
Activated	4/1/2002	4/1/2002	4/1/2002	4/1/2002
Date	11/28/2018	7/18/2018	5/10/2018	3/5/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.06	0.91	0.0	0.00	0.10	0	0	0	0
FieldComment											
ph	su	7.8	7.8	7.8	7.8	8.0	8.2				
Conductivity	umhos/cm	1010	1010	1010	1210	1740	2400				
Temperature	Celsius	19.0	19.0	19.0	9.0	20.3	24.8				
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S34-24 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

Baseline Information for Point S34-24 is derived from events beginning on 6/2/98 through 4/1/02.
 Point influenced by mining on 4/1/02.

Initiated	6/2/1998	6/2/1998	6/2/1998	6/2/1998
Activated	10/30/2008	10/30/2008	10/30/2008	10/30/2008
Date	11/28/2018	7/18/2018	5/10/2018	3/26/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation						
		Min	Ave	Max	Min	Ave	Max				
Flow	GPM				0.0	0.5	5.0	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su				8.1	8.4	8.8				
Conductivity	umhos/cm				800	916	1088				
Temperature	Celsius				5.0	10.5	17.9				
Lab Parameters	UNITS										
Bicarbonate	mg/L				335	335	335				
Carbonate	mg/L				37	37	37				
Chloride	mg/L				3	3	3				
Conductivity	umhos/cm				759	759	759				
Hardness	mg/L				120	120	120				
Nitrate-Nitrite	mg/L				0.03	0.03	0.03				
Oil and Grease	mg/L				<MDL	<MDL	<MDL				
pH	su				8.8	8.8	8.8				
Phosphate	mg/L				<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L				490	490	490				
ResidueNonFilterable-TSS	mg/L				19	19	19				
SAR					5.99	5.99	5.99				
Sulfate	mg/L				67	67	67				
Aluminum	mg/L				0.61	0.61	0.61				
Arsenic	mg/L				<MDL	<MDL	<MDL				
Cadmium	mg/L				<MDL	<MDL	<MDL				
Calcium	mg/L				27.6	27.6	27.6				
Copper	mg/L				<MDL	<MDL	<MDL				
Iron (Total)	mg/L				0.51	0.51	0.51				
Lead	mg/L				0.0004	0.0004	0.0004				
Magnesium	mg/L				12.4	12.4	12.4				
Manganese (Total)	mg/L				<MDL	<MDL	<MDL				
Mercury	mg/L				<MDL	<MDL	<MDL				
Molybdenum	mg/L				<MDL	<MDL	<MDL				
Selenium	mg/L				0.0016	0.0016	0.0016				
Sodium	mg/L				149	149	149				
Zinc	mg/L				<MDL	<MDL	<MDL				


The area of concern for monitoring point S34-25 was affected by the mining operation before its establishment.
 Therefore, all recorded monitoring events are considered operational.

The monitoring point for S34-25 is found on drill site GVB-8A-A, 8A & 9D in the Dove Gulch drainage.

There is no baseline collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Plot of Flow and Conductivity



S34-25 - Dove Gulch Spring and Pond 34-25

Figure 59

D2-1
 Sheep Corral - Drainage System
 Elevation - 6360

Initiated	11/6/1998	11/6/1998	11/6/1998	11/6/1998
Activated	11/1/2003	11/1/2003	11/1/2003	11/1/2003
Date	10/25/2018	7/18/2018	5/10/2018	3/5/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	Dry	Dry
		Baseline Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.32	4.55	0.00	0.44	13.60	0	0	0	0
FieldComment											
ph	su	7.1	7.8	8.4	7.4	8.1	8.6				
Conductivity	umhos/cm	940	1210	1640	1140	1499	2000				
Temperature	Celsius	4.1	11.1	19.4	5.0	16.8	25.4				
Lab Parameters	UNITS										
Bicarbonate	mg/L	540	540	540	398.95	593.87	772.59				
Chloride	mg/L	11	11	11	<MDL	15.41	20.81				
Conductivity	umhos/cm	1230	1230	1230	1173.0	1508.7	1847.3				
Hardness	mg/L	291	291	291	228.45	325.43	372.55				
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	1.866	2.730				
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	2.060	4.050				
pH	su	8.2	8.2	8.2	7.8	8.4	8.9				
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L	790	790	790	824	1060	1321				
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	1.0	64.9	296.0				
SAR		5.3	5.3	5.3	1.34	5.08	11.30				
Sulfate	mg/L	190	190	190	230.00	275.24	380.32				
Aluminum	mg/L	0.39	0.39	0.39	0.057	0.377	1.23				
Arsenic	mg/L	<MDL	<MDL	<MDL	0.0017	0.054	0.142				
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.015				
Calcium	mg/L	49.8	49.8	49.8	36.9	55.3	66.6				
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	0.284	0.552				
Iron (Total)	mg/L	0.3	0.3	0.3	0.10	0.49	1.22				
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.03	0.05				
Magnesium	mg/L	40.6	40.6	40.6	33.1	45.5	57.3				
Manganese (Total)	mg/L	0.01	0.01	0.01	<MDL	0.053	0.084				
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0002				
Molybdenum	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.003				
Selenium	mg/L	<MDL	<MDL	<MDL	0.0002	0.0492	0.1680				
Sodium	mg/L	205	205	205	54.8	200.8	393.8				
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL	0.032	0.090				

The D2-1 Monitoring point is at the lower extreme of Sheep Corral Gulch. It is located just below the Hubbard Creek Road, just north of the Blue Ribbon Mine.

D21-1
 Terror Creek - Confluence w/NFG
 Elevation - 5760

Initiated	3/23/2010	3/23/2010	3/23/2010	3/23/2010
Activated				
Date	10/25/2018	8/15/2018	6/12/2018	4/17/2018

Field Parameters	UNITS	Summary Information			Operation			* 0.06	6.4		
		Baseline			Operation						
		Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0.02	5.07	46.00			0.26	*	0.06		
FieldComment											
ph	su	7.9	8.5	9.0			8.37	8.68	8.71		
Conductivity	umhos/cm	90	326	820			353	413	396		
Temperature	Celsius	0.4	10.4	20.6			7.2	14.5	12.6		
Lab Parameters	UNITS										
Bicarbonate	mg/L	45.70	140.07	292.00			158		65.8		
Chloride	mg/L	0.6	41.5	188.5			2		1.1		
Conductivity	umhos/cm	84	333	744			297		115		
Hardness	mg/L	33.06	152.18	297.20			132		50.5		
Nitrate-Nitrite	mg/L	<MDL	0.212	0.570			<MDL		<MDL		
Oil and Grease	mg/L	<MDL	<MDL	<MDL			<MDL		<MDL		
pH	su	6.77	7.91	8.53			8.31		8.03		
Phosphate	mg/L	<MDL	0.062	0.280			0.014		0.028		
ResidueFilterable-TDS	mg/L	1	247	494			198		79		
ResidueNonFilterable-TSS	mg/L	<MDL	45	302			<MDL		<MDL		
SAR		0.34	0.76	1.70			0.589		0.343		
Sulfate	mg/L	1.23	29.98	72.03			32.2		4.9		
Aluminum (TREC)	mg/L	0.008	0.550	1.750			<MDL		0.713		
Arsenic (TREC)	mg/L	0.001	0.017	0.060			<MDL		<MDL		
Cadmium (TREC)	mg/L	0.002	0.006	0.020			<MDL		<MDL		
Calcium (TREC)	mg/L	6.05	31.09	67.30			29.5		11.8		
Copper (TREC)	mg/L	0.002	0.007	0.017			<MDL		<MDL		
Iron (TREC)	mg/L	0.06	0.52	3.34			0.0913		0.545		
Lead (TREC)	mg/L	0.00	0.01	0.05			<MDL		<MDL		
Magnesium (TREC)	mg/L	4.36	17.06	44.40			14.1		5.12		
Manganese (TREC)	mg/L	<MDL	0.024	0.076			<MDL		0.011		
Mercury (TREC)	mg/L	0.00001	0.00006	0.00012			<MDL		<MDL		
Molybdenum (TREC)	mg/L	0.000	0.003	0.008			<MDL		<MDL		
Selenium (TREC)	mg/L	<MDL	0.01014	0.03600			<MDL		<MDL		
Sodium (TREC)	mg/L	6.18	21.44	67.50			14		6.78		
Zinc (TREC)	mg/L	0.003	0.025	0.110			<MDL		<MDL		


The area of concern for monitoring point D21-1 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The D21-1 Monitoring point is at downstream Terror Creek-Confluence w/NFG.

* Stream flow too low for measurement

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



D21-1 - Terror Creek Drainage System

Figure 62

D32-4
 Terror Creek - Drainage System
 Elevation - 7480


Initiated	3/23/2010	3/23/2010	3/23/2010	3/23/2010
Activated				
Date	10/25/2018	8/15/2018	6/12/2018	4/17/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max	
		Baseline	Min	Ave	Max	Min	Ave				
Flow	CFS		0.04	5.08	75.80			1.07	1.67	1.34	1.15
FieldComment											
ph	su		7.0	8.1	8.8			8.5	8.3	8.3	8.3
Conductivity	umhos/cm		20	115	260			145	128.7	112.6	119
Temperature	Celsius		0.1	10.0	19.0			4.9	15.3	9.4	2.7
Lab Parameters	UNITS										
Bicarbonate	mg/L		1.7	62.7	144.6			62.3			59.1
Chloride	mg/L		<MDL	5.0	76.9			2			1.2
Conductivity	umhos/cm		60.8	132.6	429.0			126			95.9
Hardness	mg/L		22.3	58.0	192.3			55.1			
Nitrate-Nitrite	mg/L		<MDL	0.7	8.1			<MDL			<MDL
Oil & Grease	mg/L		<MDL	2.4	6.4			<MDL			<MDL
pH	su		6.6	7.5	8.3			7.94			8.07
Phosphate	mg/L		<MDL	0.16	1.37			0.0590			0.0500
ResidueFilterable-TDS	mg/L		37	118	342			133			64
ResidueNonFilterable-TSS	mg/L		<MDL	31	450			21.0000			15.4000
SAR			<MDL	0.82	28.16			0.0304			
Sulfate	mg/L		<MDL	8.4	54.8			9.6			2.7
Aluminum (TREC)	mg/L		<MDL	1.31	11.17			2.12			0.297
Arsenic (TREC)	mg/L		<MDL	0.0105	0.1680			<MDL			<MDL
Cadmium (TREC)	mg/L		<MDL	0.0724	2.0700			<MDL			<MDL
Calcium (TREC)	mg/L		<MDL	14.1	65.4			13			10.7
Copper (TREC)	mg/L		<MDL	0.005	0.050			<MDL			<MDL
Iron (Dissolved)	mg/L		<MDL	6.67	165.00			0.175			0.102
Iron (TREC)	mg/L		0.020	0.955	5.420			2.3			0.332
Lead (TREC)	mg/L		<MDL	0.0087	0.0500			<MDL			<MDL
Magnesium (TREC)	mg/L		<MDL	5.41	11.10			5.49			4.24
Manganese (TREC)	mg/L		<MDL	0.044	0.277			0.0439			0.035
Mercury (TREC)	mg/L		<MDL	0.00007	0.00027			<MDL			<MDL
Molybdenum (TREC)	mg/L		<MDL	0.037	0.900			<MDL			<MDL
Selenium (TREC)	mg/L		<MDL	0.005	0.024			<MDL			<MDL
Sodium (TREC)	mg/L		2.3	5.4	20.3			4.92			4.47
Zinc (TREC)	mg/L		<MDL	0.023	0.160			<MDL			<MDL

The area of concern for monitoring point D32-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The D32-4 Monitoring Point is on upper Terror Creek. It is located at the Cottonwood Stomp ford. This point is used to obtain conductivity, pH and temperature readings. The irregular stream channel found at this location does not provide an adequate method of determining flow values. Flow values are taken by Resource Engineering.

Plot of Flow and Conductivity



D33-14
 Upper Sheep Corral Gulch
 Elevation - 7320

Initiated	11/6/1998	11/6/1998	11/6/1998
Activated	11/1/2003	11/1/2003	11/1/2003
Date	11/27/2018	7/18/2018	5/8/2018

Field Parameters	UNITS	Summary Information					
		Baseline			Operation		
		Min	Ave	Max	Min	Ave	Max
Flow	GPM	0.00	0.00	0.00	0.00	0.22	6.18
FieldComment							
ph	su				7.6	7.9	8.5
Conductivity	umhos/cm				330	627	782
Temperature	Celsius				2.2	10.1	26.5
Lab Parameters	UNITS						
Bicarbonate	mg/L				124.0	252.4	392.0
Chloride	mg/L				1.2	1.7	2.0
Conductivity	umhos/cm				192.0	418.3	648.0
Hardness	mg/L				82	99	118
Nitrate-Nitrite	mg/L				<MDL	1.09	2.13
Oil and Grease	mg/L				<MDL	0.82	0.82
pH	su				6.82	7.77	8.45
Phosphate	mg/L				<MDL	0.02	0.02
ResidueFilterable-TDS	mg/L				126	243	398
ResidueNonFilterable-TSS	mg/L				<MDL	3	3
SAR					0.71	3.42	7.29
Sulfate	mg/L				6.50	25.93	42.50
Aluminum	mg/L				<MDL	<MDL	<MDL
Arsenic	mg/L				0.009	0.009	0.009
Cadmium	mg/L				<MDL	<MDL	<MDL
Calcium	mg/L				21.7	26.9	32.7
Copper	mg/L				<MDL	<MDL	<MDL
Iron (Total)	mg/L				0.02	0.05	0.08
Lead	mg/L				<MDL	<MDL	<MDL
Magnesium	mg/L				3.42	5.82	8.78
Manganese (Total)	mg/L				0.01	0.01	0.02
Mercury	mg/L				<MDL	<MDL	<MDL
Molybdenum	mg/L				<MDL	<MDL	<MDL
Selenium	mg/L				0.035	0.043	0.051
Sodium	mg/L				12.1	72.3	138.0
Zinc	mg/L				<MDL	<MDL	<MDL

Note: Site not accessible during 1Q 2018

Not enough water for sample during 2Q 2018

The location for monitoring point D33-14 can be found just to the south of an old coal exploration road winding through Sheep Corral Gulch. It is just above Spring and Pond SP34-11.

D34-13
 Dove Gulch - Drainage System
 Elevation - 6440

Initiated	10/31/1997	10/31/1997	10/31/1997
Activated			
Date	10/25/2018	7/18/2018	5/10/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Flow	GPM	0.00	0.00	0.00				0	0	0
FieldComment								Dry	Dry	Dry
ph	su									
Conductivity	umhos/cm									
Temperature	Celsius									
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molybdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The area of concern for monitoring point D34-13 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The location for D34-13 is at the lower extreme of Dove Gulch, along the western edge of Hubbard Creek Trail.

D34-14
Hubbard Creek - Drainage System
Elevation - 6560

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	4/1/2002	4/1/2002	4/1/2002	4/1/2002
Date	10/25/2018	8/15/2018	6/12/2018	4/17/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Flow	CFS	0.49	23.73	220.00						
FieldComment										
ph	su	7.0	8.1	8.9				8.3	8.4	8.6
Conductivity	umhos/cm	50	200	347				212	347	316
Temperature	Celsius	0.2	9.7	20.9				8.3	14.6	10.6
Lab Parameters	UNITS									
Bicarbonate	mg/L	36.1	102.3	187.0				98.9		77.8
Chloride	mg/L	<MDL	4.96	84.89				1.5		1.4
Conductivity	umhos/cm	87.7	203.5	439.0				183		132
Hardness	mg/L	<MDL	85.83	150.00				74.2		57.5
Nitrate-Nitrite	mg/L	<MDL	1.711	41.530				<MDL		0.032
Oil & Grease	mg/L	<MDL	0.973	2.330				<MDL		0
Phosphate	mg/L	<MDL	0.68	8.33				0.023		0.045
ResidueFilterable-TDS	mg/L	33	145	353				132		76
ResidueNonFilterable-TSS	mg/L	<MDL	19.3	166.0				<MDL		<MDL
SAR		<MDL	1.16	20.50				0.525		0.323
Sulfate	mg/L	<MDL	31.44	1234.8				11.6		4.6
Aluminum (TREC)	mg/L	<MDL	0.648	9.690				<MDL		<MDL
Arsenic (TREC)	mg/L	<MDL	0.0077	0.1290				<MDL		<MDL
Cadmium (TREC)	mg/L	<MDL	0.0040	0.0500				<MDL		<MDL
Calcium (TREC)	mg/L	4.57	23.94	43.60				21.1		16.1
Copper (TREC)	mg/L	<MDL	0.009	0.200				<MDL		<MDL
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL				0.157		
Iron (TREC)	mg/L	0.010	0.522	13.600				0.256		0.274
Lead (TREC)	mg/L	<MDL	0.012	0.140				<MDL		<MDL
Magnesium (TREC)	mg/L	0.42	6.60	16.30				5.23		4.19
Manganese (TREC)	mg/L	<MDL	0.105	3.900				0.007		0.007
Mercury (TREC)	mg/L	<MDL	0.00009	0.00079				<MDL		<MDL
Molybdenum (TREC)	mg/L	<MDL	0.042	1.130				<MDL		<MDL
Selenium (TREC)	mg/L	<MDL	0.0046	0.0710				<MDL		<MDL
Sodium (TREC)	mg/L	3.16	12.75	42.00				9.6		5.8
Zinc (TREC)	mg/L	<MDL	0.016	0.116				<MDL		<MDL

The area of concern for monitoring point D34-14 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The location for the D34-14 monitoring point is on Hubbard creek just below the igneous intrusion noted as Iron Point. The location can be found where a sapling has been painted white. The point where field parameters were taken did not provide an adequate method to determine flow values. Flow values are taken by Resource Engineering.


Deer-low
Canal - Deer Trail Ditch
Elevation - 5920

Initiated	6/14/1995	6/14/1995	6/14/1995	6/14/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	11/28/2018	8/1/2018	4/19/2018	2/28/2018

Field Parameters	UNITS	Summary Information						Operation	Dry	Dry	8.2	8.2					
		Baseline			Operation												
		Min	Ave	Max	Min	Ave	Max										
Flow	GPM	0	8	32	0	6	83				3.93	0.66					
Water Level in Flume	Feet				0.00	0.13	0.40					0.2					
Field Comment								Dry	Dry								
ph	su	6.8	8.3	9.0	7.1	8.4	9.2				8.2	8.2					
Conductivity	umhos/cm	80	276	638	60	223	720				187	300					
Temperature	Celsius	4.9	13.1	21.2	3.1	10.9	21.5				5.5	3.1					
DO	mg/L	0.0	3.7	10.7	0.0	6.5	12.1										
Lab Parameters	UNITS																
Bicarbonate	mg/L	41	70	118	39	95	127				90.8						
Chloride	mg/L	<MDL	1	2	<MDL	1.8	4.0				1.6						
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL				<MDL						
Chromium VI CrIV	mg/L				<MDL	<MDL	<MDL				<MDL						
Cyanide, Total	mg/L				<MDL	<MDL	<MDL				<MDL						
Conductivity	umhos/cm	97	148	238	98	196	308				155						
Hardness	mg/L	48	67	96	33	82	119				69.7						
Nitrate-Nitrite	mg/L	<MDL	0.07	0.17	<MDL	0.01	0.04				<MDL						
Nitrate	mg/L	<MDL	0.08	0.17	<MDL	0.54	2.69										
Nitrite	mg/L	<MDL	0.01	0.02	<MDL	0.00	0.01										
Ammonia	mg/L				0.10	0.18	0.25				<MDL						
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	2	2				<MDL						
pH	su	7.5	7.8	8.0	7.7	8.1	8.6				8.19						
Phosphate	mg/L	<MDL	0.03	0.08	<MDL	0.03	0.08				0.02						
ResidueFilterable-TDS	mg/L	30	93	150	70	169	302				127						
ResidueNonFilterable-TSS	mg/L	6	101	286	<MDL	16	41				<MDL						
SAR		0.21	0.38	0.68	<MDL	0.90	6.50				6.5						
Sulfate	mg/L	<MDL	7	10	<MDL	11	20				0.411						
Sulfide S	mg/L				<MDL	<MDL	<MDL										
Aluminum (TREC)	mg/L	0.25	3.03	7.68	0.14	0.53	1.32				0.177						
Arsenic (TREC)	mg/L	<MDL	0.001	0.002	<MDL	0.0024	0.0150				<MDL						
Boron	mg/L				0.78	0.78	0.78										
Cadmium (TREC)	mg/L	<MDL	0.001	0.003	<MDL	0.01	0.05				<MDL						
Calcium (TREC)	mg/L	13.4	18.8	26.9	9.1	22.7	33.8				19.8						
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.017				<MDL						
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.05	0.15										
Iron (TREC)	mg/L	0.45	3.83	9.79	0.10	0.48	1.01				0.293						
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0074	0.0400				<MDL						
Magnesium (TREC)	mg/L	3.4	4.9	6.9	2.5	6.2	8.6				4.91						
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	1.6	6.2										
Manganese (TREC)	mg/L	0.012	0.075	0.193	0.001	0.034	0.107				0.0051						
Mercury (TREC)	mg/L	<MDL	0.00007	0.0002	<MDL	0.00005	0.0002				<MDL						
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0003	0.0010				<MDL						
Nickel	mg/L				<MDL	<MDL	<MDL										
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.010				<MDL						
Silver	mg/L				<MDL	<MDL	<MDL										
Sodium (TREC)	mg/L	3.7	7.6	15.3	3.9	11.3	31.5				7.9						
Zinc (TREC)	mg/L	0.03	0.03	0.04	<MDL	0.02	0.05				<MDL						

The lower end of Deer Trail Ditch is monitored at a point where the ditch empties into the Fire Mountain Canal.

Plot of Flow and Conductivity



Deer-low - Canal - Deer Trail Ditch

Figure 69

Deer-up
Canal - Deer Trail Ditch
Elevation - 5960


Initiated	6/14/1995	6/14/1995	6/14/1995	6/14/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	11/28/2018	8/1/2018	4/19/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	8.4	8.2
		Baseline Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0.8	1.8	3.5	0.1	1.6	4.8			1.24	0.08
Water Level in Flume	Feet	0.23	0.37	0.59	0.05	0.35	0.72			0.3	0.05
FieldComment											
ph	su	6.4	8.5	9.1	7.4	8.4	9.1				
Conductivity	umhos/cm	70	286	668	50	212	440			183	324
Temperature	Celsius	0.8	11.4	20.3	0.2	9.6	22.1			2.3	0.9
DO	mg/L	0.0	3.5	7.7	0.0	9.1	12.0				
Lab Parameters	UNITS										
Bicarbonate	mg/L	51.0	73.0	117.0	28.6	108.3	176.0			88.4	
Hydroxide	mg/L	0	0	0	0	0	0				
Chloride	mg/L	<MDL	1.67	3.00	<MDL	21.55	190.50			1.4	
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL			<MDL	
Chromium VI CrIV	mg/L				<MDL	0.01	0.01			<MDL	
Cyanide, Total	mg/L				<MDL	<MDL	<MDL			<MDL	
Conductivity	umhos/cm	100	148	235	85	255	573			141	
Hardness	mg/L	42	61	94	<MDL	98	168			71.9	
Nitrate-Nitrite	mg/L	<MDL	0.02	0.07	<MDL	0.20	1.25			<MDL	
Nitrate	mg/L	<MDL	0.02	0.07	<MDL	0.36	2.87			<MDL	
Nitrite	mg/L	<MDL	0.01	0.02	<MDL	0.003	0.016			<MDL	
Ammonia	mg/L				<MDL	0.149	0.290				
Oil and Grease	mg/L				<MDL	4.3	5.5			<MDL	
pH	su	7.6	7.8	8.1	6.4	8.0	8.7			8.2	
Phosphate	mg/L	<MDL	0.01	0.03	<MDL	7.44	141.00			0.023	
ResidueFilterable-TDS	mg/L	50	100	150	60	189	475			121	
ResidueNonFilterable-TSS	mg/L	<MDL	25	52	<MDL	12	40			<MDL	
SAR		0.24	0.37	0.62	<MDL	0.75	2.29			0.41	
Sulfate	mg/L	<MDL	10	20	<MDL	12.6	37.5				
Sulfide S	mg/L				<MDL	0.13	0.13				
Aluminum (TREC)	mg/L	0.24	1.09	1.77	<MDL	0.35	2.03			0.147	
Arsenic (TREC)	mg/L	<MDL	0.0003	0.0010	<MDL	0.0054	0.0300			<MDL	
Boron	mg/L				<MDL	0.82	1.40				
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.040			<MDL	
Calcium (TREC)	mg/L	11.8	17.2	26.5	8.29	29.15	134.00			20.2	
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.019			<MDL	
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.07	0.25				
Iron (TREC)	mg/L	0.38	1.19	1.85	0.03	11.82	618.00			0.33	
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0104	0.1000			<MDL	
Magnesium (TREC)	mg/L	3.0	4.4	6.7	2.5	7.9	17.6			5.2	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.8	6.7				
Manganese (TREC)	mg/L	0.02	0.03	0.03	0.002	0.959	26.700			0.0104	
Mercury (TREC)	mg/L	<MDL	0.0001	0.0002	<MDL	0.00007	0.0004			<MDL	
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.011			<MDL	
Nickel	mg/L				<MDL	0.0088	0.0120				
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0039	0.0230			<MDL	
Silver	mg/L				<MDL	0.0030	0.0030				
Sodium (TREC)	mg/L	3.6	7.1	13.8	3.8	19.4	66.5			7.9	
Zinc (TREC)	mg/L	0.01	0.02	0.03	<MDL	0.01	0.04			<MDL	

The upper end of Deer Trail Ditch is monitored at the headgate located on Hubbard Creek. This monitoring point is fitted with a 2' Parshall Flume.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



Deer-up - Canal - Deer Trail Ditch

Figure 71

FMC-low
 Canal - Fire Mountain Canal
 Elevation - 5920'

No water in canal for Septe

Initiated	5/19/1999	5/19/1999
Activated	5/19/1999	5/19/1999
Date	7/30/2018	5/7/2018

Field Parameters	UNITS	Summary Information						175*
		Baseline		Operation			175*	175*
		Min	Ave	Max	Min	Ave	Max	
Flow	CFS				44	161	182	175*
FieldComment								
ph	su				6.8	8.2	8.9	8.5
Conductivity	umhos/cm				40	144	280	222
Temperature	Celsius				5.5	12.2	22.1	16.5
DO	mg/L				0.0	7.7	11.2	
Lab Parameters	UNITS							
Bicarbonate	mg/L				25	80.6	133.8	119.00
Chloride	mg/L				<MDL	8.0	37.5	2.5
Conductivity	umhos/cm				71	174	346	186
Hardness	mg/L				27.58	81.57	521.00	88.4
Nitrate-Nitrite	mg/L				<MDL	0.38	2.70	<MDL
Oil and Grease	mg/L				<MDL	46.51	68.00	<MDL
pH	su				6.4	7.7	8.4	8.27
Phosphate	mg/L				<MDL	0.06	0.24	0.021
ResidueFilterable-TDS	mg/L				40	122	300	138
ResidueNonFilterable-TSS	mg/L				<MDL	67	474	17.4
SAR					<MDL	0.54	1.55	0.429
Sulfate	mg/L				<MDL	13.03	51.86	6
Aluminum (TREC)	mg/L				<MDL	1.26	12.70	0.395
Arsenic (TREC)	mg/L				<MDL	0.0057	0.1000	<MDL
Cadmium (TREC)	mg/L				<MDL	0.0068	0.1000	<MDL
Calcium (TREC)	mg/L				7.45	20.0	37.1	27.7
Copper (TREC)	mg/L				<MDL	0.015	0.149	<MDL
Iron (TREC)	mg/L				0.02	1.40	12.30	0.293
Lead (TREC)	mg/L				<MDL	0.0076	0.0500	<MDL
Magnesium (TREC)	mg/L				1.87	4.58	15.20	4.67
Manganese (TREC)	mg/L				0.007	0.043	0.222	0.0169
Mercury (TREC)	mg/L				<MDL	0.000186	0.003000	<MDL
Molybdenum (TREC)	mg/L				<MDL	0.004	0.02	<MDL
Selenium (TREC)	mg/L				<MDL	0.0025	0.0120	<MDL
Sodium (TREC)	mg/L				3.2	12.1	41.4	9.25
Zinc (TREC)	mg/L				<MDL	0.038	0.630	<MDL

The area of concern for monitoring point FMC-low was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered operational.

The lower monitoring point for the Fire Mountain Canal is located at a point just south of its crossing under old State Hwy 133. Flow data is received from Fire Mountain Canal records (Trey Dennison 970-527-5166 or cell 970-589-2857).

* Flow at full capacity near Somerset from their website. Did not receive a call back with actual values.

** Average flow values from last five years

Note: The Fire Mountain Canal was dry before field parameters could be obtained 3Q (2017)

FMC-up
 Canal - Fire Mountain Canal
 Elevation - 5960'

Initiated	5/19/1999	5/19/1999
Activated	5/19/1999	5/19/1999
Date	7/30/2018	5/7/2018

Field Parameters	UNITS	Summary Information			Operation			
		Baseline Min	Ave	Max	Min	Ave	Max	
Flow	CFS				13	156	182	175*
FieldComment								
ph	su				7.0	8.2	8.9	8.9
Conductivity	umhos/cm				40	142	290	249
Temperature	Celsius				5.8	12.2	22.2	16.8
DO	mg/L				0.0	7.7	11.2	
Lab Parameters	UNITS							
Bicarbonate	mg/L				28.90	79.27	147.00	116
Chloride	mg/L				<MDL	12.2	103	2.6
Conductivity	umhos/cm				64	179	402	194
Hardness	mg/L				27.78	71.29	172.49	93.1
Nitrate-Nitrite	mg/L				<MDL	0.30	2.15	<MDL
Oil and Grease	mg/L				<MDL	<MDL	<MDL	<MDL
pH	su				6.6	7.8	8.6	8.2
Phosphate	mg/L				<MDL	0.05	0.24	0.14
ResidueFilterable-TDS	mg/L				40	120	269	137
ResidueNonFilterable-TSS	mg/L				<MDL	72	472	59
SAR					<MDL	0.51	1.77	0.44
Sulfate	mg/L				<MDL	12.34	51.86	6
Aluminum (TREC)	mg/L				<MDL	1.29	14.00	1.26
Arsenic (TREC)	mg/L				<MDL	0.0052	0.0450	<MDL
Cadmium (TREC)	mg/L				<MDL	0.0022	0.0100	<MDL
Calcium (TREC)	mg/L				2.3	20.3	45.0	28.8
Copper (TREC)	mg/L				<MDL	0.0150	0.1440	<MDL
Iron (TREC)	mg/L				0.03	1.43	13.30	1.18
Lead (TREC)	mg/L				<MDL	0.0060	0.0300	<MDL
Magnesium (TREC)	mg/L				1.8	4.6	14.6	5.2
Manganese (TREC)	mg/L				0.007	0.046	0.250	0.0807
Mercury (TREC)	mg/L				<MDL	0.00004	0.00018	<MDL
Molybdenum (TREC)	mg/L				<MDL	0.004	0.030	<MDL
Selenium (TREC)	mg/L				<MDL	0.0024	0.0110	<MDL
Sodium (TREC)	mg/L				3.0	11.2	36.6	9.2
Zinc (TREC)	mg/L				<MDL	0.015	0.090	<MDL

The area of concern for monitoring point FMC-up was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered operational.

The upper monitoring point for the Fire Mountain Canal is located where the ditch crosses Hubbard Creek.
 Flow data is received from Fire Mountain Canal records (Trey Dennison 970-527-5166 or cell 970-589-2857).

* Flow at full capacity near Somerset from their website. Did not receive a call back with actual values.

** Average flow values from last five years

Note: The Fire Mountain Canal was dry before field parameters could be obtained 3Q (2017)

There is no baseline collection possible for points initiated after the influence of mining.


Free-low
 Freeman Gulch - Drainage System
 Elevation - 7560

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	6/23/1999	6/23/1999	6/23/1999	6/23/1999
Date	10/24/2018	7/18/2018	5/10/2018	3/5/2018

Field Parameters	UNITS	Summary Information						Operation	
		Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Flow	GPM	0.00	0.24	3.75	0.00	0.32	7.50	0	
FieldComment								Dry	
ph	su	8.3	8.5	8.6	7.3	8.2	8.6		
Conductivity	umhos/cm	1240	1250	1260	90	1303	2100		
Temperature	Celsius	18.4	19.8	21.2	0.6	12.3	23.0		
Lab Parameters	UNITS								
		594	604	614	238.6	342.4	543.9		
Bicarbonate	mg/L								
Chloride	mg/L	16	18	19	3.06	8.13	11.41		
Conductivity	umhos/cm	1170	1190	1210	1321	1754	2470		
Hardness	mg/L	404	430	456	308.0	404.7	578.9		
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	0.48	0.48	0.48		
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL		
pH	su	8.3	8.3	8.4	7.6	7.7	7.8		
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL		
ResidueFilterable-TDS	mg/L	730	765	800	1056	1263	1590		
ResidueNonFilterable-TSS	mg/L	<MDL	3	6	6	36	90		
SAR		2.48	2.63	2.78	2.91	4.45	5.30		
Sulfate	mg/L	130	130	130	316.9	382.4	507.5		
Aluminum (TREC)	mg/L	0.13	0.21	0.29	<MDL	0.40	0.61		
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.005	0.006		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.005	0.010		
Calcium (TREC)	mg/L	56.4	61.2	65.9	50.80	66.93	98.40		
Copper (TREC)	mg/L	<MDL	0.005	0.01	0.01	0.02	0.02		
Iron (TREC)	mg/L	0.11	0.15	0.19	0.06	0.08	0.10		
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.02	0.03	0.03		
Magnesium (TREC)	mg/L	64.1	67.5	70.8	44.0	57.7	80.9		
Manganese (TREC)	mg/L	0.010	0.013	0.016	0.00	0.03	0.06		
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00001	0.00006	0.00008		
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.005		
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.016	0.018		
Sodium (TREC)	mg/L	120	124	127	163.0	199.3	223.5		
Zinc (TREC)	mg/L	<MDL	0.01	0.03	<MDL	0.03	0.06		

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity



Free-flow - Freeman Gulch Drainage System

Figure 75

Free-up
Freeman Gulch - Drainage System
Elevation - 6360

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	6/28/1999	6/28/1999	6/28/1999
Date	10/24/2018	7/9/2018	5/4/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	Dry
		Baseline Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.00	0.00	0.00	0.15	8.71	0	0	0
FieldComment										
ph	su				7.50	7.77	8.00			
Conductivity	umhos/cm				710.00	726.33	759.00			
Temperature	Celsius				7.20	8.73	11.50			
Lab Parameters	UNITS									
Bicarbonate	mg/L				360.00	360.00	360.00			
Chloride	mg/L				<MDL	<MDL	0.00			
Conductivity	umhos/cm				519.00	519.00	519.00			
Hardness	mg/L				245.00	245.00	245.00			
Nitrate-Nitrite	mg/L				0.00	<MDL	0.00			
Oil and Grease	mg/L				0.00	<MDL	0.00			
pH	su				7.37	7.37	7.37			
Phosphate	mg/L				0.00	<MDL	0.00			
ResidueFilterable-TDS	mg/L				429.00	429.00	429.00			
ResidueNonFilterable-TSS	mg/L				0.00	<MDL	0.00			
SAR					1.86	1.86	1.86			
Sulfate	mg/L				0.00	<MDL	0.00			
Aluminum	mg/L				0.00	<MDL	0.00			
Arsenic	mg/L				0.00	<MDL	0.00			
Cadmium	mg/L				0.02	0.02	0.02			
Calcium	mg/L				67.70	67.70	67.70			
Copper	mg/L				0.00	<MDL	0.00			
Iron (Total)	mg/L				0.03	0.03	0.03			
Lead	mg/L				0.00	<MDL	0.00			
Magnesium	mg/L				18.50	18.50	18.50			
Manganese (Total)	mg/L				0.01	0.01	0.01			
Mercury	mg/L				0.00	<MDL	0.00			
Molybdenum	mg/L				0.00	<MDL	0.00			
Selenium	mg/L				0.08	0.08	0.08			
Sodium	mg/L				68.20	68.20	68.20			
Zinc	mg/L				0.00	<MDL	0.00			

Upper Freeman Gulch is monitored just below Pond 2 at the upper end of Freeman Gulch, near drill holes DH34-B and DH34-C.

Note: Site was not accessible during 1Q 2018

HUB-low
 Hubbard Creek - Drainage System
 Elevation - 5880

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	6/23/1999	6/23/1999	6/23/1999	6/23/1999
Date	10/25/2018	8/16/2018	6/12/2018	4/17/2018


Field Parameters	UNITS	Summary Information									
		Baseline			Operation			Min	Ave	Max	
		Min	Ave	Max	Min	Ave	Max				
Flow	CFS	2.90	19.67	85.51	0.04	23.96	294.00	5.21	*	0.16	19.27
FieldComment											
ph	su	8.0	8.5	9.3	7.1	8.3	9.0	8.2	8.2	8.3	8.1
Conductivity	umhos/cm	80	198	390	50	307	850	264	609	503	170
Temperature	Celsius	2.3	11.1	20.2	0.3	9.7	21.7	6.4	15.3	13.1	4.3
Lab Parameters	UNITS										
Bicarbonate	mg/L	62	115	155	28	146	690	123			81.1
Chloride	mg/L	<MDL	1.7	3.0	<MDL	28.7	203.6	2.2			1.5
Conductivity	umhos/cm	118	254	406	92	334	711	229			132
Hardness	mg/L	49	96	138	0.06	128.27	315.52				0.0616
Nitrate-Nitrite	mg/L	<MDL	0.05	0.29	<MDL	0.17	1.62	<MDL			<MDL
Oil and Grease	mg/L	<MDL	3.0	3.0	<MDL	3.0	3.0	<MDL			<MDL
pH	su	7.5	7.9	8.3	6.9	8.0	8.4	8.3			8.2
Phosphate	mg/L	<MDL	0.004	0.030	<MDL	0.04	0.27	0.019			0.039
ResidueFilterable-TDS	mg/L	100	163	260	60	241	563	151			90
ResidueNonFilterable-TSS	mg/L	<MDL	33	170	<MDL	21	200	<MDL			<MDL
SAR		<MDL	0.47	1.04	<MDL	0.89	2.62	0.70			0.35
Sulfate	mg/L	<MDL	17	50	<MDL	34	102	17.6			6.3
Aluminum (TREC)	mg/L	0.05	0.58	1.91	<MDL	0.30	1.18	<MDL			0.135
Arsenic (TREC)	mg/L	<MDL	0.0004	0.0010	<MDL	0.0083	0.0600	<MDL			<MDL
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.010	0.040	<MDL			<MDL
Calcium (TREC)	mg/L	13.8	26.2	36.7	8.5	32.8	70.7	24.6			17.2
Copper (TREC)	mg/L	<MDL	0.001	0.010	<MDL	0.008	0.060	<MDL			<MDL
Iron (TREC)	mg/L	0.09	0.54	1.44	0.06	0.29	1.28	0.23			0.29
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0146	0.0700	<MDL			<MDL
Magnesium (TREC)	mg/L	3.6	7.4	11.2	2.4	11.6	34.6	6.6			4.5
Manganese (TREC)	mg/L	0.009	0.016	0.034	<MDL	0.022	0.080	0.0061			0.0116
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00018	<MDL			<MDL
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.030	<MDL			<MDL
Selenium (TREC)	mg/L	<MDL	0.001	0.010	<MDL	0.0046	0.0200	<MDL			<MDL
Sodium (TREC)	mg/L	5.3	15.9	27.6	3.6	26.3	73.0	14.3			7.0
Zinc (TREC)	mg/L	<MDL	0.01	0.04	<MDL	0.009	0.037	<MDL			<MDL

Note 1: USGS did not collect flow values.

* Streamflow too low for measurement

The Lower Hubbard Creek monitoring point is located at a concrete box culvert under the Union Pacific railroad track just above the North Fork of the Gunnison. Flow values are taken by Resource Engineering Inc.

Plot of Flow and Conductivity



Hub-low - Hubbard Creek Drainage System

Figure 78


NFG-low
 North Fork - Drainage System
 Elevation - 5680

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	3/31/1997	3/31/1997	3/31/1997	3/31/1997
Date	11/26/2018	8/6/2018	4/19/2018	3/26/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max	
		Baseline	Min	Ave	Max	Min	Ave				
Flow	CFS	99	292	610	47	461	2910	46.9	49.9	211	104
FieldComment											
pH	su	8.1	8.4	8.7	7.6	8.3	9.1	8.4	8.4	8.1	7.8
Conductivity	umhos/cm	160	180	200	50	189	320	266	239	201	209
Temperature	Celsius	4.0	8.5	14.6	0.3	11.1	22.6	1.4	17.8	4.1	4.7
DO	mg/L				0.0	8.6	11.5				
Lab Parameters	UNITS										
Bicarbonate	mg/L	95	100	105	28.1	85.8	148.0	109		83.9	
Chloride	mg/L	2.00	2.50	3.00	<MDL	25.90	288.30	3.9	2.9	2.2	
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL		<MDL		
Chromium VI CrIV	mg/L				<MDL	<MDL	<MDL		<MDL		
Cyanide, Total	mg/L				<MDL	<MDL	<MDL		<MDL		
Conductivity	umhos/cm	201	222	242	78	218	754	209		147	
Hardness	mg/L	84	85	85	<MDL	85.76	270.40	84.1	77.4	73.6	
Nitrate	mg/L	<MDL	0.08	0.16	<MDL	0.34	3.90				
Nitrate-Nitrite	mg/L	0.00	0.08	0.16	<MDL	<MDL	<MDL		<MDL		
Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.010	<MDL	<MDL	<MDL	
Ammonia	mg/L	<MDL	<MDL	<MDL	<MDL	0.06	0.31		<MDL		
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL	4	5	<MDL	<MDL	<MDL	
pH	su	8.0	8.0	8.0	7.0	7.9	8.8	8.45	8.54	8.2	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.11	1.50	0.012		0.012	
ResidueFilterable-TDS	mg/L	130	140	150	50	160	692	121	128	126	
ResidueNonFilterable-TSS	mg/L	<MDL	3	6	<MDL	20	141	<MDL		13.1	
SAR		0.55	0.61	0.66	<MDL	0.63	2.42	0.581		0.438	
Sulfate	mg/L	10.0	15.0	20.0	<MDL	16.6	82.5	22.3	11.2	16.3	
Sulfide S	mg/L				<MDL	0.04	0.04		<MDL		
Aluminum (TREC)	mg/L	0.10	0.15	0.21	<MDL	0.35	1.32	<MDL		0.159	
Arsenic (TREC)	mg/L	<MDL	0.001	0.001	<MDL	0.0061	0.0500	<MDL	<MDL	<MDL	
Boron	mg/L				0.02	0.56	1.35		<MDL		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0029	0.0180	<MDL	<MDL	<MDL	
Calcium (TREC)	mg/L	24.6	24.8	25.0	6.9	27.5	132.0	24.6	23.8	21	
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.012	0.198	<MDL	<MDL	<MDL	
Iron, Dissolved	mg/L	<MDL	<MDL	<MDL	<MDL	0.37	12.90	0.0156	0.0507	0.005	
Iron (TREC)	mg/L	0.14	0.21	0.27	<MDL	0.39	4.17	0.109	0.146	0.167	
Lead (TREC)	mg/L	<MDL	0.010	0.020	<MDL	0.0120	0.1500	<MDL	<MDL	<MDL	
Magnesium (TREC)	mg/L	5.30	5.50	5.70	2.00	6.21	18.80	5.51	4.36	5.14	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.160	2.900		0.005		
Manganese (TREC)	mg/L	0.021	0.090	0.160	0.007	0.045	0.802	0.0278	0.0178	0.021	
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00030	<MDL	<MDL	<MDL	
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.030	<MDL	<MDL	<MDL	
Nickel	mg/L				<MDL	0.010	0.010				
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.034	<MDL	<MDL	<MDL	
Silver	mg/L				<MDL	<MDL	<MDL				
Sodium (TREC)	mg/L	11.5	12.2	12.9	3.0	15.5	91.5	12.7		8.6	
Zinc (TREC)	mg/L	0.02	0.02	0.03	<MDL	0.02	0.16	<MDL	<MDL	<MDL	

Field parameters, except flow, for the Lower North Fork of the Gunnison River are taken on the river approximately 1500' below the confluence of Terror Creek and the North Fork of the Gunnison. Flow data for the North Fork of the Gunnison river is obtained from USGS station #09132500.

Plot of Flow and Conductivity



NFG-low - North Fork Drainage System


NFG-up
North Fork - Drainage System
Elevation - 5880

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	3/31/1997	3/31/1997	3/31/1997	3/31/1997
Date	11/26/2018	8/6/2018	4/19/2018	3/26/2018

Field Parameters	UNITS	Summary Information			Operation						
		Baseline			Operation						
		Min	Ave	Max	Min	Ave	Max				
Flow	CFS	99	292	610	47	461	2910	46.9	49.9	211	104
FieldComment											
ph	su	8.1	8.5	8.8	7.5	8.3	9.7	8.8	8.6	8.0	8.1
Conductivity	umhos/cm	160	167	180	50	174	320	253.0	213.0	186.4	192.9
Temperature	Celsius	3.6	7.3	13.7	0.2	10.5	22.6	0.2	17.9	3.1	4.8
DO	mg/L				7.2	9.3	11.8				
Lab Parameters	UNITS										
Bicarbonate	mg/L	88	93	98	31	85	203	102		72.4	
Chloride	mg/L	2.0	2.5	3.0	<MDL	32.0	471.5	4	2.9	2.2	
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL				
Chromium VI CrIV	mg/L				<MDL	0.008	0.008				
Cyanide, Total	mg/L				<MDL	0.067	0.081				
Conductivity	umhos/cm	185	205	225	7	206	668	199		137	
Hardness	mg/L	74	77	79	26.5	80.4	253.0		77.40	66.90	
Nitrate	mg/L	<MDL	0.05	0.09	<MDL	0.38	3.47	<MDL	<MDL	<MDL	
Nitrate/Nitrite	mg/L	0.00	0.05	0.09	<MDL	0.3	3	<MDL	<MDL	<MDL	
Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.017				
Ammonia	mg/L	<MDL	<MDL	<MDL	<MDL	0.04	0.23				
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL	7	11		<MDL	<MDL	
pH	su	7.9	8.0	8.0	6.9	7.9	9.0	8.01	8.54	8.07	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.14	1.90	<MDL		0.014	
ResidueFilterable-TDS	mg/L	120	130	140	9	148	522	117	128	131	
ResidueNonFilterable-TSS	mg/L	10	11	12	<MDL	21	131	<MDL		32.2	
SAR		0.42	0.60	0.78	<MDL	0.66	2.39	0.671		0.441	
Sulfate	mg/L	10	15	20	<MDL	19	80	20.5	11.2		
Sulfide S	mg/L				<MDL	0.05	0.05		<MDL		
Aluminum (TREC)	mg/L	0.08	0.18	0.27	<MDL	18.16	691.00	<MDL		691	
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0043	0.0350	<MDL	<MDL	<MDL	
Boron	mg/L					0.02	0.49	1.20		<MDL	
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.007	0.031	<MDL	<MDL	<MDL	
Calcium (TREC)	mg/L	21.9	22.9	24.0	7.0	25.0	138.0	22.4	23.8	20.1	
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.012	0.197	<MDL	<MDL	<MDL	
Iron, Dissolved	mg/L				<MDL	0.80	22.80		0.0507	0.0182	
Iron (TREC)	mg/L	0.09	0.09	0.09	0.03	2.14	81.00	0.0425	0.146	0.371	
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0121	0.1200	<MDL	<MDL	<MDL	
Magnesium (TREC)	mg/L	4.70	4.70	4.70	1.88	5.63	23.40	4.93	4.36	4.06	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.27	2.90		0.005		
Manganese (TREC)	mg/L	0.011	0.015	0.019	<MDL	0.182	7.600	0.0081	0.0178	0.0155	
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00006	0.00022	<MDL	<MDL	<MDL	
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.030	<MDL		<MDL	
Nickel	mg/L				<MDL	0.01	0.01				
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.027	<MDL	<MDL	<MDL	
Silver	mg/L				<MDL	<MDL	<MDL		<MDL		
Sodium (TREC)	mg/L	8.6	12.0	15.3	3.3	15.2	73.5	13.4		8.3	
Zinc (TREC)	mg/L	0.020	0.025	0.030	<MDL	0.015	0.143	<MDL	<MDL	<MDL	

Field parameters, except flow in the Upper North Fork of the Gunnison River monitoring point are taken on the river just above its confluence with Hubbard Creek. Flow data for the North Fork of the Gunnison river is obtained from USGS station #09132500.

Plot of Flow and Conductivity



NFG-up - North Fork Drainage System

Figure 82

Steph-low
 Stevens Draw - Drainage System
 Elevation - 7000'

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2002	7/1/2002	7/1/2002	7/1/2002
Date	10/25/2018	7/10/2018	5/4/2018	3/20/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	Dry	Snow Covered
		Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.00	0.18	1.58				0	0	0	0
FieldComment											
ph	su	7.9	8.2	8.4							
Conductivity	umhos/cm	1020	1139	1310							
Temperature	Celsius	3.8	10.8	17.2							
Lab Parameters	UNITS										
Bicarbonate	mg/L	452	495	554							
Chloride	mg/L	14	16	20							
Conductivity	umhos/cm	1020	1093	1180							
Hardness	mg/L	343	382	433							
Nitrate-Nitrite	mg/L	0.02	0.20	0.97							
Oil and Grease	mg/L	<MDL	1	4							
pH	su	8.0	8.2	8.3							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	660	718	780							
ResidueNonFilterable-TSS	mg/L	<MDL	21	58							
SAR		<MDL	2.28	3.22							
Sulfate	mg/L	150	170	190							
Aluminum	mg/L	0.05	0.53	1.71							
Arsenic	mg/L	<MDL	0.001	0.002							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	49.4	59.6	72.4							
Copper	mg/L	<MDL	0.002	0.010							
Iron (Total)	mg/L	0.27	0.82	2.57							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	41.3	55.9	66.2							
Manganese (Total)	mg/L	0.070	0.211	0.566							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molybdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	0.0002	0.001							
Sodium	mg/L	99.8	120.0	152.0							
Zinc	mg/L	<MDL	0.01	0.03							

The area of concern for monitoring point Steph-low has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point location for Lower Stevens Draw is located in Stevens Draw, just below Pond 1 and Spring 14. It is accessed by a southern fork of the Stevens Draw road.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Flow and Conductivity




Figure 84

Steph-up
 Stevens Draw - Drainage System
 Elevation - 7920'

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2002	7/1/2002	7/1/2002	7/1/2002
Date	10/25/2018	7/10/2018	5/4/2018	3/20/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	Dry	Snow Covered
		Baseline Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.15	5.00	0.00	0.06	3.75	0	0	0	0
FieldComment											
ph	su				7.7	7.7	7.7				
Conductivity	umhos/cm				200	200	200				
Temperature	Celsius				11.2	11.2	11.2				
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molybdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for Upper Stevens Draw is located in Stevens Draw, just below Spring 11. It is accessed by the Stevens Draw road.

Baseline Information for Point Steph-up is derived from events beginning 7/12/95 through 7/1/02.
 Point influenced by mining on 7/1/02.

SW-01
 West Terror Creek - Downstream
 Elevation - 7140

Initiated	10/24/2013	10/24/2013	10/24/2013	10/24/2013
Activated				
Date	10/29/2018	7/9/2018	4/23/2018	3/28/2018

Summary Information									
Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Flow	CFS	0.29	4.10	52.00				0.81	0.29
Water Level in Flume	Feet	0.100	0.586	2.000				0.35	0.18
Temperature	Celsius	0	6.3	20.2				2.1	20.2
Conductivity	umhos/cm	100	139	190				148.3	150.3
pH	su	7.56	8.2	8.9				8.56	8.21
Field Comments									
Lab Parameters	UNITS								
Bicarbonate	mg/L	56.5	75.4	90.6				72.7	56.5
Chloride	mg/L	0.56	0.87	1.30				1.2	0.93
Conductivity	umhos/cm	87.3	113	139				122	89.2
Hardness	mg/L	40.3	56.12	69.90					40.3
Acidity	mg/L	-76	-56.54	-28.00				-50	-28
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Oil and Grease	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Phosphate	mg/L	0.017	0.06	0.23				0.027	0.017
ResidueFilterable-TDS	mg/L	86.7	105	144				96	104
ResidueNonFilterable-TSS	mg/L	<MDL	13	34				<MDL	<MDL
SAR		0.226	0.338	0.505				0.323	0.293
Sulfate	mg/L	2.1	3.3	4.7				4.7	2.6
Aluminum (TREC)	mg/L	<MDL	9.698	101.000				<MDL	0.891
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Calcium (TREC)	mg/L	10.4	14.5	18.0				14	10.4
Calcium (Dissolved)	mg/L	12.0	15.4	18.2					
Copper (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Iron (Dissolved)	mg/L	0.0310	3.8880	41.6000					0.463
Iron (TREC)	mg/L	0.074	0.388	1.180				0.0744	0.599
Lead (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Magnesium (TREC)	mg/L	3.49	4.81	6.07				4.9	3.49
Magnesium (Dissolved)	mg/L	3.59	5.10	6.09					
Manganese (TREC)	mg/L	0.0058	0.0132	0.0280					0.01
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL
Sodium (TREC)	mg/L	4.03	5.85	8.50				6.17	4.48
Sodium (Dissolved)	mg/L	3.48	5.78	8.66					
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL	<MDL

The area of concern for monitoring point SW-01 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Negative acidity value indicates equivalent value of alkalinity

SW-02
 Terror Creek - Mid Stream
 Elevation - 7040

Initiated	10/24/2013	10/24/2013	10/24/2013	10/24/2013
Activated				
Date	10/29/2018	7/9/2018	4/23/2018	3/28/2018

Field Parameters	UNITS	Summary Information			Operation					
		Baseline			Operation					
		Min	Ave	Max	Min	Ave	Max			
Flow	CFS	0.00	5.75	81.22			0.564	1.263	1.263	0.423
Water Level in Flume	Feet	0.00	0.36	2.80			0.120	0.200	0.200	0.100
Temperature	Celsius	-0.7	9.1	20.3			2.8	20.1	3.5	0
Conductivity	umhos/cm	2.9	125	320			147.3	115.5	125.5	176
pH	su	5.3	8.2	10.2			8.01	8.24	8.49	8.56
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	38	86	148			62	65.8		
Chloride	mg/L	0.87	26.27	198.50			1.8	1.1		
Conductivity	umhos/cm	77	187	548			121	103		
Hardness	mg/L	29.02	72.44	157.58			54.3	47.7		
Nitrate-Nitrite	mg/L	<MDL	0.24	0.61			<MDL	<MDL		
Oil and Grease	mg/L	<MDL	<MDL	<MDL			<MDL	<MDL		
pH	su	6.7	7.7	8.8			7.88	7.96		
Phosphate	mg/L	<MDL	0.90	7.79			0.031	0.017		
ResidueFilterable-TDS	mg/L	70	152	430			106	101		
ResidueNonFilterable-TSS	mg/L	<MDL	28	174			<MDL	<MDL		
SAR		0.11	0.49	2.22			0.306	0.347		
Sulfate	mg/L	2.03	11.02	35.00			9.8	3		
Aluminum (TREC)	mg/L	<MDL	25.534	400.000			400	0.26		
Arsenic (TREC)	mg/L	<MDL	0.023	0.075			<MDL	<MDL		
Cadmium (TREC)	mg/L	<MDL	0.008	0.020			<MDL	<MDL		
Calcium (TREC)	mg/L	5.42	18.95	42.00			13.5	11.7		
Copper (TREC)	mg/L	<MDL	0.004	0.010			<MDL	<MDL		
Iron (TREC)	mg/L	0.033	0.516	1.250			0.469	0.222		
Lead (TREC)	mg/L	<MDL	0.013	0.050			<MDL	<MDL		
Magnesium (TREC)	mg/L	3.76	9.04	18.10			4.99	4.48		
Manganese (TREC)	mg/L	0.01	0.03	0.05			0.0181	0.0107		
Mercury (TREC)	mg/L	<MDL	0.00006	0.00016			<MDL	<MDL		
Molybdenum (TREC)	mg/L	<MDL	0.004	0.006			<MDL	<MDL		
Selenium (TREC)	mg/L	<MDL	0.00614	0.02300			<MDL	<MDL		
Sodium (TREC)	mg/L	4.1	14.8	64.0			5.9	5.93		
Zinc (TREC)	mg/L	<MDL	0.027	0.060			<MDL	<MDL		

The area of concern for monitoring point SW-02 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

SW-02 is located on the East Fork of Terror Creek in the NW1/4 SE1/4 Sec 5, T13S, R91W, of the 6th P.M. A 48" Parshall flume manufactured by the Thompson Pipe and Steel Company of Denver, Colorado was installed at this location.

SW-05
 Stevens Gulch - Downstream
 Elevation - 6600

Initiated	1/1/1983	1/1/1983	1/1/1983	1/1/1983
Activated				
Date	11/27/2018	7/9/2018	6/4/2018	3/29/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation		
		Min	Ave	Max	Min	Ave	Max
Flow	CFS	0.00	1.61	30.13			
Water Level in Flume	Feet	0.00	0.08	1.06			
Temperature	Celsius	-0.5	10.1	23.7			6.9
Conductivity	umhos/cm	0	558	2000			1184
pH	su	0.0	8.3	9.9			8.35
Field Comments					Dry	Dry	Dry
Lab Parameters	UNITS						*
Bicarbonate	mg/L	66	225	456			
Chloride	mg/L	<MDL	21.09	223.41			
Conductivity	umhos/cm	149	593	1560			
Hardness	mg/L	35.6	253.6	625.7			
Nitrate-Nitrite	mg/L	<MDL	0.34	0.88			
Oil and Grease	mg/L	<MDL	<MDL	<MDL			
pH	su	6.8	8.1	8.7			
Phosphate	mg/L	<MDL	0.17	0.47			
ResidueFilterable-TDS	mg/L	106	395	1130			
ResidueNonFilterable-TSS	mg/L	<MDL	34	438			
SAR		0.23	1.05	2.06			
Sulfate	mg/L	<MDL	100.5	450.0			
Aluminum (TREC)	mg/L	0.022	0.280	0.530			
Arsenic (TREC)	mg/L	0.001	0.020	0.040			
Cadmium (TREC)	mg/L	0.002	0.007	0.010			
Calcium (TREC)	mg/L	8.81	51.86	103.00			
Copper (TREC)	mg/L	0.002	0.008	0.020			
Iron (TREC)	mg/L	0.03	0.38	1.46			
Lead (TREC)	mg/L	0.00	0.02	0.04			
Magnesium (TREC)	mg/L	7.10	28.26	61.20			
Manganese (TREC)	mg/L	0.01	0.55	7.30			
Mercury (TREC)	mg/L	0.00002	0.00011	0.00027			
Molybdenum (TREC)	mg/L	0.002	0.006	0.015			
Selenium (TREC)	mg/L	<MDL	0.007	0.018			
Sodium (TREC)	mg/L	9.60	34.97	64.00			
Zinc (TREC)	mg/L	0.005	0.009	0.020			


The area of concern for monitoring point SW-05 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

* Flow not measureable

The Stevens Gulch stream gauge, SW-05, is located near Bowie No. 1 mine's timber storage area in the NE1/4NW1/4, Sec 25, T13S, R92W, of the 6th P.M. A 36" Parshall flume was installed at this locations.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrologic Report

Plot of Flow and Conductivity



Page intentionally left blank as a
place holder for SW-10

Page intentionally left blank as a
place holder for SW-10 CH

SW-11
 Stevens Gulch - Upstream
 Elevation - 8084

Initiated Activated Date	6/6/2010	6/6/2010	6/6/2010	6/6/2010
	11/27/2018	7/9/2018	6/4/2018	3/27/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry	Dry
		Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0	0.1	3.8							0.15
Water Level in Flume	Feet	0	0.0	0.0							
Temperature	Celsius										3.4
Conductivity	umhos/cm										120.8
pH	su										8.5
Field Comments								Dry	Dry	Dry	Dry
Lab Parameters	UNITS							*	*		
Bicarbonate	mg/L	55.9	55.9	55.9				*	*		
Carbonate	mg/L	0.0	0.0	0.0							
Chloride	mg/L	<MDL	3.0	3.0							
Conductivity	umhos/cm	98.7	99	99							
Hardness	mg/L	43.60	43.60	43.60							
Acidity	mg/L	-38	-38.00	-38.00							
Nitrate-Nitrite	mg/L	<MDL	0.00	0.00							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.2	7.2	7.2							
Phosphate	mg/L	<MDL	0.13	0.13							
ResidueFilterable-TDS	mg/L	120	120	120							
ResidueNonFilterable-TSS	mg/L	<MDL	19	19							
SAR		0.40	0.40	0.40							
Aluminum (TREC)	mg/L	0.549	0.549	0.549							
Arsenic (TREC)	mg/L	<MDL	<MDL	0.000							
Cadmium (TREC)	mg/L	<MDL	<MDL	0.00							
Calcium (TREC)	mg/L	12.6	12.60	12.60							
Calcium (Dissolved)	mg/L	0	0.00	0.00							
Copper (TREC)	mg/L	<MDL	<MDL	0.00							
Iron (Dissolved)	mg/L	0.24	0.24	0.24							
Iron (TREC)	mg/L	0.42	0.42	0.42							
Lead (TREC)	mg/L	<MDL	<MDL	0.00							
Magnesium (TREC)	mg/L	2.94	2.94	2.94							
Manganese (TREC)	mg/L	0.03	0.03	0.03							
Mercury (TREC)	mg/L	<MDL	<MDL	0							
Molybdenum (TREC)	mg/L	<MDL	<MDL	0.000							
Selenium (TREC)	mg/L	<MDL	<MDL	0.000							
Sodium (TREC)	mg/L	5.94	5.94	5.94							
Sodium (Dissolved)	mg/L	0	0.00	0.00							
Zinc (TREC)	mg/L	<MDL	<MDL	0.00							

* Not enough water available for a sample

SW-12
 West Fork Terror Creek - Upstream
 Elevation - 7920

Initiated	5/16/1983	5/16/1983	5/16/1983
Activated			
Date	11/27/2018	7/9/2018	4/23/2018

Field Parameters	UNITS	Summary Information			Operation			0.04	0.25	11.49
		Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	CFS	0.04	4.47	52.00				0.04	0.25	11.49
Water Level in Flume	Feet	0.050	0.636	2.000				0.05	0.16	2
Temperature	Celsius	0.1	6.3	14.9				0.4	12.6	3.2
Conductivity	umhos/cm	80	121	180				141	138.4	100.2
pH	su	7.7	8.2	8.9				8.2	8.1	8.0
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	40.3	64.2	83.4				76.9		51.2
Chloride	mg/L	<MDL	0.74	1.40				1.4		0.87
Conductivity	umhos/cm	61.5	92.0	121.0				121		80.3
Hardness	mg/L	33.5	48.4	61.9				47.9		40.6
Acidity	mg/L	-64.0	-48.4	-23.0				-60		-25
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Oil and Grease	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Phosphate	mg/L	<MDL	0.04	0.12				0.045		0.019
ResidueFilterable-TDS	mg/L	72	89	108				89.0		101.0
ResidueNonFilterable-TSS	mg/L	<MDL	19.3	37.0				<MDL		<MDL
SAR		0.174	0.269	0.486				0.486		0.234
Sulfate	mg/L	1.7	2.5	3.3				3.3		2.2
Aluminum (TREC)	mg/L	0.104	0.612	1.710				<MDL		1.49
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Calcium (TREC)	mg/L	10.2	675.5	8630.0				11.6		10.2
Calcium (Dissolved)	mg/L	11.2	13.3	14.6						
Copper (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Iron (Dissolved)	mg/L	0.0300	3.1712	#####				0.0326		0.469
Iron (TREC)	mg/L	0.101	0.517	1.370				0.101		0.895
Lead (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Magnesium (TREC)	mg/L	2.89	4.29	5.58				4.61		3.68
Magnesium (Dissolved)	mg/L	3.38	4.53	5.21						
Manganese (TREC)	mg/L	0.0011	0.0118	0.03				0.0063		0.00105
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL
Sodium (TREC)	mg/L	3.10	4.52	7.77				7.77		3.91
Sodium (Dissolved)	mg/L	2.69	4.25	5.97						
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL				<MDL		<MDL

The area of concern for monitoring point SW-12 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Negative acidity value indicates equivalent value of alkalinity

DH-15a
Stevens Draw - Drill Hole
Pipe Elevation - 7143.3
Pipe 1.8' above ground
Depth - 215'

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated				
Date	10/29/2018	7/12/2018	4/18/2018	3/20/2018

Field Parameters	UNITS	Summary Information			Operation			194.8	194.6	194.3	194.4
		Baseline Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				187.50	192.74	194.80				
Water Elevation	Feet				6948.50	6950.56	6955.80				
FieldComment											
ph	su				7.47	7.66	8.00				
Conductivity	umhos/cm				2880.00	3663.00	3990.00				
Temperature	Celsius				7.77	12.46	14.20				
Lab Parameters		UNITS									
Bicarbonate	mg/L				1130.00	1256.00	1380.00				
Carbonate	mg/L				<MDL	<MDL	0.00				
Chloride	mg/L				34.20	35.36	36.80				
Conductivity	umhos/cm				2740.00	3382.00	3710.00				
Hardness	mg/L				323.00	631.60	843.00				
Nitrate-Nitrite	mg/L				<MDL	<MDL	0.00				
Ammonia	mg/L				0.29	0.76	0.97				
pH	su				7.35	7.68	8.03				
Phosphate	mg/L				0.04	0.09	0.13				
ResidueFilterable-TDS	mg/L				1980.00	2580.00	2860.00				
Sulfate	mg/L				556.00	1067.40	1430.00				
Arsenic (Dissolved)	mg/L				<MDL	<MDL	0.05				
Cadmium (Dissolved)	mg/L				<MDL	<MDL	0.00				
Calcium (Dissolved)	mg/L				50.20	107.62	143.00				
Iron (Dissolved)	mg/L				<MDL	<MDL	0.12				
Iron (TREC)	mg/L				0.39	11.54	53.90				
Magnesium (Dissolved)	mg/L				43.10	87.12	118.00				
Manganese (Dissolved)	mg/L				0.10	0.15	0.17				
Manganese (TREC)	mg/L				0.13	0.17	0.23				
Mercury (Dissolved)	mg/L				<MDL	<MDL	0.00				
Selenium (Dissolved)	mg/L				<MDL	<MDL	0.00				
Sodium (Dissolved)	mg/L				547.00	664.40	771.00				
Zinc (Dissolved)	mg/L				<MDL	<MDL	0.00				

DH-15a is a replacement well for DH-15. All data is considered operational.

Drill Hole 15a is located on the western edge of the Stevens Draw road.

DH-39
Stevens Draw - Drill Hole
Pipe Elevation - 7142.65
Pipe 1.2' above ground
Depth - 181'

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated				
Date	10/29/2018	7/12/2018	4/18/2018	3/20/2018


Field Parameters	UNITS	Summary Information			Operation			77.6	77.5	77.5
		Baseline Min	Ave	Max	Operation Min	Ave	Max			
Static Water Level	Feet	64.55	72.42	192.55				77.6	77.5	77.6
Water Elevation	Feet	6950.1	7070.2	7078.1				7065.05	7065.15	7065.05
FieldComment										
ph	su	6.8	7.3	8.3				7.93	7.84	7.84
Conductivity	umhos/cm	1010	1383	2580				2560	2570	2550
Temperature	Celsius	8.1	10.4	14.3				10.4	11.5	9.4
Lab Parameters	UNITS									
Bicarbonate	mg/L	384.69	551.25	786.00				764	776	
Carbonate	mg/L	<MDL	0.77	10.83				<MDL	<MDL	
Chloride	mg/L	1.36	17.41	47.14				26.2	27	
Conductivity	umhos/cm	1025	1466	3340				2410	2460	
Hardness	mg/L	<MDL	425.79	771.50						
Nitrate-Nitrite	mg/L	<MDL	0.74	7.06				<MDL	0.057	
Ammonia	mg/L	<MDL	0.31	1.00				0.44	0.78	
pH	su	7.0	7.5	8.5				7.77	8.14	
Phosphate	mg/L	<MDL	0.03	0.09				0.062	0.072	
ResidueFilterable-TDS	mg/L	443	986	2655				1700	1660	
Sulfate	mg/L	101.25	237.58	753.00				753	726	
Arsenic (Dissolved)	mg/L	<MDL	0.0113	0.1730				0.0299	<MDL	
Cadmium (Dissolved)	mg/L	<MDL	0.007	0.035				<MDL	<MDL	
Calcium (Dissolved)	mg/L	6.5	82.4	136.8				90.5	91.5	
Iron (Dissolved)	mg/L	<MDL	0.70	13.00				<MDL	<MDL	
Iron (TREC)	mg/L	0.01	11.12	43.70				0.018	0.206	
Magnesium (Dissolved)	mg/L	<MDL	59.7	146.0				50.3	49.3	
Manganese (Dissolved)	mg/L	<MDL	1.452	60.100				0.308	0.354	
Manganese (TREC)	mg/L	0.026	0.426	2.470				0.341	0.363	
Mercury (Dissolved)	mg/L	<MDL	0.000264	0.00550				<MDL	<MDL	
Selenium (Dissolved)	mg/L	<MDL	0.006	0.021				<MDL	<MDL	
Sodium (Dissolved)	mg/L	95.8	192.1	460.0				423	401	
Zinc (Dissolved)	mg/L	<MDL	0.01	0.10				<MDL	<MDL	

The area of concern for monitoring point DH-39 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Drill Hole 39 is located in Stevens Draw right next to Drill Hole 15. It is accessed by the Stevens Draw road.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Conductivity and Water Level



DH-39 - Stevens Draw Drill Hole

Figure 96

DH-49
B Gulch - Drill Hole
Pipe Elevation - 7203.4
Pipe 0.7' above ground
Depth - 324'


Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	10/29/2018	7/12/2018	4/18/2018	3/20/2018

Field Parameters	UNITS	Summary Information									
		Baseline			Operation						
		Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	100.84	145.8	189.79	99.57	241.4607	311.46	284.4	284.5	284.9	283.9
Water Elevation	Feet	7013.6	7057.6	7102.6	6891.9	6961.9	7103.8	6919	6918.9	6918.5	6919.5
Field Comment											
ph	su	7.1	7.3	7.5	6.9	7.4	8.2	7.7	7.83	7.71	7.81
Conductivity	umhos/cm	1220	2028	3300	1140	3913	4600	4490	4590	4540	4550
Temperature	Celsius	10	11.9	13.5	10.8	13.6	16.5	14.9	14.7	13.2	13.5
Lab Parameters	UNITS										
Bicarbonate	mg/L	496	834	1090	313.4	1430.48	2120	2090		2120	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	9.66	79.46	<MDL		<MDL	
Chloride	mg/L	14	15	16	<MDL	39.9	344.61	17.5		18.5	
Conductivity	umhos/cm	1250	2023	2470	1160	3633.395	5920	4470		4090	
Hardness	mg/L	34	300	491	<MDL	191	463			168	
Nitrate-Nitrite	mg/L	0.63	1.0	1.43	0.028	4.50	8.9	8.8		8.7	
Ammonia	mg/L	0.14	1.9	3.8	<MDL	1.19	5	0.05		<MDL	
pH	su	7.1	7.4	7.7	7.2	7.7	8.7	7.58		8.2	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.11	0.72	0.11		0.091	
Residue Filterable (TDS)	mg/L	790	1347	1790	700	2624	3411	3050		2820	
Sulfate	mg/L	216	362	470	180	633.39	828	789		781	
Arsenic (Dissolved)	mg/L	<MDL	0.001	0.002	<MDL	0.047	0.560	<MDL		<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040	<MDL		<MDL	
Calcium (Dissolved)	mg/L	11	62	100	0.55	34.3	98.4	29		29.7	
Iron (Dissolved)	mg/L	0.05	0.4	1.1	<MDL	0.140	1.12	0.0922		0.0177	
Iron (TREC)	mg/L	0.2	12.4	29.4	0.0186	34.59	1310	1.57		1310	
Magnesium (Dissolved)	mg/L	1.6	35.1	58.6	18.7	31.2	71.5	24.4		22.7	
Manganese (Dissolved)	mg/L	<MDL	0.038	0.105	<MDL	0.065	0.35	0.0145		<MDL	
Manganese (TREC)	mg/L	0.007	0.19	0.308	<MDL	2.27	68.7	0.132		68.7	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00050	<MDL		<MDL	
Selenium (Dissolved)	mg/L	<MDL	0.003	0.007	<MDL	0.037385	0.283	<MDL		<MDL	
Sodium (Dissolved)	mg/L	5.2	230.7	556	109	899	2070	1080		1010	
Zinc (Dissolved)	mg/L	<MDL	0.003	0.01	<MDL	0.018	0.04	0.0386		0.0341	

Drill Hole 49 is located just above Stevens Draw road approximately 1000 feet southwest of the mine portals. It is accessed by the Stevens Draw road.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Conductivity and Water Level



DH-67B
Hubbard Creek - B Seam Monitoring Well
Elevation - 6451
Depth - 594'

Initiated	6/29/2004	6/29/2004	6/29/2004	6/29/2004
Activated				
Date	11/6/2018	7/23/2018	5/7/2018	3/2/2018

Field Parameters	UNITS	Summary Information									
		Baseline			Operation			Min	Ave	Max	
		Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	146.9	265.5	498.4				256.9	255.9	255.7	256.2
Water Elevation	Feet	5952.6	6189.3	6451.0				6194.1	6195.1	6195.3	6194.8
FieldComment								Note 2			
ph	su	6.5	7.7	8.8					7.93	8.09	7.96
Conductivity	umhos/cm	2570	6156.1	7500					6640	6410	6610
Temperature	Celsius	13.4	18.8	26.5					18.3	18	16.5
Lab Parameters	UNITS										
		mg/L	1486.3	2971.1	3838.0					3660	
		mg/L	<MDL	131.67	725.4					<MDL	
		mg/L	3.92	333.15	509					509	
		umhos/cm	497	5345	7810					5950	
		mg/L	3.59	44.28	198					40.1	
		mg/L	<MDL	1.80	7.4					<MDL	
		mg/L	0.102	4.10	9.48					3.7	
		pH	su	7.35	8.05	9.37				8.02	
		mg/L	<MDL	0.62	5.96					0.15	
		mg/L	2186	4006.1	8131					4260	
		mg/L	<MDL	17.53	91.58					<MDL	
		mg/L	<MDL	0.119	0.545					<MDL	
		mg/L	<MDL	0.029	0.07					<MDL	
		mg/L	0.24	9.53	53.7					11.6	
		mg/L	0.01	0.24	0.903					0.0492	
		mg/L	0.011	2.88	31.8					1.84	
		mg/L	0.73	4.98	29.9					2.7	
		mg/L	<MDL	0.023	0.102					0.016	
		mg/L	0.01	0.106	1.129					0.0393	
		mg/L	<MDL	0.00009	0.00044					<MDL	
		mg/L	0.003	0.152	1.595					<MDL	
		mg/L	3.885	1393.8	2291.2					1660	
		mg/L	<MDL	0.06	0.4					<MDL	

The area of concern for monitoring point DH-67B has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note 1: Sample taken in field apparently lost by laboratory.

Note 2: Special bailer for this well broke, could not get sample.

DH-67D (Reb)
Hubbard Creek - D - Seam Monitoring Well
Elevation - 6450'
Depth - 324.8'

Initiated	11/30/2000	11/30/2000	11/30/2000	11/30/2000
Activated				
Date	11/6/2018	7/23/2018	4/30/2018	3/2/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max			
		Baseline			Operation								
		Min	Ave	Max	Min	Ave	Max						
Static Water Level	Feet	123.4	219.742	253.85				246.1	245.8	245.3			
Water Elevation	Feet	6196.2	6230.3	6326.6				6203.9	6204.2	6204.7			
FieldComment										Note 1			
ph	su	7.9	9.4	10.6				9.39	9.4	9.52			
Conductivity	umhos/cm	668	6232	7200				671	6620	6680			
Temperature	Celsius	11.2	16.2	19.2				16	17.2	15.5			
Lab Parameters		UNITS											
Bicarbonate	mg/L	<MDL	2702.41	3930				2840		2800			
Carbonate	mg/L	<MDL	372.19	1160				492		506			
Chloride	mg/L	6.76	393.883	610				405		435			
Conductivity	umhos/cm	2908	5763.02	13132				6060		5260			
Hardness	mg/L	<MDL	18.50	51.55						9.2			
Nitrate-Nitrite	mg/L	<MDL	5.449	60.03				<MDL		<MDL			
Ammonia	mg/L	0.188	5.088	30.5				4.8		6.8			
pH	su	7.61	8.95	9.63				9.23		9.19			
Phosphate	mg/L	<MDL	2.385	48.2				0.34		0.33			
ResidueFilterable-TDS	mg/L	1886	3990	5188				4190		4160			
Sulfate	mg/L	<MDL	31.19	300				11.4		14.2			
Arsenic (Dissolved)	mg/L	<MDL	0.1735	0.915				<MDL		<MDL			
Cadmium (Dissolved)	mg/L	<MDL	0.779	16.6				<MDL		<MDL			
Calcium (Dissolved)	mg/L	<MDL	4.50	36.7				2.1		2.33			
Iron (Dissolved)	mg/L	0.01	0.20	3.13				0.101		0.0896			
Iron (TREC)	mg/L	0.0251	3.56	99.3				0.369		0.515			
Magnesium (Dissolved)	mg/L	<MDL	2.40	10.2				<MDL		0.811			
Manganese (Dissolved)	mg/L	<MDL	0.035	0.417				0.0092		0.0081			
Manganese (TREC)	mg/L	<MDL	0.894	22.7				0.0297		0.0226			
Mercury (Dissolved)	mg/L	<MDL	0.00009	0.00042				<MDL		<MDL			
Selenium (Dissolved)	mg/L	<MDL	0.15096	1.064				<MDL		<MDL			
Sodium (Dissolved)	mg/L	784	1606.51	3576.25				1690		1610			
Zinc (Dissolved)	mg/L	0.006	0.043	0.206				<MDL		<MDL			

The area of concern for monitoring point DH-67D has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note 1: Unable to retrieve sample

DH-67abv
Hubbard Creek - Monitoring Well
Elevation - 6450.5
Depth - 193'

Initiated	6/26/2005	6/26/2005	6/26/2005	6/26/2005
Activated				
Date	11/6/2018	7/23/2018	4/30/2018	3/2/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Static Water Level	Feet	29.5	44.4	59.7				41.9	42.5	41.5
Water Elevation	Feet	6391	6406.2	6421.0				6409.1	6408.5	6409.5
FieldComment										
ph	su	7.1	7.7	8.3				8.32	8.08	8.31
Conductivity	umhos/cm	2000	2679	3700				2380	2370	2340
Temperature	Celsius	5.6	10.3	12.3				10	10.5	10.7
Lab Parameters	UNITS									
Bicarbonate	mg/L	1.44	2033.19	#####				1380		1430
Carbonate	mg/L	<MDL	58.2	138.5				<MDL		<MDL
Chloride	mg/L	<MDL	90.7	407.0				36.4		38.8
Conductivity	umhos/cm	1370	2846	5850				2130		2160
Hardness	mg/L	8.54	46.55	145.95				37.5		41.4
Nitrate-Nitrite	mg/L	<MDL	3.2	32.3				<MDL		<MDL
Ammonia	mg/L	<MDL	0.9	2.5				0.98		0.78
pH	su	7.1	8.0	9.1				8.25		8.32
Phosphate	mg/L	<MDL	0.3	1.8				0.31		0.31
ResidueFilterable-TDS	mg/L	794	1916	3900				1400		1450
Sulfate	mg/L	<MDL	22.60	288.00				28.1		30.2
Arsenic (Dissolved)	mg/L	<MDL	0.055	0.415				<MDL		<MDL
Cadmium (Dissolved)	mg/L	<MDL	0.02	0.07				<MDL		<MDL
Calcium (Dissolved)	mg/L	<MDL	20.8	115.0				10.8		11.7
Iron (Dissolved)	mg/L	<MDL	0.20	2.97				0.0502		2.97
Iron (TREC)	mg/L	0.01	0.56	1.82				0.464		0.622
Magnesium (Dissolved)	mg/L	<MDL	4.6	18.1				2.56		2.97
Manganese (Dissolved)	mg/L	<MDL	3.016	86.700				0.0545		0.0514
Manganese (TREC)	mg/L	0.006	0.038	0.132				0.0673		0.0676
Mercury (Dissolved)	mg/L	<MDL	0.00008	0.00036				<MDL		<MDL
Selenium (Dissolved)	mg/L	<MDL	0.030	0.149				<MDL		<MDL
Sodium (Dissolved)	mg/L	218	843	2093				580		552
Zinc (Dissolved)	mg/L	<MDL	0.022	0.067				<MDL		<MDL

The area of concern for monitoring point DH-67abv has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

DH-67blw
Hubbard Creek - Monitoring Well
Elevation - 6466
Depth - 357'
Replacement Well 9/26/14

	9/26/2014	9/26/2014	9/26/2014	9/26/2014
	11/6/2018	7/23/2018	4/30/2018	3/2/2018

Field Parameters	UNITS	Summary Information					
		Baseline		Min Ave		Max	
Static Water Level	Feet	244	261.361	318.55		251.1	251.6
Water Elevation	Feet	6147.5	6204.6	6222.0		6214.9	6214.4
FieldComment							
ph	su	7.9	8.4	8.5		8.43	8.38
Conductivity	umhos/cm	4800	6277	6870		6870	6860
Temperature	Celsius	16.1	17.6111	21.1		16.2	17.2
Lab Parameters	UNITS						
Bicarbonate	mg/L	1460	3438.89	4150		2840	4060
Carbonate	mg/L	<MDL	<MDL	<MDL			<MDL
Chloride	mg/L	0.414	295	435		405	435
Conductivity	umhos/cm	2020	5198	6470		6060	6140
Hardness	mg/L	20.4	36.5625	55.1			29.8
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL		<MDL	<MDL
Ammonia	mg/L	0.39	2.2	7.1		4.8	1.7
pH	su	7.92	8.397	9.35		9.23	8.37
Phosphate	mg/L	0.12	0.202	0.36		0.34	0.16
Residue Filterable-TDS	mg/L	1380	3754	4840		4190	4400
Sulfate	mg/L	<MDL	18.2	26.9		11.4	<MDL
Arsenic	mg/L	<MDL	<MDL	<MDL		<MDL	<MDL
Cadmium	mg/L	<MDL	<MDL	<MDL		<MDL	<MDL
Calcium	mg/L	2.1	8.99	15.60		2.1	7.85
Iron (Dissolved)	mg/L	0.0358	0.08052	0.103		0.101	0.0793
Iron (Total)	mg/L	0.104	0.7707	1.37		0.369	0.682
Magnesium	mg/L	0.009	2.44542	3.920		0.0092	2.47
Manganese (Dissolved)	mg/L	0.0089	0.03192	0.0899		0.0092	0.0089
Manganese (Total)	mg/L	0.0014	67.4374	#####		0.0297	0.0126
Mercury	mg/L	<MDL	<MDL	<MDL		<MDL	<MDL
Selenium	mg/L	<MDL	<MDL	<MDL		<MDL	<MDL
Sodium (Dissolved)	mg/L	514	1539.4	1830		1690	1830
Zinc	mg/L	<MDL	0.0826	0.0826		<MDL	<MDL

The area of concern for monitoring point DH-67blw has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Replacement well constructed September 2014

CWI-DH-58A
 Upper B Seam
 Elevation -7442.2
 Depth - 575'

	3/17/2015	3/17/2015	3/17/2015	3/17/2015
	10/9/2018	7/16/2018	5/1/2018	3/28/2018

Field Parameters	UNITS	Summary Information					
		Baseline					
		Min	Ave	Max			
Static Water Level	Feet	512.6	533.0	536.1	534.1	534.2	534.2
Water Elevation	Feet	6906.1	6909.2	6929.6	6908.1	6908	6907.4
Field Comment							
ph	su	7.6	8.7	17.7	7.74	7.75	7.84
Conductivity	umhos/cm	1050	1538	2020	2020	1926	1891
Temperature	Celsius	17.7	19.9	26.2	18.2	20.2	18.9
Lab Parameters	UNITS						
Bicarbonate	mg/L	635	905	1320	1320		1140
Carbonate	mg/L	<MDL	19.6	29.9	<MDL		18.2
Chloride	mg/L	16.4	19.6	22.7	21.1		21.4
Conductivity	umhos/cm	866	1292	1810	1810		1590
Hardness	mg/L	8.2	26.5	65.7	32.3		31.9
Nitrate-Nitrite	mg/L	<MDL	0.08	0.08	<MDL		<MDL
Ammonia	mg/L	0.03	0.91	1.60	1.3		1.3
pH	su	7.59	8.23	9.03	8.23		8.38
Phosphate	mg/L	1.70	2.77	5.00	2.4		2.4
Residue Filterable-TDS	mg/L	744	988	1330	1220		1160
Sulfate	mg/L	<MDL	1.9	3.5	1.7		<MDL
Arsenic	mg/L	<MDL	0.00670	0.00670	<MDL		<MDL
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Calcium	mg/L	<MDL	8.1	10.9	10.9		10.8
Iron (Dissolved)	mg/L	0.012	0.161	1.750	0.0183		0.0306
Iron (Total)	mg/L	0.573	2.494	9.270	2.65		2.17
Magnesium (Dissolved)	mg/L	0.052	0.789	1.230	1.23		1.19
Manganese (Dissolved)	mg/L	0.0133	0.2695	2.3300	0.243		0.243
Manganese (Total)	mg/L	0.0699	0.2397	0.6240	0.321		0.297
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Selenium	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Sodium	mg/L	141	343	521	521		457
Zinc	mg/L	<MDL	0.0219	0.0219	<MDL		<MDL

The area of concern for monitoring point CWI-DH-58A has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

New Well beginning in December 2014.

CWI-DH-60
 Upper B Seam
 Elevation - 7921
 Depth - 1085'

	10/20/2014	10/20/2014	10/20/2014	10/20/2014
	10/9/2018	7/26/2018	5/1/2018	3/27/2018

Field Parameters	UNITS	Summary Information					
		Baseline			3		
		Min	Ave	Max			
Static Water Level	Feet	943.7	946.9	948.9	945.7	946.3	945 946.2
Water Elevation	Feet	6972.1	6974.1	6977.3	6975.3	6974.7	6976 6974.8
Field Comment							
ph	su	8.0	8.3	8.4	8.16	8.23	8.34 8.28
Conductivity	umhos/cm	1062	6209	10980	1092	1112	1095 1118
Temperature	Celsius	18.5	21.0	22.7	18.5	22.3	20.2 19
Lab Parameters	UNITS						
Bicarbonate	mg/L	5620	7450	8330	8140		7930
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Chloride	mg/L	240	294	337	322		329
Conductivity	umhos/cm	7820	9264	10500	10200		10500
Hardness	mg/L	65.7	76.7	86.2	65.7		70
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Ammonia	mg/L	0.84	1.48	2.40	1.50		2.00
pH	su	7.96	8.11	8.34	8.27		8.34
Phosphate	mg/L	0.05	0.17	0.31	0.081		0.097
Residue Filterable-TDS	mg/L	6070	7417	8110	7910		7860
Sulfate	mg/L	<MDL	20.7	23.2	23.2		<MDL
Arsenic	mg/L	<MDL	0.00045	0.00045	<MDL		<MDL
Cadmium	mg/L	<MDL	0.0018	0.0018	<MDL		<MDL
Calcium	mg/L	14.9	17.1	21.2	14.9		16.2
Iron (Dissolved)	mg/L	0.216	35.883	532.000	0.556		0.597
Iron (Total)	mg/L	0.83	2.15	3.73	0.969		0.828
Magnesium (Dissolved)	mg/L	6.93	8.27	9.57	6.93		7.17
Manganese (Dissolved)	mg/L	0.0103	0.0143	0.0176	0.0152		0.0153
Manganese (Total)	mg/L	0.0131	0.0277	0.0548	0.0192		0.0165
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Selenium	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Sodium	mg/L	315	2794	3490	3220		3490
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL

The area of concern for monitoring point CWI-DH-60 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

CWI-DH-60 is located southwest of projected mining. It will not be impacted by Bowie No. 2 Mine workings.

CWI-DH-60 was cemented to the bottom of the upper B-Seam during September 2010.

CWI-DH-60 was worked over and cleaned during August 2014.

DH-2010-1SS
 Sanstone Above B-Seam
 Elevation - 7544.4
 Depth - 1140'

	3/18/2015	3/18/2015	3/18/2015	3/18/2015
	10/29/2018	7/26/2018	5/1/2018	3/27/2018

Field Parameters	UNITS	Summary Information					
		Baseline	Min	Ave	Max		
Static Water Level	Feet	1088.3	1095.1	1098.1	1097.8	1098.1	1097.2
Water Elevation	Feet	6448.9	6451.9	6458.7	6449.2	6448.9	6449.8
Field Comment							
ph	su	7.0	7.3	8.9	7.3	7.4	7.5
Conductivity	umhos/cm	1330	1517	1701	1701	1701	1673
Temperature	Celsius	7.3	24.9	26.9	23.4	26.9	25.1
Lab Parameters	UNITS						
Bicarbonate	mg/L	536	661	786	786		761
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Chloride	mg/L	110	150	416	150		154
Conductivity	umhos/cm	1110	1308	1660	1660		1530
Hardness	mg/L	34.0	40.6	49.6	42.6		41
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Ammonia	mg/L	5.0	6.5	7.6	7.5		6.5
pH	su	7.10	7.26	7.71	7.63		7.71
Phosphate	mg/L	1.4	1.6	1.8	1.4		1.5
Residue Filterable-TDS	mg/L	780	951	1120	1080		1020
Sulfate	mg/L	<MDL	4.05	5.40	<MDL		3.7
Arsenic (Dissolved)	mg/L	0.17	0.22	0.29	0.208		0.176
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Calcium (Dissolved)	mg/L	0.1	13.1	17.2	14.7		14.1
Iron (Dissolved)	mg/L	0.096	0.147	0.323	0.106		0.158
Iron (Total)	mg/L	0.75	2.92	4.94	2.83		2.79
Magnesium (Dissolved)	mg/L	0.971	1.282	1.610	1.42		1.4
Manganese (Dissolved)	mg/L	0.0832	0.1015	0.1300	0.107		0.102
Manganese (Total)	mg/L	0.095	0.123	0.145	0.133		0.145
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL		<MDL
Selenium (Dissolved)	mg/L	<MDL	0.0044	0.0044	<MDL		<MDL
Sodium (Dissolved)	mg/L	274	303	351	351		330
Zinc (Dissolved)	mg/L	<MDL	0.0631	0.0631	<MDL		<MDL

The area of concern for monitoring point DH-2010-1SS has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

DH-2010-1SS is located in Section 5. It will be impacted by future Bowie No. 2 Mine workings.

Lab analysis is required semi-annually

DH-2010-1B
B Seam
Elevation - 7544.6
Depth - 1220'

	10/16/2014	10/16/2014	10/16/2014	10/16/2014
	10/29/2018	7/26/2018	5/1/2018	3/27/2018

Summary Information							
Field Parameters	UNITS	Baseline					
		Min	Ave	Max			
Static Water Level	Feet	1092.4	1140.2	1998.1	1998.1	1097.3	1097.2
Water Elevation	Feet	5549	6407	6455	5548.9	6449.7	6449.8
FieldComment							
ph	su	9.8	11.4	23.3	11.3	11.4	11.5
Conductivity	umhos/cm	378	1629	2440	2420	2440	2370
Temperature	Celsius	11.6	24.2	26.5	23.2	26.5	24.4
Lab Parameters	UNITS						
Bicarbonate	mg/L	<MDL	177.7	1040.0	0	0	
Carbonate	mg/L	45	230	441	269	276	
Chloride	mg/L	6.30	88.93	169.00	169	168	
Conductivity	umhos/cm	336	1269	2100	2100	1890	
Hardness	mg/L	0.0	7.8	15.4		7	
Nitrate-Nitrite	mg/L	<MDL	0.62	1.60	<MDL	<MDL	
Ammonia	mg/L	0.5	15.1	26.5	26.5	<MDL	
pH	su	9.48	10.50	11.58	11.51	11.57	
Phosphate	mg/L	0.05	0.14	0.27	0.16	0.12	
ResidueFilterable-TDS	mg/L	253	929	1420	1420	1330	
Sulfate	mg/L	10.0	75.1	128.0	128	124	
Arsenic (Dissolved)	mg/L	<MDL	0.0052	0.0052	<MDL	<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	
Calcium (Dissolved)	mg/L	1.54	3.08	6.00	2.09	2.79	
Iron (Dissolved)	mg/L	0.0787	0.1194	0.1940	<MDL	<MDL	
Iron (Total)	mg/L	0.20	1.54	4.31	0.388	0.202	
Magnesium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	
Manganese (Dissolved)	mg/L	<MDL	0.0055	0.0071	<MDL	<MDL	
Manganese (Total)	mg/L	0.0068	0.0306	0.0766	0.010	0.007	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	
Sodium (Dissolved)	mg/L	74	279	501	501	431	
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	

The area of concern for monitoring point DH-2010-1B has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

DH-2010-1B is located in Section 5 It will be impacted by future Bowie No. 2 Mine workings.

DH-2010-1B was rehabilitated in 2014. Baseline information is collected beginning October 2014.


AW-1
Alluvial Well
Top of Pipe Elevation - 5977.76'
Depth - 120'
Pipe 1.06' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/10/2018	7/12/2018	4/30/2018	2/26/2018

Field Parameters	UNITS	Summary Information			Operation						
		Baseline Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	61.92	71.25	82.01	43.44	70.82	86.05	86.05	81.6	82.4	84.1
Water Elevation	Feet	5895.7	5906.5	5915.8	5891.7	5906.9	5934.3	5891.71	5896.16	5895.36	5893.66
FieldComment											
ph	su	7.1	7.2	7.3	7.0	7.4	12.9	7.46	7.51	7.59	12.9
Conductivity	umhos/cm	8900	9100	9300	1460	5307	9000	5170	4340	4870	4960
Temperature	Celsius	10.2	11.3	12.4	8.7	12.9	15.5	13.7	15.5	14.6	12.9
Lab Parameters	UNITS										
Bicarbonate	mg/L	641	649	657	214.0	600.9	1165.2	744		766	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.83	10.76	<MDL		<MDL	
Chloride	mg/L	77	78	79	8.5	154.0	318.5	231		235	
Conductivity	umhos/cm	6480	7230	7980	894	5184	8610	5060		4480	
Hardness	mg/L	2750	2895	3040	<MDL	1459	4511	1380		1170	
Nitrate-Nitrite	mg/L	5.7	6.5	7.3	<MDL	3.74	11.20	<MDL		<MDL	
Ammonia	mg/L	0.07	0.11	0.14	<MDL	0.24	1.09	0.05		<MDL	
pH	su	7.4	7.6	7.8	6.8	7.5	8.5	7.4		7.8	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.03	0.22	0.056		0.014	
ResidueFilterable-TDS	mg/L	7990	8200	8410	787	4523	8710	3920		3490	
Sulfate	mg/L	5140	5220	5300	135	2444	8330	2160		2030	
Arsenic (Dissolved)	mg/L	<MDL	0.001	0.001	<MDL	0.091	0.553	<MDL		<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.016	0.050	<MDL		<MDL	
Calcium (Dissolved)	mg/L	316	327	338	23.4	174.4	360.0	<MDL		149	
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.10	1.75	<MDL		<MDL	
Iron (TREC)	mg/L	0.13	0.41	0.70	0.01	0.59	2.37	0.682		0.25	
Magnesium (Dissolved)	mg/L	476	505	533	53.8	287.1	961.5	231		193	
Manganese (Dissolved)	mg/L	<MDL	0.03	0.05	<MDL	0.032	0.490	<MDL		<MDL	
Manganese (TREC)	mg/L	0.01	0.03	0.06	<MDL	1.561	7.440	7.07		1.91	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00005	0.00024	<MDL		<MDL	
Selenium (Dissolved)	mg/L	0.026	0.031	0.035	0.001	0.236	7.400	<MDL		<MDL	
Sodium (Dissolved)	mg/L	1550	1625	1700	253.0	916.7	1867.5	1040		755	
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.11	<MDL		<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

Plot of Conductivity and Water Level



AW-2
Alluvial Well
Top of Pipe Elevation - 5966.2'
Depth - 50.4'
Pipe 1.32' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/10/2018	7/12/2018	4/30/2018	2/26/2018

Field Parameters	UNITS	Summary Information									
		Baseline			Operation						
		Min	Ave	Max		Min	Ave	Max			
Static Water Level	Feet	50.35	50.65	50.81	35.55	47.49	54.90	46.2	46	44.3	45.2
Water Elevation	Feet	5915.8	5916.0	5916.3	5911.7	5919.1	5931.1	5920.42	5920.62	5922.32	5921.42
FieldComment		Damp									
ph	su				6.9	7.1	7.5	7.27	7.25	7.32	6.93
Conductivity	umhos/cm				1075	7449	10200	10030	10020	9940	9710
Temperature	Celsius				11.8	14.7	18.4	13.3	16.3	15.6	14.5
Lab Parameters											
Bicarbonate	mg/L				345.18	778.68	1080.00	1020		1080	
Carbonate	mg/L				<MDL	11.29	26.98	<MDL		<MDL	
Chloride	mg/L				54.50	170.97	370.63	187		181	
Conductivity	umhos/cm				3770	7776	12510	10300		9020	
Hardness	mg/L				241.87	2678.02	4402.97			3850	
Nitrate-Nitrite	mg/L				<MDL	3.26	9.65	<MDL		<MDL	
Ammonia	mg/L				<MDL	1.56	4.60	<MDL		<MDL	
pH	su				6.7	7.4	8.4	7.4		7.5	
Phosphate	mg/L				<MDL	0.07	0.25	0.23		0.15	
ResidueFilterable-TDS	mg/L				319	7116	10906	10700		10200	
Sulfate	mg/L				235	3637	6540	2180		6540	
Arsenic (Dissolved)	mg/L				<MDL	0.182	1.795	<MDL		0.0459	
Cadmium (Dissolved)	mg/L				<MDL	0.0345	0.1100	<MDL		<MDL	
Calcium (Dissolved)	mg/L				33	316	518	463		457	
Iron (Dissolved)	mg/L				0.02	0.10	0.26	<MDL		<MDL	
Iron (TREC)	mg/L				0.04	0.80	3.39	3.39		1.43	
Magnesium (Dissolved)	mg/L				170	522	970	824		657	
Manganese (Dissolved)	mg/L				<MDL	0.16	0.89	0.013		0.406	
Manganese (TREC)	mg/L				0.01	0.39	3.90	0.271		0.548	
Mercury (Dissolved)	mg/L				<MDL	0.04060	0.77000	0.77		<MDL	
Selenium (Dissolved)	mg/L				0.00	0.06	0.54	<MDL		<MDL	
Sodium (Dissolved)	mg/L				21.0	1110.3	2212.5	1810		1420	
Zinc (Dissolved)	mg/L				<MDL	0.04	0.08	<MDL		0.0452	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

AW-3
Alluvial Well
Top of Pipe Elevation - 5962.96'
Depth - 150'
Pipe 1.16' Above Ground


Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/12/2018	7/12/2018	4/30/2018	2/28/2018

Field Parameters	UNITS	Summary Information						Operation			
		Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Static Water Level	Feet	90.23	92.97	95.82	0.00	79.32	91.54	78.3	73.5	73.9	76.3
Water Elevation	Feet	5867.1	5870.0	5872.7	5871.4	5883.6	5963.0	5884.66	5889.46	5889.06	5886.66
FieldComment											
ph	su	6.9	7.0	7.1	6.8	8.0	77.1	7.33	7.43	7.45	7.41
Conductivity	umhos/cm	3600	3600	3600	2400	3290	4500	4200	4240	4350	4280
Temperature	Celsius	11.2	12.8	14.4	11.0	13.7	15.8	13.3	15.0	14.6	12.0
Lab Parameters	UNITS										
Bicarbonate	mg/L	851	976	1100	40	599	1080	748		754	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.83	10.76	<MDL		<MDL	
Chloride	mg/L	119	128	136	33.77	135.49	345.00	324		345	
Conductivity	umhos/cm	2800	2975	3150	1817	3199	4580	4130		3790	
Hardness	mg/L	1280	1325	1370	<MDL	1647	3354	2300		2200	
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	0.03	2.75	10.20	<MDL		<MDL	
Ammonia	mg/L	1.66	1.90	2.13	<MDL	0.37	2.00	0.06		<MDL	
pH	su	7.2	7.3	7.5	6.9	7.5	8.5	7.6		7.5	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.08	0.036		0.011	
ResidueFilterable-TDS	mg/L	2390	2415	2440	1750	2718	4130	3590		3490	
Sulfate	mg/L	870	875	880	760	1277	2030	1590		1810	
Arsenic (Dissolved)	mg/L	<MDL	0.001	0.001	<MDL	1.007	28.900	<MDL		28.9	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.010	0.040	<MDL		<MDL	
Calcium (Dissolved)	mg/L	201	206	210	90.5	250.8	505.0	334		343	
Iron (Dissolved)	mg/L	0.19	0.33	0.46	<MDL	0.53	8.22	<MDL		<MDL	
Iron (TREC)	mg/L	8.00	8.23	8.46	0.03	2.74	27.50	0.298		0.075	
Magnesium (Dissolved)	mg/L	189	197	205	136	266	661	357		327	
Manganese (Dissolved)	mg/L	0.10	0.11	0.13	<MDL	0.105	0.855	<MDL		0.228	
Manganese (TREC)	mg/L	0.12	0.12	0.12	0.008	3.571	111.000	2.65		4.14	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00035	<MDL		<MDL	
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.017	0.134	<MDL		<MDL	
Sodium (Dissolved)	mg/L	421	433	445	105	232	682	282		275	
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.10	<MDL		<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-4
Alluvial Well
Top of Pipe Elevation - 5977.2'
Depth - 60'
Pipe 1.12' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/10/2018	7/12/2018	4/18/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation						
		Baseline Min	Ave	Max	Operation Min	Ave	Max				
Static Water Level	Feet	32.42	42.94	60.78	15.54	35.39	88.38	41.2	41.3	36.1	37.65
Water Elevation	Feet	5917.1	5935.0	5945.5	5889.5	5942.5	5962.4	5936.72	5936.62	5941.82	5940.27
FieldComment											
ph	su	6.8	6.9	7.0	6.7	7.2	8.0	7.82	7.81	7.72	7.8
Conductivity	umhos/cm	5300	5500	5700	1850	3337	5300	3180	3300	3290	3480
Temperature	Celsius	11.2	11.9	12.6	8.0	12.3	15.5	8.5	13.3	11.2	10.6
Lab Parameters	UNITS										
Bicarbonate	mg/L	624	707	790	316.1	549.4	758.0	521		425	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.37	4.49	<MDL		<MDL	
Chloride	mg/L	57	60	63	31	141	227	139		162	
Conductivity	umhos/cm	3880	4495	5110	1723	3462	9490	3050		2830	
Hardness	mg/L	2650	2670	2690	<MDL	1069	2730	846			
Nitrate-Nitrite	mg/L	0.10	0.21	0.32	<MDL	0.58	6.75	<MDL		<MDL	
Ammonia	mg/L	0.09	0.22	0.34	<MDL	0.41	1.13	0.36		0.2	
pH	su	7.1	7.3	7.5	7.1	7.5	8.3	7.9		7.7	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.05	0.31	0.069		0.017	
ResidueFilterable-TDS	mg/L	4830	5080	5330	1372	2811	4990	2340		2530	
Sulfate	mg/L	2620	2920	3220	448	1340	2760	1140		1310	
Arsenic	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.042	<MDL		<MDL	
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.00469	0.03000	<MDL		<MDL	
Calcium	mg/L	465	481	496	19.8	219.4	496.0	154		190	
Iron (Dissolved)	mg/L	<MDL	0.04	0.07	<MDL	0.10	0.73	0.105		<MDL	
Iron (TREC)	mg/L	0.10	0.14	0.17	0.07	3.06	69.20	1.45		0.145	
Magnesium (Dissolved)	mg/L	353	357	361	71	166	362	112		132	
Manganese (Dissolved)	mg/L	0.22	0.43	0.64	<MDL	0.61	1.52	0.659		0.915	
Manganese (TREC)	mg/L	0.18	0.40	0.62	0.15	68.90	1270.00	0.675		1.00	
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.00006	0.00030	<MDL		<MDL	
Selenium	mg/L	<MDL	0.0005	0.0010	<MDL	0.0019	0.0100	<MDL		<MDL	
Sodium	mg/L	590	646	702	199	379	684	371		309	
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.07	<MDL		<MDL	


*Small bailer won't reach water, casing pinched

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Plot of Conductivity and Water Level




AW-5 Alluvial Well
Top of Pipe Elevation - 5982.14'
Depth - 100'
Pipe 1.14' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/10/2018	7/12/2018	4/18/2018	2/28/2018

Field Parameters	UNITS	Summary Information					
		Baseline			Operation		
		Min	Ave	Max	Min	Ave	Max
Static Water Level	Feet	51.65	52.95	55.26	41.03	52.92	58.20
Water Elevation	Feet	5926.9	5929.2	5930.5	5923.9	5929.2	5941.1
FieldComment							
ph	su	7.1	7.2	7.3	6.6	7.6	51.8
Conductivity	umhos/cm	4700	5450	6200	3100	5179	6800
Temperature	Celsius	12.8	13.7	14.6	11.0	14.3	16.9
Lab Parameters	UNITS						
Bicarbonate	mg/L	566	658	750	99.05	731.62	1100.00
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.98	10.76
Chloride	mg/L	49	51	52	29.0	239.0	636.5
Conductivity	umhos/cm	4270	4890	5510	378	5024	6650
Hardness	mg/L	3330	3380	3430	<MDL	2559	5318
Nitrate-Nitrite	mg/L	34.4	35.2	36.0	<MDL	14.98	46.70
Ammonia	mg/L	0.10	0.11	0.13	<MDL	0.59	2.03
pH	su	7.2	7.4	7.6	6.7	7.4	8.4
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.150	3.240
ResidueFilterable-TDS	mg/L	5390	5580	5770	3270	4802	6760
Sulfate	mg/L	3140	3385	3630	977	2383	4550
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.068	0.552
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.01522	0.0690
Calcium (Dissolved)	mg/L	291	298	305	27.6	253.6	451.0
Iron (Dissolved)	mg/L	<MDL	0.03	0.06	<MDL	0.038	0.106
Iron (TREC)	mg/L	0.10	0.11	0.12	<MDL	9.93	385.00
Magnesium (Dissolved)	mg/L	633	642	650	253	527	1158
Manganese (Dissolved)	mg/L	<MDL	0.01	0.02	<MDL	0.011	0.044
Manganese (TREC)	mg/L	0.01	0.01	0.02	<MDL	0.022	0.220
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00005	0.00035
Selenium (Dissolved)	mg/L	0.03	0.03	0.03	0.002	0.032	0.250
Sodium (Dissolved)	mg/L	523	531	539	204	424	825
Zinc (Dissolved)	mg/L	<MDL	0.01	0.03	<MDL	0.025	0.070

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

Plot of Conductivity and Water Level




AW-6
Alluvial Well
Top of Pipe Elevation - 5981.18'
Depth - 112'
Pipe 1.38' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	12/10/2018	7/15/2018	4/18/2018	2/28/2018

Field Parameters	UNITS	Summary Information						Operation			
		Baseline			Operation			Min	Ave	Max	Min
		Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	52.62	54.37	56.82	0.00	52.87	58.61		55.1	53.4	52.9
Water Elevation	Feet	5924.4	5926.8	5928.6	5922.6	5928.3	5981.2		5926.08	5927.78	5928.28
FieldComment											
ph	su	7.3	7.4	7.4	7.0	7.3	7.7		7.51	7.51	7.56
Conductivity	umhos/cm	4600	4650	4700	3300	4549	7610		5720	5640	5160
Temperature	Celsius	12.4	13.5	14.6	11.7	14.1	17.8		13.2	15.8	14.2
Lab Parameters	UNITS										
Bicarbonate	mg/L	278	317	355	217.4	388.9	521.0		488		457
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL		<MDL		<MDL
Chloride	mg/L	107	114	120	54.5	137.4	577.8		162		159
Conductivity	umhos/cm	2580	3305	4030	3125	4456	7450		5690		4370
Hardness	mg/L	1880	1925	1970	<MDL	1758	4787		2360		2250
Nitrate-Nitrite	mg/L	7.3	8.1	8.8	0.0	5.1	9.0		<MDL		<MDL
Ammonia	mg/L	0.07	0.07	0.07	<MDL	0.37	1.56		<MDL		<MDL
pH	su	7.5	7.6	7.7	7.0	7.6	8.3		7.6		7.9
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.06		0.039		0.012
ResidueFilterable-TDS	mg/L	3910	3995	4080	2440	4115	5770		5270		4540
Sulfate	mg/L	2300	2300	2300	968	2201	3150		3150		2740
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.094	0.650		<MDL		<MDL
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040		<MDL		<MDL
Calcium (Dissolved)	mg/L	248	254	260	37	229	327		327		277
Iron (Dissolved)	mg/L	<MDL	0.14	0.27	<MDL	0.06	0.26		<MDL		<MDL
Iron (TREC)	mg/L	0.26	0.31	0.37	0.06	0.51	4.74		0.42		0.238
Magnesium (Dissolved)	mg/L	307	315	322	0.0	310.0	1015.6		376		379
Manganese (Dissolved)	mg/L	0.07	0.18	0.29	<MDL	0.529	15.500		<MDL		0.0211
Manganese (TREC)	mg/L	0.11	0.20	0.29	<MDL	0.104	0.350		0.0645		0.0426
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00070		<MDL		<MDL
Selenium (Dissolved)	mg/L	0.05	0.06	0.06	0.001	0.062	0.380		<MDL		<MDL
Sodium (Dissolved)	mg/L	501	514	526	306.9	534.5	965.0		540		568
Zinc (Dissolved)	mg/L	<MDL	0.05	0.11	<MDL	0.02	0.07		<MDL		<MDL

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

Plot of Conductivity and Water Level



AW-7
Alluvial Well
Top of Pipe Elevation - 5950'
Depth - 188'
Pipe 2.17' Above Ground

Initiated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Activated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Date	12/20/2018	7/12/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation				
		Baseline Min	Ave	Max	Min	Ave	Max		
Static Water Level	Feet				50.59	74.97	100.90	100.9	68.8
Water Elevation	Feet				5849.1	5875.0	5899.4	5849.1	5881.2
FieldComment									
ph	su				7.1	7.7	8.4	8.18	7.96
Conductivity	umhos/cm				300	1907	3100	2450	2440
Temperature	Celsius				10.3	12.3	14.5	11.7	14.4
Lab Parameters	UNITS								
Bicarbonate	mg/L				<MDL	341.2	511.2	449	447
Carbonate	mg/L				<MDL	41.6	341.5	<MDL	<MDL
Chloride	mg/L				13.0	132.8	539.0	177	191
Conductivity	umhos/cm				359	1944	3645	2310	2150
Hardness	mg/L				<MDL	460.21	1093.20	434	426
Nitrate-Nitrite	mg/L				<MDL	1.58	7.92	<MDL	<MDL
Ammonia	mg/L				<MDL	0.143	1.120	<MDL	0.06
pH	su				7.1	7.8	8.6	7.9	8.2
Phosphate	mg/L				<MDL	0.05	0.31	0.02	<MDL
ResidueFilterable-TDS	mg/L				200	1416	2254	1530	1570
Sulfate	mg/L				40.00	588.17	1110.00	649	668
Arsenic (Dissolved)	mg/L				<MDL	0.033	0.255	<MDL	<MDL
Cadmium (Dissolved)	mg/L				<MDL	0.007	0.023	<MDL	<MDL
Calcium (Dissolved)	mg/L				12.8	83.6	687.0	71.1	687
Iron (Dissolved)	mg/L				<MDL	0.04	0.28	<MDL	0.0169
Iron (TREC)	mg/L				<MDL	0.26	1.01	0.432	0.473
Magnesium (Dissolved)	mg/L				6.3	85.7	619.0	62.4	619.0
Manganese (Dissolved)	mg/L				<MDL	0.012	0.060	<MDL	0.0324
Manganese (TREC)	mg/L				<MDL	0.393	4.740	4.74	3.38
Mercury (Dissolved)	mg/L				<MDL	0.00006	0.00031	<MDL	<MDL
Selenium (Dissolved)	mg/L				<MDL	0.072	1.500	<MDL	<MDL
Sodium (Dissolved)	mg/L				46.7	351.9	1705.0	376	383
Zinc (Dissolved)	mg/L				<MDL	0.020	0.040	<MDL	<MDL

The area of concern for monitoring point AW-7 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine.
 They were installed in 1999 as the result of PR-03.

** Lab. data not provided

AW-8
Alluvial Well
Top of Pipe Elevation - 5950'
Depth - 60'
Pipe 1.97' Above Ground

Initiated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Activated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Date	12/20/2018	7/12/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation			Dry	Dry	Dry	Dry
		Baseline Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				11.84	20.52	73.23		19.8	19.8	19.8
Water Elevation	Feet				5876.8	5929.5	5938.2		5930.2	5930.2	5930.2
FieldComment								Dry	Dry	Dry	Dry
ph	su				8.2	9.0	9.8				
Conductivity	umhos/cm				260	360	460				
Temperature	Celsius				13.2	13.9	14.7				
Lab Parameters	UNITS										
Bicarbonate	mg/L				<MDL	444.0	444.0				
Carbonate	mg/L				<MDL	0.0	0.0				
Chloride	mg/L				<MDL	213.0	213.0				
Conductivity	umhos/cm				<MDL	2020.0	2020.0				
Hardness	mg/L				<MDL	448.0	448.0				
Nitrate-Nitrite	mg/L				<MDL	0.0	0.0				
Ammonia	mg/L				<MDL	0.0	0.0				
pH	su				<MDL	7.9	7.9				
Phosphate	mg/L				<MDL	0.0	0.0				
ResidueFilterable (TDS)	mg/L				<MDL	1580.0	1580.0				
Sulfate	mg/L				<MDL	638.0	638.0				
Arsenic	mg/L				<MDL	0.0	0.0				
Cadmium	mg/L				<MDL	0.0	0.0				
Calcium	mg/L				<MDL	710.0	710.0				
Iron (Dissolved)	mg/L				<MDL	0.0	0.0				
Iron (TREC)	mg/L				<MDL	0.1	0.1				
Magnesium	mg/L				<MDL	65.8	65.8				
Manganese (Dissolved)	mg/L				<MDL	0.0	0.0				
Manganese (Total)	mg/L				<MDL	0.0	0.0				
Mercury	mg/L				<MDL	0.0	0.0				
Selenium	mg/L				<MDL	0.0	0.0				
Sodium	mg/L				<MDL	367.0	367.0				
Zinc	mg/L				<MDL	0.0	0.0				

The area of concern for monitoring point AW-8 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine.
 They were installed in 1999 as the result of PR-03.

* Lab. data not provided

AW-9
Alluvial Well
Top of Pipe Elevation - 5946
Depth - 80'
Pipe 1.15' Above Ground

Initiated	10/1/1999	10/1/1999	10/1/1999	10/1/1999
Activated	10/1/1999	10/1/1999	10/1/1999	10/1/1999
Date	12/20/2018	7/12/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation					
		Baseline Min	Ave	Max	Min	Ave	Max			
Static Water Level	Feet				32.42	54.73	80.29	79.8	44.8	46.1
Water Elevation	Feet				51.1	5814.6	5913.6	5866.2	5901.2	5899.9
FieldComment								Dry		
ph	su				7.3	7.8	8.3		8.11	8.12
Conductivity	umhos/cm				260	1723	4400		855	1334
Temperature	Celsius				7.6	11.6	14.9		13.3	12.4
Lab Parameters		UNITS								
Bicarbonate	mg/L				39.6	298.1	479.0			272
Carbonate	mg/L				<MDL	5.00	10.88			<MDL
Chloride	mg/L				3.0	133.1	544.5			104
Conductivity	umhos/cm				519	1763	4350			1130
Hardness	mg/L				<MDL	499.8	1530.0			
Nitrate-Nitrite	mg/L				<MDL	2.15	7.92			1.1
Ammonia	mg/L				<MDL	0.17	1.10			<MDL
pH	su				7.4	7.9	8.5			8.2
Phosphate	mg/L				<MDL	0.18	1.70			<MDL
ResidueFilterable-TDS	mg/L				330	1268	3800			773
Sulfate	mg/L				21.8	481.9	2100.0			262
Arsenic (Dissolved)	mg/L				<MDL	0.0419	0.2880			<MDL
Cadmium (Dissolved)	mg/L				<MDL	0.00671	0.0220			<MDL
Calcium (Dissolved)	mg/L				29.0	71.0	230.0			46.1
Iron (Dissolved)	mg/L				<MDL	0.19	3.59			<MDL
Iron (TREC)	mg/L				<MDL	4.74	122.00			0.141
Magnesium (Dissolved)	mg/L				29.1	81.5	280.0			39.1
Manganese (Dissolved)	mg/L				<MDL	0.018	0.155			<MDL
Manganese (TREC)	mg/L				<MDL	0.501	11.400			0.0222
Mercury (Dissolved)	mg/L				<MDL	0.00007	0.00036			<MDL
Selenium (Dissolved)	mg/L				<MDL	0.128	3.100			<MDL
Sodium (Dissolved)	mg/L				22.1	318.5	1998.0			164
Zinc (Dissolved)	mg/L				<MDL	0.02	0.11			<MDL

The area of concern for monitoring point AW-9 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine.
 They were installed in 1999 as the result of PR-03.

** Lab. data not provided

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Ground Water

AW-11
 Alluvial Well
 Elevation - 5884
 Depth - 60.86'

Initiated	12/20/2000	12/20/2000	12/20/2000	12/20/2000
Activated	2/28/2002	2/28/2002	2/28/2002	2/28/2002
Date	12/20/2018	7/23/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information						Operation					
		Baseline			Operation			Min	Ave	Max	Min	Ave	Max
		Min	Ave	Max	Min	Ave	Max						
Static Water Level	Feet	11.92	38.20	50.31	19.13	43.23	52.51		52.3	34.4	46.3		26.6
Water Elevation	Feet	5833.7	5845.8	5872.1	5831.5	5840.8	5864.9		5831.7	5849.6	5837.7		5857.4
FieldComment													
ph	su	6.7	7.3	7.5	6.9	7.6	8.0		7.73	7.9	8.00		7.62
Conductivity	umhos/cm	390	760	1060	480	1027	1719		1299	1041	953		1619
Temperature	Celsius	11.2	13.4	15.7	10.0	12.9	15.3		10.7	14	13		12.7
Lab Parameters	UNITS												
Bicarbonate	mg/L	350	367	384	177.3	313.3	536.0		444		309		
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	4.59	6.88		<MDL		<MDL		
Chloride	mg/L	2	3	3	<MDL	39.4	255.2		57		17.93		
Conductivity	umhos/cm	671	850	1030	661	1105	2870		1230		748		
Hardness	mg/L	587	587	587	265.0	543.8	911.7		616		366		
Nitrate-Nitrite	mg/L	0.10	0.28	0.56	<MDL	0.65	2.70		<MDL		<MDL		
Ammonia	mg/L	<MDL	0.05	0.08	<MDL	0.13	0.43		<MDL		<MDL		
pH	su	7.2	7.5	7.8	7.1	7.7	8.5		7.9		8.2		
Phosphate	mg/L	<MDL	0.14	0.39	<MDL	0.08	0.21		0.082		0.034		
ResidueFilterable-TDS	mg/L	360	553	690	350	761	2150		818		583		
Sulfate	mg/L	20	150	250	4.94	213.32	510.00		268		213		
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.022	0.280		<MDL		<MDL		
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.010	0.030		<MDL		<MDL		
Calcium (Dissolved)	mg/L	70.6	92.9	110.0	30.8	132.2	765.0		124		67.5		
Iron (Dissolved)	mg/L	0.02	0.04	0.05	<MDL	0.19	2.46		<MDL		<MDL		
Iron (TREC)	mg/L	0.07	4.93	9.97	<MDL	2.52	24.30		0.514		0.243		
Magnesium (Dissolved)	mg/L	46.2	64.6	75.8	37.5	114.2	748.0		74.4		48		
Manganese (Dissolved)	mg/L	<MDL	0.02	0.03	<MDL	0.403	5.400		<MDL		<MDL		
Manganese (TREC)	mg/L	<MDL	0.34	0.57	<MDL	0.397	2.540		0.152		0.133		
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00027		<MDL		<MDL		
Selenium (Dissolved)	mg/L	<MDL	0.001	0.002	<MDL	0.012	0.116		<MDL		<MDL		
Sodium (Dissolved)	mg/L	12.70	19.37	22.9	11.0	43.6	125.0		39.2		47.1		
Zinc (Dissolved)	mg/L	<MDL	0.01	0.02	<MDL	0.02	0.07		<MDL		<MDL		

* Could not access site

Alluvial Wells AW-11 through AW-13 are located north of the Union Pacific Railroad. They were installed in 2000 to develop baseline data for a new train loadout.

Baseline Information for AW-11 is derived from events beginning on 12/20/00 through 2/28/02.
 Point influenced by mining on 2/28/02.

Bowie Resources, LLC
 Bowie No. 2 Mine
 2018 Annual Hydrology Report

Ground Water

AW-12
 Alluvial Well
 Elevation - 5878
 Depth - 45.38'

Initiated	12/20/2000	12/20/2000	12/20/2000	12/20/2000
Activated	2/28/2002	2/28/2002	2/28/2002	2/28/2002
Date	12/20/2019	7/23/2019	5/2/2019	2/28/2019

Field Parameters	UNITS	Summary Information						Operation			
		Baseline			Operation			Min	Ave	Max	
		Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	6.49	26.72	37.03	5.31	24.66	40.00		39.8	8.9	11.4
Water Elevation	Feet	5841.0	5851.3	5871.5	5838.0	5853.3	5872.7		5838.2	5869.1	5866.6
FieldComment											5838
ph	su	7.1	7.5	7.7	6.7	7.5	7.8	**	7.58	7.84	7.77
Conductivity	umhos/cm	490	567	610	485	687	1640		700	767	745
Temperature	Celsius	10.4	13.0	16.1	10.7	12.9	16.3		16.3	12.6	12.3
Lab Parameters	UNITS										
Bicarbonate	mg/L	297	336.3	371	265.95	367.92	471.43				448
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	5.69	8.99				<MDL
Chloride	mg/L	2	2	2	<MDL	14.3	119.0				2.3
Conductivity	umhos/cm	548	571	609	473	771	3170				659
Hardness	mg/L	318	318	318	237.0	361.6	674.3				
Nitrate-Nitrite	mg/L	0.45	0.473	0.51	<MDL	0.68	2.15				<MDL
Ammonia	mg/L	<MDL	0.09	0.27	<MDL	0.12	0.52				<MDL
pH	su	7.4	7.633	7.9	7.1	7.7	8.5				8.1
Phosphate	mg/L	<MDL	0.017	0.05	<MDL	0.19	1.04				<MDL
ResidueFilterable-TDS	mg/L	310	330	340	221	482	2450				413
Sulfate	mg/L	10	13.33	20	<MDL	20.8	42.4				24.8
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.140				<MDL
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040				<MDL
Calcium (Dissolved)	mg/L	51.9	54.8	57.4	3.8	155.2	673.0				73.8
Iron (Dissolved)	mg/L	0.02	8.317	24.9	<MDL	0.63	10.28				<MDL
Iron (TREC)	mg/L	0.05	42.55	83.7	0.01	29.99	806.00				0.235
Magnesium (Dissolved)	mg/L	<MDL	25.43	42.4	<MDL	83.8	368.0				34.2
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.078	0.621				<MDL
Manganese (TREC)	mg/L	<MDL	0.864	2.050	<MDL	4.668	119.000				0.1126
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00028				<MDL
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.007	0.060				<MDL
Sodium (Dissolved)	mg/L	19.5	20.63	21.2	13.8	47.0	202.0				19.5
Zinc (Dissolved)	mg/L	<MDL	0.003	0.01	<MDL	0.02	0.08				<MDL

* Could not access site

** Not enough water for sample/parameters

Alluvial Wells AW-11 through AW-13 are located north of the Union Pacific Railroad. They were installed in 2000 to develop baseline data for a new train loadout.

Baseline Information for AW-12 is derived from events beginning on 12/20/00 through 2/28/02.
 Point influenced by mining on 2/28/02.

Bowie Resources, LLC
Bowie No. 2 Mine
2018 Annual Hydrology Report

Ground Water

AW-14
Alluvial Well
Depth - 30'
Elevation - 5822
Pipe 0.78' Above Ground

Initiated	7/24/2003	7/24/2003	7/24/2003	7/24/2003
Activated	7/24/2003	7/24/2003	7/24/2003	7/24/2003
Date	12/20/2018	7/23/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Static Water Level	Feet				4.98	7.59	12.10		9	6.7
Water Elevation	Feet				5809.9	5814.4	5817.0		5813	5815.3
Field Comment										
pH	su				7.0	7.5	8.0		7.83	7.61
Conductivity	umhos/cm				875	1665	2400		1844	2030
Temperature	Celsius				7.6	12.0	15.7		12.4	15.2
Lab Parameters	UNITS									
Bicarbonate	mg/L				238.2	368.3	552.3	*		434
Carbonate	mg/L				<MDL	12.4	20.0			<MDL
Chloride	mg/L				2.0	135.4	397.0			104
Conductivity	umhos/cm				650	1590	2860			1520
Hardness	mg/L				237.0	797.5	1770.2			
Nitrate-Nitrite	mg/L				<MDL	0.9	2.7			<MDL
Ammonia	mg/L				<MDL	0.70	7.61			0.07
pH	su				6.9	7.6	8.5			8.01
Phosphate	mg/L				<MDL	0.10	0.21			0.11
Residue Filterable-TDS	mg/L				610	1193	1910			1250
Sulfate	mg/L				67.6	389.8	661.0			514
Arsenic (Dissolved)	mg/L				0.0003	0.046	0.922			<MDL
Cadmium (Dissolved)	mg/L				<MDL	0.012	0.030			<MDL
Calcium (Dissolved)	mg/L				41.6	126.4	241.0			130
Iron (Dissolved)	mg/L				0.01	0.94	7.80			0.253
Iron (TREC)	mg/L				0.27	9.60	28.10			11.2
Magnesium-Dissolved	mg/L				7.7	146.4	914.0			93.5
Manganese-Dissolved	mg/L				0.004	0.575	2.160			1.23
Manganese (TREC)	mg/L				0.004	1.659	6.780			2.7
Mercury (Dissolved)	mg/L				<MDL	0.00010	0.00052			<MDL
Selenium (Dissolved)	mg/L				<MDL	0.021	0.116			<MDL
Sodium (Dissolved)	mg/L				40.7	135.4	991.0			117
Zinc (Dissolved)	mg/L				<MDL	0.07	0.99			<MDL

The area of concern for monitoring point AW-14 was affected by the mining operation before its establishment. Therefore all recorded monitoring events are considered operational.

* Dry

Alluvial Well AW-14 is located southwest of Pond K.

There is no baseline collection possible for points initiated after the influence of mining.

AW-15
 Alluvial Well
 Top of Pipe Elevation - 5972.52
 Depth - 86
 Pipe 0.3' Above Ground

Initiated	12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated	9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date	12/20/2018	07/12/018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Static Water Level	Feet	84.86	85.27	86.00	75.10	84.22	89.43	83.33	85	86.4
Water Elevation	Feet	5886.5	5887.3	5887.7	5883.1	5888.3	5897.4	5889.19	5887.52	5886.12
FieldComment		Dry & Damp						Dry	Dry	Dry
ph	su				7.0	7.3	7.7			
Conductivity	umhos/cm				3800	4577	5300			
Temperature	Celsius				8.4	14.5	19.1			
Lab Parameters	UNITS									
Bicarbonate	mg/L				507.3	595.5	750.0	**		**
Carbonate	mg/L				<MDL	5.61	6.88			
Chloride	mg/L				119.91	223.90	418.00			
Conductivity	umhos/cm				4416	4776	5412			
Hardness	mg/L				292.0	1037.0	1486.4			
Nitrate-Nitrite	mg/L				<MDL	6.26	11.30			
Ammonia	mg/L				0.269	0.458	0.647			
pH	su				7.11	7.82	8.36			
Phosphate	mg/L				0.08	0.11	0.14			
ResidueFilterable-TDS	mg/L				3388.0	3990.4	4793.3			
Sulfate	mg/L				1563.7	2050.03	2786.42			
Arsenic	mg/L				<MDL	0.019	0.019			
Cadmium	mg/L				<MDL	0.030	0.030			
Calcium	mg/L				46.50	160.27	231.80			
Iron (Dissolved)	mg/L				0.07	1.20	2.84			
Iron (TREC)	mg/L				1.56	2.20	3.12			
Magnesium (Dissolved)	mg/L				42.7	154.7	220.4			
Manganese (Dissolved)	mg/L				0.007	0.237	0.664			
Manganese (TREC)	mg/L				0.060	0.294	0.701			
Mercury	mg/L				0.00003	0.00006	0.00010			
Selenium	mg/L				0.039	0.058	0.077			
Sodium	mg/L				428.25	853.75	1510.00			
Zinc	mg/L				0.018	0.048	0.070			

*Not enough water for field or lab parameters

** Not enough water for lab sample

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

AW-16
 Alluvial Well
 Top of Pipe Elevation - 5964.67
 Depth - 75
 Pipe 0.8' Above Ground

Initiated	12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated	9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date	12/10/2018	7/12/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information			Operation			Min	Ave	Max
		Baseline	Min	Ave	Max	Min	Ave			
Static Water Level	Feet	68.00	69.23	70.48	61.65	71.90	83.40	82.9	69.8	83.4
Water Elevation	Feet	5894.2	5895.4	5896.7	5881.3	5892.8	5903.0	5881.77	5894.87	5881.27
FieldComment								Dry		Dry
ph	su	7.9	7.9	7.9	7.0	7.4	8.6		7.62	
Conductivity	umhos/cm	740	740	740	750	3915	7620		7620	
Temperature	Celsius	13.7	13.7	13.7	10.2	13.7	16.9		14.5	
Lab Parameters		UNITS								
Bicarbonate	mg/L				558.0	610.0	661.9			
Carbonate	mg/L				<MDL	<MDL	<MDL			
Chloride	mg/L				43.6	49.1	54.5			
Conductivity	umhos/cm				5313.4	5876.3	6439.2			
Hardness	mg/L				2304.4	2531.6	2758.8			
Nitrate-Nitrite	mg/L				<MDL	1.49	1.49			
Ammonia	mg/L				<MDL	4.0	4.0			
pH	su				7.7	7.8	8.0			
Phosphate	mg/L				0.60	1.72	2.84			
ResidueFilterable-TDS	mg/L				5604	5770	5935			
Sulfate	mg/L				2903.8	2949.7	2995.6			
Arsenic	mg/L				0.021	0.084	0.146			
Cadmium	mg/L				0.034	0.042	0.050			
Calcium	mg/L				328.8	343.9	359.0			
Iron (Dissolved)	mg/L				0.08	0.08	0.08			
Iron (TREC)	mg/L				0.12	10.08	20.04			
Magnesium (Dissolved)	mg/L				380.3	416.3	452.3			
Manganese (Dissolved)	mg/L				0.0	0.258	0.510			
Manganese (Total)	mg/L				0.0	1.126	2.240			
Mercury	mg/L				0.00005	0.00006	0.00007			
Selenium	mg/L				0.009	0.025	0.040			
Sodium	mg/L				181.8	769.1	1356.5			
Zinc	mg/L				0.02	0.30	0.57			

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

*Just enough water for field parameters

**Not enough water for parameters

AW-17
 Alluvial Well
 Top of Pipe Elevation - 5950.81
 Depth - 62
 Pipe Flush with Ground

Initiated	12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated	9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date	12/10/2018	7/12/2018	5/2/2018	2/28/2018

Field Parameters	UNITS	Summary Information						Operation			
		Baseline			Operation			Min	Ave	Max	
		Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	38.40	46.51	59.00	26.40	56.75	61.74	60.5	49	49.5	51.2
Water Elevation	Feet	5891.8	5904.3	5912.4	5889.1	5894.1	5924.4	5890.31	5901.81	5901.31	5899.61
FieldComment								**			
ph	su	8.5	8.9	9.7	7.1	7.6	8.1		7.94	7.99	7.69
Conductivity	umhos/cm	200	264	320	870	3418	5000		2070	4390	3830
Temperature	Celsius	1.9	7.1	12.2	9.2	12.2	19.8		13.5	12.8	11.6
Lab Parameters	UNITS										
Bicarbonate	mg/L	114.6	114.6	114.6	162.54	357.56	641.70	407			
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Chloride	mg/L	2.57	2.57	2.57	43.6	154.7	224.7	121			
Conductivity	umhos/cm	271.7	271.7	271.7	827	3436	5230	3850			
Hardness	mg/L	76	76	76	462	1209	1836	1530			
Nitrate-Nitrite	mg/L	3.05	3.05	3.05	<MDL	2.03	4.07	<MDL			
Ammonia	mg/L	2.78	2.78	2.78	<MDL	0.45	0.83	<MDL			
pH	su	8.5	8.5	8.5	6.9	7.5	8.2	7.97			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.050	0.100	0.011			
ResidueFilterable-TDS	mg/L	185	185	185	503	2810	4046	3640			
Sulfate	mg/L	2.1	2.1	2.1	126.36	1423.73	2230.00	2230			
Arsenic (Dissolved)	mg/L	0.016	0.016	0.016	<MDL	0.014	0.032	0.0318			
Cadmium (Dissolved)	mg/L	0.0003	0.0003	0.0003	<MDL	0.023	0.060	<MDL			
Calcium (Dissolved)	mg/L	17.26	17.26	17.26	91.1	231.1	358.8	289			
Iron (Dissolved)	mg/L	0.029	0.029	0.029	0.016	0.160	0.832	<MDL			
Iron (TREC)	mg/L	0.117	0.117	0.117	0.090	83.507	823.000	0.122			
Magnesium (Dissolved)	mg/L	8.09	8.09	8.09	56.90	152.09	228.25	196			
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.023	<MDL			
Manganese (TREC)	mg/L	0.041	0.041	0.041	0.007	23.675	236.000	0.0812			
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	0.00002	0.00006	0.00013	<MDL			
Selenium (Dissolved)	mg/L	0.014	0.014	0.014	0.004	0.016	0.046	<MDL			
Sodium (Dissolved)	mg/L	12	12	12	40.60	299.44	565.00	55			
Zinc (Dissolved)	mg/L	0.005	0.005	0.005	0.010	0.020	0.036	<MDL			

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

* Not enough water for field or lab parameters

**Not enough water for lab sample

P-1
Stevens Draw - Pond 1
Depth - 5'
Elevation - 7080

Date	10/25/2018	7/10/2018	5/4/2018	3/20/2018
------	------------	-----------	----------	-----------

Field Parameters	UNITS				
Pond Inflow	GPM	0	0	0	0
Pond Outflow	GPM	0	0	0	0
Freeboard	FT	0	0	0	0
Water Depth	FT	0	0	0	0
Water Level	%	0	0	0	0
Field Comments		Dry	Dry	Dry	Dry

Pond 1 (P-1) results from the discharge of Spring 14 (S-14) and is located in Stevens Draw location of DH-15, DH-39 and the Lower Stevens Draw monitoring point.



P-2
Freeman Gulch - Pond 2
Depth - 3'
Elevation - 7600

Date	10/24/2018	7/9/2018	5/4/2018
------	------------	----------	----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	1.5	0.3	1.1
Water Depth	FT	1.5	2.7	1.9
Water Level	%	0	0	0
Field Comments		No discharge	No discharge	No Flow

Pond 2 (P-2) is located in Freeman Gulch, near the Upper Freeman Gulch monitoring point and is fed by the discharge of Spring 3 (S-3).



Baseline Information for Point P-2 is derived from events beginning on 11/14/95 through 9/19/99.
Point influenced by mining on 9/19/99.

Figure 128

Date	11/13/2018	7/10/2018	5/18/2018
------	------------	-----------	-----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	10.75
Pond Outflow	GPM	0	0	0
Freeboard	FT	4.9	5	5.2
Water Depth	FT	1.6	1.5	1.3
Water Level	%	23	21	19
Field Comments		No outflow	No outflow	No outflow

Pond 3 (P-3) is located in an un-named gulch which leads to Terror Creek. This pond is fed by Spring 16 (S-16) and is accessible by a road that passes Pond 4 (P-4). This road is not shown on the map.



P-4
Terror Creek - Pond 4
Depth - 3.5'
Elevation - 7880

Date	11/13/2018	7/10/2018	5/18/2018
------	------------	-----------	-----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0.38	0.38	0.38
Freeboard	FT	0.4	0.8	0.5
Water Depth	FT	3.1	2.7	3
Water Level	%	89	77	86
Field Comments				

Pond 4 (P-4) is located in an un-named gulch which leads to Terror Creek. This pond receives water from Springs 4 (S-4) and 4a (S-4a). It is accessible by an old exploration road.



Baseline Information for Point P-4 is derived from events beginning on 9/27/95 through 1/15/01.
Point influenced by mining on 1/15/01.

P-5
Sheep Corral - Pond 5
Depth - 8'
Elevation - 7800

Date	11/13/2018	7/10/2018	5/18/2018
------	------------	-----------	-----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	3.8	4.5	3.2
Water Depth	FT	4.2	3.5	4.8
Water Level	%	53	44	60
Field Comments		No flow	No flow	No flow

Pond 5 (P-5) is located in an un-named gulch which feeds into Sheep Corral Gulch. This pond is fed by Springs 5 (S-5), 5a (S-5a) and 5b (S-5b) and is accessible by an old coal exploration road.



P-6
Terror Creek - Pond 6
Depth - 3'
Elevation - 7880

Date	11/13/2018	7/10/2018	5/18/2018
------	------------	-----------	-----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0.0	0.0	0.0
Freeboard	FT	3.0	3.0	3.0
Water Depth	FT	0	0	0
Water Level	%	0.00	0.00	0.00
Field Comments		Dry	Damp	Damp

Pond 6 (P-6) is located in an un-named gulch which leads to Terror Creek. This pond receives water from Spring 18 (S-18).



P33-3
Sheep Corral - Pond 33-3
Depth - 5.5'
Elevation - 7760

Date	11/13/2018	7/10/2018	5/18/2018
------	------------	-----------	-----------

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Freeboard	FT	6.5	6.5	6.5
Water Depth	FT	0	0	0
Water Level	%	0	0	0
Field Comments		Dry	Dry	Dry

Pond 33-3 (P33-3) is located in an un-named drainage which discharges into Sheep Corral Creek. This pond apparently has no spring, and catches only run-off water in the early spring.



Baseline Information for Point P33-3 is derived from events beginning on 10/30/97 through 12/1/01.
Point influenced by mining on 12/1/01.

P6-5
W. Fork of Terror Creek - Pond 6-5
Elevation - 8020

Initiated	7/19/1985	7/20/1985	7/21/1985
Activated			
Date	10/1/2018	7/11/2018	5/1/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Damp
		Min	Ave	Max						
Outflow	GPM	0.00	0.15	2.56						
Inflow	GPM	0.00	0.00	0.00						
Freeboard	Feet									
Temperature	Celsius	12.7	15.6	24.7						
Conductivity	umhos/cm	280	452	791						
pH	su	6.2	7.8	8.5						
Field Comments								Dry	Dry	Damp
Lab Parameters	UNITS									
Bicarbonate	mg/L	164.7	290.7	420.9						
Carbonate	mg/L									
Chloride	mg/L	1	6	11						
Conductivity	umhos/cm	285	446	629						
Hardness	mg/L	127	199	320						
pH	su	7.3	7.5	7.9						
ResidueFilterable-TDS	mg/L	22	240	432						
ResidueNonFilterable-TSS	mg/L	10	185	830						
SAR		0.43	0.56	0.9						
Sulfate	mg/L	<MDL	7.7	14.0						
Calcium (Dissolved)	mg/L	31	50	74						
Magnesium (Total)	mg/L	12	22	33						
Sodium (Dissolved)	mg/L	13	19	29						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P6-5 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

P7-2
 Steven's Gulch - Pond 7-2
 Elevation - 8190

Initiated	7/29/1985	7/29/1985	7/29/1985
Activated	6/10/2014	6/10/2014	6/10/2014
Date	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation					
		Min	Ave	Max						
Outflow	GPM	0	0.67	15.39	11.25		11.25			
Inflow	GPM	0	0.27	3.75	0.00		0.00			
Freeboard	Feet	0	1.32	3.42	4.50		4.50	4.5	3.9	2.2
Temperature	Celsius	10	16.71	27.80	15.10		15.10			
Conductivity	umhos/cm	160	248.77	321.00	170.00		170.00			
pH	su	7.2	8.46	9.70	7.7		7.7			
Field Comments								No flow	No flow	No flow
Lab Parameters	UNITS									
Bicarbonate	mg/L	119.6	158.9	223.0						
Carbonate	mg/L									
Chloride	mg/L	<MDL	2.7	5.0						
Conductivity	umhos/cm	204.0	251.3	320.0						
Hardness	mg/L	92.0	117.0	142.0						
pH	su	6.8	7.5	8.3						
ResidueFilterable-TDS	mg/L	118.0	169.7	234.0						
ResidueNonFilterable-TSS	mg/L	10.0	100.0	538.0						
SAR		0.20	0.41	1.00						
Sulfate	mg/L	<MDL	11.3	49.0						
Calcium (Dissolved)	mg/L	22.0	27.9	35.0						
Magnesium (Total)	mg/L	9.0	11.5	15.0						
Sodium (Dissolved)	mg/L	5.0	10.0	22.0						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

Activated 6/10/14

P7-7
 Steven's Gulch - Pond 7-7
 Elevation - 8380

Initiated	7/25/1985	7/26/1985	7/27/1985
Activated			
Date	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Damp
		Min	Ave	Max						
Inflow	GPM	0.0	0.0	0.0						
Outflow	GPM	0.0	0.0	0.4				0	0	0
Freeboard	Feet	0.00	1.56	4.80						
Temperature	Celsius	3.1	14.6	27.1						
Conductivity	umhos/cm	227.0	381.2	829.0						
pH	su	6.4	7.6	8.1						
Field Comments								Dry	Dry	Damp
Lab Parameters	UNITS									
Bicarbonate	mg/L	126.9	190.5	244.0						
Carbonate	mg/L									
Chloride	mg/L	<MDL	1.6	3.0						
Conductivity	umhos/cm	219.0	303.1	460.0						
Hardness	mg/L	117.0	151.2	183.0						
pH	su	6.4	7.3	7.9						
ResidueFilterable-TDS	mg/L	142.0	204.8	276.0						
ResidueNonFilterable-TSS	mg/L	2.0	65.1	252.0						
SAR		0.2	0.4	1.0						
Sulfate	mg/L	<MDL	6.8	10.0						
Calcium (Dissolved)	mg/L	24.0	34.8	42.0						
Magnesium (Total)	mg/L	11.0	15.6	19.0						
Sodium (Dissolved)	mg/L	4.0	10.8	29.0						
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P7-7 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

*Dam Gone

** Data not provided in field notes

P7-11
 Steven's Gulch - Pond 7-11
 Elevation - 8400

Initiated	7/25/1985	7/25/1985	7/25/1985
Activated			
Date	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max						
Outflow	GPM	0.00	0.21	7.99				0	0	0
Inflow	GPM	0.00	0.28	7.99				0	0	0
Freeboard	Feet	0.00	1.32	2.61						
Temperature	Celsius	3.6	15.9	29.9						
Conductivity	umhos/cm	138	288	495						
pH	su	6.4	7.6	9.2						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	105	320	2116						
Carbonate	mg/L	<MDL	<MDL	<MDL						
Chloride	mg/L	<MDL	3	4						
Conductivity	umhos/cm	202	262	346						
Hardness	mg/L	79	122	172						
pH	su	6.3	7.4	8.3						
ResidueFilterable-TDS	mg/L	144	190	260						
ResidueNonFilterable-TSS	mg/L	2	277	3033						
SAR		0.34	0.54	1.78						
Sulfate	mg/L	<MDL	18	121						
Calcium (Dissolved)	mg/L	3.66	26.50	41.00						
Magnesium (Total)	mg/L	7.0	12.4	19.7						
Sodium (Dissolved)	mg/L	8	13	42						
TDS Ratio (grav./calc.)		1.01	1.04	1.07						

The area of concern for monitoring point P7-11 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

P8-4
 Terror Creek - Pond 8-4
 Elevation - 6980

Initiated	1987	1987	1987	1987
Activated				
Date	11/29/2018	7/11/2018	5/29/2018	3/27/2018

Field Parameters	UNITS	Summary Information			Baseline					
		Min	Ave	Max						
Outflow	GPM	0.0	0.0	0.0				0	0	0
Inflow	GPM	0.0	0.13	0.94				0	0	0
Freeboard	Feet	0.35	0.38	0.41						
Temperature	Celsius	6.8	10.8	18.3						
Conductivity	umhos/cm	1140	1188	1220						
pH	su	8.4	8.5	8.6				Dry	Dry	Dry
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
pH	su									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Calcium (Dissolved)	mg/L									
Magnesium (Total)	mg/L									
Sodium (Dissolved)	mg/L									
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P8-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

P12-1

Steven's Gulch - Pond 12-1
 Elevation -7950

Initiated	7/30/1985	7/30/1985	7/30/1985	7/30/1985
Activated	4/1/2014	4/1/2014	4/1/2014	4/1/2014
Date	10/1/2018	7/19/2018	6/4/2018	3/29/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	No Flow	No Flow	No Flow
		Min	Ave	Max							
Outflow	GPM	0.00	0.29	3.75	9.375	0.781	9.375				
Inflow	GPM	0.00	0.00	0.00	3.75	0.341	3.75				
Freeboard	Feet	0.00	1.58	3.35	3.80	2.01	3.80	3.8	3.1	2.6	1.1
Temperature	Celsius	5.9	17.7	28.8	15.2		15.2				
Conductivity	umhos/cm	283	360	493	260		260				
pH	su	6.6	8.2	10.8	7.9		7.9				
Field Comments								Dry	No Flow	No Flow	No Flow
Lab Parameters	UNITS										
Bicarbonate	mg/L	88.0	168.4	269.6							
Carbonate	mg/L	12.4	12.4	12.4							
Chloride	mg/L	<MDL	4.5	7.0							
Conductivity	umhos/cm	256	341	487							
Hardness	mg/L	86.0	122.9	159.0							
pH	su	7.1	7.8	8.9							
ResidueFilterable-TDS	mg/L	154	215	288							
ResidueNonFilterable-TSS	mg/L	<MDL	38	160							
SAR		0.600	0.943	1.550							
Sulfate	mg/L	4.0	36.5	109.0							
Calcium (Dissolved)	mg/L	28.0	35.8	49.0							
Magnesium (Total)	mg/L	4.0	10.3	14.0							
Sodium (Dissolved)	mg/L	16.0	24.8	41.0							
TDS Ratio (grav./calc.)											

Activated 4/1/14

P12-2
 Steven's Gulch - Pond 12-2
 Elevation - 8030

Initiated	7/6/1983	7/6/1983	7/6/1983
Activated	5/15/2014	5/15/2014	5/15/2014
Date	10/1/2018	7/25/2018	6/4/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max	Min	Ave	Max		
Outflow	GPM	0	0.31	4.94	1.25		1.25		
Inflow	GPM	0	0.19	0.38	0.00		0.00		
Freeboard	Feet	0	0.10	0.56	1.80		1.80		1.2
Temperature	Celsius	5.4	16.33	26.30	17.20		17.20		
Conductivity	umhos/cm	239	380.35	520.00	350.00		350.00		
pH	su	6.4	8.03	9.40	7.7		7.7		
Field Comments							Damp		
Lab Parameters	UNITS								
Bicarbonate	mg/L	200.0	253.6	336.0					
Carbonate	mg/L	5.9	8.85	11.80					
Chloride	mg/L	2.0	4.1	9.0					
Conductivity	umhos/cm	317	395	456					
Hardness	mg/L	144.00	192.08	238.00					
Acidity	mg/L	16.0	16.0	16.0					
pH	su	7.3	7.9	8.6					
ResidueFilterable-TDS	mg/L	168	244	292					
ResidueNonFilterable-TSS	mg/L	2	330	3332					
SAR		0.330	0.613	1.260					
Sulfate	mg/L	<MDL	19.57	113.00					
Calcium (Dissolved)	mg/L	20.0	41.7	54.0					
Iron (Total)	mg/L	1.42	1.42	1.42					
Iron (Dissolved)	mg/L	0.04	0.04	0.04					
Magnesium (Total)	mg/L	16.0	21.4	29.0					
Manganese (Total)	mg/L	0.320	0.320	0.320					
Sodium (Dissolved)	mg/L	10	19.17	36.00					
TDS Ratio (grav./calc.)	%								

Activated May 15, 2014

*Large Seep Area - Unmeasurable

P12-10
 Steven's Gulch - Pond 12-10
 Elevation - 7820

Initiated Activated Date	7/30/1985	7/30/1985	7/30/1985	7/30/1985
	10/1/2018	7/19/2018	6/4/2018	3/29/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation			Dry	No Flow	No Flow	No Flow
		Min	Ave	Max	Min	Ave	Max				
Outflow	GPM	0.0	2.3	48.07				0	0	0	0
Inflow	GPM	0.0	0.4	15.00				0	0	0	0
Freeboard	Feet							4.1	2.6		0.8
Temperature	Celsius	4.4	16.8	25.5							
Conductivity	umhos/cm	270	347	466							
pH	su	6.7	8.2	10.4							
Field Comments								Dry	No Flow	No Flow	No Flow
Lab Parameters	UNITS										
Bicarbonate	mg/L	122	188.8	309							
Carbonate	mg/L	6	9	12							
Chloride	mg/L	<MDL	6.3	17							
Conductivity	umhos/cm	217	333	463							
Hardness	mg/L	98	146	209							
pH	su	7.6	8.2	9.8							
ResidueFilterable-TDS	mg/L	146	208	288							
ResidueNonFilterable-TSS	mg/L	<MDL	26.6	120							
SAR		<MDL	0.73	1.07							
Sulfate	mg/L	4	19	41							
Calcium (Dissolved)	mg/L	28	37	48							
Magnesium (Total)	mg/L	6	13	29							
Sodium (Dissolved)	mg/L	9	20	32							
TDS Ratio (grav./calc.)											

The area of concern for monitoring point P12-10 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Corrected monitoring information from 4/28/10 to 11/29/11.

Contractor has been monitoring Pond 12-9 as 12-10, but realized his error during 4/10/12 monitoring.

Found remnants of Pond 12-10 on 4/10/12 - has been washed out for a long time. No evidence of flow.

P17-1
 Coal Gulch - Pond 17-1
 Elevation - 7340

Initiated	12/22/2004	12/22/2004	12/22/2004	12/22/2004
Activated				
Dated	10/9/2018	7/26/2018	5/1/2018	3/27/2018

Field Parameters	UNITS	Summary Information			Operation					
		Baseline			Operation					
		Min	Ave	Max						
Outflow	GPM	0.0	2.1	30				0	0	0
Inflow	GPM	0.0	0.0	0.0				0	0	0
Freeboard	Feet	0.0	0.1	0.5						
Temperature	Celsius	0.5	9.0	17.5						
Conductivity	umhos/cm	40.0	151.7	570						
pH	su	7.6	8.0	8.4						
Field Comments							Dry	Dry	Dry	Dry
Lab Parameters	UNITS									
		mg/L	40.5	56	84					
Bicarbonate	mg/L	<MDL	<MDL	<MDL						
Carbonate	mg/L									
Chloride	mg/L	1	3	4						
Conductivity	umhos/cm	77.8	104	146						
Hardness	mg/L	26.8	47	75						
pH	su	7.5	7.7	7.9						
ResidueFilterable-TDS	mg/L	61	80	100						
ResidueNonFilterable-TSS	mg/L	16	25	36						
SAR		0.16	0.17	0.19						
Sulfate	mg/L	<MDL	5.35	5.35						
Calcium (Dissolved)	mg/L	5.83	11.98	19.80						
Magnesium (Total)	mg/L	2.98	4.26	6.30						
Sodium (Dissolved)	mg/L	2.21	2.64	3.40						
TDS Ratio (grav./calc.)		1.07	1.36	1.82						

The area of concern for monitoring point P17-1 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

P18-1
 Coal Gulch - Pond 18-1
 Elevation - 7760

Initiated	7/19/1985	7/19/1985	7/19/1985
Activated	6/6/2012	6/6/2012	6/6/2012
Date	11/29/2018	7/11/2018	5/29/2018

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	No flow
		Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0.00	0.20	2.11	0.00	0.08	0.94	0	0	0
Inflow	GPM	0.00	0.31	1.88	0.00	0.39	4.10	0	0	0
Freeboard	Feet	0.00	2.07	2.91	0.00	0.75	2.88			0.6
Temperature	Celsius	9.8	16.2	26.7	11.20	17.85	23.10			
Conductivity	umhos/cm	115	211	378	557.00	600.00	620.00			
pH	su	6.3	7.8	9.2	8.10	8.43	8.68			
Field Comments								Dry	Dry	No flow
Lab Parameters	UNITS									
Bicarbonate	mg/L	49.0	125.4	201.3						
Carbonate	mg/L	0.6	0.6	0.6						
Chloride	mg/L	<MDL	7	11						
Conductivity	umhos/cm	120	244	398						
Hardness	mg/L	54	94	153						
pH	su	6.2	7.0	7.6						
ResidueFilterable-TDS	mg/L	86	169	280						
ResidueNonFilterable-TSS	mg/L	12	178	552						
SAR		<MDL	0.21	0.47						
Sulfate	mg/L	<MDL	15	39						
Calcium (Dissolved)	mg/L	15	25	40						
Magnesium (Total)	mg/L	4	7	13						
Sodium (Dissolved)	mg/L	<MDL	5	10						
TDS Ratio (grav./calc.)										

The monitoring point for Pond 18-1 is located on a south facing slope that drains down toward the North Fork of the Gunnison River.

Initiate Activate Date	7/6/1983	7/6/1983	7/6/1983
	10/1/2018	7/25/2018	5/22/2018

Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Damp
		Min	Ave	Max						
Inflow	GPM	0.00	0.34	15.71				0	0	0
Outflow	GPM	0.00	0.00	0.00				0	0	0
Freeboard	Feet	0.48	1.99	3.2				3.20	3.20	3.20
Temperature	Celsius	2.2	16.0	29						
Conductivity	umhos/cm	206	329	500						
pH	su	5.9	7.4	8.8						
Field Comments								Dry	Dry	Damp
Lab Parameters	UNITS									
Bicarbonate	mg/L	109.8	187.5	268						
Carbonate	mg/L	<MDL	<MDL	<MDL						
Chloride	mg/L	<MDL	6.45	30						
Conductivity	umhos/cm	197	324	581						
Hardness	mg/L	11	128	210						
pH	su	6.8	7.3	8.3						
ResidueFilterable-TDS	mg/L	126	211	402						
ResidueNonFilterable-TSS	mg/L	6	59	158						
SAR		0.34	0.65	1.58						
Sulfate	mg/L	<MDL	18.12	119						
Calcium (Dissolved)	mg/L	23	35	56						
Magnesium (Total)	mg/L	8	12	17						
Sodium (Dissolved)	mg/L	8	18	39						
TDS Ratio (grav./calc.)		1.05	1.05	1.05						

The area of concern for monitoring point P18-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Initiated Activated Date	6/14/1983	6/14/1983	6/14/1983
	10/1/2018	7/25/2018	5/22/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation					
		Min	Ave	Max						
Inflow	GPM	0.0	0.0	0				0	0	0
Outflow	GPM	0.0	0.1	4.488				0	0	0
Freeboard	Feet	0.18	1.06	2.55				*	1.6	*
Temperature	Celsius	4.2	16.9	29						
Conductivity	umhos/cm	62.0	247.1	968						
pH	su	7.0	8.3	9.8						
Field Comments								Empty/Dry		Damp
Lab Parameters	UNITS									
Bicarbonate	mg/L	53.7	140.7	478.2						
Carbonate	mg/L									
Chloride	mg/L	<MDL	20.0	120						
Conductivity	umhos/cm	95.0	271.8	885						
Hardness	mg/L	44.0	103.3	331						
pH	su	6.3	7.2	8						
ResidueFilterable-TDS	mg/L	90.0	200.5	372						
ResidueNonFilterable-TSS	mg/L	14.0	125.0	624						
SAR		0.1	0.4	1.74						
Sulfate	mg/L	<MDL	19.6	62						
Calcium (Dissolved)	mg/L	11.0	25.3	83						
Magnesium (Total)	mg/L	3.0	9.7	30						
Sodium (Dissolved)	mg/L	1.0	10.8	50						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P81 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

* Data not provided in field notes

P82
 Steven's Gulch - Pond 82
 Elevation - 7580

Initiated	7/18/1990	7/18/1990	7/18/1990	7/18/1990
Activated				
Date	10/9/2018	7/11/2018	5/1/2018	3/27/2018

Summary Information

Field Parameters	UNITS	Baseline			Operation				
		Min	Ave	Max					
Outflow	GPM	0.00	0.12	4.90				0	0
Inflow	GPM	0.00	0.00	0.00				0	0
Freeboard	Feet	0.00	1.35	4.80			*	*	*
Temperature	Celsius	7.8	17.9	28.0					
Conductivity	umhos/cm	91	237	569					
pH	su	6.4	8.5	10.0					
Field Comments							Dry	Dry	Dry
Lab Parameters	UNITS								
Bicarbonate	mg/L	51.2	134	290					
Carbonate	mg/L	1	1	1					
Chloride	mg/L	<MDL	8	25					
Conductivity	umhos/cm	104	258	623					
Hardness	mg/L	36	89	158					
pH	su	6.4	7.1	8.4					
ResidueFilterable-TDS	mg/L	75	225	566					
ResidueNonFilterable-TSS	mg/L	28	155	450					
SAR		<MDL	0.22	0.49					
Sulfate	mg/L	4	22	78					
Calcium (Dissolved)	mg/L	11	24	45					
Magnesium (Total)	mg/L	2	7	13					
Sodium (Dissolved)	mg/L	<MDL	5	14					
Potassium	mg/L								
TDS Ratio (grav./calc.)									

The area of concern for monitoring point P82 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

* Data not provided in field notes

P83
Coal Gulch - Pond 83
 Depth - 2.5'
 Elevation -7820

Initiated	7/18/1983	7/18/1983	7/18/1983
Activated	7/15/2013	7/15/2013	7/15/2013
Date	11/29/2018	7/11/2018	5/29/2018

Summary Information										
Field Parameters	UNITS	Baseline			Operation			Dry	Dry	Dry
		Min	Ave	Max						
Outflow	GPM	0.00	0.23	6.24	0.00	0.00	0.00	0	0	0
Inflow	GPM	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
Freeboard	Feet	0.57	2.30	2.54	1.25	2.32	2.54	*	*	*
Temperature	Celsius	9.4	18.6	27.8						
Conductivity	umhos/cm	148	354	485						
pH	su	6.9	74.7	803.0						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	75.6	203.8	280.6						
Carbonate	mg/L	39.5	39.5	39.5						
Chloride	mg/L	<MDL	7	14						
Conductivity	umhos/cm	160	357	499						
Hardness	mg/L	70	162	234						
pH	su	6.9	7.8	9.4						
ResidueFilterable-TDS	mg/L	95	202	270						
ResidueNonFilterable-TSS	mg/L	4	77	536						
SAR		0.21	0.42	0.71						
Sulfate	mg/L	<MDL	14	29						
Calcium (Dissolved)	mg/L	13	30	54						
Magnesium (Total)	mg/L	6	21	29						
Sodium (Dissolved)	mg/L	4	13	21						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

* No data provided in field notes

2018 MAPS



BOWIE RESOURCES, LLC
BOWIE NO. 2 MINE
P.O. BOX 483
PAONIA, COLORADO 81428
PERMIT C-1996-083

PREPARED BY:



