

DMR Copy of Record

Permit

Permit #:  
Major:

CO0027146  
No

Permittee:  
Permittee Address:

Snowcap Coal Company Inc  
PO Box 1430  
Palisade, CO 81526

Facility:  
Facility Location:

ROADSIDE NORTH & SOUTH MINES  
I-70, EXIT 46 (CAMEO EXIT)  
PALISADE, CO 81526

Permitted Feature:

002  
External Outfall

Discharge:

002-A  
Mine Drainage Discharge to Colorado River

Report Dates & Status

Monitoring Period:

From 09/01/19 to 09/30/19

DMR Due Date:

10/28/19

Status:

NetDMR Validated

Considerations for Form Completion

Oil and grease - see I.A.1, pg 3. Termperature - see C.5 and 11.

Principal Executive Officer

First Name:  
Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |                  |             |                           |       | Quality or Concentration |                  |             |                  |             |                  |           | # of Ex. | Frequency of Analysis   | Sample Type          |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|------------------|-------------|---------------------------|-------|--------------------------|------------------|-------------|------------------|-------------|------------------|-----------|----------|-------------------------|----------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1          | Qualifier 2 | Value 2                   | Units | Qualifier 1              | Value 1          | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                         |                      |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly         | IS - INSITU          |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       | >=                       | 6.5 MINIMUM      |             |                  | <=          | 9 MAXIMUM        | 12 - SU   |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          | C - No Discharge |             |                  |             | C - No Discharge |           |          |                         |                      |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 01/30 - Monthly         | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | 35 30DA AVG      | <=          | 70 DAILY MX      | 19 - mg/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                         |                      |
| 00718     | Cyanide, weak acid, dissociable          | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  |             |                  |             | Req Mon DAILY MX | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             |                  |             | C - No Discharge |           |          |                         |                      |
| 00978     | Arsenic, total recoverable               | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | 18 30DA AVG      |             |                  | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             |                  |           |          |                         |                      |
| 01304     | Silver, potentially dissolved            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  |             | Req Mon 30DA AVG |             |                  | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             |                  |           |          |                         |                      |
| 01306     | Copper, potentially dissolved            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | 22 30DA AVG      | <=          | 35 DAILY MX      | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                         |                      |
| 01313     | Cadmium, potentially dissolvd            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | .92 30DA AVG     |             |                  | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             |                  |           |          |                         |                      |
| 01318     | Lead, potentially dissolvd               | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | 7.6 30DA AVG     |             |                  | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             |                  |           |          |                         |                      |
| 01323     | Selenium, potentially dissolvd           | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  | <=          | 4.6 30DA AVG     | <=          | 18.4 DAILY MX    | 28 - ug/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             | C - No Discharge |           |          |                         |                      |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 99/99 - Continuous      | RC - Recorder (auto) |
|           |                                          |                     |          |             | Permit Req. | <=                  | .5 30DA AVG      |             | Req Mon DAILY MX 03 - MGD |       |                          |                  |             |                  |             |                  |           |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     | C - No Discharge |             | C - No Discharge          |       |                          |                  |             |                  |             |                  |           |          |                         |                      |
| 51202     | Sulfide-hydrogen sulfide [undissociated] | 1 - Effluent Gross  | 0        | --          | Sample      |                     |                  |             |                           |       |                          |                  |             |                  |             |                  |           |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |                  |             |                           |       |                          |                  |             | Req Mon 30DA AVG |             |                  | 19 - mg/L |          |                         |                      |
|           |                                          |                     |          |             | Value NODI  |                     |                  |             |                           |       |                          |                  |             | C - No Discharge |             |                  |           |          |                         |                      |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User: tonya.snowcap@bresnan.net

|                                     |                                      |
|-------------------------------------|--------------------------------------|
| Name:                               | Tonya Hammond                        |
| E-Mail:                             | tonya.snowcap@bresnan.net            |
| Date/Time:                          | 2019-10-09 07:39 (Time Zone: -06:00) |
| <i><b>Report Last Signed By</b></i> |                                      |
| User:                               | tonya.snowcap@bresnan.net            |
| Name:                               | Tonya Hammond                        |
| E-Mail:                             | tonya.snowcap@bresnan.net            |
| Date/Time:                          | 2019-10-09 07:56 (Time Zone: -06:00) |

DMR Copy of Record

Permit

Permit #:

CO0027146

Major:

No

Permittee:

Snowcap Coal Company Inc

Permittee Address:

PO Box 1430  
Palisade, CO 81526

Facility:

ROADSIDE NORTH & SOUTH MINES

Facility Location:

I-70, EXIT 46 (CAMEO EXIT)  
PALISADE, CO 81526

Permitted Feature:

002  
External Outfall

Discharge:

002-Q  
Quarterly Monitoring for 002

Report Dates & Status

Monitoring Period:

From 07/01/19 to 09/30/19

DMR Due Date:

10/28/19

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see C.14.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                         | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |                               |       | Quality or Concentration |         |             |         |             |         |       | # of Ex.           | Frequency of Analysis | Sample Type |
|-----------|-------------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|-------------------------------|-------|--------------------------|---------|-------------|---------|-------------|---------|-------|--------------------|-----------------------|-------------|
| Code      | Name                    |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2                       | Units | Qualifier 1              | Value 1 | Qualifier 2 | Value 2 | Qualifier 3 | Value 3 | Units |                    |                       |             |
| 00980     | Iron, total recoverable | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    | 01/90 - Quarterly     | GR - GRAB   |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
| 03582     | Oil and grease          | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                               |       |                          |         |             |         |             |         |       | 77/77 - Contingent | GR - GRAB             |             |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
| 70295     | Solids, total dissolved | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                               |       |                          |         |             |         |             |         |       | 77/77 - Contingent | GR - GRAB             |             |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                               |       |                          |         |             |         |             |         |       |                    |                       |             |
| 84066     | Oil and grease visual   | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                               |       |                          |         |             |         |             |         |       | 01/90 - Quarterly  | VI - VISUAL           |             |
|           |                         |                     |          |             | Permit Req. |                     |         |             | Req Mon INST MAX 9P - N=0;Y=1 |       |                          |         |             |         |             |         |       |                    |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             | C - No Discharge              |       |                          |         |             |         |             |         |       |                    |                       |             |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User:

tonya.snowcap@bresnan.net

Name:

Tonya Hammond

E-Mail:

tonya.snowcap@bresnan.net

Date/Time:

2019-10-09 07:39 (Time Zone: -06:00)

Report Last Signed By

User:

tonya.snowcap@bresnan.net

Name:

Tonya Hammond

E-Mail:

tonya.snowcap@bresnan.net

Date/Time:

2019-10-09 07:56 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027146

Major:

No

Permittee:

Snowcap Coal Company Inc

Permittee Address:

PO Box 1430  
Palisade, CO 81526

Facility:

ROADSIDE NORTH & SOUTH MINES

Facility Location:

I-70, EXIT 46 (CAMEO EXIT)  
PALISADE, CO 81526

Permitted Feature:

016  
External Outfall

Discharge:

016-A  
Mine Drainage Discharge to Colorado River

Report Dates & Status

Monitoring Period:

From 09/01/19 to 09/30/19

DMR Due Date:

10/28/19

Status:

NetDMR Validated

Considerations for Form Completion

Oil and grease - see I.A.1, pg 3. Termperature - see C.5 and 11

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                                          | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |             |             |                  |          | Quality or Concentration |             |             |                  |             |                  |           | # of Ex. | Frequency of Analysis   | Sample Type          |
|-----------|------------------------------------------|---------------------|----------|-------------|-------------|---------------------|-------------|-------------|------------------|----------|--------------------------|-------------|-------------|------------------|-------------|------------------|-----------|----------|-------------------------|----------------------|
| Code      | Name                                     |                     |          |             |             | Qualifier 1         | Value 1     | Qualifier 2 | Value 2          | Units    | Qualifier 1              | Value 1     | Qualifier 2 | Value 2          | Qualifier 3 | Value 3          | Units     |          |                         |                      |
| 00400     | pH                                       | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          | =                        | 7.2         |             |                  | =           | 7.3              | 12 - SU   | 0        | 03/30 - Three Per Month | IS - INSITU          |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          | >=                       | 6.5 MINIMUM |             |                  | <=          | 9 MAXIMUM        | 12 - SU   |          | 01/30 - Monthly         | IS - INSITU          |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 00530     | Solids, total suspended                  | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             | <           | 5                | <           | 5                | 19 - mg/L | 0        | 01/30 - Monthly         | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | 35 30DA AVG      | <=          | 70 DAILY MX      | 19 - mg/L |          | 01/30 - Monthly         | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 00718     | Cyanide, weak acid, dissociable          | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             |             |                  | <           | 20               | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             |             |                  |             | Req Mon DAILY MX | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 00978     | Arsenic, total recoverable               | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             | <           | 0.2              |             |                  | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | 18 30DA AVG      |             |                  | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 01304     | Silver, potentially dissolved            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             | <           | 0.1              |             |                  | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             |             | Req Mon 30DA AVG |             |                  | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 01306     | Copper, potentially dissolved            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             | <           | 0.8              | <           | 0.8              | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | 22 30DA AVG      | <=          | 35 DAILY MX      | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 01313     | Cadmium, potentially dissolvd            | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             |             |                  | =           | 0.04             | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | .92 30DA AVG     |             |                  | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 01318     | Lead, potentially dissolvd               | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             |             |                  | =           | 0.3              | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | 7.6 30DA AVG     |             |                  | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 01323     | Selenium, potentially dissolvd           | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             | <           | 0.1              | <           | 0.1              | 28 - ug/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             | <=          | 4.6 30DA AVG     | <=          | 18.4 DAILY MX    | 28 - ug/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 50050     | Flow, in conduit or thru treatment plant | 1 - Effluent Gross  | 0        | --          | Sample      | =                   | 0.183       | =           | 0.187            | 03 - MGD |                          |             |             |                  |             |                  |           | 0        | 99/99 - Continuous      | RC - Recorder (auto) |
|           |                                          |                     |          |             | Permit Req. | <=                  | .5 30DA AVG |             | Req Mon DAILY MX | 03 - MGD |                          |             |             |                  |             |                  |           |          | 99/99 - Continuous      | RC - Recorder (auto) |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |
| 51202     | Sulfide-hydrogen sulfide [undissociated] | 1 - Effluent Gross  | 0        | --          | Sample      |                     |             |             |                  |          |                          |             |             |                  | =           | 0.3              | 19 - mg/L | 0        | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Permit Req. |                     |             |             |                  |          |                          |             |             |                  |             | Req Mon 30DA AVG | 19 - mg/L |          | 02/30 - Twice Per Month | GR - GRAB            |
|           |                                          |                     |          |             | Value NODI  |                     |             |             |                  |          |                          |             |             |                  |             |                  |           |          |                         |                      |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User:

tonya.snowcap@bresnan.net

|                              |                                      |
|------------------------------|--------------------------------------|
| Name:                        | Tonya Hammond                        |
| E-Mail:                      | tonya.snowcap@bresnan.net            |
| Date/Time:                   | 2019-10-09 07:47 (Time Zone: -06:00) |
| <i>Report Last Signed By</i> |                                      |
| User:                        | tonya.snowcap@bresnan.net            |
| Name:                        | Tonya Hammond                        |
| E-Mail:                      | tonya.snowcap@bresnan.net            |
| Date/Time:                   | 2019-10-09 07:56 (Time Zone: -06:00) |

DMR Copy of Record

Permit

Permit #:

CO0027146

Major:

No

Permittee:

Snowcap Coal Company Inc

Permittee Address:

PO Box 1430  
Palisade, CO 81526

Facility:

ROADSIDE NORTH & SOUTH MINES

Facility Location:

I-70, EXIT 46 (CAMEO EXIT)  
PALISADE, CO 81526

Permitted Feature:

016  
External Outfall

Discharge:

016-Q  
Quarterly Monitoring for 016

Report Dates & Status

Monitoring Period:

From 07/01/19 to 09/30/19

DMR Due Date:

10/28/19

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see C.14.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

| Parameter |                         | Monitoring Location | Season # | Param. NODI |             | Quantity or Loading |         |             |                  |              | Quality or Concentration                              |                  |             |                   |             |                   | # of Ex.          | Frequency of Analysis | Sample Type |
|-----------|-------------------------|---------------------|----------|-------------|-------------|---------------------|---------|-------------|------------------|--------------|-------------------------------------------------------|------------------|-------------|-------------------|-------------|-------------------|-------------------|-----------------------|-------------|
| Code      | Name                    |                     |          |             |             | Qualifier 1         | Value 1 | Qualifier 2 | Value 2          | Units        | Qualifier 1                                           | Value 1          | Qualifier 2 | Value 2           | Qualifier 3 | Value 3           |                   |                       |             |
| 00980     | Iron, total recoverable | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                  |              |                                                       | =                | 19          | =                 | 19          | 28 - ug/L         | 0                 | 01/90 - Quarterly     | GR - GRAB   |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                  |              | <=                                                    | 3500 30DA AVG    | <=          | 7000 DAILY MX     | 28 - ug/L   | 01/90 - Quarterly |                   | GR - GRAB             |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                  |              |                                                       |                  |             |                   |             |                   |                   |                       |             |
| 03582     | Oil and grease          | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                  |              |                                                       |                  |             |                   |             |                   |                   | 77/77 - Contingent    | GR - GRAB   |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                  |              | <=                                                    | 10 INST MAX      | 19 - mg/L   |                   |             |                   |                   |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                  |              | 9 - Conditional Monitoring - Not Required This Period | 19 - mg/L        |             |                   |             |                   |                   |                       |             |
| 70295     | Solids, total dissolved | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         |             |                  |              | =                                                     | 1230             | =           | 1230              | 19 - mg/L   | 0                 | 01/90 - Quarterly | GR - GRAB             |             |
|           |                         |                     |          |             | Permit Req. |                     |         |             |                  |              | Req Mon 30DA AVG                                      | Req Mon DAILY MX | 19 - mg/L   | 01/90 - Quarterly | GR - GRAB   |                   |                   |                       |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                  |              |                                                       |                  |             |                   |             |                   |                   |                       |             |
| 84066     | Oil and grease visual   | 1 - Effluent Gross  | 0        | --          | Sample      |                     |         | =           | 0                | 9P - N=0;Y=1 |                                                       |                  |             |                   |             |                   | 0                 | 01/90 - Quarterly     | VI - VISUAL |
|           |                         |                     |          |             | Permit Req. |                     |         |             | Req Mon INST MAX | 9P - N=0;Y=1 |                                                       |                  |             |                   |             | 01/90 - Quarterly |                   | VI - VISUAL           |             |
|           |                         |                     |          |             | Value NODI  |                     |         |             |                  |              |                                                       |                  |             |                   |             |                   |                   |                       |             |

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Snowcap Coal Company Inc

User:

tonya.snowcap@bresnan.net

Name:

Tonya Hammond

E-Mail:

tonya.snowcap@bresnan.net

Date/Time:

2019-10-09 07:56 (Time Zone: -06:00)

Report Last Signed By

User:

tonya.snowcap@bresnan.net

Name:

Tonya Hammond

E-Mail:

tonya.snowcap@bresnan.net

Date/Time:

2019-10-09 07:56 (Time Zone: -06:00)