



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

May 29, 2020

Ms. Jodi Schreiber
Fremont Paving and Redi Mix, Inc.
PO Box 841
839 MacKenzie Avenue
Canon City, CO 81212

**RE: Adequacy Review No. 3; 112c Construction Materials New Permit Application,
SPN Pit, Permit No. M-2020-006**

Dear Ms. Schreiber:

On February 12, 2020, the Division of Reclamation, Mining and Safety (Division) deemed the above referenced application complete for the purposes of filing. Pursuant to Rule 1.4 the 90-day decision date for the application was set for May 12, 2020. On May 7, 2020 the Division approved an extension request to extend the decision date to June 11, 2020. Please be advised on June 11, 2020, the application may be deemed inadequate and may be denied unless the following adequacy items are addressed to the Division's satisfaction. On May 27, 2020 the Applicant responded to the Division's Adequacy Review #2 dated May 12, 2020. After review of the responses the Division has additional items that need to be addressed or clarified. If you are unable to satisfactorily address any concerns identified in this review before the decision date, it will be your responsibility to request an extension of the review period. If there are outstanding issues that have not been adequately addressed prior to the end of the review period, and no extension has been requested, the Division will deny this application. Subsequent to receipt and review of the Applicant's response to these items the Division may identify additional adequacy items. Please respond to this Adequacy Review No. 3 with the requested additional/updated information on permit replacement pages and summarize each response in a cover letter titled "Adequacy Review No. 3 Response; M-2020-006".

EXHIBIT F – Reclamation Plan Map (Rule 6.4.6):

1. Please show the arrows indicating the anticipated direction of drainage as indicated in Exhibit E section 4 or revise the text to be consistent with the map.

EXHIBIT G – Water Information (Rule 6.4.7):

2. Please update all maps to show the location of the domestic water well.



Other Permits and Licenses (Rule 6.3.6):

3. No proof of mailing was attached to the Adequacy #2 Responses as indicated in response number 14, please provide the proof of mailing.
4. Pursuant to Rule 1.6.2(2), please demonstrate that the Applicant's response to these adequacy items have been placed with the application materials previously placed with the County Clerk or Records Office, and made available for public review. Demonstration shall be in the form of a Certified Mail Receipt, signed affidavit, or other mail tracking receipt.

Please respond to these adequacy issues no later than June 5, 2020, to ensure ample time for the Division to complete its review prior to its decision deadline. The decision deadline on this application is June 11, 2020. If additional time is required to respond to these adequacy issues please submit a written request for extension of the review period. The Division reserves the right to further supplement this document with additional adequacy issues and details as necessary.

If you need additional information or have any questions, please contact me at Division of Reclamation, Mining and Safety, 1313 Sherman Street, Room 215, Denver, CO 80203, by telephone at **303-866-3567 x8114**, or by email at patrick.lennberg@state.co.us.

Sincerely,



Patrick Lennberg
Environmental Protection Specialist

cc: Jared Ebert; Division of Reclamation, Mining & Safety