



Union Milling Company

P.O. Box 620490
Littleton, CO 80162-0490
+1.303.947.3499

15 June 2020

Dustin Czapla
Division of Reclamation, Mining and Safety
Department of Natural Resources
1313 Sherman St., Room 215
Denver, CO 80203

RE: 2020 Annual Report, M1990-057 Leadville Mill

Dear Mr. Czapla,

The Annual Report for mine permit M-1990-057 is filed, as well payment of \$518.00. The 110d Annual Report Form electronically submitted along with our Annual Fee Invoice and Report is completed, signed and included with this documentation.

No new disturbances have occurred at the Leadville Mill within the past 12 months; and no permanent reclamation activities have occurred at the Leadville Mill site within the past 12 months. No additional surface area disturbances are planned for the Leadville Mill within the next 12 months.

The Leadville Mill was sold to CJK Milling Company LLC in April 2020. Per our communication we have started testing, engineering and the process of amending the 110 permit to a 112, which will include adding CIL and a dore refinery on site. As agreed, we will submit the SOO documentation concurrently with the Permit amendment application to the Division.

This annual report addresses the activities conducted on site from the previous period - June 17, 2019 to June 18, 2020 - and also addresses the proposed activities for the upcoming period from June 19, 2019 to June 18, 2020.

If you have additional questions or need additional information, please contact me at 303-947-3499 or nmichael@unionmilling.com.

Sincerely,

Nick Michael
Member

attachments

Annual Report

The 110d Annual Report Form has been electronically submitted along with our Annual Fee Invoice and CDRMS Report Request is completed, signed and included with this documentation. See Page 6.

Property

Permit M-1990-057 includes the Leadville Mill. The permit operator is:

Union Milling Company, LLC (UMC)
Nick Michael, Member
P. O. Box 620490
Littleton, CO 80162-0490
303-947-3499

The Leadville Mill is located in the Northeast Quarter of the Northeast Quarter of Section 33, and the Southeast Quarter of the Southeast Quarter of Section 28, Township 9 South, Range 80 West. The county designated address is 13815 Highway 24, Lake County, Colorado. The owner of the Leadville Mill is:

Constructive Investments, LLC
Nick Michael, Member
PO Box 620490
Littleton, CO 80162-0490

Activities: June 17, 2019 to June 18, 2020

The mill remained idle, on care and maintenance status, with no production or milling occurring in the last 12-month period. Care and maintenance were the only activities that occurred during the past year at the mill.

The Leadville Mill activities for the past 12 months are presented below.

1. Groundwater Quality Sampling. Monitoring wells MW-2 located at approximate coordinates N39°13'44.17", W106°19'59.98", elevation 9701ft, and MW-3 located at approximate coordinates N39°13'49.87", W106°19'53.61", elevation 9744ft were tested. Locations are shown on the attached map.

Water samples have now been collected and tested for 22 consecutive quarters through Q1 2020. Results are summarized in **Exhibit 1**. In all testing, cyanide was not detected.
2. Surface Water Quality Sampling. Quarterly surface water quality sampling from three stations, SW-1 through SW-3 could not be performed due to insufficient stream flows to collect samples during the summer, fall, winter and spring sampling periods. However, sampling of the perched aquifer within the pit was sampled when accessible. Results are summarized in **Exhibit 1**. Note that sampling could not be performed during periods when the TSF was snow covered and the perched aquifer was frozen.
3. TSF Construction. Final construction remains delayed, awaiting investor funding. The Mill has been sold to CJK Milling Company LLC and CJK has retained UMC to complete construction of the mill, including the TSF, and also commission and operate the facility. Work is underway, however TSF construction will not occur until spring

2021. A detailed construction schedule for the entire project, including the TSF will be provided to the Division with the 112 Permit amendment application.
4. Signage. Permanent mill permit identification signs (metal-style) were maintained on the main gate to the facility and on the mill building, identifying the UMC and our permit number.
 5. Fencing. The barbed wire property boundary fence was repaired in various areas where it was broken by wildlife. Fence maintenance is required by our Lake County Conditional Use Permit.
 6. Permit Boundary. Permit boundary stakes were maintained as required.
 7. Mill Facility Activity. The mill buildings and equipment were maintained in preparation of reconditioning and restarting the mill.
 8. Sediment Control. Sediment control measures were performed on an as needed basis (temporary silt fence construction around the ore stockpiles, temporary historic tailings storage, and new tailings storage facility). Additionally, culverts were cleaned, and berms and roads were maintained as required.
 9. Ore Stockpiles. Ore stockpiles remain covered with visqueen material as a temporary measure to minimize acid generating potential of sulfidic ores. Repairs were made as necessary.
 10. Weed Control. Weed control measures were performed as required and according to the weed management plan. Identified weed species are Oxeye daisies and Canada thistle. Weeds occur sporadically near access roads, the mill building and the fence bordering the water treatment plant (East side of property). Ongoing spraying activities have significantly reduced weeds on the property. Current practice involves walking around property and spraying weeds as required over the June – September growing season.
 11. Permitting Activity.
 - UMC submitted a status report to the Lake County Commissioners as required by our Conditional Use Permit (CUP).
 - UMC continued to maintain SWMP CDPHE. The APENs expired due to lack of activity at the mill and UMC will renew these permits ahead of construction activity.
 12. Reclamation/Bond. No permanent reclamation occurred at the mill in the last 12 month period. Additional interim stabilization activities continued within existing disturbed areas. An Irrevocable Letter of Credit remains in place for \$64,430 from the Bank of Colorado of Yuma, CO for the Leadville Mill bond.

Anticipated Activities: June 19, 2020 to June 18, 2021

Activity at the site will commence later this summer, no earlier than mid-July 2020. All activity, as described below will be within the currently permitted disturbance area **Figure 6-2** is submitted showing the current disturbance outline and major proposed activities within the current disturbance area.

UMC's planned activities for the year will occur in two phases; Phase 1 associated with environmental and permit-related activities, and Phase 2 work related with construction activities required to initiate mill operations.

Phase 1 – Environmental & Permit Activities:

1. Continue Ground- and Surface-water monitoring activity as required.

2. Continue routine care and maintenance activities as required by our 110(d) and Lake County CUP permits.
3. Complete and submit application Amendment for 112 Permit.
4. Succession of Operator form to be submitted concurrent with 112 Permit Application
5. Renewal of APENs and Stormwater Management Plan with CDPHE.

Phase 2 – Construction Activities:

Construction activities are currently planned to include

- 1 Mill equipment, replacement and repair summer 2020.
- 2 SWMP application July 2020.
- 3 APEN and Application for Construction Permit August 2020
- 4 MSHA compliance anticipated September 2020
- 5 TSF reconstruction anticipated completion April-May 2021.
- 6 Build and install new crusher building and CIP/Refinery, April-May 2021. Note these activities may be moved up to August-September 2020. However only after a detailed plan is submitted and approved by the Division. This submittal will be accompanied with an updated map showing the proposed activities.
- 7 Initiate mill startup September 2021.
- 8 Initiate removal of the sulfidic ore in the temporary ore stockpiles within 60 days of resumption of milling operations.
- 9 No additional land will be disturbed (unless prior approval obtained by Division per No. 6 above); no additional land will be permanently reclaimed. The mill disturbed area will remain at 8.1 acres.

Exhibit 1: Water Quality

M1990-057
LEADVILLE MILL
Groundwater Test Results

Table 1: MW-2 (Southwest)

Analyte	Sample Date	Units	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Uranium (U)	Vanadium (V)	Zinc (Zn)	Cyanide (CN)
2014																					
2014-Q4	16-Dec-14	mg/L	0.000	0.000	0.032	0.000	0.001	0.001	0.001	0.009	0.001	0.090	0.005	0.005	0.002	0.000	0.000	0.001	0.001	0.015	0.00000
2015																					
2015-Q1	27-Mar-15	mg/L	0.000	0.000	0.072	0.000	0.000	0.048	0.000	0.010	0.010	0.160	0.000	0.005	0.000	0.000	0.000	0.001	0.000	0.048	0.00000
2015-Q2	30-May-15	mg/L	0.000	0.000	0.110	0.000	0.000	0.028	0.001	0.010	0.015	0.300	0.000	0.005	0.000	0.000	0.000	0.001	0.000	0.054	0.00000
2015-Q3	11-Jul-15	mg/L	0.000	0.000	0.140	0.000	0.001	0.031	0.002	0.001	0.002	0.540	0.000	0.006	0.000	0.000	0.000	0.002	0.007	0.072	0.00000
2015-Q4	05-Oct-15	mg/L	0.000	0.000	0.170	0.000	0.001	0.039	0.002	0.002	0.003	0.630	0.000	0.007	0.000	0.000	0.000	0.002	0.006	0.095	0.00000
2016																					
2016-Q1	25-Jan-16	mg/L	0.000	0.000	0.100	0.000	0.001	0.039	0.001	0.007	0.011	0.330	0.000	0.004	0.000	0.000	0.000	0.001	0.000	0.047	0.00000
2016-Q2	26-Jun-16	mg/L	0.000	0.000	0.078	0.000	0.000	0.065	0.002	0.011	0.008	0.370	0.000	0.005	0.000	0.000	0.000	0.002	0.009	0.038	0.00000
2016-Q3	28-Sep-16	mg/L	0.000	0.000	0.047	0.000	0.000	0.000	0.000	0.000	0.002	0.021	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.011	0.00000
2016-Q4	30-Oct-16	mg/L	0.000	0.000	0.080	0.000	0.000	0.041	0.000	0.006	0.009	0.220	0.000	0.003	0.000	0.000	0.000	0.002	0.000	0.035	0.00000
2017																					
2017-Q1	27-Mar-17	mg/L	0.000	0.000	0.052	0.000	0.000	0.130	0.000	0.016	0.007	0.170	0.000	0.005	0.000	0.000	0.000	0.002	0.000	0.028	0.00000
2017-Q2	26-Jun-17	mg/L	0.000	0.000	0.036	0.000	0.000	0.008	0.000	0.004	0.003	0.100	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.015	0.00000
2017-Q3	23-Sep-17	mg/L	0.000	0.000	0.036	0.000	0.000	0.052	0.000	0.016	0.005	0.100	0.000	0.002	0.000	0.000	0.000	0.002	0.000	0.026	0.00000
2017-Q4	04-Dec-17	mg/L	0.000	0.000	0.048	0.000	0.000	0.041	0.000	0.009	0.005	0.110	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.035	0.00000
2018																					
2018-Q1	24-Mar-18	mg/L	0.000	0.000	0.062	0.000	0.000	0.048	0.000	0.018	0.008	0.240	0.000	0.003	0.000	0.000	0.000	0.005	0.000	0.046	0.00000
2018-Q2	01-Jun-18	mg/L	0.000	0.000	0.045	0.000	0.000	0.009	0.000	0.007	0.005	0.170	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.035	0.00000
2018-Q3	02-Sep-18	mg/L	0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.003	0.001	0.042	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.014	0.00000
2018-Q4	15-Oct-18	mg/L	0.000	0.000	0.038	0.000	0.000	0.008	0.000	0.003	0.003	0.063	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.022	0.00000
2019																					
2019-Q1	25-Mar-19	mg/L	0.000	0.000	0.043	0.000	0.000	0.062	0.000	0.019	0.004	0.210	0.000	0.005	0.000	0.000	0.000	0.008	0.007	0.021	0.00000
2019-Q2	29-Jun-19	mg/L	0.000	0.006	0.170	0.000	0.002	0.011	0.002	0.017	0.030	0.580	0.000	0.006	0.000	0.001	0.000	0.003	0.008	0.110	0.00012
2019-Q3	30-Sep-19	mg/L	0.000	0.012	0.080	0.000	0.003	0.055	0.002	0.016	0.016	0.830	0.000	0.005	0.000	0.001	0.000	0.006	0.006	0.071	0.00000
2019-Q4	08-Nov-19	mg/L	0.000	0.000	0.062	0.000	0.001	0.130	0.001	0.006	0.007	0.280	0.003	0.003	0.000	0.000	0.000	0.007	0.000	0.042	0.00000
2020																					
2020-Q1	28-Mar-20	mg/L	0.000	0.000	0.029	0.000	0.000	0.021	0.000	0.000	0.002	0.110	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.000	0.00000
2020-Q2																					
2020-Q3																					
2020-Q4																					
STATISTICS																					
Minimum		mg/L	0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.000	0.001	0.021	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.00000
Mean		mg/L	0.000	0.001	0.070	0.000	0.000	0.039	0.001	0.009	0.007	0.258	0.000	0.003	0.000	0.000	0.000	0.003	0.002	0.040	0.00001
Maximum		mg/L	0.000	0.012	0.170	0.000	0.003	0.130	0.002	0.019	0.030	0.830	0.005	0.007	0.002	0.001	0.000	0.008	0.009	0.110	0.00012
Standard Deviation		mg/L	0.000	0.003	0.044	0.000	0.001	0.036	0.001	0.006	0.007	0.214	0.001	0.002	0.000	0.000	0.000	0.002	0.003	0.027	0.00003

Notes:

- (1) A "0.000" value denotes NOT DETECTABLE laboratory result.
- (2) A "blank" cell in the table denotes no data collected.

M1990-057
LEADVILLE MILL
Groundwater Test Results

Table 2: MW-3 (Northeast)

Analyte	Sample Date	Units	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Uranium (U)	Vanadium (V)	Zinc (Zn)	Cyanide (CN)
2014																					
2014-Q4	16-Dec-14	mg/L	0.000	0.036	0.000	0.000	0.003	0.000	0.003	0.000	0.023	0.004	0.003	0.000	0.000	0.000	0.008	0.001	0.008	0.000	0.00000
2015																					
2015-Q1	27-Mar-15	mg/L	0.000	0.043	0.000	0.000	0.000	0.000	0.000	0.001	0.019	0.000	0.000	0.000	0.000	0.000	0.009	0.000	0.000	0.000	0.00000
2015-Q2	30-May-15	mg/L	0.000	0.065	0.000	0.000	0.000	0.000	0.000	0.003	0.005	0.000	0.003	0.000	0.000	0.000	0.009	0.000	0.015	0.000	0.00000
2015-Q3	11-Jul-15	mg/L	0.000	0.120	0.000	0.000	0.003	0.001	0.006	0.011	0.120	0.000	0.004	0.000	0.000	0.000	0.010	0.000	0.004	0.000	0.00000
2015-Q4	05-Oct-15	mg/L	0.000	0.058	0.000	0.000	0.000	0.000	0.002	0.004	0.051	0.000	0.002	0.000	0.000	0.000	0.007	0.000	0.018	0.000	0.00000
2016																					
2016-Q1	25-Jan-16	mg/L	0.000	0.056	0.000	0.000	0.000	0.000	0.003	0.003	0.036	0.000	0.002	0.000	0.000	0.000	0.007	0.000	0.013	0.000	0.00000
2016-Q2	26-Jun-16	mg/L	0.000	0.060	0.000	0.000	0.000	0.000	0.005	0.006	0.045	0.000	0.002	0.000	0.000	0.000	0.006	0.000	0.018	0.000	0.00000
2016-Q3	28-Sep-16	mg/L	0.000	0.087	0.000	0.000	0.061	0.000	0.008	0.011	0.290	0.000	0.003	0.000	0.000	0.000	0.002	0.000	0.041	0.000	0.00000
2016-Q4	30-Oct-16	mg/L	0.000	0.042	0.000	0.000	0.000	0.000	0.000	0.001	0.015	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.000	0.000	0.00000
2017																					
2017-Q1	27-Mar-17	mg/L	0.000	0.044	0.000	0.000	0.000	0.000	0.004	0.000	0.013	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.000	0.000	0.00000
2017-Q2	26-Jun-17	mg/L	0.000	0.045	0.000	0.000	0.000	0.000	0.002	0.001	0.016	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.012	0.000	0.00000
2017-Q3	23-Sep-17	mg/L	0.000	0.038	0.000	0.000	0.000	0.000	0.003	0.001	0.013	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.054	0.000	0.00000
2017-Q4	04-Dec-17	mg/L	0.000	0.037	0.000	0.000	0.000	0.000	0.003	0.001	0.013	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.044	0.000	0.00000
2018																					
2018-Q1	24-Mar-18	mg/L	0.000	0.045	0.000	0.000	0.000	0.000	0.079	0.015	0.013	0.000	0.002	0.000	0.000	0.000	0.006	0.000	0.210	0.000	0.00000
2018-Q2	01-Jun-18	mg/L	0.000	0.038	0.000	0.000	0.000	0.000	0.058	0.007	0.013	0.000	0.000	0.000	0.000	0.000	0.005	0.000	0.160	0.041	0.00000
2018-Q3	02-Sep-18	mg/L	0.000	0.040	0.000	0.000	0.000	0.000	0.095	0.007	0.008	0.000	0.002	0.000	0.000	0.000	0.005	0.000	0.250	0.000	0.00000
2018-Q4	15-Oct-18	mg/L	0.000	0.043	0.000	0.000	0.000	0.000	0.058	0.005	0.006	0.000	0.003	0.000	0.000	0.000	0.005	0.000	0.290	0.000	0.00000
2019																					
2019-Q1	25-Mar-19	mg/L	0.000	0.004	0.000	0.000	0.000	0.000	0.063	0.007	0.006	0.000	0.004	0.000	0.000	0.000	0.005	0.005	0.350	0.000	0.00000
2019-Q2	29-Jun-19	mg/L	0.000	0.000	0.057	0.000	0.000	0.005	0.000	0.006	0.020	0.043	0.000	0.003	0.000	0.000	0.000	0.005	0.000	0.150	0.00012
2019-Q3	30-Sep-19	mg/L	0.000	0.000	0.035	0.000	0.000	0.000	0.000	0.007	0.000	0.007	0.000	0.000	0.000	0.000	0.000	0.004	0.000	0.071	0.00001
2019-Q4	08-Nov-19	mg/L	0.000	0.000	0.043	0.000	0.000	0.000	0.000	0.200	0.025	0.013	0.000	0.000	0.000	0.000	0.000	0.007	0.000	0.190	0.00000
2020																					
2020-Q1	28-Mar-20	mg/L	0.000	0.000	0.046	0.000	0.000	0.000	0.000	0.210	0.028	0.013	0.000	0.003	0.000	0.000	0.000	0.006	0.000	0.530	0.00000
2020-Q2																					
2020-Q3																					
2020-Q4																					
STATISTICS																					
Minimum	mg/L		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.00000
Mean	mg/L		0.000	0.041	0.008	0.000	0.003	0.000	0.018	0.023	0.035	0.004	0.001	0.000	0.000	0.000	0.005	0.001	0.068	0.045	0.00001
Maximum	mg/L		0.000	0.120	0.057	0.000	0.061	0.005	0.095	0.210	0.290	0.043	0.004	0.003	0.000	0.000	0.010	0.007	0.350	0.530	0.00012
Standard Deviation	mg/L		0.000	0.029	0.018	0.000	0.013	0.001	0.030	0.059	0.062	0.010	0.001	0.001	0.000	0.000	0.003	0.002	0.108	0.120	0.00003

Notes:

- (1) A "0.000" value denotes NOT DETECTABLE laboratory result.
- (2) A "blank" cell in the table denotes no data collected.

M1990-057
LEADVILLE MILL
Groundwater Test Results

Table 3: TSF-Perched Acquirer

Analyte	Sample Date	Units	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Uranium (U)	Vanadium (V)	Zinc (Zn)	Cyanide (CN)
2016			Method: 200.8 CPIMS Protocol: EPA																		
2016-Q3	28-Sep-16	mg/L	0.009	0.270	0.001	0.005	0.008	0.004	0.074	0.085	0.550	0.000	0.015	0.000	0.004	0.000	0.007	0.017	0.290	0.000	0.00000
2016-Q4	30-Oct-16	mg/L	0.007	0.270	0.001	0.002	0.007	0.003	0.025	0.066	0.470	0.000	0.012	0.000	0.002	0.000	0.002	0.011	0.190	0.000	0.00000
2017			TSF SNOW COVERED: NO ACCESS																		
2017-Q1	27-Mar-17	mg/L	0.010	0.240	0.000	0.002	0.011	0.003	0.024	0.079	0.360	0.000	0.012	0.000	0.003	0.000	0.001	0.017	0.230	0.000	0.00000
2017-Q2	26-Jun-17	mg/L	0.007	0.290	0.000	0.005	0.007	0.005	0.034	0.089	0.570	0.000	0.014	0.000	0.002	0.000	0.002	0.013	0.340	0.000	0.00000
2017-Q4	04-Dec-17	mg/L	TSF SNOW COVERED: NO ACCESS																		
2018			Method: 200.8 CPIMS Protocol: EPA																		
2018-Q1	24-Mar-18	mg/L	0.022	1.800	0.017	0.041	0.015	0.048	0.270	0.770	14.000	0.000	0.067	0.000	0.004	0.000	0.012	0.066	2.600	0.000	0.00000
2018-Q2	01-Jun-18	mg/L	0.085	6.600	0.022	0.035	0.130	0.063	0.560	1.500	9.600	0.000	0.150	0.000	0.075	0.003	0.036	0.160	4.500	0.000	0.00000
2018-Q3	02-Sep-18	mg/L	0.000	0.180	0.000	0.001	0.003	0.002	0.019	0.033	0.220	0.000	0.008	0.000	0.000	0.000	0.001	0.006	0.120	0.000	0.00000
2018-Q4	15-Oct-18	mg/L	TSF SNOW COVERED: NO ACCESS																		
2019			Method: 200.8 CPIMS Protocol: EPA																		
2019-Q1	25-Mar-19	mg/L	0.000	0.000	0.120	0.000	0.000	0.000	0.000	0.005	0.004	0.015	0.000	0.004	0.000	0.000	0.000	0.000	0.000	0.054	0.00012
2019-Q2	29-Jun-19	mg/L	0.000	0.000	0.250	0.000	0.006	0.000	0.003	0.031	0.039	0.180	0.000	0.010	0.000	0.000	0.000	0.002	0.010	0.370	0.00000
2019-Q3	30-Sep-19	mg/L	TSF SNOW COVERED: NO ACCESS																		
2019-Q4	08-Nov-19	mg/L	TSF SNOW COVERED: NO ACCESS																		
2020			Method: 200.8 CPIMS Protocol: EPA																		
2020-Q1	28-Mar-20	mg/L	TSF SNOW COVERED: NO ACCESS																		
2020-Q2																					
2020-Q3																					
2020-Q4																					
STATISTICS			Method: 200.8 CPIMS Protocol: EPA																		
Minimum	mg/L		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.00000
Mean	mg/L		0.015	1.072	0.046	0.010	0.021	0.014	0.112	0.295	2.868	0.022	0.031	0.002	0.010	0.000	0.007	0.032	0.920	0.047	0.00001
Maximum	mg/L		0.085	6.600	0.250	0.041	0.130	0.063	0.560	1.500	14.000	0.180	0.150	0.010	0.075	0.003	0.036	0.160	4.500	0.370	0.00012
Standard Deviation	mg/L		0.022	2.144	0.086	0.016	0.041	0.024	0.188	0.511	5.186	0.060	0.049	0.003	0.024	0.001	0.012	0.052	1.569	0.122	0.00004

Notes:

- (1) A "0.000" value denotes NOT DETECTABLE laboratory result.
- (2) A "blank" cell in the table denotes no data collected.

**Map
(CDRMS)**

