CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #5
Inspection Period:	Second Quarter 2020
Inspection Date:	<u>6/3/2020</u>

General Description or Reference to Site Plan:

This pond is located West of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges south into Cow Canyon drainage.

EMBANKMENT

1.	Adequacy of the vegetative cov	er:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:		Extensive	Some	Few	None
3.	Is wave action causing erosion:					
	On the upstream emba	inkment?	Yes		No	Х
	At the principal spillwa	y inlet?	Yes		No	Х
4.	Erosion of the downstream toe	of the embankment	? Yes		No	Х
	Cause of erosion can b	e attributed to:				
_						
5.	Is seepage occurring through th	e dam?	Yes		No	Х
	Could this seepage cau	se potential instabili	ty?			

1.	Is the principal spillway system i	n working order?	Yes	Х	No	
2.	Is the inlet free of debris and res	trictive material?	Yes	Х	No	
3.	Is the discharge outlet free of re	strictive material?	Yes	Х	No	
4.	Is erosion occurring at the discha	arge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

		YES	NO	X
2.	Is erosion occurring at any section of the emergency	spillway?		
		YES	NO	х
SEDMIN	IENT STORAGE CAPACITY			
1.	Has the design storage capacity of the reservoir beer	n surpassed? YES	NO	<u>x</u>
	Explain: Sediment in pond does not appear to be ov	er capacity by visual inspec	tion.	
OTHER (DBSERVATIONS			
	Pond is empty.			

CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #6
Inspection Period:	Second Quarter 2020
Inspection Date:	<u>6/3/2020</u>

General Description or Reference to Site Plan:

This pond is located south of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges south into Jeff Canyon drainage.

EMBANKMENT

1.	Adequacy of the vegetative cover:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:	Extensive	Some	Few	None
3.	Is wave action causing erosion:				
	On the upstream embankment?	Yes		No	Х
	At the principal spillway inlet?	Yes		No	Х
4.	Erosion of the downstream toe of the embankme	nt? Yes		No	Х
	Cause of erosion can be attributed to:				
5.	Is seepage occurring through the dam?	Yes		No	х
5.	is seepage occurring through the dam:	165		NO	^
	Could this seepage cause potential instat	nility?			

1.	Is the principal spillway system	in working order?	Yes	Х	No	
2.	Is the inlet free of debris and re	estrictive material?	Yes	Х	No	
3.	Is the discharge outlet free of r	estrictive material?	Yes	Х	No	
4.	Is erosion occurring at the disc	harge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

		YES	NO	Х			
2.	Is erosion occurring at any section of the emergency	y spillway?					
		YES	NO	x			
SEDMIN	IENT STORAGE CAPACITY						
1.	Has the design storage capacity of the reservoir bee	n surpassed? YES	NO	x			
	Explain: Visual observation						
OTHER	OTHER OBSERVATIONS						
	Pond is empty at time of inspection.						

CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #7
Inspection Period:	Second Quarter 2020
Inspection Date:	6/3/2020

General Description or Reference to Site Plan:

This pond is located south of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges south into Jeff Canyon drainage.

EMBANKMENT

1.	Adequacy of the vegetative cover:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:	Extensive	Some	Few	None
3.	Is wave action causing erosion:				
	On the upstream embankment?	Yes		No	Х
	At the principal spillway inlet?	Yes		No	Х
4.	Erosion of the downstream toe of the embankme	nt? Yes		No	Х
	Cause of erosion can be attributed to:				
5.	Is seepage occurring through the dam?	Yes		No	х
-					
	Could this seepage cause potential instal	oility?			
		-			

1.	Is the principal spillway system	in working order?	Yes	Х	No	
2.	Is the inlet free of debris and re	estrictive material?	Yes	Х	No	
3.	Is the discharge outlet free of r	estrictive material?	Yes	Х	No	
4.	Is erosion occurring at the disc	harge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

		YES	NO	Х
2.	Is erosion occurring at any section of the emergency	spillway?		
		YES	NO	Х
SEDMIN	IENT STORAGE CAPACITY			
1.	Has the design storage capacity of the reservoir beer	surpassed? YES	NO	<u>x</u>
	Explain: Visual observation			
OTHER	OBSERVATIONS			
	Pond empty at time of inspection.			

CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #8
Inspection Period:	Second Quarter 2020
Inspection Date:	<u>6/3/2020</u>

General Description or Reference to Site Plan:

This pond is located south of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges south into Jeff Canyon drainage.

EMBANKMENT

1.	Adequacy of the vegetative cover:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:	Extensive	Some	Few	None
3.	Is wave action causing erosion:				
	On the upstream embankment?	Yes		No	Х
	At the principal spillway inlet?	Yes		No	Х
4.	Erosion of the downstream toe of the embankme	nt? Yes		No	Х
	Cause of erosion can be attributed to:				
5.	Is seepage occurring through the dam?	Yes		No	х
-					
	Could this seepage cause potential instal	oility?			
		-			

1.	Is the principal spillway system i	n working order?	Yes	Х	No	
2.	Is the inlet free of debris and res	trictive material?	Yes	Х	No	
3.	Is the discharge outlet free of re	strictive material?	Yes	Х	No	
4.	Is erosion occurring at the discha	arge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

		YES	NO	х				
2.	Is erosion occurring at any section of the emergency	spillway?						
		YES	NO	x				
SEDMIN	IENT STORAGE CAPACITY							
1.	Has the design storage capacity of the reservoir been	n surpassed? YES	NO	<u>x</u>				
	Explain: Visual observation							
OTHER	OTHER OBSERVATIONS							
	Pond empty at time of inspection.			_				

CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #9 (North)
Inspection Period:	Second Quarter 2020
Inspection Date:	<u>6/3/2020</u>

General Description or Reference to Site Plan:

This pond is located south of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges north into a small unnamed drainage.

EMBANKMENT

1.	Adequacy of the vegetative cover:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:	Extensive	Some	Few	None
3.	Is wave action causing erosion:				
	On the upstream embankment?	Yes		No	Х
	At the principal spillway inlet?	Yes		No	Х
4.	Erosion of the downstream toe of the embankme	nt? Yes		No	х
4.		int: Tes		NO	^
	Cause of erosion can be attributed to:				
-		Vee		Na	V
5.	Is seepage occurring through the dam?	Yes		No	Х
	Could this seepage cause potential instal	bility?			

1.	Is the principal spillway syster	n in working order?	Yes	Х	No	
2.	Is the inlet free of debris and	restrictive material?	Yes	Х	No	
3.	Is the discharge outlet free of	restrictive material?	Yes	Х	No	
4.	Is erosion occurring at the dis	charge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

		YES	NO	Х				
2.	Is erosion occurring at any section of the emergency	spillway?						
		YES	NO	X				
SEDMIN	IENT STORAGE CAPACITY							
1.	Has the design storage capacity of the reservoir bee	n surpassed? YES	NO	X				
	Explain: Visual observation							
OTHER	OTHER OBSERVATIONS							
	Pond empty at time of inspection.			_				

CDMR Rule 4.05.9(17)

Mine:	Lorencito
NPDES ID. No.:	Pond #9A (South)
Inspection Period:	Second Quarter 2020
Inspection Date:	6/3/2020

General Description or Reference to Site Plan:

This pond is located south of the area of mining scheduled for 2001-2002. The pond is partially incised into bedrock and the embankment keyed into bedrock. Side slopes are less than 2H:1V. The primary discharges south into Jeff Canyon.

EMBANKMENT

1.	Adequacy of the vegetative cover:	Excellent	Moderate	Few	Poor
2.	Erosion forming Gullies:	Extensive	Some	Few	None
3.	Is wave action causing erosion:				
	On the upstream embankment?	Yes		No	Х
	At the principal spillway inlet?	Yes	<u>.</u>	No	Х
4.	Erosion of the downstream toe of the embankme	nt? Yes		No	Х
	Cause of erosion can be attributed to:				
5.	Is seepage occurring through the dam?	Yes		No	х
5.	is seepage occurring through the dam:	165	<u> </u>	NO	^
	Could this seepage cause potential instal	nility?			

1.	Is the principal spillway system i	n working order?	Yes	Х	No	
2.	Is the inlet free of debris and res	trictive material?	Yes	Х	No	
3.	Is the discharge outlet free of re	strictive material?	Yes	Х	No	
4.	Is erosion occurring at the discha	arge outlet?	Yes		No	Х
	Evaluate the severity:	Extensive	Moderate	Just Starting	None	

EMERGENCY SPILLWAY

1. Does it appear that the emergency spillway has discharged water since the last inspection?

		YES	NO	Х
2.	Is erosion occurring at any section of the emergency	spillway?		
		YES	NO	X
SEDMIN	MENT STORAGE CAPACITY			
1.	Has the design storage capacity of the reservoir been	n surpassed? YES	NO	x
	Explain: Visual observation			

OTHER OBSERVATIONS

Pond was not holding water at time of inspection.

QUARTERLY SEDIMENTATION POND INSPECTION REPORT Lorencito Canyon Mine- June 2, 2020



Pond 6



Pond 8



Pond 9a

Certification

This inspection was conducted by Vince Massarotti, a qualified professional and MSHA certified impoundment inspector.

This is to certify, to the best of my knowledge and belief, that maintenance, since the previous certification and as determined during this inspection and discussions with mine personnel, is in accordance with designs as approved by the Division of Reclamation, Mining and Safety.

6-4-2020 we Uneut Inspector

Inspections completed in compliance with Rule 4.09.1(11)(b) must be submitted to the Division within two weeks of completion.