

DMR Copy of Record

Permit

Permit #:

COG850001

Major:

No

Permittee:

GCC Energy LLC

Permittee Address:

600 S Cherry St Ste 1000
Glendale, CO 80246

Facility:

KING COAL MINE

Facility Location:

4424 COUNTY ROAD 120
LA PLATA COUNTY, CO 81326

Permitted Feature:

001
External Outfall

Discharge:

001-A
SOUTH SEDI POND TO HAY GULCH

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

SETTLEABLE SOLIDS LIMIT WAIVED FOR10-YR, 24 HR PRECIP EVENT SUBJECT TO BURDEN OF PROOF REQUIREMENTS INPART I.B.6. ANY ADDITIONAL DATA SHALL BE SUPPLIED TO THE DIVISION WITHIN 48 HOURS.

Principal Executive Officer

First Name:

Gina

Last Name:

Lotito

Title:

VP Energy and Sustainability

Telephone:

303-739-5917

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 DAILY MX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge		C - No Discharge				
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

GCC Energy LLC

User:

GCCRGTJSV

Name:

Sarah Vance

E-Mail:

svance@gcc.com

Date/Time:

2020-07-27 14:45 (Time Zone: -06:00)

Report Last Signed By	
User:	GNANCE44
Name:	Gina Nance
E-Mail:	gina_nance@hotmail.com
Date/Time:	2020-07-28 15:35 (Time Zone: -06:00)