



TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.

HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

July 27, 2020

VIA Electronic Mail: Zach.Trujillo@state.co.us

Mr. Zach Trujillo
Environmental Protection Specialist
Division of Reclamation, Mining, & Safety
Coal Program Support Staff
1313 Sherman Street, RM 215
Denver, Colorado 80203

RE: June 2020 Discharge Monitoring Report Submittal
CDPS Permit #CO-0045161
Colowyo Coal Company, LP – Colowyo Mine
DRMS Mine Permit #C-1981-019

Dear Mr. Trujillo:

Enclosed is the Discharge Monitoring Report (DMR) for the Colowyo Coal Company, LP. (Colowyo) – Colowyo Mine CDPS Permit No. CO-0045161 for June of 2020. Tri-State Generation and Transmission Association, Inc. (Tri-State) is the parent of Axial Basin Coal Company, which is the general partner of Colowyo Coal Company, L.P. The enclosed June DMRs were submitted electronically through the EPA's NetDMR program.

If you have any questions about the enclosed reports, please contact Darlene Crosby at 303-254-3055.

Sincerely,

DocuSigned by:

Daniel Casiraro

B70D69F114324DE...

Daniel J. Casiraro
Senior Manager
Environmental Services

DJC:DC:der

Enclosure

cc: DRMS Representative, Denver, CO
Darlene Crosby (via email)
Chantell Johnson (via email)
Tony Tennyson (via email)
File: G471 – 11.3(10)a-9a
Colowyo CF 21.1.2.2013

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative



CRAIG STATION
P.O. BOX 1307
CRAIG, CO 81626-1307
970-824-4411

ESCALANTE STATION
P.O. BOX 577
PREWITT, NM 87045
505-972-5200

NUCLA STATION
P.O. BOX 698
NUCLA, CO 81424-0698
970-864-7316

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-A
Gossard Pond to Wilson Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 6 and 8. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00094	Conductivity	1 - Effluent Gross	0	--	Sample													7B - dS/m	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB	
					Permit Req.																
					Value NODI							C - No Discharge				C - No Discharge					
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample													28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample													1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample													1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					

00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req.											<=	10.0 INST MAX	19 - mg/L		77/77 - Contingent	GR - GRAB
					Value NODI												C - No Discharge				
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.82 30DA AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge												
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										01/30 - Monthly	VI - VISUAL
									C - No												

					Value NODI				Discharge										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample														
					Permit Req.		Req Mon 30DA AVG			FP - fail=0;pass=1		Req Mon 30DA ARI					4K - #/mo	01/30 - Monthly	CA - CALCTD
					Value NODI		C - No Discharge					C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User: dcrosby@tristategt.org

Name: Darlene Crosby

E-Mail: dcrosby@tristategt.org

Date/Time: 2020-07-23 10:41 (Time Zone: -06:00)

Report Last Signed By

User: BARBARAWALZ1

Name: Barbara Walz

E-Mail: bwalz@tristategt.org

Date/Time: 2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-Q
Quarterly Monitoring for 003A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L		
					Value NODI									C - No Discharge					
81020	Sulfate	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:42 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-W
Acute WET Testing for 003A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 details of test procedure. Report LC50 - Statistical point estimate which is lethal to 50% of test organisms (LC50) and attach acute toxicity test report form to DMR.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:42 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-A
Rail Loop/Wilson Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 10. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req.											<=	10.0 INST MAX	19 - mg/L		77/77 - Contingent	GR - GRAB
					Value NODI												C - No Discharge				
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.32 30DA AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge												
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										01/30 - Monthly	VI - VISUAL
									C - No												

					Value NODI			Discharge										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample													
					Permit Req.		Req Mon 30DA AVG		FP - fail=0;pass=1				Req Mon 30DA AVG		4K - #/mo		01/30 - Monthly	CA - CALCTD
					Value NODI		C - No Discharge						C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:42 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-Q
Quarterly Monitoring for 006A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L		
					Value NODI									C - No Discharge					
81020	Sulfate	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:42 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-W
Acute WET Testing for 006A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 for details of test procedure. Report LC50 - Statistical point estimate which is lethal to 50% of test organisms (LC50) and attach acute toxicity test report form to DMR.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
TAM3B	LC50 Static Renewal 48Hr Acute Ceriodaphnia dubia	1 - Effluent Gross	0	--	Sample													23 - %	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon MN VALUE								
					Value NODI							C - No Discharge								
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample													23 - %	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon MN VALUE								
					Value NODI							C - No Discharge								

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:43 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-A
East Taylor Pond to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 12. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample								=	4.6			7B - dS/m	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			7B - dS/m		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						=	8.14			=	8.22	12 - SU	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI															
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample								=	1185.0	=	1200.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<	5.0	<	5.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI															
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample								=	150.0	=	171.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample								=	136.0	=	152.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample								=	1067.0	=	1210.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample								=	15.2	=	16.2	1U - Ratio	0	02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Value NODI															
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample								=	18.5	=	19.9	1U - Ratio	0	02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Value NODI															

00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample									=	2.0			28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample									=	55.0	=	70.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample									<	10.0	<	10.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample									<	0.5	<	0.5	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample									=	6.0	=	7.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									<	0.5	<	0.5	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample									<	20.0			28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample									=	104.0	=	120.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									=	1.0	=	1.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
03582	Oil and grease	1 - Effluent Gross	0	--	Sample													19 - mg/L		77/77 - Contingent	GR - GRAB
					Permit Req.											<=	10.0 INST MAX				
					Value NODI												9 - Conditional Monitoring - Not Required This Period				
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample									<	20.0	<	20.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.142	=	0.155	03 - MGD									0	02/30 - Twice Per Month	IN - INSTAN
					Permit Req.	<=	1.5 30DA AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	IN - INSTAN
					Value NODI																
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample									<	0.001			28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI																
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample			=	0.0	AB - abst=0;prst=1									0	02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										01/30 - Monthly	VI - VISUAL

[illegible]

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-Q
Quarterly Monitoring for 010A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample							=	2490.0			19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA GM			19 - mg/L		01/90 - Quarterly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-05-27 08:21 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-X
Chronic WET Testing at 010A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 for details of test procedure. Report NOEC using test code "S". Report IC25 using test code "P". Beginning 7-1-20, report highest number between "P" and "S" at "T" for each parameter. IWC=100%.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

See attached

Attachments

Name	Type	Size
200720_Colowyo_WET_Notification_Walz_to_Dyste.pdf	pdf	8818989.0
Colowyo_CDPS_CO0045161_Outfall010_WETresults_June_2020_COC.pdf	pdf	1356999.0
200722_Colowyo_June_DMR_Comment_Outfall_010X_Walz_to_CDPHE.pdf	pdf	346833.0
Re_UPDATE_Colowyo_Notification_of_Chronic_WET_Results-3Q19_&_Waiver_Request_for_TIE.pdf	pdf	75478.0

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:43 (Time Zone: -06:00)

Report Last Signed By

BARBARAWALZ1

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

013
External Outfall

Discharge:

013-A
Section 25 Pond to Little Collom Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 13-14. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:44 (Time Zone: -06:00)

Report Last Signed By

BARBARAWALZ1

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

013
External Outfall

Discharge:

013-Q
Quarterly Monitoring for 013A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									=	3.0	=	3.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample									<	20.0	<	20.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
11123	Manganese, total recoverable	1 - Effluent Gross	0	--	Sample									<	20.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample									=	0.0017			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:44 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

014
External Outfall

Discharge:

014-A
Section 26 Pond to Collom Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 15. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
X00400	pH	1 - Effluent Gross	0	--	Sample						=	9.4			=	9.4	12 - SU	1	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								=	7.0	=	7.0	19 - mg/L	0	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI															
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								=	190.0	=	190.0	28 - ug/L	0	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI															
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.103	=	0.103	03 - MGD								0	DL/DS - Daily When Discharging 01/30 - Monthly	IN - INSTAN IN - INSTAN
					Permit Req.	<=	0.43 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Parameter		Monitoring Location	Field	Type	Description	Acknowledge
Code	Name					
00400	pH	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct. (Error Code: 1)	Yes

Comments

See attached

Attachments

Name	Type	Size
200722_Colowyo_DMR_Comment_June_Outfall_014A_Walz_to_CDPHE.pdf	pdf	472200.0

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:44 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

014
External Outfall

Discharge:

014-Q
Quarterly Monitoring for 014A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample							<	3.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
00981	Selenium, total recoverable	1 - Effluent Gross	0	--	Sample							<	5.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample							=	20.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01113	Cadmium, total recoverable	1 - Effluent Gross	0	--	Sample							<	2.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample							<	20.0	<	20.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample							<	10.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample							=	40.0	=	40.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample							=	5.0	=	5.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample							<	0.5	<	0.5	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample							<	20.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	44.0	=	44.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	3.0	=	3.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI														
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample							<	20.0	<	20.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/90 - Quarterly	GR - GRAB
					Value NODI														

11123	Manganese, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									<	20.0 Req Mon 30DA AVG				28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									=	0.0038 Req Mon 30DA AVG				28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
Submission Note																						
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																						
Edit Check Errors																						
No errors.																						
Comments																						
Attachments																						
No attachments.																						
Report Last Saved By																						
Colowyo Coal Co LP																						
User: dcrosby@tristategt.org																						
Name: Darlene Crosby																						
E-Mail: dcrosby@tristategt.org																						
Date/Time: 2020-07-23 10:44 (Time Zone: -06:00)																						
Report Last Signed By																						
User: BARBARAWALZ1																						
Name: Barbara Walz																						
E-Mail: bwalz@tristategt.org																						
Date/Time: 2020-07-27 08:52 (Time Zone: -06:00)																						

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

021
External Outfall

Discharge:

021-A
Sump 1 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 15. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	1.3 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:45 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

021
External Outfall

Discharge:

021-Q
Quarterly Monitoring for 021A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:	Darlene Crosby
E-Mail:	dcrosby@tristategt.org
Date/Time:	2020-07-23 10:45 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

022
External Outfall

Discharge:

022-A
Sump 2 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 17-18. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	0.63 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:45 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

022
External Outfall

Discharge:

022-Q
Quarterly Monitoring for 022A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:	Darlene Crosby
E-Mail:	dcrosby@tristategt.org
Date/Time:	2020-07-23 10:46 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

023
External Outfall

Discharge:

023-A
Sump 3 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 19-20. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	1.14 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:41 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

023
External Outfall

Discharge:

023-Q
Quarterly Monitoring for 023A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:	Darlene Crosby
E-Mail:	dcrosby@tristategt.org
Date/Time:	2020-07-23 10:46 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

024
External Outfall

Discharge:

024-A
Sump 4 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 20-21. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	0.12 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:47 (Time Zone: -06:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

024
External Outfall

Discharge:

024-Q
Quarterly Monitoring for 024A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:	Darlene Crosby
E-Mail:	dcrosby@tristategt.org
Date/Time:	2020-07-23 10:47 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

025
External Outfall

Discharge:

025-A
Sump 5 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 06/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 21-22. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	2.16 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2020-07-23 10:47 (Time Zone: -06:00)

Report Last Signed By

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2020-07-27 08:52 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

025
External Outfall

Discharge:

025-Q
Quarterly Monitoring for 025A

Report Dates & Status

Monitoring Period:

From 04/01/20 to 06/30/20

DMR Due Date:

07/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:	Darlene Crosby
E-Mail:	dcrosby@tristategt.org
Date/Time:	2020-07-23 10:47 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2020-07-27 08:52 (Time Zone: -06:00)


TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.
HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

July 20, 2020

Submitted via email jacob.dyste@state.co.us.

Mr. Jacob Dyste
 Water Quality Control Division
 Colorado Department of Public Health and Environment
 4300 Cherry Creek Drive South
 Denver, Colorado 80246-1530

RE: CDPS Permit #CO-0045161
 Colowyo Mine, Outfall 010
 Notification of Chronic WET Results – 2Q 2020

Dear Mr. Dyste:

On June 29, 2019, the third party laboratory, The SeaCrest Group, provided the enclosed analytical report containing the second quarter 2020 Whole Effluent Toxicity (WET) test results for Outfall 010 at the Colowyo Coal Company, LP (Colowyo) Colowyo Mine (CDPS Permit #CO-0045161). Tri-State Generation and Transmission Association (Tri-State) is the parent of Colowyo. Therefore, we are providing the required notification of WET results, in accordance with Part I.D.1.b. of the permit.

Outfall	Species	Reproduction/Growth Results		IWC
		NOEC*	IC25**	
010	<i>Ceriodaphnia dubia</i>	40%	41.4%	100%

*NOEC means “no observed effect concentration” at which concentration there are no observable adverse effects on the organisms.

**IC25 means inhibition concentration causing a 25% reduction in the biological measurement.

The facility’s Colorado Discharge Permit System (CDPS) permit was recently amended on May 29, 2020 to remove the automatic compliance responses (Toxicity Identification Evaluation and Toxicity Reduction Evaluation). Therefore, we will be continuing the progress on addressing site conditions by the 2023 deadline.



Mr. Jacob Dyste, WQCD
July 20, 2020
Page 2

If you have any questions on this submittal, please contact Chantell Johnson at 303-254-3185 (cjohnson@tristategt.org) or Chris Gilbreath at 303-254-3291 (cgilbreath@tristategt.org).

Sincerely,

DocuSigned by:

A5D5C24494CD4A7...
Barbara A. Walz
Senior Vice President
Policy and Compliance
Chief Compliance Officer

BAW:CJ:der

Enclosure

cc: Chris Gilbreath (via email)
Chantell Johnson (via email)
File G471-11.3(10)a-5



June 29, 2020

Angela Aalbers
Colowyo Coal Company
5731 State Highway 13
Meeker, CO 81641

Dear Angela:

Enclosed is the report for chronic biomonitoring tests performed for Colowyo Coal Company on effluent from the 010A discharge. There was statistically significant toxicity to the both test species at multiple effluent concentrations. The effluent fails WET (Whole Effluent Toxicity) testing requirements for this sampling period.

If you have any questions or concerns, please do not hesitate to contact me at (303) 661-9324.

Best regards,

Taylor Couillard-Rodak
WET Laboratory Manager

Enclosure(s): Invoice
Report

**RESULTS OF CHRONIC BIOMONITORING TESTS
CONDUCTED FOR COLOWYO COAL COMPANY
ON EFFLUENT FROM
THE 010A OUTFALL**

Prepared for:

Angela Aalbers
Colowyo Coal Company
5731 State Hwy 13
Meeker, CO 81641

Prepared by:

SeaCrest Group
500 S Arthur Ave. Suite 450
Louisville, Colorado 80027-3065
(303) 661-9324

June 29, 2020

TABLE OF CONTENTS

CHRONIC TOXICITY TEST SUMMARY	3
ABSTRACT OF RESULTS	4
INTRODUCTION.....	5
MATERIALS AND METHODS	5
SAMPLE COLLECTION.....	5
DILUTION WATER	5
TEST ORGANISMS	5
TEST PROCEDURE	6
DATA ANALYSIS.....	6
RESULTS	7
<i>CERIODAPHNIA DUBIA</i> TEST RESULTS	7
<i>FATHEAD MINNOW</i> TEST RESULTS.....	8
TEST ACCEPTABILITY	8
DISCUSSION	9
REFERENCES.....	9
APPENDIX 1 – CHAIN OF CUSTODY WITH SAMPLE RECEIPT FORMS	10
APPENDIX 2 – DATA SHEETS FOR THE <i>CERIODAPHNIA DUBIA</i> TEST	17
WET TEST REPORT FORM – CHRONIC.....	18
APPENDIX 3 – DATA SHEETS FOR THE <i>FATHEAD MINNOW</i> TEST	25
WET TEST REPORT FORM – CHRONIC.....	26
APPENDIX 4 – QA/QC AND REFERENCE TOXICANT TEST CHARTS	32

LIST OF TABLES

TABLE 1: STATISTICAL METHODS USED IN TESTING	7
TABLE 2: SUMMARY OF <i>CERIODAPHNIA DUBIA</i> TEST RESULTS	7
TABLE 3: SUMMARY OF <i>FATHEAD MINNOW</i> TEST RESULTS.....	8
TABLE 4: PMSD FOR CHRONIC TEST PARAMETERS	8

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Chronic Toxicity Test Summary

Test:

- 7-day static renewal using *Ceriodaphnia dubia*.
- 7-day static renewal using fathead minnow (*Pimephales Promelas*).

Client: Colowyo Coal Company

Test Procedure Followed:

- *Ceriodaphnia dubia*: EPA/821/R-02-013. Method 1002.0 (2002)
- Fathead minnow: EPA/821/R-02-013. Method 1545.0 (2002)

Sample Number: 420265.B

Sample	Time of Collection	Date of Collection	Time of Receipt	Date of Receipt
Effluent 1	0830	06-15-2020	1713	06-15-2020
Effluent 2	0730	06-17-2020	0850	06-18-2020
Effluent 3	0750	06-19-2020	0847	06-20-2020

	<i>Ceriodaphnia dubia</i>	Fathead minnow
Test Initiation Time	1300	1225
Test Initiation Date	06-16-2020	06-16-2020
Test Completion Time	1200	1240
Test Completion Date	06-22-2020	06-23-2020

Dilution Water:

- Moderately hard laboratory reconstituted water

Test Organism Source:

- *Ceriodaphnia dubia*
SeaCrest Group
- Fathead minnow
SeaCrest Group

Reference Toxicant:

- Sodium Chloride

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Abstract of Results

Test Concentrations: Control (0%), 20%, 40%, 60%, 80%, 100%

Number of Organisms/Concentration: 10 for *Ceriodaphnia dubia*
40 for fathead minnow

Replicates at each Concentration: 10 for *Ceriodaphnia dubia*
4 for fathead minnow

	<i>Ceriodaphnia dubia</i>	Fathead minnow
Test vessel size	30ml	500ml
Exposure volume	15ml	250ml
Pass/Fail Status	FAIL	PASS
Temperature Range (°C)	24.1 – 25.9	24.4 – 25.9
Dissolved Oxygen Range (mg/L)	6.5 – 8.0	3.0 – 7.8
pH Range	7.9 – 8.3	7.7 – 8.3
	CONTROL (<i>Cerio</i>/FHM)	100%
Hardness (mg/L as CaCO ₃)	84/88	802/786/872
Alkalinity (mg/L as CaCO ₃)	61/57	950/890/1155
Total residual chlorine (mg/L)	<0.01	0.01/<0.01/<0.01
Total ammonia (mg/L as NH ₃)	<0.03	0.14/0.11/.30

INTRODUCTION

Biomonitoring provides an effective means by which the toxicity of discharges from municipal, industrial, and mining operations can be tested. Among the advantages of biomonitoring is the ability to test complex effluents containing a broad range of contaminants. Biomonitoring, when used in conjunction with chemical analyses, can generate data capable of identifying a much wider range of contaminants.

The Colorado Water Quality Control Division requires certain NPDES permittees to perform acute and/or chronic biomonitoring tests. The chronic test measures significant differences in lethality and in reproduction (*Ceriodaphnia dubia*) or growth (fathead minnow – *Pimephales promelas*) between control and exposed organisms.

The present report discusses the results of chronic biomonitoring tests conducted on effluent from the Colowyo Coal Company 010A discharge. These tests were conducted in accordance with EPA and State of Colorado procedures in June 2020.

MATERIALS AND METHODS

Sample Collection

Two or three gallons of the effluent were collected on three separate dates. Samples were delivered chilled to the SeaCrest lab where they were held at 0-6°C. Chain of custody forms showing sample collection and laboratory arrival times are included (Appendix 1).

Dilution Water

Laboratory reconstituted water was used as both the dilution water source and the control for the tests. Reconstituted water for the *Ceriodaphnia dubia* test was produced by adding sodium bicarbonate, calcium sulfate, magnesium sulfate, potassium chloride, and sodium selenate to deionized water. Reconstituted water for the fathead minnow test was produced by adding sodium bicarbonate, calcium sulfate, magnesium sulfate, and potassium chloride to deionized water.

Test Organisms

The biomonitoring test used *Ceriodaphnia dubia*, cultured in the SeaCrest laboratory. The organisms are cultured in brood culture boards from which individual females are monitored for survival and reproduction for periods of up to two weeks. Neonates less than 24-hours old, released from third or subsequent broods of eight or more within an 8-hour period, are collected from the brood chambers and used in tests. The animals are fed daily with a mixture of Yeast, Cereal Leaves, and Trout Chow (YCT), produced in-house. This is supplemented with an equal volume of cultured green algae (*Selenastrum capricornutum*) provided by Aquatic Biosystems.

Less than one-day-old fathead minnow, cultured in the laboratory, were also used in the test. Adult fish are maintained in 10-gallon aquaria where females deposit their eggs on the under-surface of split PVC pipe sections. The eggs are collected daily and transferred to aerated containers where they hatch after three to four days. The larval fish are fed newly hatched Brine shrimp (*Artemia* sp.), cultured in-house, at least twice per day.

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

In-house organisms are tested at least monthly in a reference toxicant test using sodium chloride to monitor overall health and test reproducibility (Appendix 4).

Test Procedures

Upon receipt at the lab, samples are analyzed for alkalinity, hardness, conductivity, dissolved oxygen, ammonia, chlorine, and pH.

Methods used in chemical analysis

Alkalinity	EPA 310.2	Hach 8203	I-2030-85.2
Ammonia	SM4500-NH ₃ , C-E1997	ASTM D1426-08	
Chlorine	SM4500-Cl D	Hach 10026	
Conductivity	SM2510		
Dissolved Oxygen	SM4500-O	Electrode: G-2001	Winkler (QC): B-F-2001
Hardness	SM2340 B or C	Hach 8213	
pH	SM4500-H+ B-2000		

The test followed procedures in EPA³ and CDPHE⁴ guidelines. Exposure concentrations included control (0%), 20%, 40%, 60%, 80%, and 100% mixtures, diluted with moderately hard laboratory reconstituted water.

Individual *Ceriodaphnia dubia* were placed in 30ml plastic containers containing approximately 15ml of exposure medium. Ten replicates at each concentration were used. The animals were fed daily with the YCT mixture and an equal volume of the green algae (*Selenastrum capricornutum*). The exposure medium was changed daily in each container and the number of young released overnight were counted and recorded. Young were removed from the containers daily and discarded. Routine measurements were made each day of temperature, dissolved oxygen, and pH before and after the water changes.

Fathead minnow were exposed in 500ml plastic cups to which 250ml of media was replaced daily. Four replicates were used at each concentration. Ten fish, less than 24-hours old, were placed in each cup. The fish were monitored daily for survival and fed live Brine shrimp at least twice per day. After seven days, the fish were removed from the cups, euthanized with isopropyl alcohol, and then placed in aluminum pans and dried in an oven for a minimum of six hours at 100°C. The pans were then weighed on a five-place analytical balance to determine the average dry weight of the fish from each replicate.

Data Analysis

Data from the test(s) were analyzed on a personal computer using the CETIS program developed by Tidepool Scientific Software. Statistical tests used in the analyses are shown in Table 1. Test acceptability was determined using control survival and reproduction/growth criteria, concentration-response relationships, and percent minimum significant differences (USEPA ^{5,6}).

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Table 1. Statistical methods used in testing for significant differences in test parameters.

Variance		Distribution		
Bartlett Equality of Variance Test		Shapiro-Wilk W Normality Test		
Statistical Difference				
	Survival	Growth	Reproduction	IC ₂₅
<i>Ceriodaphnia dubia</i>	Fisher Exact/Bonferroni-Holm Test	N/A	Steel Many-One Rank Sum Test	IC _p
Fathead minnow	Dunnett Multiple Comparison Test	Dunnett Multiple Comparison Test	N/A	IC _p

RESULTS

Ceriodaphnia dubia Test Results

Test results for the *Ceriodaphnia dubia* are summarized in Table 2 and provided on the data sheets located in Appendix 2. Survival was 0% in the 100% effluent and ranged from 30% - 100% in the remaining effluent concentrations. Control survival was 100%. Statistically significant lethality was measured in the 60%, 80%, and 100% effluent concentrations when compared to the control. The NOEL (No Observed Effect Level) for lethality was 40% and the LC₂₅ (Lethal Concentration 25) for lethality was 50%.

Average number of neonates was 0.0 in the 100% effluent concentration and ranged from 1.1 – 17.1 in the remaining effluent concentrations. Average number of neonates in the control was 19.4 for statistical analyses and test acceptability criteria. Statistically significant differences in the number of neonates were found between the control and the 60%, 80%, and 100% effluent concentrations. The NOEL for reproduction was 40% and the IC₂₅ (Inhibition Concentration 25) for reproduction was 41.4%.

Table 2. Summary of *Ceriodaphnia dubia* test results. An asterisk (*) denotes a statistically significant difference from the control.

Concentration	No. Surviving	Mean Births	Min.	Max.	Significant Difference	
					Lethality	Reprod.
Control (0%)	10	19.4	8	38		
20%	10	17.1	6	34		
40%	10	15.3	7	33		
60%	5	4.7	0	9	*	*
80%	3	1.1	0	7	*	*
100%	0	0.0	0	0	*	*

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Fathead minnow Test Results

Fathead minnow results are summarized in Table 3 and are provided on data sheets in Appendix 3. Survival was 70% in the 100% effluent concentration and ranged from 68% - 98% in the remaining effluent concentrations. Control survival was 95%. Statistically significant lethality was measured in the 80% and 100% effluent concentrations when compared to the control. The NOEL for lethality was 60% and the LC₂₅ for lethality was 77.5%.

Average weight in the 100% effluent concentration was 0.349mg and ranged from 0.378mg - 0.469mg per individual in the remaining effluent concentrations. Average weight for the control fish was 0.325mg for statistical analyses and test acceptability criteria. No statistically significant differences for growth were measured in any effluent concentration when compared to the control. The NOEL for growth was 100% and the IC₂₅ for growth was >100%.

Table 3. Summary of fathead minnow test results. An asterisk (*) denotes a statistically significant difference from the control.

Concentration	No. Alive	Avg. Wt. (mg)	Min.	Max.	Significant Difference	
					Lethality	Growth
Control (0%)	38	0.325	0.295	0.348		
20%	38	0.378	0.356	0.390		
40%	39	0.469	0.435	0.501		
60%	39	0.437	0.333	0.553		
80%	27	0.394	0.302	0.472	*	
100%	28	0.349	0.284	0.398	*	

Test Acceptability

Acceptable control survival was achieved in both tests. Similarly, *Ceriodaphnia dubia* reproduction and fathead minnow growth in control organisms met required levels. PMSD was within the required limits for an acceptable test (Table 4).

Table 4. PMSD for chronic test parameters.

PMSD (% Minimum significant difference)	Survival		Growth		Reproduction	
	<i>Ceriodaphnia dubia</i>	Fathead Minnow	Lower bound	Upper bound	Lower bound	Upper bound
			12	30	13	47
	N/A	N/A	29.4		39.8	

DISCUSSION

A failed test for this discharge occurs when there is an NOEL or IC₂₅ less than the IWC (Instream Waste Concentration) of 100%. The NOEL represents the highest effluent concentration at which no statistically significant effect is observed. The IC₂₅ represents an estimate of the effluent concentration that would cause a 25 percent reduction of a non-quantal biological measurement. A violation for this discharge occurs when both the NOEL and the IC₂₅ are less than the IWC. Since the *Ceriodaphnia dubia* test species demonstrated statistically significant differences meeting these criteria, the discharge fails WET testing requirements for this sampling period.

REFERENCES

1. **Hach Chemical Company.** 2008. *Hach's Water Analysis Handbook*. Fifth Edition. Hach Chemical Company, Loveland, Colorado. Digital Medium.
2. **APHA/AWWA/WEF.** 1998. *Standard Methods for the Examination of Water and Wastewater*. 20th Edition. American Public Health Association, Washington, D.C.
3. **USEPA.** 2002. *Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*. EPA-821-R-02-013. 335 pp.
4. **CDPHE (Colorado Department of Public Health and Environment).** 1998. *Laboratory Guidelines for Conducting Whole Effluent Toxicity Tests*. Water Quality Control Division.
5. **USEPA.** 2000. *Method of Guidance and Recommendations for Whole Effluent Toxicity (WET) Testing* (40 CFR Part 136). EPA/821/B-00/004.
6. **USEPA.** 2000. *Understanding and Accounting for Method Variability in Whole Effluent Toxicity Applications under the National Pollutant Discharge Elimination System Program*. EPA/833/R-00/003.

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Appendix 1 – Chain of Custody with Sample Receipt Forms

[illegible]

SeaCrest Group
Louisville, CO

Sample Receipt Form

Form #: 42
Effective: December 2008Project #: 420 2651BSample #: 1Date: 061520Initials: TUR

Samples Were:

1. Shipped Hand Delivered Messengered (circle one)

Notes:

2. Chilled to Ship

Notes:

Ambient Chilled (circle one)

Wet Ice Blue Ice (circle one)

3. Cooler Received Broken or Leaking

Notes:

Y N NA

4. Sample Received Broken or Leaking

Notes:

Y N NA

5. Received Within Holding Times

Notes:

Y N

6. Aeration necessary

Notes:

Y N NA

7. Sample Received at Temperature between 0-6° C .

Notes: same day sampleY N NA

8. Description of Sample (Color, Odor, and/or Presence of Particulate Matter):

effluent: pale yellow, some PMReceiving N/A

Presence of native species

Y N

Aeration

Temp	DO (mg/L)	DO (%Sat)	pH	Cond	Time	DO (mg/L)	DO (%Sat)	pH
<u>20.3</u>	<u>6.6</u>	<u>79.9</u>	<u>8.1</u>	<u>3640</u>				

Custody Seals:

1. Present on Outer Package

Y N

2. Unbroken on Outer Package

Y N NA

3. Present on Sample

Y N

4. Unbroken on Sample

Y N NA

Custody Documentation:

1. Present Upon Receipt of Sample

Y N

500 S. Arthur Avenue, Unit 450 - Louisville, CO 80027
(303) 661.9324 - FAX (303) 661.9325

[illegible]

SeaCrest Group
Louisville, CO

Sample Receipt Form

Form #: 42
Effective: December 2008Project #: 420 265.BSample #: 2Date: 061820Initials: ML

Samples Were:

1. Shipped Hand Delivered Messengered (circle one)

Notes:

UPS

2. Chilled to Ship

Notes:

Ambient ChilledWet Ice Blue Ice

3. Cooler Received Broken or Leaking

Notes:

Y N NA

4. Sample Received Broken or Leaking

Notes:

Y N NA

5. Received Within Holding Times

Notes:

Y N

6. Aeration necessary

Notes:

Y N NA

7. Sample Received at Temperature between 0-6° C .

Notes:

5.9Y N NA

8. Description of Sample (Color, Odor, and/or Presence of Particulate Matter):

effluent:

Slightly yellow, some PM

Receiving

Presence of native species

Y N

Aeration

Temp	DO (mg/L)	DO (%Sat)	pH	Cond	Time	DO (mg/L)	DO (%Sat)	pH
<u>5.9</u>	<u>8.0</u>	<u>116</u>	<u>8.1</u>	<u>4070</u>				

Custody Seals:

1. Present on Outer Package

Y

N

2. Unbroken on Outer Package

Y

N

NA

3. Present on Sample

Y

N

4. Unbroken on Sample

Y

N

NA

Custody Documentation:

1. Present Upon Receipt of Sample

Y

N

[illegible]

SeaCrest Group
Louisville, CO

Sample Receipt Form

Form #: 42
Effective: December 2008Project #: 420 265.3Sample #: 3Date: 062020Initials: DT

Samples Were:

1. Shipped Hand Delivered Messengered (circle one)Notes: UPS

2. Chilled to Ship

Notes:

Ambient ChilledWet Ice Blue Ice

3. Cooler Received Broken or Leaking

Notes:

Y N NA

4. Sample Received Broken or Leaking

Notes:

Y N NA

5. Received Within Holding Times

Notes:

Y N

6. Aeration necessary

Notes:

Y N NA

7. Sample Received at Temperature between 0-6° C .

Notes:

Y N NA

8. Description of Sample (Color, Odor, and/or Presence of Particulate Matter):

effluent: clear, moderate pm

Receiving

Presence of native species

Y N

Aeration

Temp	DO (mg/L)	DO (%Sat)	pH	Cond	Time	DO (mg/L)	DO (%Sat)	pH
5.5	6.8	102	8.1	4110				

Custody Seals:

1. Present on Outer Package

Y N

2. Unbroken on Outer Package

Y N NA

3. Present on Sample

Y N

4. Unbroken on Sample

Y N NA

Custody Documentation:

1. Present Upon Receipt of Sample

Y N

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Appendix 2 – Data Sheets for the *Ceriodaphnia dubia* Test

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

WET TEST REPORT FORM – CHRONIC

Permittee: Colowyo Coal Company

Outfall: 010A

Permit No.: CO-0045161

Test Type: Routine ☒ Accelerated ☐ Screen ☐

Test Species: *Ceriodaphnia dubia*

IWC: 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1300	06-16-2020	1200	06-22-2020

Test Results	Lethality/TCP3B	Reproduction/TKP3B
S code: NOEL	40%	40%
	FAIL	FAIL
P code: LC ₂₅ /IC ₂₅	50%	41.4%
	FAIL	FAIL
T code:	50%	41.4%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	100	100	100	100	100	80
% Survival for day 2	100	100	100	70	60	50
% Survival for day 3	100	100	100	70	40	30
% Survival for day 4	100	100	100	60	30	10
% Survival for day 5	100	100	100	50	30	10
% Survival for day 6	100	100	100	50	30	0
Mean 3 Brood Total	19.4	17.1	15.3	4.7	1.1	0.0

Hardness (mg/L) – Receiving Water: N/A Effluent: 802/786/872 Recon Water: 84

Alkalinity (mg/L) – Receiving Water: N/A Effluent: 950/890/1155 Recon Water: 61

Chlorine (mg/L) – Effluent: <0.01 pH (initial/final) – Control: 8.3/7.9 100%: 8.1/8.1

Total Ammonia as NH₃ (mg/L) - Effluent: 0.14/0.11/.30

Were all Test Conditions in Conformance with Division Guidelines? YES ☒ NO ☐

If **NO**, list deviations from test specifications:

Laboratory: SeaCrest Group

Comments:

Analyst's Name: Sarah Adler and Margie Glenn

Signature



Date

29 June 2020

SeaCrest Group
Louisville, CO

Ceriodaphnia Chronic Benchsheet

Form #: 101a
Effective: January 2009

Permittee: Colowyo Lab #: 420 265.B Site: 010A
 IWC %: 100 Template #: 5 Dilution Water: MH20-012 Sample Date: 061520
 Age & Source: cerio 061620 1065 Test Start: 061620 1300 Test End: 062220 1200
 Test Conditions:

	0	1	2	3	4	5	6	7	8	Total
(C)	0	0	0	0	24	6	12			22
	0	0	0	0	4	7	7			20
0	0	0	0	6	0	11	7			24
	0	0	0	6	0	11	17			34
	0	0	0	0	4	7	4			15
	0	0	0	0	4	5	0			9
	0	0	0	0	6	12	18			38
	0	0	0	0	0	6	10			16
	0	0	0	0	4	4	0			8
	0	0	0	0	3	5	0			8
DO	6.8	6.8	6.8	6.9	7.0	6.8	6.8	6.9	7.0	7.0
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	25.9	25.0
pH	8.3	8.1	8.3	8.1	8.3	8.2	8.3	8.1	8.3	8.2
Cond	299	319	318	319	322	313				
(1)	0	0	0	6	0	13	15			34
	0	0	0	0	4	6	7			17
20	0	0	0	5	0	9	14			28
	0	0	0	6	0	11	13			30
	0	0	0	0	4	2	0			6
	0	0	0	0	3	4	0			7
	0	0	0	0	2	7	0			14
	0	0	0	0	4	0	4			14
	0	0	0	0	4	7	0			11
	0	0	0	0	4	5	0			10
DO	6.8	6.8	6.8	6.8	7.2	6.8	6.9	6.9	7.1	7.0
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	25.9	25.0
pH	8.3	8.1	8.3	8.1	8.3	8.2	8.3	8.1	8.3	8.2
Cond	111	1170	1155	1174	1214	1256				
(2)	0	0	0	6	0	10	8			24
	0	0	0	0	4	6	4			14
40	0	0	0	5	0	10	8			23
	0	0	0	5	0	12	16			33
	0	0	0	0	4	0	5			9
	0	0	0	0	4	4	0			14
	0	0	0	0	4	4	4			12
	0	0	0	0	0	3	6			9
	0	0	0	0	2	5	0			7
	0	0	0	0	3	5	0			8
DO	6.9	6.7	6.8	6.7	7.4	6.7	7.0	6.8	6.8	6.9
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	25.9	25.0
pH	8.3	8.1	8.3	8.1	8.2	8.2	8.2	8.1	8.2	8.0
Cond	1761	1887	1878	1848	1853	1850				
(3)	0	0	0	0	0	4	4			0
	0	0	0	0	4	4	0			8
60	0	0	0	3+2	0	0	0			5
	0	0	0	0	0	6	0			6
	0	0	0	0	3	4	0			7
	0	0	0	0	0	4	5			9
	0	0	0	0	2	5	0			7
	0	0	0	0	1	2	2			5
DO	6.9	6.7	6.8	6.7	7.6	6.7	7.1	6.8	6.8	6.9
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	25.9	25.0
pH	8.3	8.1	8.3	8.2	8.2	8.3	8.2	8.1	8.2	8.0
Cond	2530	2720	2740	2670	2730	2670				

SeaCrest Group
Louisville, CO

Ceriodaphnia Chronic Benchsheet

Form #: 101a
Effective: January 2009

	0	1	2	3	4	5	6	7	8	Total
(4)	0	0	0	0	2	1	0			3
80	0	0	0	0						0
	0	0	0	0						0
	0	0	0	0						0
	0	0	0	0						0
	0	0	0	0	0	3	4			7
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0	1	0			1
DO	7.0	6.6	6.8	6.6	7.2	6.8	6.8	6.7	7.6	6.8
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	24.1	25.3
pH	8.2	8.1	8.2	8.2	8.2	8.3	8.2	8.1	8.1	8.1
Cond	3170	3410	3370	3340	3420	3250				
(5)	0	0	0	0						0
100	0	0	0	0						0
	0	0	0	0	0	0				0
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0					0
	0	0	0	0	0	0	0	0	0	0
DO	7.0	6.6	6.8	6.5	8.0	6.6	7.3	6.8	6.8	6.8
Temp	25.6	25.5	25.0	25.1	24.8	25.2	24.2	25.0	24.1	25.3
pH	8.1	8.1	8.2	8.2	8.1	8.3	8.2	8.1	8.3	8.1
Cond	3820	4070	4070	4080	4110	4090				
Algae	ABS	ABS	ABS	ABS	ABS	ABS				
YCT	2003	2003	2003	2003	2003	2003				
H ₂ O	1	1	2	1	3	3				
Initials	JA	JA	JA	JA	JA	mk	mk			
Eff #1	Eff #2	Eff #3	Rec'g #1	Rec'g #2	Rec'g #3	Recon #1	Recon #2	Recon #3		
Hardness	842	786	872			84				
Alkalinity	950	890	1155			61				
Chlorine	0.01	0.01	0.01			0.01				
Ammonia	0.14	0.11	0.30			0.03				

1. Exposure Chamber

Total Capacity: 30 ml
Test Solution Surface Area: cm²Test Solution Volume: 15 ml
Water Depth (constant): cm
(cyclic): to cm

2. Feeding Schedule

Not fed: _____
Fed Irregularly: _____Fed Daily: X
Food Used: YCT, algae

3. Aeration

#1 None: _____
#2 None: _____
#3 None: _____Before Use: (minutes @ ~100 bubbles/min)
Before Use: (minutes @ ~100 bubbles/min)
Before Use: (minutes @ ~100 bubbles/min)

4. Screened Animal Enclosures

Not Used: X

Used: cm diameter

5. Condition/appearance of surviving organisms at end of test (i.e., alive but immobile; loss of orientation; erratic movement; etc.):

Active & mobile

6. Comments:

x:y:z = board #:row:column

1	2	3	4	5	6	7	8	9	10
D6	A6	A7	A8	B2	B5	B8	B9	C6	C7

CETIS Analytical Report

Report Date: 22 Jun-20 13:41 (p 1 of 1)

Test Code/ID: 420265cd / 05-8855-3832

Ceriodaphnia 7-d Survival and Reproduction Test**SeaCrest Group**

Analysis ID: 05-9913-8829	Endpoint: 7d Survival Rate	CETIS Version: CETISv1.9.6
Analyzed: 22 Jun-20 13:41	Analysis: STP 2xK Contingency Tables	Status Level: 1
Batch ID: 09-8312-9039	Test Type: Reproduction-Survival (7d)	Analyst: Lab Tech
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 22 Jun-20	Species: Ceriodaphnia dubia	Brine: Not Applicable
Test Length: 6d 0h	Taxon: Branchiopoda	Source: In-House Culture Age:
Sample ID: 06-7801-5273	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 16 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 22 Jun-20	CAS (PC):	Station: 010A
Sample Age: n/a	Client: Colowyo	

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	TU
Untransformed	C > T	40	60	48.99	2.5

Fisher Exact/Bonferroni-Holm Test

Control	vs	Group	Test Stat	P-Type	P-Value	Decision(α:5%)
Dilution Water		20	1.0000	Exact	1.0000	Non-Significant Effect
		40	1.0000	Exact	1.0000	Non-Significant Effect
		60*	0.0163	Exact	0.0488	Significant Effect
		80*	0.0015	Exact	0.0062	Significant Effect
		100*	0.0000	Exact	2.7E-05	Significant Effect

Data Summary

Conc-%	Code	NR	R	NR + R	Prop NR	Prop R	%Effect
0	D	10	0	10	1	0	0.0%
20		10	0	10	1	0	0.0%
40		10	0	10	1	0	0.0%
60		5	5	10	0.5	0.5	50.0%
80		3	7	10	0.3	0.7	70.0%
100		0	10	10	0	1	100.0%

*TLK**SA*

CETIS Analytical Report

Report Date: 22 Jun-20 13:41 (p 1 of 2)
 Test Code/ID: 420265cd / 05-8855-3832

Ceriodaphnia 7-d Survival and Reproduction Test**SeaCrest Group**

Analysis ID: 02-1548-0731	Endpoint: 7d Survival Rate	CETIS Version: CETISv1.9.6
Analyzed: 22 Jun-20 13:41	Analysis: Linear Interpolation (ICPIN)	Status Level: 1
Batch ID: 09-8312-9039	Test Type: Reproduction-Survival (7d)	Analyst: Lab Tech
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 22 Jun-20	Species: Ceriodaphnia dubia	Brine: Not Applicable
Test Length: 6d 0h	Taxon: Branchiopoda	Source: In-House Culture Age:
Sample ID: 06-7801-5273	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 16 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 22 Jun-20	CAS (PC):	Station: 010A
Sample Age: n/a	Client: Colowyo	

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	1958276	1000	Yes	Two-Point Interpolation

Point Estimates

Level	%	95% LCL	95% UCL	TU	95% LCL	95% UCL
LC5	42	41.25	45	2.381	2.222	2.424
LC10	44	42.5	50	2.273	2	2.353
LC15	46	43.75	55	2.174	1.818	2.286
LC20	48	45	60	2.083	1.667	2.222
LC25	50	46.25	63.33	2	1.579	2.162
LC40	56	50	73.33	1.786	1.364	2
LC50	60	52.5	81.82	1.667	1.222	1.905

7d Survival Rate Summary

			Calculated Variate(A/B)							Isotonic Variate	
Conc-%	Code	Count	Mean	Min	Max	Std Dev	CV%	%Effect	A/B	Mean	%Effect
0	D	10	1.0000	1.0000	1.0000	0.0000	0.00%	0.0%	10/10	1	0.0%
20		10	1.0000	1.0000	1.0000	0.0000	0.00%	0.0%	10/10	1	0.0%
40		10	1.0000	1.0000	1.0000	0.0000	0.00%	0.0%	10/10	1	0.0%
60		10	0.5000	0.0000	1.0000	0.5270	105.40%	50.0%	5/10	0.5	50.0%
80		10	0.3000	0.0000	1.0000	0.4830	161.00%	70.0%	3/10	0.3	70.0%
100		10	0.0000	0.0000	0.0000	0.0000		100.0%	0/10	0	100.0%

CETIS Analytical Report

Report Date: 22 Jun-20 13:41 (p 1 of 1)
 Test Code/ID: 420265cd / 05-8855-3832

Ceriodaphnia 7-d Survival and Reproduction Test

SeaCrest Group

Analysis ID: 14-7465-5841	Endpoint: Reproduction	CETIS Version: CETISv1.9.6
Analyzed: 22 Jun-20 13:41	Analysis: Nonparametric-Control vs Treatments	Status Level: 1
Batch ID: 09-8312-9039	Test Type: Reproduction-Survival (7d)	Analyst: Lab Tech
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 22 Jun-20	Species: Ceriodaphnia dubia	Brine: Not Applicable
Test Length: 6d 0h	Taxon: Branchiopoda	Source: In-House Culture Age:
Sample ID: 06-7801-5273	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 16 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 22 Jun-20	CAS (PC):	Station: 010A
Sample Age: n/a	Client: Colowyo	

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	TU	PMSD
Untransformed	C > T	40	60	48.99	2.5	39.75%

Steel Many-One Rank Sum Test

Control	vs	Conc-%	Test Stat	Critical	Ties	DF	P-Type	P-Value	Decision(α:5%)
Dilution Water		20	96.5	76	1	18	CDF	0.5362	Non-Significant Effect
		40	92.5	76	3	18	CDF	0.3976	Non-Significant Effect
		60*	58.5	76	2	18	CDF	8.5E-04	Significant Effect
		80*	55	76	0	18	CDF	3.1E-04	Significant Effect

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	2626.08	656.52	4	10.91	2.9E-06	Significant Effect
Error	2708.4	60.1867	45			
Total	5334.48		49			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance	Bartlett Equality of Variance Test	23.65	13.28	9.4E-05	Unequal Variances
Distribution	Shapiro-Wilk W Normality Test	0.933	0.9367	0.0072	Non-Normal Distribution

Reproduction Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	10	19.4	11.91	26.89	18	8	38	3.311	53.96%	0.00%
20		10	17.1	9.935	24.27	14	6	34	3.167	58.57%	11.86%
40		10	15.3	9.155	21.44	13	7	33	2.716	56.14%	21.13%
60		10	4.7	2.221	7.179	5.5	0	9	1.096	73.74%	75.77%
80		10	1.1	-0.533	2.733	0	0	7	0.7219	207.53%	94.33%
100		10	0	0	0	0	0	0	0		100.00%

TLR

SA

CETIS Analytical Report

Report Date: 22 Jun-20 13:41 (p 2 of 2)
 Test Code/ID: 420265cd / 05-8855-3832

Ceriodaphnia 7-d Survival and Reproduction Test**SeaCrest Group**

Analysis ID: 06-0427-8596	Endpoint: Reproduction	CETIS Version: CETISv1.9.6
Analyzed: 22 Jun-20 13:41	Analysis: Linear Interpolation (ICPIN)	Status Level: 1
Batch ID: 09-8312-9039	Test Type: Reproduction-Survival (7d)	Analyst: Lab Tech
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 22 Jun-20	Species: Ceriodaphnia dubia	Brine: Not Applicable
Test Length: 6d 0h	Taxon: Branchiopoda	Source: In-House Culture Age:
Sample ID: 06-7801-5273	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 16 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 22 Jun-20	CAS (PC):	Station: 010A
Sample Age: n/a	Client: Colowyo	

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	399088	1000	Yes	Two-Point Interpolation

Point Estimates

Level	%	95% LCL	95% UCL	TU	95% LCL	95% UCL
IC5	8.435	2.422	41.48	11.86	2.411	41.29
IC10	16.87	4.844	42.95	5.928	2.328	20.64
IC15	26.78	7.266	44.43	3.734	2.251	13.76
IC20	37.56	9.688	45.91	2.663	2.178	10.32
IC25	41.42	12.11	47.4	2.415	2.11	8.257
IC40	46.91	19.38	52.07	2.132	1.921	5.161
IC50	50.57	39.21	55.39	1.978	1.805	2.55

Reproduction Summary

Reproduction Summary			Calculated Variate						Isotonic Variate	
Conc-%	Code	Count	Mean	Min	Max	Std Dev	CV%	%Effect	Mean	%Effect
0	D	10	19.4	8	38	10.47	53.96%	0.0%	19.4	0.0%
20		10	17.1	6	34	10.02	58.57%	11.86%	17.1	11.86%
40		10	15.3	7	33	8.59	56.14%	21.13%	15.3	21.13%
60		10	4.7	0	9	3.466	73.74%	75.77%	4.7	75.77%
80		10	1.1	0	7	2.283	207.50%	94.33%	1.1	94.33%
100		10	0	0	0	0		100.0%	0	100.0%

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Appendix 3 – Data Sheets for Fathead Minnow Test

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

WET TEST REPORT FORM – CHRONIC**Permittee:** Colowyo Coal Company**Outfall:** 010A**Permit No.:** CO-0045161**Test Type:** Routine ☒ Accelerated ☐ Screen ☐**Test Species:** Fathead minnow**IWC:** 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1225	06-16-2020	1240	06-23-2020

Test Results	Lethality/TCP6C	Growth/TKP6C
S code: NOEL	60%	100%
	FAIL	PASS
P code: LC ₂₅ /IC ₂₅	77.5%	>100%
	FAIL	PASS
T code:	77.5%	>100%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	100	100	100	100	100	100
% Survival for day 2	98	100	100	100	100	85
% Survival for day 3	95	100	100	100	93	75
% Survival for day 4	95	98	100	98	85	73
% Survival for day 5	95	95	98	98	80	73
% Survival for day 6	95	95	98	98	73	73
% Survival for day 7	95	95	98	98	68	70
Mean Dry Wt. (mg)	0.325	0.378	0.469	0.437	0.394	0.349

Hardness (mg/L) – Receiving Water: N/A Effluent: 802/786/872 Recon Water: 88

Alkalinity (mg/L) – Receiving Water: N/A Effluent: 950/890/1155 Recon Water: 57

Chlorine (mg/L) – Effluent: <0.01 pH (initial/final) – Control: 8.3/7.9 100%: 8.1/8.1

Total Ammonia as NH₃ (mg/L) - Effluent: 0.14/0.11/.30Were all Test Conditions in Conformance with Division Guidelines? YES ☐ NO ☒If **NO**, list deviations from test specifications: DO fell below 4.0 mg/L in overnight test chambers.

Laboratory: SeaCrest Group

Comments:

Analyst's Name: Sean Rainey, Sarah Adler, and Daniel Hillenburg

Signature



Date

29 June 2020

SeaCrest Group
Louisville, CO

Fathead Minnow Chronic Benchsheet

Form #: 103a
Effective: January 2009

Client		Site		Lab #		Species Info		Sample Date		Template		IWC		Dilution H ₂ O		Test Conditions		Condition/appearance of surviving organisms and Comments	
COLDWYLO		010 A		420		HEM-0616		06/20/09		06/20/09		100		100		100		pretest	
Conc	Read	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
DO	6.8	6.0	6.9	5.9	7.0	4.0	6.8	5.3	6.9	4.9	6.9	5.6	10	10	10	10	10	10	10
Temp	24.9	25.9	25.6	25.0	24.5	25.1	24.6	25.7	25.0	25.4	25.0	25.6	10	10	10	10	10	10	10
pH	8.3	8.0	8.3	8.0	8.3	7.9	8.3	8.0	8.3	7.9	8.3	7.9	10	10	10	10	10	10	10
Conc	295	300		300	293	299	293	298	298	296	296		10	10	10	10	10	10	10
DO	6.8	6.0	7.0	5.9	7.1	4.0	6.8	5.3	6.9	4.9	6.9	5.6	10	10	10	10	10	10	10
Temp	25.1	25.9	25.6	25.8	24.5	25.3	24.6	25.7	25.0	25.4	25.0	25.6	10	10	10	10	10	10	10
pH	8.3	8.0	8.3	8.0	8.3	7.9	8.3	8.0	8.3	7.9	8.3	7.9	10	10	10	10	10	10	10
Conc	1053	1175		1147	1154	1086	1079	1079	1079	1022	1022		10	10	10	10	10	10	10
DO	6.7	6.0	7.1	5.8	7.2	4.0	6.9	4.7	7.3	4.2	7.1	5.2	10	10	10	10	10	10	10
Temp	25.2	25.8	25.5	25.4	24.6	25.0	24.5	25.0	25.3	25.4	25.0	25.3	10	10	10	10	10	10	10
pH	8.2	8.0	8.2	8.1	8.0	8.2	7.9	8.2	8.0	8.2	8.0	8.0	10	10	10	10	10	10	10
Conc	1737	1746		1662	1483	1359	1320	1320	1320	1884	1884		10	10	10	10	10	10	10
DO	6.7	6.1	7.2	5.8	7.4	4.0	6.9	4.6	7.5	3.8	7.3	5.0	10	10	10	10	10	10	10
Temp	25.3	25.8	25.5	25.6	24.8	25.0	24.7	25.0	25.3	25.4	25.0	25.2	10	10	10	10	10	10	10
pH	8.2	8.0	8.2	8.1	8.0	8.2	7.9	8.2	8.0	8.1	7.9	8.2	10	10	10	10	10	10	10
Conc	1995	2660		1835	1622	1478	1446	1446	1446	2760	2760		10	10	10	10	10	10	10
DO	6.6	6.1	7.3	5.7	7.5	4.0	7.3	4.3	7.7	3.4	7.4	4.8	10	10	10	10	10	10	10
Temp	25.4	25.7	25.4	25.7	24.9	25.3	24.9	25.0	25.4	25.4	25.0	25.1	10	10	10	10	10	10	10
pH	8.1	8.1	8.1	8.2	8.1	8.0	8.2	8.0	8.1	7.9	8.1	8.1	10	10	10	10	10	10	10
Conc	3050	3350		1966	1745	1586	1555	1555	1555	3400	3400		10	10	10	10	10	10	10
DO	6.6	6.1	7.4	5.7	7.6	4.0	7.3	4.0	7.8	3.0	7.5	4.6	10	10	10	10	10	10	10
Temp	25.5	25.7	25.4	25.9	24.9	25.3	24.4	25.0	25.5	25.4	25.0	25.0	10	10	10	10	10	10	10
pH	8.1	8.1	8.1	8.2	8.1	8.0	8.2	8.0	8.1	7.9	8.1	8.1	10	10	10	10	10	10	10
Conc	3640	4000		3920	1828	1650	1610	1610	1610	4070	4070		10	10	10	10	10	10	10
DO													10	10	10	10	10	10	10
Temp													10	10	10	10	10	10	10
pH													10	10	10	10	10	10	10
Conc													10	10	10	10	10	10	10
Initials	DH	DH		SK	SK	SK	SK	SK	SK	SA	SA	SK							
Water #	1	1		2	2	2	3	3	3	3	3	3							
CO ₂																			
Eff 1	Eff 2	Eff 3	Eff 4	Eff 5	Eff 6	Eff 7	Eff 8	Eff 9	Eff 10	Eff 11	Eff 12	Eff 13	Eff 14	Eff 15	Eff 16	Eff 17	Eff 18	Eff 19	Eff 20
802	786	872																	
Alk	950	890																	
Chlor	0.01	0.01																	
NH ₃	0.14	0.11																	
NH ₃																			
Screened Animal Enclosures																			
Not Used: x cm Diameter																			
Used:																			
Feeding Schedule																			
None: @ ~ 100 bubbles/min																			
Before Use #1: minutes																			
Before Use #2: minutes																			
Before Use #3: minutes																			

CETIS Analytical Report

Report Date: 24 Jun-20 13:41 (p 1 of 3)
 Test Code/ID: 420265.FHM / 20-5826-8350

Fathead Minnow 7-d Larval Survival and Growth Test**SeaCrest Group**

Analysis ID: 20-4896-5747	Endpoint: 7d Survival Rate	CETIS Version: CETISv1.9.6
Analyzed: 24 Jun-20 13:40	Analysis: Parametric-Control vs Treatments	Status Level: 1
Batch ID: 08-7881-6458	Test Type: Growth-Survival (7d)	Analyst:
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 23 Jun-20	Species: Pimephales promelas	Brine: Not Applicable
Test Length: 7d 0h	Taxon: Actinopterygii	Source: In-House Culture Age:
Sample ID: 11-4028-7000	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 15 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 15 Jun-20	CAS (PC):	Station: 010A
Sample Age: 24h	Client: Colowyo	

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	TU	PMSD
Angular (Corrected)	C > T	60	80	69.28	1.667	17.67%

Dunnett Multiple Comparison Test

Control	vs	Conc-%	Test Stat	Critical	MSD	DF	P-Type	P-Value	Decision(α:5%)
Dilution Water		20	0	2.407	0.245	6	CDF	0.8333	Non-Significant Effect
		40	-0.3996	2.407	0.245	6	CDF	0.9244	Non-Significant Effect
		60	-0.3996	2.407	0.245	6	CDF	0.9244	Non-Significant Effect
		80*	3.549	2.407	0.245	6	CDF	0.0048	Significant Effect
		100*	3.059	2.407	0.245	6	CDF	0.0136	Significant Effect

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	0.692171	0.138434	5	6.659	0.0011	Significant Effect
Error	0.374209	0.0207894	18			
Total	1.06638		23			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance	Bartlett Equality of Variance Test	7.554	15.09	0.1826	Equal Variances
Distribution	Shapiro-Wilk W Normality Test	0.9052	0.884	0.0278	Normal Distribution

7d Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	4	0.9500	0.8581	1.0000	0.9500	0.9000	1.0000	0.0289	6.08%	0.00%
20		4	0.9500	0.8581	1.0000	0.9500	0.9000	1.0000	0.0289	6.08%	0.00%
40		4	0.9750	0.8954	1.0000	1.0000	0.9000	1.0000	0.0250	5.13%	-2.63%
60		4	0.9750	0.8954	1.0000	1.0000	0.9000	1.0000	0.0250	5.13%	-2.63%
80		4	0.6750	0.4748	0.8752	0.7000	0.5000	0.8000	0.0629	18.64%	28.95%
100		4	0.7000	0.3563	1.0000	0.6500	0.5000	1.0000	0.1080	30.86%	26.32%

Angular (Corrected) Transformed Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	4	1.331	1.181	1.48	1.331	1.249	1.412	0.04705	7.07%	0.00%
20		4	1.331	1.181	1.48	1.331	1.249	1.412	0.04705	7.07%	0.00%
40		4	1.371	1.242	1.501	1.412	1.249	1.412	0.04074	5.94%	-3.06%
60		4	1.371	1.242	1.501	1.412	1.249	1.412	0.04074	5.94%	-3.06%
80		4	0.9687	0.7557	1.182	0.9912	0.7854	1.107	0.06694	13.82%	27.19%
100		4	1.019	0.5805	1.457	0.9386	0.7854	1.412	0.1377	27.03%	23.44%

CETIS Analytical Report

Report Date: 24 Jun-20 13:41 (p 1 of 2)

Test Code/ID: 420265.FHM / 20-5826-8350

Fathead Minnow 7-d Larval Survival and Growth Test**SeaCrest Group**

Analysis ID: 00-4930-3878	Endpoint: 7d Survival Rate	CETIS Version: CETISv1.9.6
Analyzed: 24 Jun-20 13:41	Analysis: Linear Interpolation (ICPIN)	Status Level: 1
Batch ID: 08-7881-6458	Test Type: Growth-Survival (7d)	Analyst:
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 23 Jun-20	Species: Pimephales promelas	Brine: Not Applicable
Test Length: 7d 0h	Taxon: Actinopterygii	Source: In-House Culture Age:
Sample ID: 11-4028-7000	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 15 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 15 Jun-20	CAS (PC):	Station: 010A
Sample Age: 24h	Client: Colowyo	

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	2017168	1000	Yes	Two-Point Interpolation

Point Estimates

Level	%	95% LCL	95% UCL	TU	95% LCL	95% UCL
LC5	63.5	57.9	66.7	1.575	1.499	1.727
LC10	67	62.2	73.93	1.493	1.353	1.608
LC15	70.5	65.15	80.9	1.418	1.236	1.535
LC20	74	67.72	n/a	1.351	n/a	1.477
LC25	77.5	70.03	n/a	1.29	n/a	1.428
LC40	>100	n/a	n/a	<1	n/a	n/a
LC50	>100	n/a	n/a	<1	n/a	n/a

7d Survival Rate Summary

Conc-%	Code	Count	Calculated Variate(A/B)							Isotonic Variate	
			Mean	Min	Max	Std Dev	CV%	%Effect	A/B	Mean	%Effect
0	D	4	0.9500	0.9000	1.0000	0.0577	6.08%	0.0%	38/40	0.9625	0.0%
20		4	0.9500	0.9000	1.0000	0.0577	6.08%	0.0%	38/40	0.9625	0.0%
40		4	0.9750	0.9000	1.0000	0.0500	5.13%	-2.63%	39/40	0.9625	0.0%
60		4	0.9750	0.9000	1.0000	0.0500	5.13%	-2.63%	39/40	0.9625	0.0%
80		4	0.6750	0.5000	0.8000	0.1258	18.64%	28.95%	27/40	0.6875	28.57%
100		4	0.7000	0.5000	1.0000	0.2160	30.86%	26.32%	28/40	0.6875	28.57%

7d Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	1.0000	0.9000	1.0000	0.9000
20		1.0000	1.0000	0.9000	0.9000
40		1.0000	1.0000	1.0000	0.9000
60		1.0000	0.9000	1.0000	1.0000
80		0.7000	0.7000	0.5000	0.8000
100		0.6000	0.5000	1.0000	0.7000

Tuc

JA

CETIS Analytical Report

Report Date: 24 Jun-20 13:55 (p 1 of 1)
 Test Code/ID: 420265.FHM / 20-5826-8350

Fathead Minnow 7-d Larval Survival and Growth Test**SeaCrest Group**

Analysis ID: 11-6444-1511	Endpoint: Mean Dry Biomass-mg	CETIS Version: CETISv1.9.6
Analyzed: 24 Jun-20 13:54	Analysis: Parametric-Control vs Treatments	Status Level: 1
Batch ID: 08-7881-6458	Test Type: Growth-Survival (7d)	Analyst:
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 23 Jun-20	Species: Pimephales promelas	Brine: Not Applicable
Test Length: 7d 0h	Taxon: Actinopterygii	Source: In-House Culture Age:
Sample ID: 11-4028-7000	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 15 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 15 Jun-20	CAS (PC):	Station: 010A
Sample Age: 24h	Client: Colowyo	

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	TU	PMSD
Untransformed	C > T	100	>100	n/a	1	29.35%

Dunnett Multiple Comparison Test

Control	vs	Conc-%	Test Stat	Critical	MSD	DF	P-Type	P-Value	Decision(α:5%)
Dilution Water		20	-1.359	2.407	0.095	6	CDF	0.9937	Non-Significant Effect
		40	-3.658	2.407	0.095	6	CDF	1.0000	Non-Significant Effect
		60	-2.831	2.407	0.095	6	CDF	0.9999	Non-Significant Effect
		80	-1.75	2.407	0.095	6	CDF	0.9981	Non-Significant Effect
		100	-0.6067	2.407	0.095	6	CDF	0.9529	Non-Significant Effect

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	0.0583564	0.0116713	5	3.727	0.0172	Significant Effect
Error	0.0563657	0.0031314	18			
Total	0.114722		23			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance	Bartlett Equality of Variance Test	11.83	15.09	0.0372	Equal Variances
Distribution	Shapiro-Wilk W Normality Test	0.966	0.884	0.5708	Normal Distribution

Mean Dry Biomass-mg Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	4	0.3245	0.2871	0.3619	0.3275	0.295	0.348	0.01177	7.25%	0.00%
20		4	0.3783	0.3541	0.4024	0.3835	0.356	0.39	0.007597	4.02%	-16.57%
40		4	0.4693	0.4257	0.5128	0.4705	0.435	0.501	0.01368	5.83%	-44.61%
60		4	0.4365	0.2774	0.5956	0.43	0.333	0.553	0.04999	22.90%	-34.52%
80		4	0.3938	0.2819	0.5056	0.4005	0.302	0.472	0.03514	17.85%	-21.34%
100		4	0.3485	0.2718	0.4252	0.356	0.284	0.398	0.02409	13.83%	-7.40%

Mean Dry Biomass-mg Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	0.295	0.317	0.348	0.338
20		0.385	0.382	0.39	0.356
40		0.476	0.501	0.435	0.465
60		0.483	0.377	0.333	0.553
80		0.391	0.41	0.302	0.472
100		0.284	0.345	0.398	0.367

CETIS Analytical Report

Report Date: 24 Jun-20 13:55 (p 1 of 1)

Test Code/ID: 420265.FHM / 20-5826-8350

Fathead Minnow 7-d Larval Survival and Growth Test**SeaCrest Group**

Analysis ID: 07-9894-3642	Endpoint: Mean Dry Biomass-mg	CETIS Version: CETISv1.9.6
Analyzed: 24 Jun-20 13:54	Analysis: Linear Interpolation (ICPIN)	Status Level: 1
Batch ID: 08-7881-6458	Test Type: Growth-Survival (7d)	Analyst:
Start Date: 16 Jun-20	Protocol: EPA/821/R-02-013 (2002)	Diluent: Reconstituted Water
Ending Date: 23 Jun-20	Species: Pimephales promelas	Brine: Not Applicable
Test Length: 7d 0h	Taxon: Actinopterygii	Source: In-House Culture Age:
Sample ID: 11-4028-7000	Code: 420265.B	Project: WET Quarterly Compliance Test (2Q)
Sample Date: 15 Jun-20	Material: POTW Effluent	Source: NPDES Permit # (XX99999999)
Receipt Date: 15 Jun-20	CAS (PC):	Station: 010A
Sample Age: 24h	Client: Colowyo	

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	418389	1000	Yes	Two-Point Interpolation

Point Estimates

Level	%	95% LCL	95% UCL	TU	95% LCL	95% UCL
IC5	85.19	48.17	n/a	1.174	n/a	2.076
IC10	94.07	57.83	n/a	1.063	n/a	1.729
IC15	>100	n/a	n/a	<1	n/a	n/a
IC20	>100	n/a	n/a	<1	n/a	n/a
IC25	>100	n/a	n/a	<1	n/a	n/a
IC40	>100	n/a	n/a	<1	n/a	n/a
IC50	>100	n/a	n/a	<1	n/a	n/a

Mean Dry Biomass-mg Summary**Calculated Variate****Isotonic Variate**

Conc-%	Code	Count	Mean	Min	Max	Std Dev	CV%	%Effect	Mean	%Effect
0	D	4	0.3245	0.295	0.348	0.02353	7.25%	0.0%	0.4021	0.0%
20		4	0.3783	0.356	0.39	0.01519	4.02%	-16.57%	0.4021	0.0%
40		4	0.4693	0.435	0.501	0.02736	5.83%	-44.61%	0.4021	0.0%
60		4	0.4365	0.333	0.553	0.09998	22.90%	-34.52%	0.4021	0.0%
80		4	0.3938	0.302	0.472	0.07027	17.85%	-21.34%	0.3938	2.08%
100		4	0.3485	0.284	0.398	0.04819	13.83%	-7.4%	0.3485	13.34%

Mean Dry Biomass-mg Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4
0	D	0.295	0.317	0.348	0.338
20		0.385	0.382	0.39	0.356
40		0.476	0.501	0.435	0.465
60		0.483	0.377	0.333	0.553
80		0.391	0.41	0.302	0.472
100		0.284	0.345	0.398	0.367

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

Appendix 4 – QA/QC and Reference Toxicant Test Charts

Client: Colowyo
Site: 010A

CO-0045161

SCG Project No.: 420265.B

SeaCrest Group

Quality Assurance Check List – Chronic Whole Effluent Toxicity Test

Client: Colowyo Coal Company

SeaCrest Sample No.: 420265.B

Species Tested: *Ceriodaphnia dubia* and fathead minnow

Start Date of Test (<i>Ceriodaphnia dubia</i>)	Start Date of Test (Fathead minnow)
06-16-2020	06-16-2020

Sample received in lab properly preserved (0-6°C)?	N*
Sample received at laboratory within 36 hours of collection?	Y
Sample delivered on ice or equivalent?	Y
Test initiated within 36-hours of collection?	Y
Test protocol conforms to CDPHE guidelines (<i>Ceriodaphnia dubia</i>)?	Y
Test protocol conforms to CDPHE guidelines (fathead minnow)?	Y
Average test temp. $\pm 1^{\circ}\text{C}$ (<i>Ceriodaphnia dubia</i>)?	Y
Average test temp. $\pm 1^{\circ}\text{C}$ (fathead minnow)?	Y
DO level $\geq 4.0\text{mg/L}$; no super-saturation (<i>Ceriodaphnia dubia</i>)?	Y
DO level $\geq 4.0\text{mg/L}$; no super-saturation (fathead minnow)?	N**
Survival in control $\geq 90\%$, $\geq 80\%$ for chronic (<i>Ceriodaphnia dubia</i>)?	Y
Survival in control $\geq 90\%$, $\geq 80\%$ for chronic (fathead minnow)?	Y
<i>Ceriodaphnia dubia</i> neonates <24-hours old?	Y
Fathead minnow larvae <24-hours old?	Y
Appropriate reference toxicity test conducted?	Y
Lab. Ref. Tox. test results within the confidence limits for the lab?	Y

* Sample #1 was received at 20.3°C on the same day as sampling.

** DO fell below 4.0 mg/L in overnight test chambers.

Signature



Date


29 June 2020

Position: WET Laboratory Manager

METHOD QC


Method	Analyte	Date	LCS (rec)	%REC	%RPD	QC LIMITS
2320 B	Alkalinity - Total	5/5/2020	100.00%	96.85%	-3.92%	± 5.00%
2320 B	Alkalinity - Total	5/14/2020	104.80%	101.30%	1.83%	± 5.00%
2320 B	Alkalinity - Total	5/20/2020	103.20%	97.80%	1.36%	± 5.00%
2320 B	Alkalinity - Total	5/26/2020	103.20%	98.12%	1.04%	± 5.00%
4500 NH ₃ D	Ammonia	5/7/2020	103.00%	98.20%	-4.18%	± 10.00%
4500 NH ₃ D	Ammonia	5/14/2020	103.00%	99.26%	-6.12%	± 10.00%
4500 NH ₃ D	Ammonia	5/21/2020	103.00%	101.00%	3.32%	± 10.00%
4500 NH ₃ D	Ammonia	5/28/2020	103.00%	101.60%	0.92%	± 10.00%
4500 Cl D	Chlorine	5/30/2020	96.88%	96.88%	0.00%	± 5.00, ± 20.00%
2340 B	Hardness - Total	5/4/2020	101.75%	98.69%	1.38%	± 5.00%
2340 B	Hardness - Total	5/12/2020	98.20%	101.00%	-1.23%	± 5.00%
2340 B	Hardness - Total	5/22/2020	100.00%	101.00%	-1.54%	± 5.00%
2340 B	Hardness - Total	5/26/2020	98.25%	102.37%	0.66%	± 5.00%
		Date	LCS (rec)	%REC M1	%REC M2	QC Limits
4500 O	DO - Winkler	5/4/2020	N/A	98.51%	97.06%	± 5.00%
4500 O	DO - Winkler	5/11/2020	N/A	97.06%	95.59%	± 5.00%
4500 O	DO - Winkler	5/22/2020	N/A	100.00%	97.33%	± 5.00%
4500 O	DO - Winkler	5/30/2020	N/A	97.18%	98.57%	± 5.00%
		Date	Blank	%RPD	%REC MRS	QC Limits
2540 C	Dissolved Solids (TTL)	5/19/2020	99.99622%	1.05%	106.12%	±20%, ± 15%
2540 D	Suspended Solids (TTL)	5/19/2020	100.27024%	0.00%	99.70%	±20%, ± 15%
Signature: <u>Kara Oliveira</u>		Signature: <u>[Signature]</u>				
Date: <u>6/1/2020</u>		Date: <u>1 June 2020</u>				

CERIODAPHNIA SURVIVAL IC25 NaCl REFTOX




Date	IC25	Mean	-2 SD	+2 SD
10/18/18	2.1250	2.2599	1.6218	2.8979
11/15/18	2.5000	2.2725	1.6261	2.9188
12/15/18	1.9924	2.2520	1.5983	2.9057
01/02/19	2.3745	2.2498	1.5982	2.9014
02/04/19	2.2423	2.2693	1.6462	2.8924
03/06/19	1.6792	2.2302	1.5662	2.8942
04/06/19	2.3947	2.2431	1.5772	2.9089
05/20/19	2.3330	2.2195	1.6078	2.8311
06/05/19	2.1250	2.2334	1.6457	2.8210
07/08/19	1.4167	2.2234	1.5876	2.8592
08/13/19	2.3333	2.2495	1.6450	2.8541
09/03/19	1.7500	2.2317	1.5906	2.8727
10/01/19	2.2190	2.2220	1.5869	2.8572
11/11/19	2.7910	2.2438	1.5629	2.9248
12/06/19	1.8120	2.2111	1.5158	2.9063
01/02/20	1.8330	2.1831	1.4761	2.8900
02/20/20	2.5000	2.1987	1.4784	2.9190
03/16/20	2.4480	2.2072	1.4792	2.9352
04/30/20	2.2000	2.1929	1.4774	2.9085
05/18/20	1.8330	2.1441	1.4811	2.8072

CERIODAPHNIA REPRODUCTION IC25 NaCl REFTOX




Date	IC25	Mean	-2 SD	+2 SD
10/18/18	0.9733	1.0632	0.5239	1.6026
11/15/18	1.1578	1.0979	0.6375	1.5584
12/15/18	1.3741	1.1028	0.6324	1.5733
01/02/19	1.1897	1.1007	0.6324	1.5690
02/04/19	0.9971	1.0817	0.6299	1.5335
03/06/19	0.9597	1.0739	0.6192	1.5286
04/06/19	1.2943	1.0687	0.6275	1.5098
05/20/19	1.2523	1.0731	0.6262	1.5200
06/05/19	1.0625	1.1043	0.7718	1.4369
07/08/19	1.0976	1.1102	0.7829	1.4376
08/13/19	1.1825	1.1125	0.7837	1.4412
09/03/19	1.0209	1.1060	0.7752	1.4367
10/01/19	1.1530	1.1050	0.7750	1.4351
11/11/19	1.0220	1.0921	0.7709	1.4132
12/06/19	1.2340	1.0938	0.7698	1.4178
01/02/20	1.2370	1.1021	0.7722	1.4321
02/20/20	0.8240	1.0926	0.7418	1.4435
03/16/20	1.2270	1.0946	0.7411	1.4481
04/30/20	1.2790	1.1073	0.7462	1.4684
05/18/20	0.9375	1.1238	0.8360	1.4115

FHM SURVIVAL IC25 NaCl REFTOX



Date	IC25	Mean	-2 SD	+2 SD
11/19/18	3.4074	4.5641	2.1716	6.9566
12/10/18	6.4714	4.6726	2.1478	7.1974
01/02/19	5.3000	4.6168	2.2099	7.0237
02/06/19	4.0378	4.5386	2.1704	6.9069
03/06/19	3.7006	4.5270	2.1107	6.9432
04/10/19	3.5725	4.4785	2.0291	6.9279
05/08/19	3.2727	4.4779	2.0273	6.9286
06/11/19	4.8330	4.5167	2.0721	6.9613
07/01/19	4.5714	4.4518	2.0981	6.8055
08/01/19	4.7632	4.3831	2.1680	6.5982
09/02/19	4.8920	4.4388	2.2377	6.6400
10/04/19	3.5000	4.3948	2.1577	6.6319
11/18/19	3.0000	4.3304	2.0157	6.6451
12/12/19	2.9230	4.2327	1.8683	6.5972
01/02/20	4.2730	4.3146	2.0847	6.5445
02/12/20	2.9000	4.1690	2.0112	6.3269
03/18/20	4.2190	4.0659	2.1719	5.9599
04/06/20	2.6330	3.9908	2.0044	5.9771
05/20/20	2.8120	3.9065	1.8832	5.9297
06/11/20	4.0740	3.8642	1.8990	5.8293

FHM GROWTH IC25 NaCl REFTOX



Date	IC25	Mean	-2 SD	+2 SD
11/19/18	3.1832	4.6770	2.1291	7.2249
12/10/18	6.4714	4.8436	2.3063	7.3809
01/02/19	6.0965	4.9313	2.3525	7.5101
02/06/19	4.2083	4.8042	2.3693	7.2390
03/06/19	4.5795	4.8091	2.3766	7.2416
04/10/19	5.1689	4.8637	2.4540	7.2734
05/08/19	3.1977	4.8012	2.2871	7.3152
06/11/19	6.1639	4.7836	2.3157	7.2516
07/01/19	5.9415	4.8088	2.3034	7.3142
08/01/19	5.1270	4.8424	2.3399	7.3449
09/02/19	5.2270	4.8440	2.3405	7.3474
10/01/19	2.7880	4.7576	2.0987	7.4165
11/18/19	3.1860	4.6211	1.9471	7.2950
12/12/19	4.5530	4.7439	2.3593	7.1285
01/02/20	4.9410	4.8270	2.5500	7.1041
02/12/20	4.1900	4.6963	2.6215	6.7710
03/18/20	6.7190	4.7754	2.5236	7.0271
04/06/20	4.0590	4.7630	2.4979	7.0281
05/20/20	2.8660	4.6469	2.2521	7.0417
06/11/20	4.6820	4.6419	2.2479	7.0360


TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.
HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

July 22, 2020

Water Quality Control Division
 Colorado Department of Public Health and Environment
 4300 Cherry Creek Drive South
 Denver, Colorado 80246-1530

RE: Colowyo Mine CDPS Permit #CO-0045161
 March 2020 DMR Submittal Comments Outfall 014A

Dear CDPHE Representative:

On June 2, 2020, a field pH measurement of 9.4 at Outfall 014 was recorded during a discharge of stormwater. The effluent limit for pH at this outfall is 6.5 to 9.0. At the time of the measurement, the facility was discharging stormwater from the associated sediment control pond from previous rain or snow melt events as part of a drainage study. The drainage study was conducted to meet Water Quality Control Commission requirements from the 2019 Regulation 37 rulemaking hearing to investigate discharges to Little Collom Gulch, and to address the application of downstream water quality standards on both Collom and Little Collom gulches. The discharge occurred after the stormwater had undergone all treatment in the mine's system, including final settling in the sediment pond. The discharge occurred through a suspended (floating) hose and an out-of-pond pump to discharge through the outfall structure to simulate a natural discharge event. Samples were collected during the discharge (as required by permit). The discharge event lasted approximately four hours. The drainage study found that no measureable flow from the discharge reached Collom Gulch.

In order to prevent future recurrence of this event, Tri-State Colowyo Mine has updated SOPs for the operation of permitted ponds to include the requirement to sample the water prior to any routine maintenance, study, or other circumstance requiring a scheduled manual discharge of regulated water. Compliance with permitted water quality limits will be verified prior to any such discharge. In addition, training will be provided to Colwoyo Mine staff in order to ensure that these new SOPs are implemented and followed.

If you have any questions about these comments, please contact Chantell Johnson at 303-254-3185 or Darlene Crosby at 303-254-3055.

Sincerely,

DocuSigned by:

Barbara Walz

A5D5C24494CD4A7...

Barbara A. Walz
 Senior Vice President
 Policy and Compliance
 Chief Compliance Officer

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative 

CRAIG STATION
 P.O. BOX 1307
 CRAIG, CO 81626-1307
 970-824-4411

ESCALANTE STATION
 P.O. BOX 577
 PREWITT, NM 87045
 505-972-5200

NUCLA STATION
 P.O. BOX 698
 NUCLA, CO 81424-0698
 970-864-7316



TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.

HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

WQCD
Colowyo Outfall 014A DMR Comment
Page 2

BAW:DC:

Enclosures

cc: Chantell Johnson, via email
Darlene Crosby, via email
File: G471-11.3(10)a-9a

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative 

CRAIG STATION
P.O. BOX 1307
CRAIG, CO 81626-1307
970-824-4411

ESCALANTE STATION
P.O. BOX 577
PREWITT, NM 87045
505-972-5200

NUCLA STATION
P.O. BOX 698
NUCLA, CO 81424-0698
970-864-7316



TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.

HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

July 22, 2020

Water Quality Control Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530

RE: Colowyo Mine CDPS Permit #CO-0045161
June 2020 DMR Submittal Comments Outfall 010X

Dear CDPHE Representative:

Based on ongoing TIE/TRE assessments for Outfall 010 and demonstration that the water quality has been consistent, Tri-State received written confirmation (via email from Eric Mink--attached) indicating that the current ongoing TIE/TRE work will suffice as the automatic compliance response, and no further action is needed from Tri-State. In addition, on 5/29/20 a permit modification was issued (effective on 7/1/20) that removes the automatic compliance response requirements until 2023 when the compliance schedule ends (based on ongoing studies to resolve the toxicity issue).

If you have any questions about these comments, please contact Chantell Johnson at 303-254-3185 or Darlene Crosby at 303-254-3055.

Sincerely,

DocuSigned by:

A5D5C24494CD4A7...

Barbara A. Walz
Senior Vice President
Policy and Compliance
Chief Compliance Officer

BAW:DC:der

Enclosures

cc: Chantell Johnson, via email
Darlene Crosby, via email
File: G471-11.3(10)a-9a

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative 

CRAIG STATION
P.O. BOX 1307
CRAIG, CO 81626-1307
970-824-4411

ESCALANTE STATION
P.O. BOX 577
PREWITT, NM 87045
505-972-5200

NUCLA STATION
P.O. BOX 698
NUCLA, CO 81424-0698
970-864-7316

WET TEST REPORT FORM – CHRONIC

Permittee: Colowyo Coal Company

Outfall: 010A

Permit No.: CO-0045161

Test Type: Routine ☒ Accelerated ☐ Screen ☐

Test Species: *Ceriodaphnia dubia*

IWC: 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1300	06-16-2020	1200	06-22-2020

Test Results	Lethality/TCP3B	Reproduction/TKP3B
S code: NOEL	40%	40%
	FAIL	FAIL
P code: LC ₂₅ /IC ₂₅	50%	41.4%
	FAIL	FAIL
T code:	50%	41.4%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	100	100	100	100	100	80
% Survival for day 2	100	100	100	70	60	50
% Survival for day 3	100	100	100	70	40	30
% Survival for day 4	100	100	100	60	30	10
% Survival for day 5	100	100	100	50	30	10
% Survival for day 6	100	100	100	50	30	0
Mean 3 Brood Total	19.4	17.1	15.3	4.7	1.1	0.0

Hardness (mg/L) – Receiving Water: N/A Effluent: 802/786/872 Recon Water: 84

Alkalinity (mg/L) – Receiving Water: N/A Effluent: 950/890/1155 Recon Water: 61

Chlorine (mg/L) – Effluent: <0.01 pH (initial/final) – Control: 8.3/7.9 100%: 8.1/8.1

Total Ammonia as NH₃ (mg/L) - Effluent: 0.14/0.11/.30

Were all Test Conditions in Conformance with Division Guidelines? YES ☒ NO ☐

If **NO**, list deviations from test specifications:

Laboratory: SeaCrest Group

Comments:

Analyst's Name: Sarah Adler and Margie Glenn

Signature



Date

29 June 2020

WET TEST REPORT FORM – CHRONIC

Permittee: Colowyo Coal Company

Outfall: 010A

Permit No.: CO-0045161

Test Type: Routine ☒ Accelerated ☐ Screen ☐

Test Species: Fathead minnow

IWC: 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1225	06-16-2020	1240	06-23-2020

Test Results	Lethality/TCP6C	Growth/TKP6C
S code: NOEL	60%	100%
	FAIL	PASS
P code: LC ₂₅ /IC ₂₅	77.5%	>100%
	FAIL	PASS
T code:	77.5%	>100%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	100	100	100	100	100	100
% Survival for day 2	98	100	100	100	100	85
% Survival for day 3	95	100	100	100	93	75
% Survival for day 4	95	98	100	98	85	73
% Survival for day 5	95	95	98	98	80	73
% Survival for day 6	95	95	98	98	73	73
% Survival for day 7	95	95	98	98	68	70
Mean Dry Wt. (mg)	0.325	0.378	0.469	0.437	0.394	0.349

Hardness (mg/L) – Receiving Water: N/A

Effluent: 802/786/872

Recon Water: 88

Alkalinity (mg/L) – Receiving Water: N/A

Effluent: 950/890/1155

Recon Water: 57

Chlorine (mg/L) – Effluent: <0.01

pH (initial/final) – Control: 8.3/7.9

100%: 8.1/8.1

Total Ammonia as NH₃ (mg/L) - Effluent: 0.14/0.11/30

Were all Test Conditions in Conformance with Division Guidelines? YES ☐ NO ☒

If **NO**, list deviations from test specifications: DO fell below 4.0 mg/L in overnight test chambers.

Laboratory: SeaCrest Group

Comments:

Analyst's Name: Sean Rainey, Sarah Adler, and Daniel Hillenburg

Signature



Date

29 June 2020

500 S. Arthur Avenue, Unit 450 - Louisville, CO 80027
(303) 661.9324 - FAX (303) 661.9325

Client/Project Name: <u>Colowyo Coal Company</u>	
P. O./Project Number: <u>270871</u>	
Contact: <u>Angela Aalbers</u>	
Address: <u>5731 State Hwy 13 Meeker, CO 81641</u>	
Phone # <u>970-824-1219</u>	E-Mail: <u>aaalbers@tristate.org</u>
Fax #	Sampler: <u>Angela Aalbers</u>
Report By: ☐ Mail ☒ PDF ☐ FAX	

Sample Location or ID	Date	Time	Grab/Comp	Lab ID (LAB Use Only)
<u>010A</u>	<u>6/19/2007</u>	<u>7:50</u>	<u>G</u>	<u>420265B#3</u>

WET: Acute (Indicate Below)	WET: Chronic (Indicate Below)	WET: Accelerated (Indicate Below)	WET: PTI/TIE/TRE (Indicate Below)
	<u>X</u>		

Analysis (Check all applicable)

Metals (List Below)	Solids (TS/TDS/TSS) (Circle)	Anions (List Below)	Chromium III/VI (Circle)	Oil and Grease	Coliform (Total/Fecal/E-Coli) (Circle)	BOD/COD (Circle)	Other Analysis (List Below)							Number of Containers	Total Volume
														<u>2</u>	<u>2</u>

Turnaround Requirements (Analytical Testing Only)		Test Species: ☒ Fathead Minnow ☒ Cerio daphnia ☐ Daphnia magna ☐ Daphnia pulex ☐ Other (List Below)	
☒ Standard (10 days)	_____ 6-9 Day	Special Instructions/Comments:	
_____ 3-5 Day	_____ 1-2 Day		
Requested Report Date:			
Relinquished By (1)		Received By (1)	
Signature <u>Angela Aalbers</u>	Date/Time <u>6/19/20 11:30</u>	Signature <u>UPS</u>	Date/Time
Relinquished By (2)		Received By (2)	
Signature <u>D. Thornton</u>	Date/Time <u>6/20/20 8:47</u>	Signature <u>UPS</u>	Date/Time

From: [Envs Reports](#)
To: [Johnson, Chantell](#); [Crosby, Darlene](#); [Gilbreath, Chris](#)
Subject: FW: [EXTERNAL] Re: UPDATE: Colowyo Notification of Chronic WET Results - 3Q19 & Waiver Request for TIE
Date: Friday, October 4, 2019 9:10:22 AM

From: Mink - CDPHE, Eric <eric.mink@state.co.us>
Sent: Friday, October 4, 2019 8:57 AM
To: Robinson, Diane <drolinson@tristategt.org>
Cc: Gilbreath, Chris <cgilbreath@tristategt.org>; Johnson, Chantell <cjohnson@tristategt.org>
Subject: [EXTERNAL] Re: UPDATE: Colowyo Notification of Chronic WET Results - 3Q19 & Waiver Request for TIE

The work being done on the TIE/TRE will suffice as the automatic compliance so no further action is needed.

Thank you

On Wed, Oct 2, 2019 at 3:11 PM Robinson, Diane <drolinson@tristategt.org> wrote:

Eric –

Please find the updated attached letter for Colowyo Mine. Please disregard the prior report that was sent earlier today as it was missing some pages. We apologize for any inconvenience. If you have any questions on this submittal, please contact me directly.

Thanks,

Chantell Johnson

*Tri-State Generation and Transmission Association, Inc.
Environmental Services
Direct 303-254-3185
cjohnson@tristategt.org*

--

Eric Mink
Unit Lead
Clean Water Enforcement Unit



P 303.692.2312
4300 Cherry Creek Drive South, Denver, CO 80246-1530
eric.mink@state.co.us | www.colorado.gov/cdphe/wgcd
24-hour Environmental Release/Incident Report Line: [1.877.518.5608](tel:18775185608)

