



Updated adequacy

1 message

Bowles - DNR, Brock <brock.bowles@state.co.us>
To: Greg Larson <glarsfarm@gmail.com>

Fri, Sep 4, 2020 at 2:55 PM

Mr. Larson,
Attached is an updated adequacy letter for TR-2 at the Larson Pit, M-2007-012.
The first letter had the wrong decision date for the TR. The correct decision date is Sept 17, 2020.

Brock

--

Brock Bowles
Environmental Protection Specialist



COLORADO
Division of Reclamation,
Mining and Safety
Department of Natural Resources

P 720.774.0040 | F 303.832.8106
1313 Sherman St., Room 215, Denver, CO 80203
brock.bowles@state.co.us | <https://www.colorado.gov/drms>



TR2 Adequacy Letter-Udated.pdf
379K



September 4, 2020

Gregory Larson
14977 Co. Rd. 97
Haxtun, CO 80731

RE: Larson Pit, Permit File No. M-2007-012
Technical Revision 2 (TR-2)
Adequacy Letter #1

Dear Mr. Larson:

On August 18, 2020, the Division of Reclamation, Mining and Safety received your Technical Revision Application package for the Larson Pit, File No. M-2007-012. A review of the information received determined that the following item needs to be addressed before the Division can approve your application.

1. The map submitted with the application shows that the area to be removed from the permit is in the shape of a semi-circle or an arc. This feature can be difficult to mark in the field. The Division suggests that the 3.5 acres to be removed be in a squared format for easier identification on the ground. The south side of Area 2 is approximately 850 feet wide. If you remove the southernmost 180 feet of Area 2 this will equal 3.5 acres ($850' \times 180' = 153,000\text{ft}^2$ or 3.5124 acres). Please submit an updated map showing the 3.5 acres section to be removed in a squared format for easy field marking.

An updated reclamation cost estimate has been enclosed you to review.

The decision date for TR-2 is September 17, 2020. Please be advised that if you are unable to satisfactorily address any concerns identified in this review before the decision date, **it will be your responsibility to request an extension of the review period.** If there are outstanding issues that have not been adequately addressed prior to the end of the review period, and no extension has been requested, the Division may deny this Technical Revision.

If you have any questions, please contact me at (720) 774-0040 or brock.bowles@state.co.us.

Sincerely,

Brock Bowles
Environmental Protection Specialist

Enclosure: 2020 Reclamation Cost Estimate
CC: Michael Cunningham, DRMS

