



Prism CP1





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism CP2





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism CP3





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism NP1





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism NP2





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism NP66





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P1





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P2





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P25





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P32





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P33





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P35





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P4





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P5





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P63





Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P69





Notes:

1. Survey accuracy is +/-0.016 feet.
2. Alarm threshold is +/-0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.



Prism P70



Notes:

1. Survey accuracy is ± 0.016 feet.
2. Alarm threshold is ± 0.35 feet.
3. Transverse displacement is in the horizontal direction. Positive direction means closer to the robotic station.
4. Height displacement is in the vertical direction. Positive direction means higher in elevation.

