



TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.

HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

January 25, 2021

VIA Electronic Mail: Zach.Trujillo@state.co.us

Mr. Zach Trujillo
Environmental Protection Specialist
Division of Reclamation, Mining, & Safety
Coal Program Support Staff
1313 Sherman Street, RM 215
Denver, Colorado 80203

RE: December 2020 Discharge Monitoring Report Submittal
CDPS Permit #CO-0045161
Colowyo Coal Company, LP – Colowyo Mine
DRMS Mine Permit #C-1981-019

Dear Mr. Trujillo:

Enclosed is the Discharge Monitoring Report (DMR) for the Colowyo Coal Company, LP. (Colowyo) – Colowyo Mine CDPS Permit No. CO-0045161 for December of 2020. Tri-State Generation and Transmission Association, Inc. (Tri-State) is the parent of Axial Basin Coal Company, which is the general partner of Colowyo Coal Company, L.P. The enclosed December DMRs were submitted electronically through the EPA's NetDMR program.

If you have any questions about the enclosed reports, please contact Darlene Crosby at 303-254-3055.

Sincerely,

DocuSigned by:
Daniel Casiraro
B70D69F114324DE...

Daniel J. Casiraro
Senior Manager
Environmental Services

DJC:DC:

Enclosure

cc: DRMS Representative, Denver, CO
Darlene Crosby (via email)
Chantell Johnson (via email)
Tony Tennyson (via email)
File: G471 – 11.3(10)a-9a
Colowyo CF 21.1.2.2013

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative 

CRAIG STATION
P.O. BOX 1307
CRAIG, CO 81626-1307
970-824-4411

ESCALANTE STATION
P.O. BOX 577
PREWITT, NM 87045
505-972-5200

NUCLA STATION
P.O. BOX 698
NUCLA, CO 81424-0698
970-864-7316



TRI-STATE GENERATION AND TRANSMISSION ASSOCIATION, INC.

HEADQUARTERS: P.O. BOX 33695 DENVER, COLORADO 80233-0695 303-452-6111

January 18, 2021

Water Quality Control Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530

RE: Colowyo Mine CDPS Permit #CO-0045161
December 2020 DMR Submittal Comments Outfall 010X

Dear CDPHE Representative:

Based on ongoing TIE/TRE assessments for Outfall 010 and demonstration that the water quality has been consistent, Tri-State received written confirmation (via email from Eric Mink--attached) indicating that the current ongoing TIE/TRE work will suffice as the automatic compliance response, and no further action is needed from Tri-State. In addition, on 5/29/20 a permit modification was issued (effective on 7/1/20) that removes the automatic compliance response requirements until 2023 when the compliance schedule ends (based on ongoing studies to resolve the toxicity issue).

If you have any questions about these comments, please contact Chantell Johnson at 303-254-3185 or Darlene Crosby at 303-254-3055.

Sincerely,

DocuSigned by:

Barbara Walz

A5D5C24494CD4A7...

Barbara A. Walz
Senior Vice President
Policy and Compliance
Chief Compliance Officer

BAW:DC:

Enclosures

cc: Chantell Johnson, via email
Darlene Crosby, via email
File: G471-11.3(10)a-9a

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

A Touchstone Energy® Cooperative



CRAIG STATION
P.O. BOX 1307
CRAIG, CO 81626-1307
970-824-4411

ESCALANTE STATION
P.O. BOX 577
PREWITT, NM 87045
505-972-5200

NUCLA STATION
P.O. BOX 698
NUCLA, CO 81424-0698
970-864-7316

From: netdmr-notification@epa.gov
To: [Crosby, Darlene](#); [Johnson, Chantell](#); [Walz, Barbara](#)
Subject: [EXTERNAL] NetDMR DMR(s) Submittal Passed for: CO0045161
Date: Thursday, January 21, 2021 6:31:07 AM

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

The following signed 23 DMR(s) were submitted to EPA and were successfully processed:

CDX Transaction ID: _8df06eb0-b309-4c4a-b568-abda94f47dde
User ID: BARBARAWALZ1
Timestamp: 01/20/2021 16:30:20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 003
Discharge: A - Gossard Pond to Wilson Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 003
Discharge: Q - Quarterly Monitoring for 003A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 003
Discharge: W - Acute WET Testing for 003A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 006
Discharge: A - Rail Loop/Wilson Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 006
Discharge: Q - Quarterly Monitoring for 006A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 006
Discharge: W - Acute WET Testing for 006A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161

Permitted Feature: 010
Discharge: A - East Taylor Pond to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 010
Discharge: Q - Quarterly Monitoring for 010A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 010
Discharge: X - Chronic WET Testing at 010A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 013
Discharge: A - Section 25 Pond to Little Collom Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 013
Discharge: Q - Quarterly Monitoring for 013A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 014
Discharge: A - Section 26 Pond to Collom Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 014
Discharge: Q - Quarterly Monitoring for 014A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 021
Discharge: A - Sump 1 to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 021
Discharge: Q - Quarterly Monitoring for 021A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 022
Discharge: A - Sump 2 to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 022
Discharge: Q - Quarterly Monitoring for 022A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 023
Discharge: A - Sump 3 to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 023
Discharge: Q - Quarterly Monitoring for 023A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 024
Discharge: A - Sump 4 to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 024
Discharge: Q - Quarterly Monitoring for 024A
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 025
Discharge: A - Sump 5 to Taylor Creek
Monitoring Period End Date: 12/31/20

Permitted Facility Name: COLOWYO MINE
Permit ID: CO0045161
Permitted Feature: 025
Discharge: Q - Quarterly Monitoring for 025A
Monitoring Period End Date: 12/31/20

Thank you.

OFFICIAL NOTIFICATION -- message sent AUTOMATICALLY by Production-NetDMR the official discharge monitoring report (DMR) data reporting environment used for compliance with both the Federal Clean Water Act and the Colorado Pollutant Discharge Elimination permit requirements to submit discharge data electronically

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-A
Gossard Pond to Wilson Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 6 and 8. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00094	Conductivity	1 - Effluent Gross	0	--	Sample													7B - dS/m	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB	
					Permit Req.																
					Value NODI							C - No Discharge				C - No Discharge					
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample													28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample													19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample													1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample													1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					

00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req.											<=	10.0 INST MAX	19 - mg/L		77/77 - Contingent	GR - GRAB
					Value NODI												C - No Discharge				
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.82 30DA AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge												
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										01/30 - Monthly	VI - VISUAL
									C - No												

					Value NODI				Discharge										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample														
					Permit Req.		Req Mon 30DA AVG			FP - fail=0;pass=1		Req Mon 30DA ARI					4K - #/mo	01/30 - Monthly	CA - CALCTD
					Value NODI		C - No Discharge					C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User: AAALBERS@TRISTATEGT.ORG

Name: Angela Aalbers

E-Mail: aaalbers@tristategt.org

Date/Time: 2020-12-23 13:18 (Time Zone: -07:00)

Report Last Signed By

User: BARBARAWALZ1

Name: Barbara Walz

E-Mail: bwalz@tristategt.org

Date/Time: 2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-Q
Quarterly Monitoring for 003A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:19 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

003
External Outfall

Discharge:

003-W
Acute WET Testing for 003A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 details of test procedure. Report LC50 - Statistical point estimate which is lethal to 50% of test organisms (LC50) and attach acute toxicity test report form to DMR.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	CA - CALCTD
					Permit Req.		Req Mon 30DA AVG			FP - fail=0;pass=1				Req Mon MO TOTAL			93 - occur/mo			
					Value NODI		C - No Discharge							C - No Discharge						
TAM3B	LC50 Static Renewal 48Hr Acute Ceriodaphnia dubia	1 - Effluent Gross	0	--	Sample														01/90 - Quarterly	GR - GRAB
					Permit Req.						>=	100.0 MN VALUE					23 - %			
					Value NODI							C - No Discharge								
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample														01/90 - Quarterly	GR - GRAB
					Permit Req.						>=	100.0 MN VALUE					23 - %			
					Value NODI							C - No Discharge								

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:19 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-A
Rail Loop/Wilson Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 10. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req.											<=	10.0 INST MAX	19 - mg/L		77/77 - Contingent	GR - GRAB
					Value NODI												C - No Discharge				
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.32 30DA AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge												
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req.										Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI										C - No Discharge						
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										01/30 - Monthly	VI - VISUAL
									C - No												

					Value NODI			Discharge										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample													
					Permit Req.		Req Mon 30DA AVG		FP - fail=0;pass=1				Req Mon 30DA AVG		4K - #/mo		01/30 - Monthly	CA - CALCTD
					Value NODI		C - No Discharge						C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User: AAALBERS@TRISTATEGT.ORG

Name: Angela Aalbers

E-Mail: aaalbers@tristategt.org

Date/Time: 2020-12-23 13:20 (Time Zone: -07:00)

Report Last Signed By

User: BARBARAWALZ1

Name: Barbara Walz

E-Mail: bwalz@tristategt.org

Date/Time: 2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-Q
Quarterly Monitoring for 006A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:20 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

006
External Outfall

Discharge:

006-W
Acute WET Testing for 006A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 for details of test procedure. Report LC50 - Statistical point estimate which is lethal to 50% of test organisms (LC50) and attach acute toxicity test report form to DMR.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
TAM3B	LC50 Static Renewal 48Hr Acute Ceriodaphnia dubia	1 - Effluent Gross	0	--	Sample													23 - %	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon MN VALUE								
					Value NODI							C - No Discharge								
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample													23 - %	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon MN VALUE								
					Value NODI							C - No Discharge								

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:21 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-A
East Taylor Pond to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pg 12. Oil and grease - see I.C.1.b, pp 5-6. Report SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample								=	6.8			7B - dS/m	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			7B - dS/m		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						=	8.32			=	8.33	12 - SU	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI															
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample								=	1245.0	=	1280.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<	5.0	<	5.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI															
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample								=	154.0	=	157.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample								=	113.0	=	117.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample								=	912.0	=	939.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample								=	13.7	=	13.8	1U - Ratio	0	02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Value NODI															
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample								=	17.3	=	17.4	1U - Ratio	0	02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD

[illegible]

84066	Oil and grease visual	1 - Effluent Gross	0	--	Permit Req. Value NODI				Req Mon INST MAX	AB - abst=0;prst=1							0	01/30 - Monthly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User: dcrosby@tristategt.org
Name: Darlene Crosby
E-Mail: dcrosby@tristategt.org
Date/Time: 2021-01-18 14:08 (Time Zone: -07:00)

Report Last Signed By

User: BARBARAWALZ1
Name: Barbara Walz
E-Mail: bwalz@tristategt.org
Date/Time: 2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-Q
Quarterly Monitoring for 010A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2021-01-18 14:09 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

010
External Outfall

Discharge:

010-X
Chronic WET Testing at 010A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

See I.D.1 for details of test procedure. Report NOEC using test code "S". Report IC25 using test code "P".

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

See comments below.

Attachments

Name	Type	Size
210118_Colowyo_December_2020_DMR_Comment_Outfall_010X_Walz_to_CDPHE.pdf	pdf	331329.0
Re_UPDATE_Colowyo_Notification_of_Chronic_WET_Results-3Q19_&_Waiver_Request_for_TIE.pdf	pdf	75478.0
Colowyo_CDPS_CO0045161_Outfall010_WETresults_December_2020_COC.pdf	pdf	1357377.0

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2021-01-18 10:48 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

WET TEST REPORT FORM – CHRONIC

Permittee: Colowyo Coal Company
Permit No.: CO-0045161

Outfall: 010A

Test Type: Routine ☒ Accelerated ☐ Screen ☐

Test Species: *Ceriodaphnia dubia*

IWC: 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1345	10-13-2020	1300	10-19-2020

Test Results	Lethality/TCP3B	Reproduction/TKP3B
S code: NOEL	60%	20%
	FAIL	FAIL
P code: LC ₂₅ /IC ₂₅	50%	22%
	FAIL	FAIL
T code:	60%	22%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	100	100	100	100	100	100
% Survival for day 2	100	100	100	100	90	60
% Survival for day 3	100	100	100	100	80	30
% Survival for day 4	100	100	100	80	20	0
% Survival for day 5	100	100	90	70	0	0
% Survival for day 6	100	100	90	60	0	0
Mean 3 Brood Total	19.5	14.9	12.1	11.0	1.2	0.1

Hardness (mg/L) – Receiving Water: N/A Effluent: 936/879/634 Recon Water: 91
Alkalinity (mg/L) – Receiving Water: N/A Effluent: 952/1121/801 Recon Water: 58
Chlorine (mg/L) – Effluent: <0.01 pH (initial/final) – Control: 8.2/8.1 100%: 8.1/8.4
Total Ammonia as NH₃ (mg/L) - Effluent: 1.02/1.43/1.99

Were all Test Conditions in Conformance with Division Guidelines? YES ☒ NO ☐

If **NO**, list deviations from test specifications:

Laboratory: SeaCrest Group

Comments:

Analyst's Name: Haley West, Sarah Adler, and Daniela Thornton

Signature



Date

27 October 2020

WET TEST REPORT FORM – CHRONIC

Permittee: Colowyo Coal Company
Permit No.: CO-0045161

Outfall: 010A

Test Type: Routine ☒ Accelerated ☐ Screen ☐

Test Species: fathead minnow

IWC: 100%

Test Start Time	Test Start Date	Test End Time	Test End Date
1223	10-13-2020	1150	10-20-2020

Test Results	Lethality/TCP6C	Growth/TKP6C
S code: NOEL	100%	100%
	PASS	PASS
P code: LC ₂₅ /IC ₂₅	>100%	99.9%
	PASS	FAIL
T code:	>100%	100%

Dilution(s) - % Effluent

Measurements	Control (0%)	20%	40%	60%	80%	100%
% Survival for day 1	98	100	100	100	98	95
% Survival for day 2	98	100	98	95	95	90
% Survival for day 3	95	100	98	95	88	83
% Survival for day 4	95	100	95	95	88	78
% Survival for day 5	95	100	93	95	88	73
% Survival for day 6	95	100	90	95	88	73
% Survival for day 7	93	100	90	95	88	73
Mean Dry Wt. (mg)	0.510	0.590	0.608	0.661	0.592	0.443

Hardness (mg/L) – Receiving Water: N/A Effluent: 936/879/634 Recon Water: 89
Alkalinity (mg/L) – Receiving Water: N/A Effluent: 952/1121/801 Recon Water: 58
Chlorine (mg/L) – Effluent: <0.01 pH (initial/final) – Control: 8.2/7.8 100%: 8.0/8.1
Total Ammonia as NH₃ (mg/L) - Effluent: 1.02/1.43/1.99

Were all Test Conditions in Conformance with Division Guidelines? YES ☐ NO ☒

If **NO**, list deviations from test specifications:


D.O. fell below 4.0mg/L overnight in test chambers

Laboratory: SeaCrest Group

Comments:


Analyst's Name: Sean Rainey and Daniel Hillenburg

Signature



Date

27 October 2020





Client/Project Name: Colowyo Coal Company

P. O./Project Number: 270871

Contact: Angela Aalbers

Address: 5731 State Hwy 13 meeker, CO 81641

Phone # 970-824-1219 E-Mail: aaalbers@tristatest.org

Fax # _____ Sampler: A. Aalbers

Report By: ☐ Mail ☒ PDF ☐ FAX

Analysis (Check all applicable)

Sample Location or ID	Date	Time	Grab/Comp	Lab ID (LAB Use Only)	WET: Acute (Indicate Below)	WET: Chronic (Indicate Below)	WET: Accelerated (Indicate Below)	WET: PTI/TIE/TRE (Indicate Below)	Metals (List Below)	Solids (TS/TDS/TSS) (Circle)	Anions (List Below)	Chromium III/VI (Circle)	Oil and Grease	Coliform (Total/Fecal/E-Coli) (Circle)	BOD/COD (Circle)	Other Analysis (List Below)	Number of Containers	Total Volume
<u>010A</u>	<u>10/16/20</u>	<u>0840</u>	<u>G</u>	<u>400469.3#3</u>		<u>X</u>											<u>2</u>	<u>G</u>

Turnaround Requirements
(Analytical Testing Only)

☒ Standard (10 days) _____ 6-9 Day
_____ 3-5 Day _____ 1-2 Day

Requested Report Date: _____

Test Species: ☒ Fathead Minnow ☒ Cerio daphnia ☐ Daphnia magna ☐ Daphnia pulex ☐ Other (List Below)

Special Instructions/Comments:

Relinquished By (1)		Received By (1)		Relinquished By (2)		Received By (2)	
Signature <u>Angela Aalbers</u>	Date/Time <u>10/16/20</u> <u>11:30</u>	Signature <u>UPS</u>	Date/Time	Signature <u>UPS</u>	Date/Time	Signature <u>D. Thornton</u>	Date/Time <u>10/17/20</u> <u>8:50</u>

From: [Envs Reports](#)
To: [Johnson, Chantell](#); [Crosby, Darlene](#); [Gilbreath, Chris](#)
Subject: FW: [EXTERNAL] Re: UPDATE: Colowyo Notification of Chronic WET Results - 3Q19 & Waiver Request for TIE
Date: Friday, October 4, 2019 9:10:22 AM

From: Mink - CDPHE, Eric <eric.mink@state.co.us>
Sent: Friday, October 4, 2019 8:57 AM
To: Robinson, Diane <drolinson@tristategt.org>
Cc: Gilbreath, Chris <cgilbreath@tristategt.org>; Johnson, Chantell <cjohnson@tristategt.org>
Subject: [EXTERNAL] Re: UPDATE: Colowyo Notification of Chronic WET Results - 3Q19 & Waiver Request for TIE

The work being done on the TIE/TRE will suffice as the automatic compliance so no further action is needed.

Thank you

On Wed, Oct 2, 2019 at 3:11 PM Robinson, Diane <drolinson@tristategt.org> wrote:

Eric –

Please find the updated attached letter for Colowyo Mine. Please disregard the prior report that was sent earlier today as it was missing some pages. We apologize for any inconvenience. If you have any questions on this submittal, please contact me directly.

Thanks,

Chantell Johnson

Tri-State Generation and Transmission Association, Inc.
Environmental Services
Direct 303-254-3185
cjohnson@tristategt.org

--

Eric Mink
Unit Lead
Clean Water Enforcement Unit



P 303.692.2312
4300 Cherry Creek Drive South, Denver, CO 80246-1530
eric.mink@state.co.us | www.colorado.gov/cdphe/wgcd
24-hour Environmental Release/Incident Report Line: [1.877.518.5608](tel:18775185608)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

013
External Outfall

Discharge:

013-A
Section 25 Pond to Little Collom Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 13-14. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample						=	8.84			=	8.84	12 - SU	0	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								=	5.0	=	5.0	19 - mg/L	0	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI															
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								=	90.0	=	90.0	28 - ug/L	0	DL/DS - Daily When Discharging 02/30 - Twice Per Month	GR - GRAB GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI															
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.006	=	0.006	03 - MGD								0	DL/DS - Daily When Discharging 01/30 - Monthly	IN - INSTAN IN - INSTAN
					Permit Req.	<=	0.61 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

There was only one discharge in the month of December.

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2021-01-18 14:10 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

013
External Outfall

Discharge:

013-Q
Quarterly Monitoring for 013A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI: --

01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									=	8.0	=	8.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample									<	20.0	<	20.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
11123	Manganese, total recoverable	1 - Effluent Gross	0	--	Sample									=	20.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample									=	0.00219			28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.										Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

dcrosby@tristategt.org

Name:

Darlene Crosby

E-Mail:

dcrosby@tristategt.org

Date/Time:

2021-01-18 14:29 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

014
External Outfall

Discharge:

014-A
Section 26 Pond to Collom Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 15. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	0.43 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:22 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

014
External Outfall

Discharge:

014-Q
Quarterly Monitoring for 014A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
00981	Selenium, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01113	Cadmium, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		
					Value NODI									C - No Discharge		C - No Discharge			

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

021
External Outfall

Discharge:

021-A
Sump 1 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 15. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	1.3 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:26 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

021
External Outfall

Discharge:

021-Q
Quarterly Monitoring for 021A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:	Angela Aalbers
E-Mail:	aaalbers@tristategt.org
Date/Time:	2020-12-23 13:26 (Time Zone: -07:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

022
External Outfall

Discharge:

022-A
Sump 2 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 17-18. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	0.63 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:27 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

022
External Outfall

Discharge:

022-Q
Quarterly Monitoring for 022A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:	Angela Aalbers
E-Mail:	aaalbers@tristategt.org
Date/Time:	2020-12-23 13:28 (Time Zone: -07:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

023
External Outfall

Discharge:

023-A
Sump 3 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 19-20. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	1.14 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:28 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

023
External Outfall

Discharge:

023-Q
Quarterly Monitoring for 023A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:	Angela Aalbers
E-Mail:	aaalbers@tristategt.org
Date/Time:	2020-12-23 13:29 (Time Zone: -07:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

024
External Outfall

Discharge:

024-A
Sump 4 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 20-21. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	0.12 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:29 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

024
External Outfall

Discharge:

024-Q
Quarterly Monitoring for 024A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:	Angela Aalbers
E-Mail:	aaalbers@tristategt.org
Date/Time:	2020-12-23 13:30 (Time Zone: -07:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

025
External Outfall

Discharge:

025-A
Sump 5 to Taylor Creek

Report Dates & Status

Monitoring Period:

From 12/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Alternate limitations for TR iron and settleable solids - see pp 21-22. Oil and grease - see I.C.1.b, pp 5-6. Reports SAR calculated limit at MLOC=EG; adjusted SAR effluent at MLOC=P.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IN - INSTAN
					Permit Req.	<=	2.16 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:

Angela Aalbers

E-Mail:

aaalbers@tristategt.org

Date/Time:

2020-12-23 13:30 (Time Zone: -07:00)

Report Last Signed By

User:

BARBARAWALZ1

Name:

Barbara Walz

E-Mail:

bwalz@tristategt.org

Date/Time:

2021-01-20 14:30 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0045161

Major:

No

Permittee:

Colowyo Coal Co LP

Permittee Address:

PO Box 33695
Denver, CO 80233-0695

Facility:

COLOWYO MINE

Facility Location:

5731 SOUTH HIGHWAY 13
MOFFAT COUNTY, CO 81641

Permitted Feature:

025
External Outfall

Discharge:

025-Q
Quarterly Monitoring for 025A

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, 21, pg 53.

Principal Executive Officer

First Name:

Barbara

Last Name:

Walz

Title:

SVP, Policy and Compliance, CCO

Telephone:

303-452-6111

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L		
					Value NODI									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Colowyo Coal Co LP

User:

AAALBERS@TRISTATEGT.ORG

Name:	Angela Aalbers
E-Mail:	aaalbers@tristategt.org
Date/Time:	2020-12-23 13:31 (Time Zone: -07:00)
<i>Report Last Signed By</i>	
User:	BARBARAWALZ1
Name:	Barbara Walz
E-Mail:	bwalz@tristategt.org
Date/Time:	2021-01-20 14:30 (Time Zone: -07:00)