

Dedicated to protecting and improving the health and environment of the people of Colorado

COG500000 Annual Report Form Sand and Gravel Mining and Processing

Applicable to Stormwater-only discharges

FOR INTERN	AL USE O	NLY
Reviewer:		
Further Review:	Yes	No
rarene, norrem		

• .	•					
Part A: Permit Identification General Permit Number: COG500000		Part B: Reporting Period Jan 1 through Dec 31 (Check one. Report due by February 28 of the following				
					g year.)	
Facility Certification Number COG50 2070			2017	2018	2019	2020
Part C: Permitte						
Organization: Valco, ELO Mailing Address: 9121 Sunshine Meadow Pl.						
	City: Parker	State: _	CO	Zip: <u>8</u>	0134	
Part D: Facility Facility Name:	Information Valco Batch Plant					
Facility Address	: 22265 US Hwy 50) East				
	City: Rocky Ford, C					
Facility Contact	Thomas E. B Title: Manager	Brubaker				r F
	Telephone No: 303-8					
	Email Address: tom.b	rubaker@	valco-inc.cor	m		_
	tee-conducted Inspecti					
Check the box	for which inspection fre			tted facility,	Part I.J.:	
Active Site - 4 insp (Quarterly)	i i	nactive Site w/ N nspections annua	lly (Spring/Fall)	inspection	Site w/ Exposure - 6 ins annually (Every 2 months)	
Provide the dat	te(s) the inspections wer	re conducted	, as required by	Part I.J of th	e permit:	
1/14/2020		4/7/2020	8/26/2020		26/2020	
3/2/2020		6/3/2020		1:	2/16/2020	
If an inspection(s) was not conducted in ac	cordance with	h the required fre	equency, attacl	n an explanation of why	•



Part F: Required Monitoring (Indicate if the following monitoring is required at the permitted facility. Refer to the facility's permit certification for information on equired monitoring.)			NO	
 Visual Monitoring (Part I.I.1) (If any of the characteristics in observed, attach a summary) 	Part I.I.1.b are	V		
- Benchmark Monitoring (Part I.I.2)			V	
- Water Quality Standards Monitoring (Part 1.1.3)		V		
- Additional Monitoring Required by Division (Part I.I.4)			V	
Part G: Corrective Actions (Indicate whether any of the follow occurred at the permitted facility.)	ring conditions	YES	NO	
 An unauthorized release or discharge observed (e.g., spill, l non-stormwater not authorized under COG500000 or anothe 	er permit);		~	
 Facility control measures are not stringent enough for the d applicable water quality standards; 	ischarge to meet		~	
 Modifications to the facility control measures are necessary based effluent limits in this permit; 	to meet the practice-		~	
 The permittee finds in a facility inspection, that facility con not properly selected, designed, installed, operated or mai 	trol measures are ntained.		V	
 Construction or a change in design, operation, or maintenan significantly changes the nature of pollutants discharged in facility, or significantly increases the quantity of pollutants 		V		
 The average of quarterly sampling results as described in Pa permit exceeds an applicable benchmark. 			~	
f the answer to any of the above is "YES," provide a description riterion/criteria and describe the corrective action(s) taken (at	of the conditions that me tach additional pages as n	t the eeded):		
art H: Required Certification Signature [Reg 61.4(1)(h)] certify under penalty of law that this document and all attachments accordance with a system designed to assure that qualified personne ubmitted. Based on my inquiry of the person or persons who manage to gathering the information, the information submitted is to the best complete. I am aware that there are significant penalties for submitting and imprisonment for knowing violations."	el properly gather and evalua he system, or those persons of my knowledge and belief	te the info	rmation sponsible	
Thomas E. Brubaker	Title: President	Title: President		
Signature: Thomas & Rouled	Date signed: 2/2/2021			