



COLORADO
**Division of Reclamation,
Mining and Safety**
Department of Natural Resources

1313 Sherman St. Room 215
Denver, CO 80203

February 18, 2021

Mr. Rick Miller
Superior Oilfield Services
2986 W 29th St #12
Greeley CO 80631

RE: Adequacy Review of TR02 Submittal; East 8th St Project; DRMS Permit M2000-082

Mr. Miller,

The Division of Reclamation, Mining and Safety (DRMS) received the complete Technical Revision (TR02) request for the East 8th St. Project site on February 17, 2021. The decision date for this TR is currently March 19, 2021. DRMS has reviewed the submittal and will require the following additional information prior to approving the revision request.

- 1) Revised Final Reclamation Plan Map – you will need to provide a current map (not something taken from the historic file and hand edited) depicting the current permit boundary and showing the proposed site configuration at final reclamation. The map should include at a minimum all permanent site features, the final shoreline configuration(s), and final maximum surface acreage of exposed groundwater.
- 2) A portion of an agreement addressing permanent augmentation responsibility for exposed groundwater at the site was included in the original submittal. Please provide the complete agreement so that DRMS may verify that it was executed by both parties and still in effect.
- 3) Additional discussion of proposed final reclamation plan - Please provide additional discussion in text detailing that the reclamation plan configuration in this revision complies with the options in the original approved permit, and consists of: 2 unlined, open-water ponds, bisected by the previously existing ditch, which was not relocated. This would also be a good opportunity to make any other necessary revisions including configuration of internal access roadways to remain, or revise the reclamation seed mix if appropriate.

This concludes the Division's preliminary adequacy review of this Technical Revision submittal. This letter shall not be construed to mean that there are no other technical deficiencies in your



Mr. Miller
Page 2
February 18, 2021

application. Other issues may arise as additional information is supplied. As previously mentioned, if you are unable to provide satisfactory responses to any inadequacies prior to the decision date of March 19, 2021 it will be your responsibility to request an extension of time to allow for continued review of this application. If there are still unresolved issues when the decision date arrives and no extension has been requested, the application will be denied. If you have any questions, please contact me at (303) 229-9414, or at Eric.Scott@state.co.us.

Sincerely,



Eric Scott
Environmental Protection Specialist

CC: Michael Cunningham, DRMS