

DMR Copy of Record

Permit

Permit #:

CO0049045

Major:

No

Permittee:

Bowie Resources LLC

Permittee Address:

PO Box 1488
Paonia, CO 81428

Facility:

BOWIE 2 MINE

Facility Location:

1720 4010 DRIVE
PAONIA, CO 81428

Permitted Feature:

003
External Outfall

Discharge:

003-A
SR/Former Coal Storage Area

Report Dates & Status

Monitoring Period:

From 11/01/20 to 11/30/20

DMR Due Date:

12/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer

First Name:

Basil

Last Name:

Bear

Title:

Mine Manager

Telephone:

970-986-6236

No Data Indicator (NODI)

Form NODI:

--

01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA ARI		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI													C - No Discharge					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																		
					Permit Req.	<=	0.011 30DA AVG		Req Mon DAILY MX	03 - MGD												01/07 - Weekly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge														
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
81020	Sulfate	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
82057	Boron, total	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Bowie Resources LLC

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:04 (Time Zone: -07:00)

Report Last Signed By

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:06 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0049045

Major:

No

Permittee:

Bowie Resources LLC

Permittee Address:

PO Box 1488
Paonia, CO 81428

Facility:

BOWIE 2 MINE

Facility Location:

1720 4010 DRIVE
PAONIA, CO 81428

Permitted Feature:

004
External Outfall

Discharge:

004-A
SR/Former Coal Loadout and Storage Area

Report Dates & Status

Monitoring Period:

From 11/01/20 to 11/30/20

DMR Due Date:

12/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer

First Name:

Basil

Last Name:

Bear

Title:

Mine Manager

Telephone:

970-986-6236

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L			
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	300.0 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.											Req Mon DAILY MX	28 - ug/L			
					Value NODI											C - No Discharge				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						

01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA ARI		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI													C - No Discharge					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																		
					Permit Req.	<=	0.004 30DA AVG		Req Mon DAILY MX	03 - MGD												01/07 - Weekly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge														
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
81020	Sulfate	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
82057	Boron, total	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Bowie Resources LLC

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:04 (Time Zone: -07:00)

Report Last Signed By

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:06 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0049045

Major:

No

Permittee:

Bowie Resources LLC

Permittee Address:

PO Box 1488
Paonia, CO 81428

Facility:

BOWIE 2 MINE

Facility Location:

1720 4010 DRIVE
PAONIA, CO 81428

Permitted Feature:

006
External Outfall

Discharge:

006-A
SR/Cut and Fill Slopes of Rail Spur/Train Loadout

Report Dates & Status

Monitoring Period:

From 11/01/20 to 11/30/20

DMR Due Date:

12/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer

First Name:

Basil

Last Name:

Bear

Title:

Mine Manager

Telephone:

970-986-6236

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			19 - mg/L			
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	300.0 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.											Req Mon DAILY MX	28 - ug/L			
					Value NODI											C - No Discharge				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG			28 - ug/L			
					Value NODI									C - No Discharge						

01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA ARI		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI													C - No Discharge					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																		
					Permit Req.	<=	0.005 30DA AVG		Req Mon DAILY MX	03 - MGD												01/07 - Weekly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge														
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
81020	Sulfate	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
82057	Boron, total	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Bowie Resources LLC

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:05 (Time Zone: -07:00)

Report Last Signed By

User:

BBEAR35680

Name:

Basil Bear

E-Mail:

basilbear@wolverinefuels.com

Date/Time:

2021-01-05 07:06 (Time Zone: -07:00)

DMR Copy of Record

Permit

Permit #:

CO0049045

Major:

No

Permittee:

Bowie Resources LLC

Permittee Address:

PO Box 1488
Paonia, CO 81428

Facility:

BOWIE 2 MINE

Facility Location:

1720 4010 DRIVE
PAONIA, CO 81428

Permitted Feature:

007
External Outfall

Discharge:

007-A
SR/Cut and Fill Slopes of Rail Spur/Train Loadout

Report Dates & Status

Monitoring Period:

From 11/01/20 to 11/30/20

DMR Due Date:

12/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

Principal Executive Officer

First Name:

Basil

Last Name:

Bear

Title:

Mine Manager

Telephone:

970-986-6236

No Data Indicator (NODI)

Form NODI:

--

01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA ARI		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge		C - No Discharge					
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample													Req Mon DAILY MX	28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI													C - No Discharge					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample																		
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD												01/07 - Weekly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge														
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			28 - ug/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
81020	Sulfate	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							
82057	Boron, total	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG			19 - mg/L			02/30 - Twice Per Month	GR - GRAB
					Permit Req.																		
					Value NODI											C - No Discharge							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Bowie Resources LLC

User:BBEAR35680

Name:Basil Bear

E-Mail:basilbear@wolverinefuels.com

Date/Time:2021-01-05 07:05 (Time Zone: -07:00)

Report Last Signed By

User:BBEAR35680

Name:Basil Bear

E-Mail:basilbear@wolverinefuels.com

Date/Time:2021-01-05 07:06 (Time Zone: -07:00)