

11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

505.286.6026
svance@gcc.com



March 24, 2021

State of Colorado
Division of Reclamation, Mining & Safety
1313 Sherman St., Room 215
Denver, CO 80203

Attn: Janet Binns, Environmental Protection Specialist III

Re: GCC Energy, LLC, King II Mine
CDRMS Permit # C-1981-035
Water Monitoring Analysis; King I & King II
1st Quarter 2021

Ms. Binns:

Please find enclosed a copy of quarterly water analysis reports for the 1st quarter of 2021 for the following water monitoring locations:

Wiltse Well
#1 Up-gradient Monitoring Well
#2 Down-gradient Monitoring Well
Hay Gulch Irrigation Ditch, Down-gradient
Hay Gulch Irrigation Ditch, Up-gradient & Blind Duplicate MW-98-SW
MW-1-A, MW-1-C
MW-3-MI, MW-3-A, MW-3-C & Blind Duplicate MW-99-A (MW-3-A)
MW-4-MI, MW-4-A, MW-4-C
MW-5-C, MW-5-MI
MW-HGA-4
MW-6-A, MW-6-LM
MW-7-EAA
MW-8-EAA, MW-8-MI, MW-8-LM, MW-8-PL & Blind Duplicate MW-99-EAA (MW-8-EAA)

Also enclosed are summary sheets for the above water monitoring locations which include field collection data.

Please contact me at 505.238.8272 or svance@gcc.com if you have any questions or require any additional information.

Sincerely,

A handwritten signature in blue ink, appearing to read "Sarah Vance", is positioned above the typed name.

Sarah Vance
Environmental Manager
GCC Energy, LLC

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																												
Year		2016	2017										2018					2019				2020				2021		
Quarter		Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month		12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2
Sample Date		12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22
Lab Analysis (Y/N)		Y	N	N	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																												
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.4	NM	0.1	1.5	2.0	1.0	1.1	1.0	1.0	0.3	1.0	0.3	0.3	0.1	0.3
Total Purged	gal	21	21	21	21	21	21	19.5	20	20	21	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	724			611			616			522		595			561	555	524	625	613	563	544	624	563	528	571	612	630
pH (Lab)	SU	7.30			7.17			7.31			7.25		7.21			7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38
Total Dissolved Solids (Lab)	mg/L	855			710			715			750		775			740	730	695	770	795	695	695	715	705	685	700	665	685
Calcium	mg/L	147			118			121			102		118			110	108	102	124	122	110	106	123	112	101	111	122	126
Magnesium	mg/L	86.7			76.7			76.6			64.9		72.8			69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8
Sodium	mg/L	19.5			27.4			28.6			24.9		27.2			26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4
Potassium	mg/L	2.02			2.13			2.11			1.75		2.21			2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24
Alkalinity, Total	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475
Alkalinity, Bicarbonate	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	10.9			8.75			7.95			8.96		8.74			8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65
Fluoride	mg/L	0.577			0.485			0.506			0.517		0.495			0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424
Sulfate as SO4	mg/L	240			229			192			205		204			222	190	169	201	221	186	212	190	193	181	179	187	191
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35			4.69		4.79			4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020			<0.020		<0.100			<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA
Aluminum	mg/L	0.423			<0.050			<0.050			<0.050		<0.050			<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050
Arsenic	mg/L	0.0030			0.0029			0.0028			<0.0005		0.0035			0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036
Cadmium	mg/L	<0.0001			<0.0001			<0.0001			<0.0001		<0.0001			<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001
Copper	mg/L	0.0006			0.0008			0.0002			0.0004		0.0002			0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006
Iron	mg/L	3.71			7.29			7.32			0.378		7.84			7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6
Lead	mg/L	<0.0005			<0.0005			<0.0005			<0.0005		<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005
Manganese	mg/L	4.07			2.78			2.37			2.03		2.11			1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54
Mercury	mg/L	ND			<0.0002			<0.0002			<0.0002		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0013			0.0024			0.0027			0.0028		0.0027			0.0030	0.0031	0.0038	0.0029	0.0026	0.0027	0.0029	0.0031	0.0025	0.0030	0.0032	0.0029	0.0027
Selenium	mg/L	<0.001			0.0030			<0.001			<0.0010		<0.0010			<0.0010	0.002	0.0016	<0.001	0.001	<0.0010	<0.0010	<0.0010	<0.001	<0.0020	<0.0020	<0.001	<0.0010
Silica (SiO2)	mg/L	22.3			16.8			18			16.5		17.9			15.8	16.4	15.7	17.3	15.9	14.9	14.9	16.5	15.2	13.9	15.4	18.3	16.9
Silicon	mg/L	10.4			7.86			8.41			7.72		8.35			7.37	7.67	7.34	8.10	7.46	6.96	6.96	7.69	7.09	6.48	7.21	8.56	7.88
Uranium	mg/L	0.0010			0.0004			0.0004			0.0004		0.0004			0.0004	0.0004	0.0003	0.0005	0.0005	0.0004	0.0004	0.0003	<0.0005	<0.0010	<0.0010	0.0005	<0.0005
Zinc	mg/L	0.0039			0.0046			<0.002			<0.0040		<0.0020			<0.002	<0.002	<0.002	<0.002	<0.0020	<0.0020	<0.0020	<0.0020	<0.002	<0.0040	<0.0040	<0.002	<0.0020

Notes & Definitions:

- ^

one-time analysis
- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- pCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-1-A																											
Year		2017							2018								2019				2020				2021		
Quarter		Q2	Q3			Q4			Q1		Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1		
Month		6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2
Sample Date		6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15
Lab Analysis (Y/N)		Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	***	0.1	0.1	0.1	0.12	0.1	0.1	0.3	0.25	0.3	0.1	0.1	0.1	
Total Purged	gal	12.8	NM*	NM*	NM	NM	2.0	2.0	1.0	1.5	2	1.5	1	1.3		1.5	1.5	1.6	1.0	1.5	1.1	1.5	1.0	1.0	1.0	1.3	1.0
Depth to Water	ft bgs	215.42	NM*	215.92	215.54	216.33	216.31	216.47	216.58	216.21	216.47	216.47	216.54	216.54		216.63	216.63	216.65	216.55	216.43	216.33	216.13	216.05	215.85	215.56	215.80	215.60
Temperature	deg C	17.7	NM*	NM*	10.7	9.7	9.1	9.1	8.7	9.5	9.0	8.7	9.6	9.2		9.9	10.0	8.9	7.5	10.3	9.6	9.7	8.1	9.1	9.6	9.4	8.4
pH	SU	7.78	NM*	NM*	7.35	7.38	7.29	7.28	7.25	7.19	7.37	7.28	6.8	6.97		6.99	7.05	7.01	7.13	6.96	7.05	7.00	7.13	7.18	7.22	7.24	7.19
Specific Conductance	µS/cm	1362	NM*	NM*	1555	1563	1616	1650	1693	1700	1723	1735	1647	1761		1734	1815	1781	1776	1681	1757	1737	1797	1855	1664	1670	1550
Oxygen Reduction Potential	mV	-34.6	NM*	NM*	-54.7	-46.5	-50.0	-48.3	-49.6	-44.6	-52.8	-37.5	142.4	0.4		-26.4	-33.2	101.4	-11.8	25.4	-18.7	3.6	12.7	4.2	-20.1	111.4	23.8
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	124				133		130			159			156			160	174	159	153	148	150	159	165	161	168	168
pH (Lab)	SU	7.74				7.35		7.33			7.22			7.45			7.17	7.27	7.13	7.03	7.14	6.92	7.19	6.91	7.23	7.17	7.22
Total Dissolved Solids (Lab)	mg/L	975				1080		1120			1100			1150			1040	1130	1160	1150	1150	1140	1190	1150	1150	1170	1250
Calcium	mg/L	24.7				25.8		24.9			30.5			29.7			30.9	34.0	31.2	29.8	27.9	29.0	30.9	31.6	30.6	32.8	32.1
Magnesium	mg/L	15.1				16.7		16.6			20.1			19.9			20.1	21.5	19.7	19.1	18.9	18.8	19.9	20.8	20.6	20.9	21.4
Sodium	mg/L	324				329		325			348			327			333	358	357	319	348	333	337	349	348	353	357
Potassium	mg/L	1.98				2.02		<5.00			<5.00			2.12			2.23	2.47	2.34	2.18	2.29	2.12	2.13	<5.00	2.29	<3.00	<5.00
Alkalinity, Total	mg/L	375				450		380			415			353			385	395	375	355	368	420	360	340	325	366	400
Alkalinity, Bicarbonate	mg/L	375				450		380			415			353			385	395	375	355	368	420	360	340	325	366	400
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.75				2.16		<5.00			2.19			<5			2.12	2.20	2.74	2.33	2.72	2.66	2.74	2.71	2.74	2.88	2.73
Fluoride	mg/L	0.268				0.245		<0.500			0.240			<0.5			0.260	0.240	0.266	0.242	0.252	0.246	0.234	0.228	0.24	0.264	0.212
Sulfate as SO4	mg/L	427				432		511			518			522			515	511	508	494	537	495	506	532	510	508	553
Total Organic Carbon (TOC)	mg/L	5.03				1.36		1.58			1.51			1.54			1.60	1.75	1.61	1.67	1.59	1.50	1.55	1.55	1.49	1.57	1.58
Nitrate/Nitrite as N	mg/L	<0.200				<0.400		<0.100			<0.020			<0.020			<0.020	0.028	<0.020	<0.020	<0.020	0.020	<0.020	0.046	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	0.387	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250			<0.050			<0.050	<0.100	<0.100	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.050	<0.250
Arsenic	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0005	<0.0015
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0001	<0.0003
Copper	mg/L	0.0043				0.0057		0.0045			0.0066			0.0041			0.0048	0.0048	0.0075	0.0064	0.0040	0.0147	0.0034	0.0012	0.004	0.0024	0.0026
Iron	mg/L	0.128				0.367		<0.250			0.590			0.614			0.644	0.647	0.581	0.589	0.613	0.510	0.614	0.559	0.637	0.579	0.572
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015
Manganese	mg/L	0.0260				0.0218		0.0259			0.0279			0.026			0.0242	0.0282	0.0281	0.0235	0.0270	0.0248	0.0303	0.0329	0.032	0.0313	0.0367
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0007				0.0010		<0.0025			<0.0025			0.0009			0.0008	0.0007	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015
Selenium	mg/L	<0.0010				<0.0010		<0.0050			<0.0050			<0.0010			<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0020	<0.0020	<0.0050	<0.0030	<0.0030
Silica (SiO2)	mg/L	12.3				11.9		8.27			11.2			11.2			11.4	12.0	11.1	11.2	11.6	11.0	11.1	10.4	11.1	11.5	11.3
Silicon	mg/L	5.74				5.56		3.87			5.24			5.25			5.31	5.62	5.2	5.23	5.43	5.13	5.19	4.85	5.17	5.37	5.27
Uranium	mg/L	0.0004				0.0002		<0.0005			<0.0005			0.0003			0.0002	0.0003	0.0002	0.0001	0.0001	0.0001	<0.0010	<0.0010	<0.0025	<0.0025	<0.0015
Zinc	mg/L	0.0270				0.0088		<0.0100			<0.0100			0.0051			<0.0100	<0.002	<0.0040	0.0022	<0.0040	0.0020	<0.0040	<0.0040	<0.0100	<0.0060	<0.0060

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no	1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-3-A																									
Year	2017								2018								2019				2020				2021
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.1	0.1	0.1	0.1	0.1	
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4		11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	
pH (Lab)	SU	8.63	8.69			8.53		8.29		8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690		1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	
Calcium	mg/L	2.00	3.67			3.63		3.27		3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	
Magnesium	mg/L	0.616	0.823			0.859		0.550		0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	
Sodium	mg/L	566	585			589		551		562			542	562	605	543	525	553	528	520	507	510	505	536	
Potassium	mg/L	1.72	2.02			2.04		<5.00		<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	
Alkalinity, Total	mg/L	530	470			500		490		430			480	480	475	540	450	459	420	460	430	440	470	520	
Alkalinity, Bicarbonate	mg/L	380	470			440		460		360			480	420	385	330	430	423	420	460	400	440	450	520	
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0		70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	16.1	17.4			18.5		16.9		16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	
Fluoride	mg/L	0.464	0.488			0.535		<0.500		<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	
Sulfate as SO4	mg/L	729	802			840		730		812			756	706	682	716	699	724	633	637	656	624	644	600	
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07		5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020		<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA		NA			NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA		NA			NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250		<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025		<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005		<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	
Copper	mg/L	0.0061	0.0081			0.0080		0.0079		0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250		<0.100			<0.05	<0.05	<0.100	<0.100	<0.05	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025		<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269		0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078		0.0065			0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050		<0.0050			0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66		11.1			11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	
Silicon	mg/L	4.70	5.10			5.41		3.58		5.18			5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036		0.0030			0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	
Zinc	mg/L	0.0031	<0.0100			<0.0100		<0.0100		<0.0100			<0.002	<0.002	<0.0040	<0.0040	<0.01	<0.0080	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	

Notes & Definitions:

- | | | |
|-------|-----------------------------|---|
| ^ | one-time analysis | |
| Y/N | yes or no | 1. " <i><</i> " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. |
| gpm | gallons per minute | |
| deg C | degrees Celsius | |
| SU | standard pH units | 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO ₃ . |
| µS/cm | microsiemens per centimeter | |
| mV | millivolts | |
| mg/L | milligram per liter | |
| pCi/L | picocuries per liter | 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
| NM | not measured (field) | |
| NA | not analyzed (lab) | |

GCC Energy Hydrologic Monitoring Data

MW-3-MI																									
Year		2017								2018							2019				2020				2021
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2
Sample Date		3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																									
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.5	0.3	0.1	0.1	0.1
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170			1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606
Sodium	mg/L	420	430			440		411			459			417	446	476	434	419	454	437	437	427	431	431	468
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00
Alkalinity, Total	mg/L	740	675			700		660			700			680	730	720	685	755	720	690	705	680	625	770	690
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600			500	630	610	485	605	590	610	645	550	465	690	450
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100			180	100	110	200	150	130	80.0	60.0	130	160	80	240
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03
Sulfate as SO4	mg/L	165	241			247		254			245			250	226	230	232	229	236	224	227	231	222	110	223
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170			0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010			0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33			8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36			4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125			0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0.0043	0.0049	0.0049
Zinc	mg/L	0.0405	<0.0100			<0.0100		<0.0100			<0.0020			0.0023	0.0023	<0.0040	0.0028	<0.0100	0.0070	<0.0040	<0.0040	<0.0100	<0.0100	<0.0080	<0.0100

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-C																									
Year		2017							2018							2019				2020				2021	
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2
Sample Date		3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																									
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.02	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241			0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240			0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01			<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7
Silicon	mg/L	3.66	4.14			4.28		2.81			<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Uranium	mg/L	0.0091	0.0102			0.0137		0.0100			0.0091			0.0087	0.0089	0.0113	0.0077	0.0046	0.0053	0.0034	0.0045	0.0033	<0.0050	<0.0050	<0.0050
Zinc	mg/L	0.375	<0.0200			<0.0200		<0.0100			<0.0100			<0.0100	0.0664	0.0814	0.123	0.128	0.0567	0.0886	<0.0100	<0.0100	<0.0200	0.0332	0.0294

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-A																									
Year	2017								2018							2019				2020				2021	
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917
Sodium	mg/L	515	537			513		511			507			528	531	568	535	515	548	529	551	498	533	531	565
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250
Arsenic	mg/L	0.0016	<0.0025			<0.0025		<0.0025			0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005
Copper	mg/L	0.0053	0.0093			0.0076		0.0073			0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250
Lead	mg/L	0.0014	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0044	0.0063			0.0044		0.0040			0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009	0.0275			<0.0025		<0.0025			0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025
Selenium	mg/L	0.0016	<0.0050			<0.0050		<0.0050			0.0014			0.0025	<0.0050	<0.0020	0.0036	<0.0010	<0.0010	<0.0020	<0.0020	<0.0020	<0.0050	<0.0050	<0.0050
Silica (SiO2)	mg/L	10.2	10.6			9.99		6.85			9.47			10	10.2	11.2	9.65	9.81	11.0	10.5	10.3	8.55	9.44	9.96	10.4
Silicon	mg/L	4.75	4.97			4.67		3.20			4.43			4.7	4.77	5.22	4.51	4.59	5.14	4.89	4.79	4.00	4.42	4.65	4.87
Uranium	mg/L	0.0016	<0.0005			<0.0005		0.0005			0.0003			<0.0001	<0.0005	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025
Zinc	mg/L	0.269	0.0319			<0.0100		<0.0100			0.0022			0.0024	<0.0100	<0.0040	<0.0040	0.0033	<0.0020	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-MI																									
Year		2017								2018							2019				2020				2021
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2
Sample Date		3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																									
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.80	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151			0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010			0.0022	0.0113	<0.0020	0.002	<0.001	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.004	0.0143
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30			8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88			4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33
Uranium	mg/L	0.0043	0.0126			0.0184		0.0169			0.0183			0.0173	0.0151	0.0191	0.0269	0.0176	0.0168	0.0145	0.0163	0.0195	0.0121	0.0139	0.0137
Zinc	mg/L	0.113	0.0697			<0.0100		<0.0100			<0.0020			<0.0020	<0.0020	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0040	<0.0100	<0.0080	<0.0100

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry

GCC Energy Hydrologic Monitoring Data

MW-4-C																									
Year		2017								2018							2019				2020				2021
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2
Sample Date		3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																									
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.005	<0.0050
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06
Uranium	mg/L	0.0297	0.121			0.0984		0.0545			0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.005	<0.0050	<0.0050
Zinc	mg/L	0.0156	0.0265			<0.0200		<0.0200			<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	<0.0200	<0.0200

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry

GCC Energy Hydrologic Monitoring Data

MW-6-C																
Year	2018	2019										2020				2021
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal															
Depth to Water	ft bgs															
Temperature	deg C															
pH	SU															
Specific Conductance	µS/cm															
Oxygen Reduction Potential	mV															
Lab Analytical Results:																
Hardness as CaCO3	mg/L															
pH (Lab)	SU															
Total Dissolved Solids (Lab)	mg/L															
Calcium	mg/L															
Magnesium	mg/L															
Sodium	mg/L															
Potassium	mg/L															
Alkalinity, Total	mg/L															
Alkalinity, Bicarbonate	mg/L															
Alkalinity, Carbonate	mg/L															
Alkalinity, Hydroxide	mg/L															
Chloride	mg/L															
Fluoride	mg/L															
Sulfate as SO4	mg/L															
Total Organic Carbon (TOC)	mg/L															
Nitrate/Nitrite as N	mg/L															
Aluminum	mg/L															
Arsenic	mg/L															
Cadmium	mg/L															
Copper	mg/L															
Iron	mg/L															
Lead	mg/L															
Manganese	mg/L															
Mercury	mg/L															
Molybdenum	mg/L															
Selenium	mg/L															
Silica (SiO2)	mg/L															
Silicon	mg/L															
Uranium	mg/L															
Zinc	mg/L															

Notes & Definitions:		
Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-6-MI																	
Year	2018	2019											2020				2021
Quarter	Q4	Q1			Q2				Q3			Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																	
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9										
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00										
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9										
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84										
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527										
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9										
Lab Analytical Results:																	
Hardness as CaCO3	mg/L	679		147													
pH (Lab)	SU	8.18		8.35													
Total Dissolved Solids (Lab)	mg/L	2480		1880													
Calcium	mg/L	104		23.4													
Magnesium	mg/L	102		21.6													
Sodium	mg/L	646		565													
Potassium	mg/L	12.0		5.30													
Alkalinity, Total	mg/L	395		615													
Alkalinity, Bicarbonate	mg/L	345		615													
Alkalinity, Carbonate	mg/L	50.0		<10.0													
Alkalinity, Hydroxide	mg/L	<10.0		<10.0													
Chloride	mg/L	175		178													
Fluoride	mg/L	2.06		2.46													
Sulfate as SO4	mg/L	1210		585													
Total Organic Carbon (TOC)	mg/L	3.63		4.55													
Nitrate/Nitrite as N	mg/L	0.023		<0.020													
Aluminum	mg/L	<0.100		<0.100													
Arsenic	mg/L	0.0084		0.0144													
Cadmium	mg/L	<0.0001		<0.0002													
Copper	mg/L	0.0113		0.0112													
Iron	mg/L	<0.100		<0.100													
Lead	mg/L	<0.0005		<0.0010													
Manganese	mg/L	0.0500		0.0224													
Mercury	mg/L	<0.0002		<0.0002													
Molybdenum	mg/L	0.0558		0.0690													
Selenium	mg/L	0.0098		0.0127													
Silica (SiO2)	mg/L	9.93		9.05													
Silicon	mg/L	4.64		4.23													
Uranium	mg/L	0.0200		0.0118													
Zinc	mg/L	0.0092		0.0143													

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured
- Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

09 March 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/24/21 14:10.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Wiltse Well	2102200-01	Water	02/24/21 11:13	02/24/21 14:10	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
03/09/21 13:34

Wiltse Well

2102200-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	480	10.0	4.53	mg/L	5	03/04/21 08:40	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	03/04/21 08:40	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	03/04/21 08:40	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	480	10.0	4.53	mg/L	5	03/04/21 08:40	2320 B		VJW
Chloride*	54.8	2.00	0.0845	mg/L	2	03/06/21 11:02	EPA300.0		AES
Fluoride*	0.276	0.200	0.0194	mg/L	2	03/06/21 11:02	EPA300.0		AES
Nitrate/Nitrite as N*	1.82	0.020	0.006	mg/L as N	1	03/04/21 16:25	EPA353.2		JDA
pH*	7.27			pH Units	1	02/26/21 08:50	EPA150.1		VJW
Total Dissolved Solids*	1550	10.0		mg/L	1	03/02/21 15:38	EPA160.1		JDA
Sulfate*	683	20.0	3.05	mg/L	20	03/06/21 11:23	EPA300.0		AES
Total Organic Carbon*	3.29	0.500	0.0616	mg/L	1	03/04/21 18:53	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	03/03/21 16:55	EPA200.7		AES
Calcium*	208	0.500	0.289	mg/L	5	03/03/21 16:55	EPA200.7		AES
Hardness as CaCO ₃	1090	3.31	2.07	mg/L	5	03/03/21 16:55	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	03/03/21 16:55	EPA200.7		AES
Magnesium*	138	0.500	0.327	mg/L	5	03/03/21 16:55	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	03/03/21 16:55	EPA200.7		AES
Silica (SiO ₂)	14.6	5.35	0.398	mg/L	5	03/03/21 16:55	Calculation		AES
Silicon	6.82	2.50	0.186	mg/L	5	03/03/21 16:55	EPA200.7		AES
Sodium*	65.1	5.00	0.396	mg/L	5	03/03/21 16:55	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	03/04/21 13:51	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0005	mg/L	5	03/04/21 13:51	EPA200.8		AES
Copper*	0.0028	0.0025	0.0005	mg/L	5	03/04/21 13:51	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	03/04/21 13:51	EPA200.8		AES
Manganese*	1.21	0.0025	0.0006	mg/L	5	03/04/21 13:51	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	03/04/21 13:51	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	03/04/21 13:51	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	03/04/21 13:51	EPA200.8		AES
Zinc*	0.0130	0.0100	0.0005	mg/L	5	03/04/21 13:51	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	03/05/21 14:23	EPA245.1		JDA
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -1.44

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210449 - General Prep - Wet Chem

Duplicate (B210449-DUP2) Source: 2102204-02 Prepared & Analyzed: 02/26/21

pH	7.59		pH Units	7.50				1.19	20	
----	------	--	----------	------	--	--	--	------	----	--

Reference (B210449-SRM1) Prepared & Analyzed: 02/26/21

pH	7.05		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B210465 - General Prep - Wet Chem

Blank (B210465-BLK1) Prepared & Analyzed: 03/02/21

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Duplicate (B210465-DUP1) Source: 2102192-01 Prepared & Analyzed: 03/02/21

Total Dissolved Solids	400	10.0	mg/L	405				1.26	20	
------------------------	-----	------	------	-----	--	--	--	------	----	--

Reference (B210465-SRM1) Prepared & Analyzed: 03/02/21

Total Dissolved Solids	570	10.0	mg/L	600		95.0	85-115			
------------------------	-----	------	------	-----	--	------	--------	--	--	--

Batch B210482 - General Prep - Wet Chem

Blank (B210482-BLK1) Prepared: 03/03/21 Analyzed: 03/06/21

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B210482-BS1) Prepared: 03/03/21 Analyzed: 03/06/21

Chloride	23.7	1.00	mg/L	25.0		94.6	90-110			
Fluoride	2.52	0.100	mg/L	2.50		101	90-110			
Sulfate	24.5	1.00	mg/L	25.0		97.9	90-110			

LCS Dup (B210482-BSD1) Prepared: 03/03/21 Analyzed: 03/06/21

Chloride	23.6	1.00	mg/L	25.0		94.3	90-110	0.343	20	
Fluoride	2.54	0.100	mg/L	2.50		101	90-110	0.712	20	
Sulfate	24.1	1.00	mg/L	25.0		96.5	90-110	1.44	20	

Batch B210487 - General Prep - Wet Chem

Blank (B210487-BLK1) Prepared & Analyzed: 03/04/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B210487-BS1) Prepared & Analyzed: 03/04/21

Total Organic Carbon	9.37	0.500	mg/L	10.0		93.7	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B210487-BSD1) Prepared & Analyzed: 03/04/21

Total Organic Carbon	9.42	0.500	mg/L	10.0		94.2	85-115	0.532	20	
----------------------	------	-------	------	------	--	------	--------	-------	----	--

Batch B210490 - General Prep - Wet Chem

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B210490 - General Prep - Wet Chem (Continued)

Blank (B210490-BLK1)

Prepared: 03/03/21 Analyzed: 03/04/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B210490-BS1)

Prepared: 03/03/21 Analyzed: 03/04/21

Alkalinity, Bicarbonate as CaCO ₃	99.0	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115			

LCS Dup (B210490-BSD1)

Prepared: 03/03/21 Analyzed: 03/04/21

Alkalinity, Bicarbonate as CaCO ₃	101	10.0	mg/L				85-115	2.00	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115	2.00	20	

Batch B210497 - General Prep - Wet Chem

Blank (B210497-BLK1)

Prepared: 03/03/21 Analyzed: 03/04/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B210497-BS1)

Prepared: 03/03/21 Analyzed: 03/04/21

Nitrate/Nitrite as N	1.08	0.020	mg/L as N	1.00		108	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B210497-BSD1)

Prepared: 03/03/21 Analyzed: 03/04/21

Nitrate/Nitrite as N	1.07	0.020	mg/L as N	1.00		107	90-110	0.839	20	
----------------------	------	-------	-----------	------	--	-----	--------	-------	----	--

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
03/09/21 13:34

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210469 - Diss. 200.7/200.8

Blank (B210469-BLK1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210469-BS1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	5.18	0.050	mg/L	5.00	104	85-115
Calcium	5.33	0.100	mg/L	5.00	107	85-115
Iron	5.04	0.050	mg/L	5.00	101	85-115
Magnesium	26.6	0.100	mg/L	25.0	106	85-115
Potassium	10.6	1.00	mg/L	10.0	106	85-115
Silicon	5.23	0.500	mg/L	5.00	105	85-115
Sodium	4.35	1.00	mg/L	4.05	108	85-115

LCS Dup (B210469-BSD1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	5.16	0.050	mg/L	5.00	103	85-115	0.401	20
Calcium	5.33	0.100	mg/L	5.00	107	85-115	0.0264	20
Iron	5.07	0.050	mg/L	5.00	101	85-115	0.607	20
Magnesium	26.5	0.100	mg/L	25.0	106	85-115	0.0471	20
Potassium	10.2	1.00	mg/L	10.0	102	85-115	3.17	20
Silicon	5.20	0.500	mg/L	5.00	104	85-115	0.592	20
Sodium	4.20	1.00	mg/L	4.05	104	85-115	3.57	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210472 - Diss. 200.7/200.8

Blank (B210472-BLK1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210472-BS1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	0.0502	0.0005	mg/L	0.0500	100	85-115
Cadmium	0.0498	0.0001	mg/L	0.0500	99.6	85-115
Copper	0.0499	0.0005	mg/L	0.0500	99.7	85-115
Lead	0.0494	0.0005	mg/L	0.0500	98.7	85-115
Manganese	0.0518	0.0005	mg/L	0.0500	104	85-115
Molybdenum	0.0491	0.0005	mg/L	0.0500	98.2	85-115
Selenium	0.250	0.0010	mg/L	0.250	100	85-115
Uranium	0.0494	0.0005	mg/L	0.0500	98.9	85-115
Zinc	0.0494	0.0020	mg/L	0.0500	98.9	85-115

LCS Dup (B210472-BSD1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.26	20
Cadmium	0.0497	0.0001	mg/L	0.0500	99.3	85-115	0.247	20
Copper	0.0495	0.0005	mg/L	0.0500	98.9	85-115	0.781	20
Lead	0.0488	0.0005	mg/L	0.0500	97.6	85-115	1.10	20
Manganese	0.0522	0.0005	mg/L	0.0500	104	85-115	0.700	20
Molybdenum	0.0477	0.0005	mg/L	0.0500	95.4	85-115	2.90	20
Selenium	0.247	0.0010	mg/L	0.250	98.8	85-115	1.28	20
Uranium	0.0492	0.0005	mg/L	0.0500	98.3	85-115	0.578	20
Zinc	0.0494	0.0020	mg/L	0.0500	98.8	85-115	0.0733	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch B210457 - EPA 245.1/7470									
Blank (B210457-BLK1)				Prepared: 02/26/21 Analyzed: 03/05/21					
Mercury	ND	0.0002	mg/L						
LCS (B210457-BS1)				Prepared: 02/26/21 Analyzed: 03/05/21					
Mercury	0.0054	0.0002	mg/L	0.00500	107	85-115			
LCS Dup (B210457-BSD1)				Prepared: 02/26/21 Analyzed: 03/05/21					
Mercury	0.0054	0.0002	mg/L	0.00500	107	85-115	0.168	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/09/21 13:34

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



FORM-006

(970) 247-4220
dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

Page 10 of 10 2102200 GAL FINAL 03 09 21 1334 03/09/21 13:34:27

Just Click Printing Form #17-0301



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

25 February 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/11/21 11:07.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:31

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Well #2 Downgradient	2102112-01	Water	02/11/21 09:46	02/11/21 11:07	
Well #1 Upgradient	2102112-02	Water	02/11/21 08:45	02/11/21 11:07	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:31

Well #2 Downgradient

2102112-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	385	10.0	4.53	mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	385	10.0	4.53	mg/L	5	02/15/21 15:00	2320 B		LLG
Chloride*	46.0	1.00	0.0422	mg/L	1	02/22/21 20:29	EPA300.0		AES
Fluoride*	0.216	0.100	0.00971	mg/L	1	02/22/21 20:29	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:23	EPA353.2		JDA
pH*	7.17			pH Units	1	02/11/21 15:05	EPA150.1		VJW
Total Dissolved Solids*	660	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	190	10.0	1.52	mg/L	10	02/23/21 12:59	EPA300.0		AES
Total Organic Carbon*	2.18	0.500	0.0616	mg/L	1	02/18/21 01:29	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 12:19	EPA200.7		AES
Calcium*	97.9	0.500	0.289	mg/L	5	02/15/21 12:19	EPA200.7		AES
Hardness as CaCO ₃	624	3.31	2.07	mg/L	5	02/15/21 12:19	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 12:19	EPA200.7		AES
Magnesium*	92.2	0.500	0.327	mg/L	5	02/15/21 12:19	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 12:19	EPA200.7		AES
Silica (SiO ₂)	11.2	5.35	0.398	mg/L	5	02/15/21 12:19	Calculation		AES
Silicon	5.24	2.50	0.186	mg/L	5	02/15/21 12:19	EPA200.7		AES
Sodium*	26.9	5.00	0.396	mg/L	5	02/15/21 12:19	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:46	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:46	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0014	mg/L	5	02/22/21 13:46	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:46	EPA200.8		AES
Manganese*	0.422	0.0025	0.0006	mg/L	5	02/22/21 13:46	EPA200.8		AES
Molybdenum*	0.0026	0.0025	0.0007	mg/L	5	02/22/21 13:46	EPA200.8		AES
Selenium*	0.0069	0.0050	0.0031	mg/L	5	02/22/21 13:46	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 13:46	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:46	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 2.77

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:31

Well #1 Upgradient

2102112-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	570	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	570	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	4.27	1.00	0.0422	mg/L	1	02/22/21 20:50	EPA300.0		AES
Fluoride*	0.311	0.100	0.00971	mg/L	1	02/22/21 20:50	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:27	EPA353.2		JDA
pH*	7.39			pH Units	1	02/11/21 15:05	EPA150.1		VJW
Total Dissolved Solids*	755	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	102	5.00	0.762	mg/L	5	02/23/21 13:19	EPA300.0		AES
Total Organic Carbon*	3.26	0.500	0.0616	mg/L	1	02/18/21 01:45	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 12:24	EPA200.7		AES
Calcium*	58.1	0.500	0.289	mg/L	5	02/15/21 12:24	EPA200.7		AES
Hardness as CaCO ₃	298	3.31	2.07	mg/L	5	02/15/21 12:24	2340 B		AES
Iron*	1.66	0.250	0.089	mg/L	5	02/15/21 12:24	EPA200.7		AES
Magnesium*	37.2	0.500	0.327	mg/L	5	02/15/21 12:24	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 12:24	EPA200.7		AES
Silica (SiO ₂)	13.0	5.35	0.398	mg/L	5	02/15/21 12:24	Calculation		AES
Silicon	6.10	2.50	0.186	mg/L	5	02/15/21 12:24	EPA200.7		AES
Sodium*	204	5.00	0.396	mg/L	5	02/15/21 12:24	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:49	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:49	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0014	mg/L	5	02/22/21 13:49	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:49	EPA200.8		AES
Manganese*	0.414	0.0025	0.0006	mg/L	5	02/22/21 13:49	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 13:49	EPA200.8		AES
Selenium*	0.0902	0.0050	0.0031	mg/L	5	02/22/21 13:49	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 13:49	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:49	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 4.59

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:31

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210324 - General Prep - Wet Chem

Duplicate (B210324-DUP1) Source: 2102110-01 Prepared & Analyzed: 02/11/21

pH	8.25		pH Units	8.21				0.486	20	
----	------	--	----------	------	--	--	--	-------	----	--

Reference (B210324-SRM1) Prepared & Analyzed: 02/11/21

pH	7.04		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B210339 - General Prep - Wet Chem

Blank (B210339-BLK1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Duplicate (B210339-DUP1) Source: 2102092-01 Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids	4400	10.0	mg/L	4480				1.80	20	
------------------------	------	------	------	------	--	--	--	------	----	--

Reference (B210339-SRM1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids	630	10.0	mg/L	600		105	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B210358 - General Prep - Wet Chem

Blank (B210358-BLK1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B210358-BS1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride	23.9	1.00	mg/L	25.0		95.5	90-110			
Fluoride	2.49	0.100	mg/L	2.50		99.6	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.8	90-110			

LCS Dup (B210358-BSD1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride	23.6	1.00	mg/L	25.0		94.4	90-110	1.10	20	
Fluoride	2.48	0.100	mg/L	2.50		99.0	90-110	0.604	20	
Sulfate	24.4	1.00	mg/L	25.0		97.5	90-110	0.266	20	

Batch B210360 - General Prep - Wet Chem

Blank (B210360-BLK1) Prepared & Analyzed: 02/15/21

Alkalinity, Total as CaCO3	ND	10.0	mg/L							
----------------------------	----	------	------	--	--	--	--	--	--	--

LCS (B210360-BS1) Prepared & Analyzed: 02/15/21

Alkalinity, Total as CaCO3	98.0	10.0	mg/L	100		98.0	85-115			
----------------------------	------	------	------	-----	--	------	--------	--	--	--

LCS Dup (B210360-BSD1) Prepared & Analyzed: 02/15/21

Alkalinity, Total as CaCO3	99.0	10.0	mg/L	100		99.0	85-115	1.02	20	
----------------------------	------	------	------	-----	--	------	--------	------	----	--

Batch B210369 - General Prep - Wet Chem

Blank (B210369-BLK1) Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:31General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B210369 - General Prep - Wet Chem (Continued)

LCS (B210369-BS1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.943	0.020	mg/L as N	1.00		94.3	90-110			
----------------------	-------	-------	-----------	------	--	------	--------	--	--	--

LCS Dup (B210369-BSD1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.942	0.020	mg/L as N	1.00		94.2	90-110	0.0955	20	
----------------------	-------	-------	-----------	------	--	------	--------	--------	----	--

Batch B210386 - General Prep - Wet Chem

Blank (B210386-BLK1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B210386-BS1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.46	0.500	mg/L	10.0		94.6	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B210386-BSD1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.48	0.500	mg/L	10.0		94.8	85-115	0.275	20	
----------------------	------	-------	------	------	--	------	--------	-------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:31

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210333 - Diss. 200.7/200.8

Blank (B210333-BLK1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210333-BS1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	4.85	0.050	mg/L	5.00	97.0	85-115
Calcium	4.92	0.100	mg/L	5.00	98.4	85-115
Iron	4.88	0.050	mg/L	5.00	97.6	85-115
Magnesium	25.0	0.100	mg/L	25.0	100	85-115
Potassium	10.0	1.00	mg/L	10.0	100	85-115
Silicon	4.72	0.500	mg/L	5.00	94.5	85-115
Sodium	3.96	1.00	mg/L	4.05	97.9	85-115

LCS Dup (B210333-BSD1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	5.00	0.050	mg/L	5.00	100	85-115	2.98	20
Calcium	5.03	0.100	mg/L	5.00	101	85-115	2.17	20
Iron	5.00	0.050	mg/L	5.00	99.9	85-115	2.38	20
Magnesium	25.6	0.100	mg/L	25.0	102	85-115	2.43	20
Potassium	10.0	1.00	mg/L	10.0	100	85-115	0.146	20
Silicon	4.84	0.500	mg/L	5.00	96.9	85-115	2.52	20
Sodium	4.05	1.00	mg/L	4.05	100	85-115	2.21	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:31

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:31

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B210406 - EPA 245.1/7470										
Blank (B210406-BLK1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	ND	0.0002	mg/L							
LCS (B210406-BS1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0057	0.0002	mg/L	0.00500		113	85-115			
LCS Dup (B210406-BSD1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0058	0.0002	mg/L	0.00500		115	85-115	1.52	20	BS1

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:31

Notes and Definitions

BS1	Laboratory control sample recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

10 March 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW & SW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/22/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Haygulch Ditch Downgradient	2102165-01	Water	02/22/21 08:42	02/22/21 15:00	
Hay Gulch Ditch Upgradient	2102165-02	Water	02/22/21 09:47	02/22/21 15:00	
MW-HGA-4	2102165-03	Water	02/22/21 11:49	02/22/21 15:00	
MW-99-SW	2102165-04	Water	02/22/21 10:06	02/22/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

Haygulch Ditch Downgradient

2102165-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	315	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	315	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Chloride*	59.0	5.00	0.211	mg/L	5	03/04/21 15:17	EPA300.0		AES
Fluoride*	0.246	0.100	0.00971	mg/L	1	03/03/21 11:12	EPA300.0		AES
Nitrate/Nitrite as N*	0.148	0.020	0.006	mg/L as N	1	03/01/21 15:20	EPA353.2		VJW
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	03/03/21 11:00	EPA1664 A	M5	VJW
pH*	7.83			pH Units	1	02/24/21 08:30	EPA150.1		VJW
SAR	0.34			No Unit	1	03/03/21 12:48	Calculation		AES
Total Dissolved Solids*	435	10.0		mg/L	1	02/25/21 09:25	EPA160.1		VJW
Total Suspended Solids*	28.0	4.00		mg/L	1	02/26/21 15:18	EPA160.2		VJW
Sulfate*	90.1	5.00	0.762	mg/L	5	03/04/21 15:17	EPA300.0		AES
Total Organic Carbon*	2.31	0.500	0.0616	mg/L	1	03/04/21 17:13	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	03/03/21 12:48	EPA200.7		AES
Calcium*	98.2	0.100	0.058	mg/L	1	03/03/21 12:48	EPA200.7		AES
Hardness as CaCO ₃	419	0.662	0.414	mg/L	1	03/03/21 12:48	2340 B		AES
Iron*	<0.050	0.050	0.018	mg/L	1	03/03/21 12:48	EPA200.7		AES
Magnesium*	42.2	0.100	0.065	mg/L	1	03/03/21 12:48	EPA200.7		AES
Potassium*	3.75	1.00	0.081	mg/L	1	03/03/21 12:48	EPA200.7		AES
Silica (SiO ₂)	12.9	1.07	0.0797	mg/L	1	03/03/21 12:48	Calculation		AES
Silicon	6.01	0.500	0.037	mg/L	1	03/03/21 12:48	EPA200.7		AES
Sodium*	15.8	1.00	0.079	mg/L	1	03/03/21 12:48	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0013	0.0005	0.00005	mg/L	1	03/04/21 12:52	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.0001	mg/L	1	03/04/21 12:52	EPA200.8		AES
Copper*	0.0006	0.0005	0.00009	mg/L	1	03/04/21 12:52	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	03/04/21 12:52	EPA200.8		AES
Manganese*	0.133	0.0005	0.0001	mg/L	1	03/04/21 12:52	EPA200.8		AES
Molybdenum*	0.0009	0.0005	0.00003	mg/L	1	03/04/21 12:52	EPA200.8		AES
Selenium*	0.0015	0.0010	0.0002	mg/L	1	03/04/21 12:52	EPA200.8		AES
Uranium	0.0009	0.0005	0.00004	mg/L	1	03/04/21 12:52	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	03/04/21 12:52	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

Haygulch Ditch Downgradient

2102165-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Total Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/26/21 16:31	EPA245.1		LLG
Cation/Anion Balance	-3.68								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

Hay Gulch Ditch Upgradient

2102165-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	340	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	340	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Chloride*	85.9	10.0	0.422	mg/L	10	03/04/21 15:37	EPA300.0		AES
Fluoride*	0.235	0.100	0.00971	mg/L	1	03/03/21 11:33	EPA300.0		AES
Nitrate/Nitrite as N*	0.282	0.020	0.006	mg/L as N	1	03/01/21 15:21	EPA353.2		VJW
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	03/03/21 11:00	EPA1664 A		VJW
pH*	7.57			pH Units	1	02/24/21 08:30	EPA150.1		VJW
SAR	0.62			No Unit	1	03/03/21 12:50	Calculation		AES
Total Dissolved Solids*	685	10.0		mg/L	1	02/25/21 09:27	EPA160.1		VJW
Total Suspended Solids*	55.0	4.00		mg/L	1	02/26/21 15:18	EPA160.2		VJW
Sulfate*	211	10.0	1.52	mg/L	10	03/04/21 15:37	EPA300.0		AES
Total Organic Carbon*	2.69	0.500	0.0616	mg/L	1	03/04/21 18:04	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	03/03/21 12:50	EPA200.7		AES
Calcium*	113	0.100	0.058	mg/L	1	03/03/21 12:50	EPA200.7		AES
Hardness as CaCO ₃	588	0.662	0.414	mg/L	1	03/03/21 12:50	2340 B		AES
Iron*	0.103	0.050	0.018	mg/L	1	03/03/21 12:50	EPA200.7		AES
Magnesium*	74.3	0.100	0.065	mg/L	1	03/03/21 12:50	EPA200.7		AES
Potassium*	4.74	1.00	0.081	mg/L	1	03/03/21 12:50	EPA200.7		AES
Silica (SiO ₂)	13.4	1.07	0.0797	mg/L	1	03/03/21 12:50	Calculation		AES
Silicon	6.26	0.500	0.037	mg/L	1	03/03/21 12:50	EPA200.7		AES
Sodium*	34.3	1.00	0.079	mg/L	1	03/03/21 12:50	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0012	0.0005	0.00005	mg/L	1	03/04/21 12:53	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.0001	mg/L	1	03/04/21 12:53	EPA200.8		AES
Copper*	0.0007	0.0005	0.00009	mg/L	1	03/04/21 12:53	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	03/04/21 12:53	EPA200.8		AES
Manganese*	0.149	0.0005	0.0001	mg/L	1	03/04/21 12:53	EPA200.8		AES
Molybdenum*	0.0007	0.0005	0.00003	mg/L	1	03/04/21 12:53	EPA200.8		AES
Selenium*	0.0018	0.0010	0.0002	mg/L	1	03/04/21 12:53	EPA200.8		AES
Uranium	0.0013	0.0005	0.00004	mg/L	1	03/04/21 12:53	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	03/04/21 12:53	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

Hay Gulch Ditch Upgradient

2102165-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Total Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/26/21 16:31	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance	-.98
----------------------	------

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

MW-HGA-4

2102165-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	475	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	475	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Chloride*	9.65	1.00	0.0422	mg/L	1	03/03/21 11:53	EPA300.0		AES
Fluoride*	0.424	0.100	0.00971	mg/L	1	03/03/21 11:53	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:25	EPA353.2		VJW
pH*	7.38			pH Units	1	02/26/21 04:50	EPA150.1	H4	VJW
Total Dissolved Solids*	685	10.0		mg/L	1	02/25/21 09:29	EPA160.1		VJW
Sulfate*	191	10.0	1.52	mg/L	10	03/04/21 15:58	EPA300.0		AES
Total Organic Carbon*	4.31	0.500	0.0616	mg/L	1	03/04/21 18:21	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	03/03/21 12:54	EPA200.7		AES
Calcium*	126	0.100	0.058	mg/L	1	03/03/21 12:54	EPA200.7		AES
Hardness as CaCO ₃	630	0.662	0.414	mg/L	1	03/03/21 12:54	2340 B		AES
Iron*	9.60	0.050	0.018	mg/L	1	03/03/21 12:54	EPA200.7		AES
Magnesium*	76.8	0.100	0.065	mg/L	1	03/03/21 12:54	EPA200.7		AES
Potassium*	2.24	1.00	0.081	mg/L	1	03/03/21 12:54	EPA200.7		AES
Silica (SiO ₂)	16.9	1.07	0.0797	mg/L	1	03/03/21 12:54	Calculation		AES
Silicon	7.88	0.500	0.037	mg/L	1	03/03/21 12:54	EPA200.7		AES
Sodium*	28.4	1.00	0.079	mg/L	1	03/03/21 12:54	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0036	0.0005	0.00005	mg/L	1	03/04/21 12:55	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.0001	mg/L	1	03/04/21 12:55	EPA200.8		AES
Copper*	0.0006	0.0005	0.00009	mg/L	1	03/04/21 12:55	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	03/04/21 12:55	EPA200.8		AES
Manganese*	2.54	0.0050	0.0013	mg/L	10	03/08/21 17:33	EPA200.8		AES
Molybdenum*	0.0027	0.0005	0.00003	mg/L	1	03/04/21 12:55	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0002	mg/L	1	03/04/21 12:55	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	03/04/21 12:55	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	03/04/21 12:55	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	03/05/21 14:23	EPA245.1		JDA
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 1.7

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

MW-99-SW

2102165-04 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	355	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	03/02/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	355	10.0	4.53	mg/L	5	03/02/21 00:00	2320 B		JDA
Chloride*	89.6	10.0	0.422	mg/L	10	03/04/21 16:18	EPA300.0		AES
Fluoride*	0.241	0.100	0.00971	mg/L	1	03/03/21 12:14	EPA300.0		AES
Nitrate/Nitrite as N*	0.287	0.020	0.006	mg/L as N	1	03/01/21 15:26	EPA353.2		VJW
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	03/03/21 11:00	EPA1664 A		VJW
pH*	7.60			pH Units	1	02/24/21 08:30	EPA150.1		VJW
SAR	0.62			No Unit	1	03/03/21 12:58	Calculation		AES
Total Dissolved Solids*	690	10.0		mg/L	1	02/25/21 09:31	EPA160.1		VJW
Total Suspended Solids*	6.47	4.00		mg/L	1	02/26/21 15:18	EPA160.2		VJW
Sulfate*	212	10.0	1.52	mg/L	10	03/04/21 16:18	EPA300.0		AES
Total Organic Carbon*	2.57	0.500	0.0616	mg/L	1	03/04/21 18:37	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	03/03/21 12:58	EPA200.7		AES
Calcium*	114	0.100	0.058	mg/L	1	03/03/21 12:58	EPA200.7		AES
Hardness as CaCO ₃	593	0.662	0.414	mg/L	1	03/03/21 12:58	2340 B		AES
Iron*	0.121	0.050	0.018	mg/L	1	03/03/21 12:58	EPA200.7		AES
Magnesium*	74.9	0.100	0.065	mg/L	1	03/03/21 12:58	EPA200.7		AES
Potassium*	4.73	1.00	0.081	mg/L	1	03/03/21 12:58	EPA200.7		AES
Silica (SiO ₂)	13.4	1.07	0.0797	mg/L	1	03/03/21 12:58	Calculation		AES
Silicon	6.26	0.500	0.037	mg/L	1	03/03/21 12:58	EPA200.7		AES
Sodium*	34.6	1.00	0.079	mg/L	1	03/03/21 12:58	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0012	0.0005	0.00005	mg/L	1	03/04/21 12:56	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.0001	mg/L	1	03/04/21 12:56	EPA200.8		AES
Copper*	0.0008	0.0005	0.00009	mg/L	1	03/04/21 12:56	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	03/04/21 12:56	EPA200.8		AES
Manganese*	0.150	0.0005	0.0001	mg/L	1	03/04/21 12:56	EPA200.8		AES
Molybdenum*	0.0007	0.0005	0.00003	mg/L	1	03/04/21 12:56	EPA200.8		AES
Selenium*	0.0018	0.0010	0.0002	mg/L	1	03/04/21 12:56	EPA200.8		AES
Uranium	0.0012	0.0005	0.00004	mg/L	1	03/04/21 12:56	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	03/04/21 12:56	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

MW-99-SW

2102165-04 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Total Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/26/21 16:31	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance	-2.09
----------------------	-------

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210320 - General Prep - Wet Chem

Blank (B210320-BLK1)		Prepared & Analyzed: 02/11/21								
Oil & Grease (HEM)	ND	5.00	mg/L							
LCS (B210320-BS1)		Prepared & Analyzed: 02/11/21								
Oil & Grease (HEM)	38.4	5.00	mg/L	40.0		96.0	85-115			
LCS Dup (B210320-BSD1)		Prepared & Analyzed: 02/11/21								
Oil & Grease (HEM)	36.0	5.00	mg/L	40.0		90.0	85-115	6.45	20	
Matrix Spike (B210320-MS2)		Source: 2102165-01 Prepared & Analyzed: 03/03/21								
Oil & Grease (HEM)	28.7	5.00	mg/L	40.0	ND	71.8	80-120			M2

Batch B210426 - General Prep - Wet Chem

Blank (B210426-BLK1)		Prepared & Analyzed: 02/25/21								
Total Dissolved Solids	ND	10.0	mg/L							
Duplicate (B210426-DUP1)		Source: 2102155-01 Prepared & Analyzed: 02/25/21								
Total Dissolved Solids	405	10.0	mg/L		455			11.6	20	
Reference (B210426-SRM1)		Prepared & Analyzed: 02/25/21								
Total Dissolved Solids	580	10.0	mg/L	600		96.7	85-115			

Batch B210427 - General Prep - Wet Chem

Blank (B210427-BLK1)		Prepared: 02/25/21 Analyzed: 03/01/21								
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B210427-BS1)		Prepared: 02/25/21 Analyzed: 03/01/21								
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
LCS Dup (B210427-BSD1)		Prepared: 02/25/21 Analyzed: 03/01/21								
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.0391	20	

Batch B210437 - General Prep - Wet Chem

Blank (B210437-BLK1)		Prepared: 02/26/21 Analyzed: 03/03/21								
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
LCS (B210437-BS1)		Prepared: 02/26/21 Analyzed: 03/03/21								
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115			

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210437 - General Prep - Wet Chem (Continued)

LCS Dup (B210437-BSD1)				Prepared: 02/26/21 Analyzed: 03/03/21						
Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	99.0	10.0	mg/L	100		99.0	85-115	2.00	20	

Batch B210446 - General Prep - Wet Chem

Blank (B210446-BLK1)				Prepared & Analyzed: 02/26/21						
Total Suspended Solids	ND	4.00	mg/L							
Duplicate (B210446-DUP1)				Source: 2102165-01 Prepared & Analyzed: 02/26/21						
Total Suspended Solids	30.8	4.00	mg/L		28.0			9.52	20	
Reference (B210446-SRM1)				Prepared & Analyzed: 02/26/21						
Total Suspended Solids	96.0	4.00	mg/L	100		96.0	85-115			

Batch B210448 - General Prep - Wet Chem

Duplicate (B210448-DUP1)				Source: 2102166-01 Prepared & Analyzed: 02/24/21						
pH	7.44		pH Units		7.42			0.269	20	
Reference (B210448-SRM1)				Prepared & Analyzed: 02/24/21						
pH	7.04		pH Units	7.00		101	98.57-101.42			

Batch B210452 - General Prep - Wet Chem

Duplicate (B210452-DUP2)				Source: 2102210-01 Prepared & Analyzed: 02/26/21						
pH	7.52		pH Units		7.56			0.531	20	

Batch B210481 - General Prep - Wet Chem

Blank (B210481-BLK1)				Prepared: 03/03/21 Analyzed: 03/04/21						
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							
LCS (B210481-BS1)				Prepared & Analyzed: 03/03/21						
Chloride	23.3	1.00	mg/L	25.0		93.2	90-110			
Fluoride	2.43	0.100	mg/L	2.50		97.2	90-110			
Sulfate	24.0	1.00	mg/L	25.0		95.9	90-110			
LCS Dup (B210481-BSD1)				Prepared & Analyzed: 03/03/21						
Chloride	23.3	1.00	mg/L	25.0		93.3	90-110	0.159	20	
Fluoride	2.43	0.100	mg/L	2.50		97.4	90-110	0.123	20	
Sulfate	24.0	1.00	mg/L	25.0		96.0	90-110	0.100	20	

Batch B210487 - General Prep - Wet Chem

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B210487 - General Prep - Wet Chem (Continued)

Blank (B210487-BLK1)

Prepared & Analyzed: 03/04/21

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B210487-BS1)

Prepared & Analyzed: 03/04/21

Total Organic Carbon	9.37	0.500	mg/L	10.0	93.7	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B210487-BSD1)

Prepared & Analyzed: 03/04/21

Total Organic Carbon	9.42	0.500	mg/L	10.0	94.2	85-115	0.532	20
----------------------	------	-------	------	------	------	--------	-------	----

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B210468 - Diss. 200.7/200.8

Blank (B210468-BLK1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210468-BS1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	5.02	0.050	mg/L	5.00	100	85-115
Calcium	5.23	0.100	mg/L	5.00	105	85-115
Iron	5.10	0.050	mg/L	5.00	102	85-115
Magnesium	26.0	0.100	mg/L	25.0	104	85-115
Potassium	10.3	1.00	mg/L	10.0	103	85-115
Silicon	5.21	0.500	mg/L	5.00	104	85-115
Sodium	4.12	1.00	mg/L	4.05	102	85-115

LCS Dup (B210468-BSD1)

Prepared: 03/02/21 Analyzed: 03/03/21

Aluminum	4.92	0.050	mg/L	5.00	98.4	85-115	2.04	20
Calcium	5.08	0.100	mg/L	5.00	102	85-115	2.92	20
Iron	4.95	0.050	mg/L	5.00	99.0	85-115	3.04	20
Magnesium	25.3	0.100	mg/L	25.0	101	85-115	2.67	20
Potassium	10.1	1.00	mg/L	10.0	101	85-115	1.49	20
Silicon	5.04	0.500	mg/L	5.00	101	85-115	3.38	20
Sodium	4.04	1.00	mg/L	4.05	99.8	85-115	1.92	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210471 - Diss. 200.7/200.8

Blank (B210471-BLK1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210471-BS1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	0.0516	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115
Copper	0.0518	0.0005	mg/L	0.0500	104	85-115
Lead	0.0504	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0525	0.0005	mg/L	0.0500	105	85-115
Molybdenum	0.0493	0.0005	mg/L	0.0500	98.5	85-115
Selenium	0.254	0.0010	mg/L	0.250	102	85-115
Uranium	0.0495	0.0005	mg/L	0.0500	99.0	85-115
Zinc	0.0518	0.0020	mg/L	0.0500	104	85-115

LCS Dup (B210471-BSD1)

Prepared: 03/02/21 Analyzed: 03/04/21

Arsenic	0.0518	0.0005	mg/L	0.0500	104	85-115	0.473	20
Cadmium	0.0503	0.0001	mg/L	0.0500	101	85-115	1.06	20
Copper	0.0525	0.0005	mg/L	0.0500	105	85-115	1.43	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	0.113	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.432	20
Molybdenum	0.0504	0.0005	mg/L	0.0500	101	85-115	2.29	20
Selenium	0.258	0.0010	mg/L	0.250	103	85-115	1.43	20
Uranium	0.0498	0.0005	mg/L	0.0500	99.6	85-115	0.589	20
Zinc	0.0522	0.0020	mg/L	0.0500	104	85-115	0.667	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom BirdReported:
03/10/21 08:51

Total Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210429 - EPA 245.1/7470

Blank (B210429-BLK1)

Prepared: 02/25/21 Analyzed: 02/26/21

Mercury	ND	0.0002	mg/L
---------	----	--------	------

LCS (B210429-BS1)

Prepared: 02/25/21 Analyzed: 02/26/21

Mercury	0.0049	0.0002	mg/L	0.00500	97.7	85-115
---------	--------	--------	------	---------	------	--------

LCS Dup (B210429-BSD1)

Prepared: 02/25/21 Analyzed: 02/26/21

Mercury	0.0049	0.0002	mg/L	0.00500	98.6	85-115	0.978	20
---------	--------	--------	------	---------	------	--------	-------	----

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210457 - EPA 245.1/7470

Blank (B210457-BLK1)

Prepared: 02/26/21 Analyzed: 03/05/21

Mercury	ND	0.0002	mg/L
---------	----	--------	------

LCS (B210457-BS1)

Prepared: 02/26/21 Analyzed: 03/05/21

Mercury	0.0054	0.0002	mg/L	0.00500	107	85-115
---------	--------	--------	------	---------	-----	--------

LCS Dup (B210457-BSD1)

Prepared: 02/26/21 Analyzed: 03/05/21

Mercury	0.0054	0.0002	mg/L	0.00500	107	85-115	0.168	20
---------	--------	--------	------	---------	-----	--------	-------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC GW & SW Baseline
Project Manager: Tom Bird

Reported:
03/10/21 08:51

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
M2	Matrix spike recovery was below laboratory acceptance criteria. Recovery possibly affected by a matrix interference in the sample. The method blank spike recovery was acceptable.
H4	pH analysis performed more than 48 hours after sampling.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]

Just Click Printing Form #17-0301



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

26 February 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/15/21 14:01.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:32

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-1-C	2102132-01	Water	02/15/21 10:34	02/15/21 14:01	
MW-1-A	2102132-02	Water	02/15/21 09:46	02/15/21 14:01	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:32

MW-1-C

2102132-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	580	10.0	4.53	mg/L	10	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	10	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	580	10.0	4.53	mg/L	10	02/22/21 15:30	2320 B		JDA
Chloride*	7.13	3.00	0.127	mg/L	3	02/19/21 14:31	EPA300.0		AES
Fluoride*	0.804	0.300	0.0291	mg/L	3	02/19/21 14:31	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:32	EPA353.2		JDA
pH*	7.08			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	2330	10.0		mg/L	1	02/16/21 12:25	EPA160.1		VJW
Sulfate*	1150	60.0	9.15	mg/L	60	02/19/21 23:34	EPA300.0		AES
Total Organic Carbon*	2.26	0.500	0.0616	mg/L	1	02/18/21 03:19	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/24/21 18:05	EPA200.7		AES
Calcium*	241	0.500	0.289	mg/L	5	02/24/21 18:05	EPA200.7		AES
Hardness as CaCO ₃	1320	3.31	2.07	mg/L	5	02/24/21 18:05	2340 B		AES
Iron*	0.769	0.250	0.089	mg/L	5	02/24/21 18:05	EPA200.7		AES
Magnesium*	173	0.500	0.327	mg/L	5	02/24/21 18:05	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/24/21 18:05	EPA200.7		AES
Silica (SiO ₂)	14.4	5.35	0.398	mg/L	5	02/24/21 18:05	Calculation		AES
Silicon	6.75	2.50	0.186	mg/L	5	02/24/21 18:05	EPA200.7		AES
Sodium*	206	5.00	0.396	mg/L	5	02/24/21 18:05	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 14:07	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 14:07	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0014	mg/L	5	02/22/21 14:07	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/23/21 11:13	EPA200.8		AES
Manganese*	0.0482	0.0025	0.0006	mg/L	5	02/22/21 14:07	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 14:07	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0031	mg/L	5	02/22/21 14:07	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/23/21 11:13	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 14:07	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -65

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:32

MW-1-A

2102132-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	400	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	400	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	2.73	2.00	0.0845	mg/L	2	02/19/21 14:51	EPA300.0		AES
Fluoride*	0.212	0.200	0.0194	mg/L	2	02/19/21 14:51	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:33	EPA353.2		JDA
pH*	7.22			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	1250	10.0		mg/L	1	02/16/21 12:25	EPA160.1		VJW
Sulfate*	553	20.0	3.05	mg/L	20	02/19/21 23:55	EPA300.0		AES
Total Organic Carbon*	1.58	0.500	0.0616	mg/L	1	02/18/21 03:39	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/24/21 18:08	EPA200.7		AES
Calcium*	32.1	0.500	0.289	mg/L	5	02/24/21 18:08	EPA200.7		AES
Hardness as CaCO ₃	168	3.31	2.07	mg/L	5	02/24/21 18:08	2340 B		AES
Iron*	0.572	0.250	0.089	mg/L	5	02/24/21 18:08	EPA200.7		AES
Magnesium*	21.4	0.500	0.327	mg/L	5	02/24/21 18:08	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/24/21 18:08	EPA200.7		AES
Silica (SiO ₂)	11.3	5.35	0.398	mg/L	5	02/24/21 18:08	Calculation		AES
Silicon	5.27	2.50	0.186	mg/L	5	02/24/21 18:08	EPA200.7		AES
Sodium*	357	5.00	0.396	mg/L	5	02/24/21 18:08	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0015	0.0015	0.0002	mg/L	3	02/22/21 14:10	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 14:10	EPA200.8		AES
Copper*	0.0026	0.0015	0.0008	mg/L	3	02/22/21 14:10	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/23/21 11:16	EPA200.8		AES
Manganese*	0.0367	0.0015	0.0003	mg/L	3	02/22/21 14:10	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0004	mg/L	3	02/22/21 14:10	EPA200.8		AES
Selenium*	<0.0030	0.0030	0.0018	mg/L	3	02/22/21 14:10	EPA200.8		AES
Uranium	<0.0015	0.0015	0.0003	mg/L	3	02/23/21 11:16	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0022	mg/L	3	02/22/21 14:10	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -1.62

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:32

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210339 - General Prep - Wet Chem

Blank (B210339-BLK1)

Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B210339-DUP1)

Source: 2102092-01

Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 4400 10.0 mg/L 4480 1.80 20

Reference (B210339-SRM1)

Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 630 10.0 mg/L 600 105 85-115

Batch B210369 - General Prep - Wet Chem

Blank (B210369-BLK1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B210369-BS1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N 0.943 0.020 mg/L as N 1.00 94.3 90-110

LCS Dup (B210369-BSD1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N 0.942 0.020 mg/L as N 1.00 94.2 90-110 0.0955 20

Batch B210376 - General Prep - Wet Chem

Duplicate (B210376-DUP2)

Source: 2102140-07

Prepared & Analyzed: 02/17/21

pH 7.44 pH Units 7.44 0.00 20

Reference (B210376-SRM1)

Prepared & Analyzed: 02/17/21

pH 7.04 pH Units 7.00 101 98.57-101.42

Batch B210386 - General Prep - Wet Chem

Blank (B210386-BLK1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon ND 0.500 mg/L

LCS (B210386-BS1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon 9.46 0.500 mg/L 10.0 94.6 85-115

LCS Dup (B210386-BSD1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon 9.48 0.500 mg/L 10.0 94.8 85-115 0.275 20

Batch B210396 - General Prep - Wet Chem

Blank (B210396-BLK1)

Prepared & Analyzed: 02/19/21

Chloride ND 1.00 mg/L

Fluoride ND 0.100 mg/L

Sulfate ND 1.00 mg/L

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:32General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210396 - General Prep - Wet Chem (Continued)

LCS (B210396-BS1)

Prepared & Analyzed: 02/19/21

Chloride	24.0	1.00	mg/L	25.0		96.1	90-110			
Fluoride	2.51	0.100	mg/L	2.50		100	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.7	90-110			

LCS Dup (B210396-BSD1)

Prepared & Analyzed: 02/19/21

Chloride	23.8	1.00	mg/L	25.0		95.1	90-110	1.00	20	
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	0.675	20	
Sulfate	24.5	1.00	mg/L	25.0		98.0	90-110	0.384	20	

Batch B210414 - General Prep - Wet Chem

Blank (B210414-BLK1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
--	----	------	------	--	--	--	--	--	--	--

LCS (B210414-BS1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B210414-BSD1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	3.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:32

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210419 - Diss. 200.7/200.8

Blank (B210419-BLK1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210419-BS1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.19	0.050	mg/L	5.00	104	85-115
Calcium	5.37	0.100	mg/L	5.00	107	85-115
Iron	5.28	0.050	mg/L	5.00	106	85-115
Magnesium	27.5	0.100	mg/L	25.0	110	85-115
Potassium	10.5	1.00	mg/L	10.0	105	85-115
Silicon	5.32	0.500	mg/L	5.00	106	85-115
Sodium	4.11	1.00	mg/L	4.05	102	85-115

LCS Dup (B210419-BSD1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.21	0.050	mg/L	5.00	104	85-115	0.286	20
Calcium	5.38	0.100	mg/L	5.00	108	85-115	0.0499	20
Iron	5.26	0.050	mg/L	5.00	105	85-115	0.275	20
Magnesium	27.5	0.100	mg/L	25.0	110	85-115	0.178	20
Potassium	10.7	1.00	mg/L	10.0	107	85-115	1.49	20
Silicon	5.30	0.500	mg/L	5.00	106	85-115	0.440	20
Sodium	4.09	1.00	mg/L	4.05	101	85-115	0.465	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:32

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:32

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch B210406 - EPA 245.1/7470									
Blank (B210406-BLK1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	ND	0.0002	mg/L						
LCS (B210406-BS1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	0.0057	0.0002	mg/L	0.00500	113	85-115			
LCS Dup (B210406-BSD1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	0.0058	0.0002	mg/L	0.00500	115	85-115	1.52	20	BS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:32

Notes and Definitions

BS1	Laboratory control sample recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

25 February 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/10/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-4-MI	2102110-01	Water	02/10/21 09:00	02/10/21 15:00	
MW-4-A	2102110-02	Water	02/10/21 10:19	02/10/21 15:00	
MW-4-C	2102110-03	Water	02/10/21 10:51	02/10/21 15:00	
MW-3-MI	2102110-04	Water	02/10/21 11:38	02/10/21 15:00	
MW-3-A	2102110-05	Water	02/10/21 12:08	02/10/21 15:00	
MW-99-A	2102110-06	Water	02/10/21 12:30	02/10/21 15:00	
MW-3-C	2102110-07	Water	02/10/21 13:01	02/10/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

MW-4-MI

2102110-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	910	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	80.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	990	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	4.89	2.00	0.0845	mg/L	2	02/22/21 16:44	EPA300.0	M5	AES
Fluoride*	4.92	0.200	0.0194	mg/L	2	02/22/21 16:44	EPA300.0	M5	AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:15	EPA353.2		JDA
pH*	8.21			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	1130	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	17.1	2.00	0.305	mg/L	2	02/22/21 16:44	EPA300.0	M5	AES
Total Organic Carbon*	5.78	0.500	0.0616	mg/L	1	02/17/21 23:20	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 11:38	EPA200.7		AES
Calcium*	1.97	0.500	0.289	mg/L	5	02/15/21 11:38	EPA200.7		AES
Hardness as CaCO ₃	4.91	3.31	2.07	mg/L	5	02/15/21 11:38	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 11:38	EPA200.7		AES
Magnesium*	<0.500	0.500	0.327	mg/L	5	02/15/21 11:38	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 11:38	EPA200.7		AES
Silica (SiO ₂)	9.26	5.35	0.398	mg/L	5	02/15/21 11:38	Calculation		AES
Silicon	4.33	2.50	0.186	mg/L	5	02/15/21 11:38	EPA200.7		AES
Sodium*	476	5.00	0.396	mg/L	5	02/15/21 11:38	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0088	0.0025	0.0004	mg/L	5	02/22/21 13:07	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:07	EPA200.8		AES
Copper*	0.0040	0.0025	0.0014	mg/L	5	02/22/21 13:07	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:07	EPA200.8		AES
Manganese*	0.0094	0.0025	0.0006	mg/L	5	02/22/21 13:07	EPA200.8		AES
Molybdenum*	0.0082	0.0025	0.0007	mg/L	5	02/22/21 13:07	EPA200.8		AES
Selenium*	0.0143	0.0050	0.0031	mg/L	5	02/22/21 13:07	EPA200.8		AES
Uranium	0.0137	0.0025	0.0005	mg/L	5	02/22/21 13:07	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:07	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance .8

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

MW-4-A

2102110-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	620	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	620	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	8.79	2.00	0.0845	mg/L	2	02/22/21 18:26	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	02/22/21 18:26	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:16	EPA353.2		JDA
pH*	8.04			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	1370	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	561	20.0	3.05	mg/L	20	02/23/21 10:56	EPA300.0		AES
Total Organic Carbon*	3.42	0.500	0.0616	mg/L	1	02/17/21 23:36	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 11:56	EPA200.7		AES
Calcium*	2.04	0.500	0.289	mg/L	5	02/15/21 11:56	EPA200.7		AES
Hardness as CaCO ₃	8.87	3.31	2.07	mg/L	5	02/15/21 11:56	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 11:56	EPA200.7		AES
Magnesium*	0.917	0.500	0.327	mg/L	5	02/15/21 11:56	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 11:56	EPA200.7		AES
Silica (SiO ₂)	10.4	5.35	0.398	mg/L	5	02/15/21 11:56	Calculation		AES
Silicon	4.87	2.50	0.186	mg/L	5	02/15/21 11:56	EPA200.7		AES
Sodium*	565	5.00	0.396	mg/L	5	02/15/21 11:56	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:10	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:10	EPA200.8		AES
Copper*	0.0036	0.0025	0.0014	mg/L	5	02/22/21 13:10	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:10	EPA200.8		AES
Manganese*	0.0029	0.0025	0.0006	mg/L	5	02/22/21 13:10	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 13:10	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0031	mg/L	5	02/22/21 13:10	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 13:10	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:10	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance .95

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

MW-4-C

2102110-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	2430	10.0	4.53	mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	40.0	10.0		mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	2470	10.0	4.53	mg/L	5	02/15/21 15:00	2320 B		LLG
Chloride*	557	25.0	1.06	mg/L	25	02/23/21 11:17	EPA300.0		AES
Fluoride*	2.21	0.500	0.0486	mg/L	5	02/22/21 18:47	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:17	EPA353.2		JDA
pH*	7.96			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	3720	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	<5.00	5.00	0.762	mg/L	5	02/22/21 18:47	EPA300.0		AES
Total Organic Carbon*	4.57	0.500	0.0616	mg/L	1	02/18/21 00:04	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.128	mg/L	10	02/15/21 12:01	EPA200.7		AES
Calcium*	5.98	1.00	0.579	mg/L	10	02/15/21 12:01	EPA200.7		AES
Hardness as CaCO ₃	25.6	6.62	4.14	mg/L	10	02/15/21 12:01	2340 B		AES
Iron*	0.837	0.500	0.178	mg/L	10	02/15/21 12:01	EPA200.7		AES
Magnesium*	2.58	1.00	0.654	mg/L	10	02/15/21 12:01	EPA200.7		AES
Potassium*	<10.0	10.0	0.807	mg/L	10	02/15/21 12:01	EPA200.7		AES
Silica (SiO ₂)	10.8	10.7	0.797	mg/L	10	02/15/21 12:01	Calculation		AES
Silicon	5.06	5.00	0.373	mg/L	10	02/15/21 12:01	EPA200.7		AES
Sodium*	1520	10.0	0.793	mg/L	10	02/15/21 12:01	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0177	0.0050	0.0007	mg/L	10	02/22/21 13:28	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0004	mg/L	10	02/22/21 13:28	EPA200.8		AES
Copper*	0.0111	0.0050	0.0028	mg/L	10	02/22/21 13:28	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0008	mg/L	10	02/22/21 13:28	EPA200.8		AES
Manganese*	0.0059	0.0050	0.0012	mg/L	10	02/22/21 13:28	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0014	mg/L	10	02/22/21 13:28	EPA200.8		AES
Selenium*	<0.0100	0.0100	0.0061	mg/L	10	02/22/21 13:28	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0009	mg/L	10	02/22/21 13:28	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0072	mg/L	10	02/22/21 13:28	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 1.19

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

MW-3-MI

2102110-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	450	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	240	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	690	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	9.84	2.00	0.0845	mg/L	2	02/22/21 19:07	EPA300.0		AES
Fluoride*	1.03	0.200	0.0194	mg/L	2	02/22/21 19:07	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:18	EPA353.2		JDA
pH*	8.72			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	1120	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	223	10.0	1.52	mg/L	10	02/23/21 11:37	EPA300.0		AES
Total Organic Carbon*	5.34	0.500	0.0616	mg/L	1	02/18/21 00:20	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 12:04	EPA200.7		AES
Calcium*	1.66	0.500	0.289	mg/L	5	02/15/21 12:04	EPA200.7		AES
Hardness as CaCO ₃	6.63	3.31	2.07	mg/L	5	02/15/21 12:04	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 12:04	EPA200.7		AES
Magnesium*	0.606	0.500	0.327	mg/L	5	02/15/21 12:04	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 12:03	EPA200.7		AES
Silica (SiO ₂)	9.64	5.35	0.398	mg/L	5	02/15/21 12:04	Calculation		AES
Silicon	4.51	2.50	0.186	mg/L	5	02/15/21 12:04	EPA200.7		AES
Sodium*	468	5.00	0.396	mg/L	5	02/15/21 12:03	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0083	0.0025	0.0004	mg/L	5	02/22/21 13:31	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:31	EPA200.8		AES
Copper*	0.0031	0.0025	0.0014	mg/L	5	02/22/21 13:31	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:31	EPA200.8		AES
Manganese*	0.0069	0.0025	0.0006	mg/L	5	02/22/21 13:31	EPA200.8		AES
Molybdenum*	0.0162	0.0025	0.0007	mg/L	5	02/22/21 13:31	EPA200.8		AES
Selenium*	0.0462	0.0050	0.0031	mg/L	5	02/22/21 13:31	EPA200.8		AES
Uranium	0.0049	0.0025	0.0005	mg/L	5	02/22/21 13:31	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:31	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 4.49

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

MW-3-A

2102110-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	520	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	520	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	13.5	2.00	0.0845	mg/L	2	02/22/21 19:28	EPA300.0		AES
Fluoride*	0.336	0.200	0.0194	mg/L	2	02/22/21 19:28	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:19	EPA353.2		JDA
pH*	8.13			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	1410	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	600	20.0	3.05	mg/L	20	02/23/21 11:58	EPA300.0		AES
Total Organic Carbon*	3.16	0.500	0.0616	mg/L	1	02/18/21 00:36	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 12:08	EPA200.7		AES
Calcium*	3.07	0.500	0.289	mg/L	5	02/15/21 12:08	EPA200.7		AES
Hardness as CaCO ₃	10.5	3.31	2.07	mg/L	5	02/15/21 12:08	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 12:08	EPA200.7		AES
Magnesium*	0.698	0.500	0.327	mg/L	5	02/15/21 12:08	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 12:08	EPA200.7		AES
Silica (SiO ₂)	11.3	5.35	0.398	mg/L	5	02/15/21 12:08	Calculation		AES
Silicon	5.28	2.50	0.186	mg/L	5	02/15/21 12:08	EPA200.7		AES
Sodium*	536	5.00	0.396	mg/L	5	02/15/21 12:08	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0026	0.0025	0.0004	mg/L	5	02/22/21 13:35	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:35	EPA200.8		AES
Copper*	0.0037	0.0025	0.0014	mg/L	5	02/22/21 13:35	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:35	EPA200.8		AES
Manganese*	0.0128	0.0025	0.0006	mg/L	5	02/22/21 13:35	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 13:35	EPA200.8		AES
Selenium*	0.129	0.0050	0.0031	mg/L	5	02/22/21 13:35	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 13:35	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:35	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance .59

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

MW-99-A

2102110-06 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	470	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	470	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	13.5	2.00	0.0845	mg/L	2	02/22/21 19:48	EPA300.0		AES
Fluoride*	0.330	0.200	0.0194	mg/L	2	02/22/21 19:48	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:21	EPA353.2		JDA
pH*	8.20			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	1420	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	602	20.0	3.05	mg/L	20	02/23/21 12:18	EPA300.0		AES
Total Organic Carbon*	3.15	0.500	0.0616	mg/L	1	02/18/21 00:53	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 12:12	EPA200.7		AES
Calcium*	2.88	0.500	0.289	mg/L	5	02/15/21 12:12	EPA200.7		AES
Hardness as CaCO ₃	9.78	3.31	2.07	mg/L	5	02/15/21 12:12	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 12:12	EPA200.7		AES
Magnesium*	0.628	0.500	0.327	mg/L	5	02/15/21 12:12	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	02/15/21 12:12	EPA200.7		AES
Silica (SiO ₂)	10.6	5.35	0.398	mg/L	5	02/15/21 12:12	Calculation		AES
Silicon	4.95	2.50	0.186	mg/L	5	02/15/21 12:12	EPA200.7		AES
Sodium*	494	5.00	0.396	mg/L	5	02/15/21 12:12	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0026	0.0025	0.0004	mg/L	5	02/22/21 13:38	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 13:38	EPA200.8		AES
Copper*	0.0037	0.0025	0.0014	mg/L	5	02/22/21 13:38	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 13:38	EPA200.8		AES
Manganese*	0.0129	0.0025	0.0006	mg/L	5	02/22/21 13:38	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 13:38	EPA200.8		AES
Selenium*	0.0742	0.0050	0.0031	mg/L	5	02/22/21 13:38	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 13:38	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 13:38	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -1.39

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

MW-3-C

2102110-07 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1710	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	460	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	10	02/15/21 15:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	2170	10.0	4.53	mg/L	10	02/15/21 15:00	2320 B		LLG
Chloride*	574	25.0	1.06	mg/L	25	02/23/21 12:39	EPA300.0		AES
Fluoride*	3.37	0.500	0.0486	mg/L	5	02/22/21 20:09	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:22	EPA353.2		JDA
pH*	8.43			pH Units	1	02/11/21 12:40	EPA150.1		VJW
Total Dissolved Solids*	3200	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	<5.00	5.00	0.762	mg/L	5	02/22/21 20:09	EPA300.0		AES
Total Organic Carbon*	15.7	0.500	0.0616	mg/L	1	02/18/21 01:14	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.128	mg/L	10	02/15/21 12:17	EPA200.7		AES
Calcium*	4.25	1.00	0.579	mg/L	10	02/15/21 12:17	EPA200.7		AES
Hardness as CaCO ₃	18.5	6.62	4.14	mg/L	10	02/15/21 12:17	2340 B		AES
Iron*	<0.500	0.500	0.178	mg/L	10	02/15/21 12:17	EPA200.7		AES
Magnesium*	1.92	1.00	0.654	mg/L	10	02/15/21 12:17	EPA200.7		AES
Potassium*	<10.0	10.0	0.807	mg/L	10	02/15/21 12:17	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	0.797	mg/L	10	02/15/21 12:17	Calculation		AES
Silicon	<5.00	5.00	0.373	mg/L	10	02/15/21 12:17	EPA200.7		AES
Sodium*	1360	10.0	0.793	mg/L	10	02/15/21 12:17	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0113	0.0050	0.0007	mg/L	10	02/22/21 13:42	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0004	mg/L	10	02/22/21 13:42	EPA200.8		AES
Copper*	0.0102	0.0050	0.0028	mg/L	10	02/22/21 13:42	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0008	mg/L	10	02/22/21 13:42	EPA200.8		AES
Manganese*	0.0052	0.0050	0.0012	mg/L	10	02/22/21 13:42	EPA200.8		AES
Molybdenum*	0.0080	0.0050	0.0014	mg/L	10	02/22/21 13:42	EPA200.8		AES
Selenium*	0.0270	0.0100	0.0061	mg/L	10	02/22/21 13:42	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0009	mg/L	10	02/22/21 13:42	EPA200.8		AES
Zinc*	0.0294	0.0200	0.0072	mg/L	10	02/22/21 13:42	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -1

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210324 - General Prep - Wet Chem

Duplicate (B210324-DUP1)		Source: 2102110-01		Prepared & Analyzed: 02/11/21						
pH	8.25		pH Units		8.21			0.486	20	
Reference (B210324-SRM1)		Prepared & Analyzed: 02/11/21								
pH	7.04		pH Units	7.00		101	98.57-101.42			

Batch B210339 - General Prep - Wet Chem

Blank (B210339-BLK1)		Prepared: 02/12/21 Analyzed: 02/15/21								
Total Dissolved Solids	ND	10.0	mg/L							
Duplicate (B210339-DUP1)		Source: 2102092-01		Prepared: 02/12/21 Analyzed: 02/15/21						
Total Dissolved Solids	4400	10.0	mg/L		4480			1.80	20	
Reference (B210339-SRM1)		Prepared: 02/12/21 Analyzed: 02/15/21								
Total Dissolved Solids	630	10.0	mg/L	600		105	85-115			

Batch B210358 - General Prep - Wet Chem

Blank (B210358-BLK1)		Prepared: 02/15/21 Analyzed: 02/22/21								
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							
LCS (B210358-BS1)		Prepared: 02/15/21 Analyzed: 02/22/21								
Chloride	23.9	1.00	mg/L	25.0		95.5	90-110			
Fluoride	2.49	0.100	mg/L	2.50		99.6	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.8	90-110			
LCS Dup (B210358-BSD1)		Prepared: 02/15/21 Analyzed: 02/22/21								
Chloride	23.6	1.00	mg/L	25.0		94.4	90-110	1.10	20	
Fluoride	2.48	0.100	mg/L	2.50		99.0	90-110	0.604	20	
Sulfate	24.4	1.00	mg/L	25.0		97.5	90-110	0.266	20	

Batch B210360 - General Prep - Wet Chem

Blank (B210360-BLK1)		Prepared & Analyzed: 02/15/21								
Alkalinity, Total as CaCO3	ND	10.0	mg/L							
LCS (B210360-BS1)		Prepared & Analyzed: 02/15/21								
Alkalinity, Total as CaCO3	98.0	10.0	mg/L	100		98.0	85-115			
LCS Dup (B210360-BSD1)		Prepared & Analyzed: 02/15/21								
Alkalinity, Total as CaCO3	99.0	10.0	mg/L	100		99.0	85-115	1.02	20	

Batch B210369 - General Prep - Wet Chem

Blank (B210369-BLK1)		Prepared: 02/16/21 Analyzed: 02/18/21								
Nitrate/Nitrite as N	ND	0.020	mg/L as N							

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/25/21 11:05General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch B210369 - General Prep - Wet Chem (Continued)

LCS (B210369-BS1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.943	0.020	mg/L as N	1.00	94.3	90-110
----------------------	-------	-------	-----------	------	------	--------

LCS Dup (B210369-BSD1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.942	0.020	mg/L as N	1.00	94.2	90-110	0.0955	20
----------------------	-------	-------	-----------	------	------	--------	--------	----

Batch B210386 - General Prep - Wet Chem

Blank (B210386-BLK1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B210386-BS1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.46	0.500	mg/L	10.0	94.6	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B210386-BSD1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.48	0.500	mg/L	10.0	94.8	85-115	0.275	20
----------------------	------	-------	------	------	------	--------	-------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210333 - Diss. 200.7/200.8

Blank (B210333-BLK1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210333-BS1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	4.85	0.050	mg/L	5.00	97.0	85-115
Calcium	4.92	0.100	mg/L	5.00	98.4	85-115
Iron	4.88	0.050	mg/L	5.00	97.6	85-115
Magnesium	25.0	0.100	mg/L	25.0	100	85-115
Potassium	10.0	1.00	mg/L	10.0	100	85-115
Silicon	4.72	0.500	mg/L	5.00	94.5	85-115
Sodium	3.96	1.00	mg/L	4.05	97.9	85-115

LCS Dup (B210333-BSD1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	5.00	0.050	mg/L	5.00	100	85-115	2.98	20
Calcium	5.03	0.100	mg/L	5.00	101	85-115	2.17	20
Iron	5.00	0.050	mg/L	5.00	99.9	85-115	2.38	20
Magnesium	25.6	0.100	mg/L	25.0	102	85-115	2.43	20
Potassium	10.0	1.00	mg/L	10.0	100	85-115	0.146	20
Silicon	4.84	0.500	mg/L	5.00	96.9	85-115	2.52	20
Sodium	4.05	1.00	mg/L	4.05	100	85-115	2.21	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch B210406 - EPA 245.1/7470									
Blank (B210406-BLK1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	ND	0.0002	mg/L						
LCS (B210406-BS1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	0.0057	0.0002	mg/L	0.00500	113	85-115			
LCS Dup (B210406-BSD1)				Prepared: 02/19/21 Analyzed: 02/24/21					
Mercury	0.0058	0.0002	mg/L	0.00500	115	85-115	1.52	20	BS1

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/25/21 11:05

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
BS1	Laboratory control sample recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

75 Suttle St Durango, CO 81303

FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

26 February 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/15/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:26

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-5-MI	2102131-01	Water	02/15/21 11:27	02/15/21 15:00	
MW-5-C	2102131-02	Water	02/15/21 12:01	02/15/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:26

MW-5-MI

2102131-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	825	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	110	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	935	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	5.27	2.00	0.0845	mg/L	2	02/19/21 13:09	EPA300.0		AES
Fluoride*	0.250	0.200	0.0194	mg/L	2	02/19/21 13:09	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:28	EPA353.2		JDA
pH*	8.37			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	955	10.0		mg/L	1	02/16/21 12:25	EPA160.1		VJW
Sulfate*	6.80	2.00	0.305	mg/L	2	02/19/21 13:09	EPA300.0		AES
Total Organic Carbon*	2.64	0.500	0.0616	mg/L	1	02/18/21 02:38	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:01	EPA200.7		AES
Calcium*	2.42	0.300	0.174	mg/L	3	02/24/21 18:01	EPA200.7		AES
Hardness as CaCO ₃	9.45	1.98	1.24	mg/L	3	02/24/21 18:01	2340 B		AES
Iron*	<0.150	0.150	0.053	mg/L	3	02/24/21 18:01	EPA200.7		AES
Magnesium*	0.826	0.300	0.196	mg/L	3	02/24/21 18:01	EPA200.7		AES
Potassium*	<3.00	3.00	0.242	mg/L	3	02/24/21 18:01	EPA200.7		AES
Silica (SiO ₂)	8.91	3.21	0.239	mg/L	3	02/24/21 18:01	Calculation		AES
Silicon	4.17	1.50	0.112	mg/L	3	02/24/21 18:01	EPA200.7		AES
Sodium*	435	3.00	0.238	mg/L	3	02/24/21 18:01	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0143	0.0015	0.0002	mg/L	3	02/22/21 13:53	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 13:53	EPA200.8		AES
Copper*	0.0030	0.0015	0.0008	mg/L	3	02/22/21 13:53	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/22/21 13:53	EPA200.8		AES
Manganese*	0.0215	0.0015	0.0003	mg/L	3	02/22/21 13:53	EPA200.8		AES
Molybdenum*	0.0028	0.0015	0.0004	mg/L	3	02/22/21 13:53	EPA200.8		AES
Selenium*	0.0039	0.0030	0.0018	mg/L	3	02/22/21 13:53	EPA200.8		AES
Uranium	0.0079	0.0015	0.0003	mg/L	3	02/22/21 13:53	EPA200.8		AES
Zinc*	0.0831	0.0060	0.0022	mg/L	3	02/22/21 13:53	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance .37

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:26

MW-5-C

2102131-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1550	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	60.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	1610	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	5.84	5.00	0.211	mg/L	5	02/19/21 14:10	EPA300.0		AES
Fluoride*	1.99	0.500	0.0486	mg/L	5	02/19/21 14:10	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:29	EPA353.2	M5	JDA
pH*	8.03			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	2710	10.0		mg/L	1	02/16/21 12:25	EPA160.1		VJW
Sulfate*	693	25.0	3.81	mg/L	25	02/19/21 22:33	EPA300.0		AES
Total Organic Carbon*	2.70	0.500	0.0616	mg/L	1	02/18/21 02:59	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.128	mg/L	10	02/24/21 18:03	EPA200.7		AES
Calcium*	6.70	1.00	0.579	mg/L	10	02/24/21 18:03	EPA200.7		AES
Hardness as CaCO ₃	29.4	6.62	4.14	mg/L	10	02/24/21 18:03	2340 B		AES
Iron*	<0.500	0.500	0.178	mg/L	10	02/24/21 18:03	EPA200.7		AES
Magnesium*	3.08	1.00	0.654	mg/L	10	02/24/21 18:03	EPA200.7		AES
Potassium*	<10.0	10.0	0.807	mg/L	10	02/24/21 18:03	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	0.797	mg/L	10	02/24/21 18:03	Calculation		AES
Silicon	<5.00	5.00	0.373	mg/L	10	02/24/21 18:03	EPA200.7		AES
Sodium*	1070	10.0	0.793	mg/L	10	02/24/21 18:03	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0050	0.0050	0.0007	mg/L	10	02/22/21 13:56	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0004	mg/L	10	02/22/21 13:56	EPA200.8		AES
Copper*	0.0066	0.0050	0.0028	mg/L	10	02/22/21 13:56	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0008	mg/L	10	02/22/21 13:56	EPA200.8		AES
Manganese*	<0.0050	0.0050	0.0012	mg/L	10	02/22/21 13:56	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0014	mg/L	10	02/22/21 13:56	EPA200.8		AES
Selenium*	0.0142	0.0100	0.0061	mg/L	10	02/22/21 13:56	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0009	mg/L	10	02/22/21 13:56	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0072	mg/L	10	02/22/21 13:56	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance .34

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:26

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210339 - General Prep - Wet Chem

Blank (B210339-BLK1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B210339-DUP1) Source: 2102092-01 Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 4400 10.0 mg/L 4480 1.80 20

Reference (B210339-SRM1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 630 10.0 mg/L 600 105 85-115

Batch B210369 - General Prep - Wet Chem

Blank (B210369-BLK1) Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B210369-BS1) Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N 0.943 0.020 mg/L as N 1.00 94.3 90-110

LCS Dup (B210369-BSD1) Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N 0.942 0.020 mg/L as N 1.00 94.2 90-110 0.0955 20

Batch B210376 - General Prep - Wet Chem

Duplicate (B210376-DUP1) Source: 2102131-01 Prepared & Analyzed: 02/17/21

pH 8.36 pH Units 8.37 0.120 20

Reference (B210376-SRM1) Prepared & Analyzed: 02/17/21

pH 7.04 pH Units 7.00 101 98.57-101.42

Batch B210386 - General Prep - Wet Chem

Blank (B210386-BLK1) Prepared & Analyzed: 02/17/21

Total Organic Carbon ND 0.500 mg/L

LCS (B210386-BS1) Prepared & Analyzed: 02/17/21

Total Organic Carbon 9.46 0.500 mg/L 10.0 94.6 85-115

LCS Dup (B210386-BSD1) Prepared & Analyzed: 02/17/21

Total Organic Carbon 9.48 0.500 mg/L 10.0 94.8 85-115 0.275 20

Batch B210396 - General Prep - Wet Chem

Blank (B210396-BLK1) Prepared & Analyzed: 02/19/21

Chloride ND 1.00 mg/L

Fluoride ND 0.100 mg/L

Sulfate ND 1.00 mg/L

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
02/26/21 12:26General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210396 - General Prep - Wet Chem (Continued)

LCS (B210396-BS1)

Prepared & Analyzed: 02/19/21

Chloride	24.0	1.00	mg/L	25.0		96.1	90-110			
Fluoride	2.51	0.100	mg/L	2.50		100	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.7	90-110			

LCS Dup (B210396-BSD1)

Prepared & Analyzed: 02/19/21

Chloride	23.8	1.00	mg/L	25.0		95.1	90-110	1.00	20	
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	0.675	20	
Sulfate	24.5	1.00	mg/L	25.0		98.0	90-110	0.384	20	

Batch B210414 - General Prep - Wet Chem

Blank (B210414-BLK1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							
--	----	------	------	--	--	--	--	--	--	--

LCS (B210414-BS1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115			
--	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B210414-BSD1)

Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO ₃	98.0	10.0	mg/L	100		98.0	85-115	3.02	20	
--	------	------	------	-----	--	------	--------	------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:26

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210419 - Diss. 200.7/200.8

Blank (B210419-BLK1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210419-BS1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.19	0.050	mg/L	5.00	104	85-115
Calcium	5.37	0.100	mg/L	5.00	107	85-115
Iron	5.28	0.050	mg/L	5.00	106	85-115
Magnesium	27.5	0.100	mg/L	25.0	110	85-115
Potassium	10.5	1.00	mg/L	10.0	105	85-115
Silicon	5.32	0.500	mg/L	5.00	106	85-115
Sodium	4.11	1.00	mg/L	4.05	102	85-115

LCS Dup (B210419-BSD1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.21	0.050	mg/L	5.00	104	85-115	0.286	20
Calcium	5.38	0.100	mg/L	5.00	108	85-115	0.0499	20
Iron	5.26	0.050	mg/L	5.00	105	85-115	0.275	20
Magnesium	27.5	0.100	mg/L	25.0	110	85-115	0.178	20
Potassium	10.7	1.00	mg/L	10.0	107	85-115	1.49	20
Silicon	5.30	0.500	mg/L	5.00	106	85-115	0.440	20
Sodium	4.09	1.00	mg/L	4.05	101	85-115	0.465	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:26

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:26

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B210406 - EPA 245.1/7470										
Blank (B210406-BLK1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	ND	0.0002	mg/L							
LCS (B210406-BS1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0057	0.0002	mg/L	0.00500		113	85-115			
LCS Dup (B210406-BSD1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0058	0.0002	mg/L	0.00500		115	85-115	1.52	20	BS

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
02/26/21 12:26

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
BS1	Laboratory control sample recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

75 Suttle St Durango, CO 81303

FORM-006

COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 March 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/09/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-6-A	2102092-01	Water	02/09/21 11:29	02/09/21 15:00	
MW-6-LM	2102092-02	Water	02/09/21 12:47	02/09/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

MW-6-A

2102092-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	245	10.0	4.53	mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	245	10.0	4.53	mg/L	1	02/11/21 00:00	2320 B		LLG
Chloride*	24.9	5.00	0.211	mg/L	5	02/22/21 15:22	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	02/22/21 15:22	EPA300.0	M5	AES
Nitrate/Nitrite as N*	0.039	0.020	0.006	mg/L as N	1	02/18/21 15:08	EPA353.2		JDA
pH*	7.20			pH Units	1	02/10/21 14:30	EPA150.1		VJW
Total Dissolved Solids*	4480	10.0		mg/L	1	02/15/21 14:00	EPA160.1		VJW
Sulfate*	2620	100	15.2	mg/L	100	02/22/21 21:10	EPA300.0		AES
Total Organic Carbon*	1.71	0.500	0.0616	mg/L	1	02/17/21 22:11	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 11:20	EPA200.7		AES
Calcium*	398	0.500	0.289	mg/L	5	02/15/21 11:20	EPA200.7		AES
Hardness as CaCO ₃	2660	3.31	2.07	mg/L	5	02/15/21 11:20	2340 B		AES
Iron*	1.17	0.250	0.089	mg/L	5	02/15/21 11:20	EPA200.7		AES
Magnesium*	404	0.500	0.327	mg/L	5	02/15/21 11:20	EPA200.7		AES
Potassium*	11.1	5.00	0.403	mg/L	5	02/15/21 11:20	EPA200.7		AES
Silica (SiO ₂)	11.9	5.35	0.398	mg/L	5	02/15/21 11:20	Calculation		AES
Silicon	5.58	2.50	0.186	mg/L	5	02/15/21 11:20	EPA200.7		AES
Sodium*	272	5.00	0.396	mg/L	5	02/15/21 11:20	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 12:53	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 12:53	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0014	mg/L	5	02/22/21 12:53	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 12:53	EPA200.8		AES
Manganese*	0.437	0.0025	0.0006	mg/L	5	02/22/21 12:53	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 12:53	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0031	mg/L	5	02/22/21 12:53	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0005	mg/L	5	02/22/21 12:53	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 12:53	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 17:29	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 4.06

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
03/02/21 11:45

MW-6-LM

2102092-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	336	10.0	4.53	mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	02/11/21 00:00	2320 B		LLG
Alkalinity, Total as CaCO ₃ *	336	10.0	4.53	mg/L	1	02/11/21 00:00	2320 B		LLG
Chloride*	11.0	2.00	0.0845	mg/L	2	02/22/21 16:24	EPA300.0		AES
Fluoride*	0.318	0.200	0.0194	mg/L	2	02/22/21 16:24	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	02/18/21 15:09	EPA353.2	M5	JDA
pH*	7.49			pH Units	1	02/10/21 14:30	EPA150.1		VJW
Total Dissolved Solids*	1990	10.0		mg/L	1	02/25/21 09:49	EPA160.1	H3	VJW
Sulfate*	1020	40.0	6.10	mg/L	40	02/22/21 22:52	EPA300.0		AES
Total Organic Carbon*	3.17	0.500	0.0616	mg/L	1	02/17/21 23:01	5310C		VJW

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/15/21 11:34	EPA200.7		AES
Calcium*	176	0.500	0.289	mg/L	5	02/15/21 11:34	EPA200.7		AES
Hardness as CaCO ₃	1120	3.31	2.07	mg/L	5	02/15/21 11:34	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/15/21 11:34	EPA200.7		AES
Magnesium*	166	0.500	0.327	mg/L	5	02/15/21 11:34	EPA200.7		AES
Potassium*	5.96	5.00	0.403	mg/L	5	02/15/21 11:34	EPA200.7		AES
Silica (SiO ₂)	15.6	5.35	0.398	mg/L	5	02/15/21 11:34	Calculation		AES
Silicon	7.30	2.50	0.186	mg/L	5	02/15/21 11:34	EPA200.7		AES
Sodium*	188	5.00	0.396	mg/L	5	02/15/21 11:34	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0038	0.0025	0.0004	mg/L	5	02/22/21 12:56	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0002	mg/L	5	02/22/21 12:56	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0014	mg/L	5	02/22/21 12:56	EPA200.8		AES
Lead*	<0.0025	0.0025	0.0004	mg/L	5	02/22/21 12:56	EPA200.8		AES
Manganese*	0.253	0.0025	0.0006	mg/L	5	02/22/21 12:56	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0007	mg/L	5	02/22/21 12:56	EPA200.8		AES
Selenium*	0.0151	0.0050	0.0031	mg/L	5	02/22/21 12:56	EPA200.8		AES
Uranium	0.0039	0.0025	0.0005	mg/L	5	02/22/21 12:56	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0036	mg/L	5	02/22/21 12:56	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 17:29	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 4.22

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
03/02/21 11:45

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210319 - General Prep - Wet Chem

Blank (B210319-BLK1) Prepared: 02/10/21 Analyzed: 02/11/21

Alkalinity, Total as CaCO₃ ND 10.0 mg/L

LCS (B210319-BS1) Prepared: 02/10/21 Analyzed: 02/11/21

Alkalinity, Total as CaCO₃ 103 10.0 mg/L 100 103 85-115

LCS Dup (B210319-BSD1) Prepared: 02/10/21 Analyzed: 02/11/21

Alkalinity, Total as CaCO₃ 98.0 10.0 mg/L 100 98.0 85-115 4.98 20

Batch B210324 - General Prep - Wet Chem

Duplicate (B210324-DUP1) Source: 2102110-01 Prepared & Analyzed: 02/11/21

pH 8.25 pH Units 8.21 0.486 20

Reference (B210324-SRM1) Prepared & Analyzed: 02/11/21

pH 7.04 pH Units 7.00 101 98.57-101.42

Batch B210339 - General Prep - Wet Chem

Blank (B210339-BLK1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B210339-DUP1) Source: 2102092-01 Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 4400 10.0 mg/L 4480 1.80 20

Reference (B210339-SRM1) Prepared: 02/12/21 Analyzed: 02/15/21

Total Dissolved Solids 630 10.0 mg/L 600 105 85-115

Batch B210358 - General Prep - Wet Chem

Blank (B210358-BLK1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride ND 1.00 mg/L

Fluoride ND 0.100 mg/L

Sulfate ND 1.00 mg/L

LCS (B210358-BS1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride 23.9 1.00 mg/L 25.0 95.5 90-110

Fluoride 2.49 0.100 mg/L 2.50 99.6 90-110

Sulfate 24.4 1.00 mg/L 25.0 97.8 90-110

LCS Dup (B210358-BSD1) Prepared: 02/15/21 Analyzed: 02/22/21

Chloride 23.6 1.00 mg/L 25.0 94.4 90-110 1.10 20

Fluoride 2.48 0.100 mg/L 2.50 99.0 90-110 0.604 20

Sulfate 24.4 1.00 mg/L 25.0 97.5 90-110 0.266 20

Batch B210369 - General Prep - Wet Chem

Blank (B210369-BLK1) Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N ND 0.020 mg/L as N

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
03/02/21 11:45General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch B210369 - General Prep - Wet Chem (Continued)

LCS (B210369-BS1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.943	0.020	mg/L as N	1.00	94.3	90-110
----------------------	-------	-------	-----------	------	------	--------

LCS Dup (B210369-BSD1)

Prepared: 02/16/21 Analyzed: 02/18/21

Nitrate/Nitrite as N	0.942	0.020	mg/L as N	1.00	94.2	90-110	0.0955	20
----------------------	-------	-------	-----------	------	------	--------	--------	----

Batch B210386 - General Prep - Wet Chem

Blank (B210386-BLK1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B210386-BS1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.46	0.500	mg/L	10.0	94.6	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B210386-BSD1)

Prepared & Analyzed: 02/17/21

Total Organic Carbon	9.48	0.500	mg/L	10.0	94.8	85-115	0.275	20
----------------------	------	-------	------	------	------	--------	-------	----

Batch B210426 - General Prep - Wet Chem

Blank (B210426-BLK1)

Prepared & Analyzed: 02/25/21

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B210426-SRM1)

Prepared & Analyzed: 02/25/21

Total Dissolved Solids	580	10.0	mg/L	600	96.7	85-115
------------------------	-----	------	------	-----	------	--------

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210333 - Diss. 200.7/200.8

Blank (B210333-BLK1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210333-BS1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	4.85	0.050	mg/L	5.00	97.0	85-115
Calcium	4.92	0.100	mg/L	5.00	98.4	85-115
Iron	4.88	0.050	mg/L	5.00	97.6	85-115
Magnesium	25.0	0.100	mg/L	25.0	100	85-115
Potassium	10.0	1.00	mg/L	10.0	100	85-115
Silicon	4.72	0.500	mg/L	5.00	94.5	85-115
Sodium	3.96	1.00	mg/L	4.05	97.9	85-115

LCS Dup (B210333-BSD1)

Prepared: 02/12/21 Analyzed: 02/15/21

Aluminum	5.00	0.050	mg/L	5.00	100	85-115	2.98	20
Calcium	5.03	0.100	mg/L	5.00	101	85-115	2.17	20
Iron	5.00	0.050	mg/L	5.00	99.9	85-115	2.38	20
Magnesium	25.6	0.100	mg/L	25.0	102	85-115	2.43	20
Potassium	10.0	1.00	mg/L	10.0	100	85-115	0.146	20
Silicon	4.84	0.500	mg/L	5.00	96.9	85-115	2.52	20
Sodium	4.05	1.00	mg/L	4.05	100	85-115	2.21	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B210314 - EPA 245.1/7470										
Blank (B210314-BLK1)										
				Prepared: 02/10/21 Analyzed: 02/24/21						
Mercury	ND	0.0002	mg/L							
LCS (B210314-BS1)										
				Prepared: 02/10/21 Analyzed: 02/24/21						
Mercury	0.0052	0.0002	mg/L	0.00500		104	85-115			
LCS Dup (B210314-BSD1)										
				Prepared: 02/10/21 Analyzed: 02/24/21						
Mercury	0.0053	0.0002	mg/L	0.00500		106	85-115	1.54	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
03/02/21 11:45

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
H3	Initial analysis performed within hold-time but not reportable due to QC failure or other issue. Sample was subsequently re-analyzed past hold time specified by method.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

Page 11 of 11 2102092 GAL FINAL 03 02 21 1145 03/02/21 11:46:21



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

03 March 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW & SW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 02/16/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-8-LM	2102140-01	Water	02/16/21 08:55	02/16/21 15:00	
MW-8-PL	2102140-02	Water	02/16/21 09:18	02/16/21 15:00	
MW-8-MI	2102140-03	Water	02/16/21 09:44	02/16/21 15:00	
MW-8-EAA	2102140-04	Water	02/16/21 10:28	02/16/21 15:00	
MW-99-EAA	2102140-05	Water	02/16/21 10:52	02/16/21 15:00	
MW-7-EAA	2102140-06	Water	02/16/21 11:15	02/16/21 15:00	
SEEP#3	2102140-07	Water	02/16/21 11:48	02/16/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20

MW-8-LM

2102140-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	630	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	100	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	730	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	2.50	1.00	0.0422	mg/L	1	02/20/21 00:15	EPA300.0		AES
Fluoride*	3.58	0.100	0.00971	mg/L	1	02/20/21 00:15	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:01	EPA353.2		VJW
pH*	8.54			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	795	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	<1.00	1.00	0.152	mg/L	1	02/20/21 00:15	EPA300.0		AES
Total Organic Carbon*	1.20	0.500	0.0616	mg/L	1	03/02/21 22:47	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:10	EPA200.7		AES
Calcium*	1.87	0.300	0.174	mg/L	3	02/24/21 18:10	EPA200.7		AES
Hardness as CaCO ₃	6.93	1.98	1.24	mg/L	3	02/24/21 18:10	2340 B		AES
Iron*	<0.150	0.150	0.053	mg/L	3	02/24/21 18:10	EPA200.7		AES
Magnesium*	0.550	0.300	0.196	mg/L	3	02/24/21 18:10	EPA200.7		AES
Potassium*	<3.00	3.00	0.242	mg/L	3	02/24/21 18:10	EPA200.7		AES
Silica (SiO ₂)	8.17	3.21	0.239	mg/L	3	02/24/21 18:10	Calculation		AES
Silicon	3.82	1.50	0.112	mg/L	3	02/24/21 18:10	EPA200.7		AES
Sodium*	319	3.00	0.238	mg/L	3	02/24/21 18:10	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0015	0.0015	0.0002	mg/L	3	02/22/21 14:14	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 14:14	EPA200.8		AES
Copper*	0.0025	0.0015	0.0008	mg/L	3	02/22/21 14:14	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/23/21 11:20	EPA200.8		AES
Manganese*	0.0024	0.0015	0.0003	mg/L	3	02/22/21 14:14	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0004	mg/L	3	02/22/21 14:14	EPA200.8		AES
Selenium*	0.0031	0.0030	0.0018	mg/L	3	02/22/21 14:14	EPA200.8		AES
Uranium	<0.0015	0.0015	0.0003	mg/L	3	02/23/21 11:20	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0022	mg/L	3	02/22/21 14:14	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.75

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

MW-8-PL

2102140-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	370	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	370	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	3.39	1.00	0.0422	mg/L	1	02/19/21 15:32	EPA300.0		AES
Fluoride*	0.219	0.100	0.00971	mg/L	1	02/19/21 15:32	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:05	EPA353.2		VJW
pH*	7.36			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	525	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	101	5.00	0.762	mg/L	5	02/20/21 00:36	EPA300.0		AES
Total Organic Carbon*	0.928	0.500	0.0616	mg/L	1	03/02/21 23:02	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	02/24/21 18:12	EPA200.7		AES
Calcium*	52.2	0.100	0.058	mg/L	1	02/24/21 18:12	EPA200.7		AES
Hardness as CaCO ₃	281	0.662	0.414	mg/L	1	02/24/21 18:12	2340 B		AES
Iron*	<0.050	0.050	0.018	mg/L	1	02/24/21 18:12	EPA200.7		AES
Magnesium*	36.6	0.100	0.065	mg/L	1	02/24/21 18:12	EPA200.7		AES
Potassium*	1.78	1.00	0.081	mg/L	1	02/24/21 18:12	EPA200.7		AES
Silica (SiO ₂)	20.1	1.07	0.0797	mg/L	1	02/24/21 18:12	Calculation		AES
Silicon	9.40	0.500	0.037	mg/L	1	02/24/21 18:12	EPA200.7		AES
Sodium*	78.6	1.00	0.079	mg/L	1	02/24/21 18:12	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0074	0.0005	0.00007	mg/L	1	02/22/21 14:17	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.00004	mg/L	1	02/22/21 14:17	EPA200.8		AES
Copper*	0.0005	0.0005	0.0003	mg/L	1	02/22/21 14:17	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00008	mg/L	1	02/23/21 11:30	EPA200.8		AES
Manganese*	0.196	0.0005	0.0001	mg/L	1	02/22/21 14:17	EPA200.8		AES
Molybdenum*	<0.0005	0.0005	0.0001	mg/L	1	02/22/21 14:17	EPA200.8		AES
Selenium*	0.0038	0.0010	0.0006	mg/L	1	02/22/21 14:17	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00009	mg/L	1	02/23/21 11:30	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0007	mg/L	1	02/22/21 14:17	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.82

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20

MW-8-MI

2102140-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	590	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	590	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	7.96	2.00	0.0845	mg/L	2	02/19/21 17:06	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	02/19/21 17:06	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:06	EPA353.2		VJW
pH*	7.33			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	1060	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	326	10.0	1.52	mg/L	10	02/22/21 10:16	EPA300.0		AES
Total Organic Carbon*	2.60	0.500	0.0616	mg/L	1	03/02/21 23:18	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:14	EPA200.7		AES
Calcium*	69.7	0.300	0.174	mg/L	3	02/24/21 18:14	EPA200.7		AES
Hardness as CaCO ₃	376	1.98	1.24	mg/L	3	02/24/21 18:14	2340 B		AES
Iron*	<0.150	0.150	0.053	mg/L	3	02/24/21 18:14	EPA200.7		AES
Magnesium*	49.1	0.300	0.196	mg/L	3	02/24/21 18:14	EPA200.7		AES
Potassium*	5.88	3.00	0.242	mg/L	3	02/24/21 18:14	EPA200.7		AES
Silica (SiO ₂)	13.5	3.21	0.239	mg/L	3	02/24/21 18:14	Calculation		AES
Silicon	6.32	1.50	0.112	mg/L	3	02/24/21 18:14	EPA200.7		AES
Sodium*	237	3.00	0.238	mg/L	3	02/24/21 18:14	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0015	0.0015	0.0002	mg/L	3	02/22/21 14:21	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 14:21	EPA200.8		AES
Copper*	0.0015	0.0015	0.0008	mg/L	3	02/22/21 14:21	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/23/21 11:34	EPA200.8		AES
Manganese*	0.0579	0.0015	0.0003	mg/L	3	02/22/21 14:21	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0004	mg/L	3	02/22/21 14:21	EPA200.8		AES
Selenium*	0.0425	0.0030	0.0018	mg/L	3	02/22/21 14:21	EPA200.8		AES
Uranium	<0.0015	0.0015	0.0003	mg/L	3	02/23/21 11:34	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0022	mg/L	3	02/22/21 14:21	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.27

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20

MW-8-EAA

2102140-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	450	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	450	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	10.4	2.00	0.0845	mg/L	2	02/19/21 17:26	EPA300.0		AES
Fluoride*	0.292	0.200	0.0194	mg/L	2	02/19/21 17:26	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:07	EPA353.2		VJW
pH*	7.03			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	1400	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	609	20.0	3.05	mg/L	20	02/22/21 10:37	EPA300.0		AES
Total Organic Carbon*	3.04	0.500	0.0616	mg/L	1	03/02/21 23:34	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:16	EPA200.7		AES
Calcium*	156	0.300	0.174	mg/L	3	02/24/21 18:16	EPA200.7		AES
Hardness as CaCO ₃	914	1.98	1.24	mg/L	3	02/24/21 18:16	2340 B		AES
Iron*	2.33	0.150	0.053	mg/L	3	02/24/21 18:16	EPA200.7		AES
Magnesium*	127	0.300	0.196	mg/L	3	02/24/21 18:16	EPA200.7		AES
Potassium*	3.63	3.00	0.242	mg/L	3	02/24/21 18:16	EPA200.7		AES
Silica (SiO ₂)	16.0	3.21	0.239	mg/L	3	02/24/21 18:16	Calculation		AES
Silicon	7.48	1.50	0.112	mg/L	3	02/24/21 18:16	EPA200.7		AES
Sodium*	80.9	3.00	0.238	mg/L	3	02/24/21 18:16	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0018	0.0015	0.0002	mg/L	3	02/22/21 14:24	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 14:24	EPA200.8		AES
Copper*	<0.0015	0.0015	0.0008	mg/L	3	02/22/21 14:24	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/23/21 11:37	EPA200.8		AES
Manganese*	3.55	0.0015	0.0003	mg/L	3	02/22/21 14:24	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0004	mg/L	3	02/22/21 14:24	EPA200.8		AES
Selenium*	0.0046	0.0030	0.0018	mg/L	3	02/22/21 14:24	EPA200.8		AES
Uranium	0.0016	0.0015	0.0003	mg/L	3	02/23/21 11:37	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0022	mg/L	3	02/22/21 14:24	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -13

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

MW-99-EAA

2102140-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	450	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	450	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	10.4	2.00	0.0845	mg/L	2	02/19/21 17:47	EPA300.0		AES
Fluoride*	0.306	0.200	0.0194	mg/L	2	02/19/21 17:47	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:11	EPA353.2		VJW
pH*	7.05			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	1410	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	609	20.0	3.05	mg/L	20	02/22/21 10:57	EPA300.0		AES
Total Organic Carbon*	2.99	0.500	0.0616	mg/L	1	03/02/21 23:50	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:24	EPA200.7		AES
Calcium*	163	0.300	0.174	mg/L	3	02/24/21 18:24	EPA200.7		AES
Hardness as CaCO ₃	967	1.98	1.24	mg/L	3	02/24/21 18:24	2340 B		AES
Iron*	2.41	0.150	0.053	mg/L	3	02/24/21 18:24	EPA200.7		AES
Magnesium*	136	0.300	0.196	mg/L	3	02/24/21 18:24	EPA200.7		AES
Potassium*	3.71	3.00	0.242	mg/L	3	02/24/21 18:24	EPA200.7		AES
Silica (SiO ₂)	17.0	3.21	0.239	mg/L	3	02/24/21 18:24	Calculation		AES
Silicon	7.96	1.50	0.112	mg/L	3	02/24/21 18:24	EPA200.7		AES
Sodium*	83.5	3.00	0.238	mg/L	3	02/24/21 18:24	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0016	0.0015	0.0002	mg/L	3	02/22/21 14:28	EPA200.8		AES
Cadmium*	<0.0003	0.0003	0.0001	mg/L	3	02/22/21 14:28	EPA200.8		AES
Copper*	<0.0015	0.0015	0.0008	mg/L	3	02/22/21 14:28	EPA200.8		AES
Lead*	<0.0015	0.0015	0.0002	mg/L	3	02/23/21 11:45	EPA200.8		AES
Manganese*	3.60	0.0015	0.0003	mg/L	3	02/22/21 14:28	EPA200.8		AES
Molybdenum*	<0.0015	0.0015	0.0004	mg/L	3	02/22/21 14:28	EPA200.8		AES
Selenium*	0.0035	0.0030	0.0018	mg/L	3	02/22/21 14:28	EPA200.8		AES
Uranium	0.0015	0.0015	0.0003	mg/L	3	02/23/21 11:45	EPA200.8		AES
Zinc*	<0.0060	0.0060	0.0022	mg/L	3	02/22/21 14:28	EPA200.8		AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 2.55

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

MW-7-EAA

2102140-06 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	420	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	420	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	10.4	2.00	0.0845	mg/L	2	02/19/21 18:07	EPA300.0		AES
Fluoride*	0.300	0.200	0.0194	mg/L	2	02/19/21 18:07	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	03/01/21 15:12	EPA353.2		VJW
pH*	6.99			pH Units	1	02/17/21 08:40	EPA150.1		VJW
Total Dissolved Solids*	1590	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	757	25.0	3.81	mg/L	25	02/22/21 11:17	EPA300.0		AES
Total Organic Carbon*	3.00	0.500	0.0616	mg/L	1	03/03/21 00:07	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.150	0.150	0.038	mg/L	3	02/24/21 18:28	EPA200.7		AES
Calcium*	186	0.300	0.174	mg/L	3	02/24/21 18:28	EPA200.7		AES
Hardness as CaCO ₃	1090	1.98	1.24	mg/L	3	02/24/21 18:28	2340 B		AES
Iron*	2.08	0.150	0.053	mg/L	3	02/24/21 18:28	EPA200.7		AES
Magnesium*	152	0.300	0.196	mg/L	3	02/24/21 18:28	EPA200.7		AES
Potassium*	4.25	3.00	0.242	mg/L	3	02/24/21 18:28	EPA200.7		AES
Silica (SiO ₂)	17.7	3.21	0.239	mg/L	3	02/24/21 18:28	Calculation		AES
Silicon	8.28	1.50	0.112	mg/L	3	02/24/21 18:28	EPA200.7		AES
Sodium*	81.4	3.00	0.238	mg/L	3	02/24/21 18:28	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0016	0.0005	0.00007	mg/L	1	02/23/21 15:29	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.00004	mg/L	1	02/23/21 15:29	EPA200.8		AES
Copper*	0.0007	0.0005	0.0003	mg/L	1	02/23/21 15:29	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00008	mg/L	1	02/23/21 15:29	EPA200.8		AES
Manganese*	5.22	0.0500	0.0126	mg/L	100	03/02/21 15:08	EPA200.8		AES
Molybdenum*	0.0006	0.0005	0.0001	mg/L	1	02/23/21 15:29	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0006	mg/L	1	02/23/21 15:29	EPA200.8		AES
Uranium	0.0018	0.0005	0.00009	mg/L	1	02/23/21 15:29	EPA200.8		AES
Zinc*	0.0022	0.0020	0.0007	mg/L	1	02/23/21 15:29	EPA200.8	M5	AES

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance 2.09

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20

SEEP#3

2102140-07 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	495	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	02/22/21 15:30	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	495	10.0	4.53	mg/L	5	02/22/21 15:30	2320 B		JDA
Chloride*	11.8	3.00	0.127	mg/L	3	02/19/21 18:28	EPA300.0		AES
Fluoride*	0.342	0.300	0.0291	mg/L	3	02/19/21 18:28	EPA300.0		AES
Nitrate/Nitrite as N*	0.401	0.020	0.006	mg/L as N	1	03/01/21 15:13	EPA353.2		VJW
pH*	7.44			pH Units	1	02/17/21 08:40	EPA150.1		VJW
SAR	1.39			No Unit	1	02/25/21 15:40	Calculation		AES
Total Dissolved Solids*	2490	10.0		mg/L	1	02/19/21 16:25	EPA160.1		VJW
Sulfate*	1200	100	15.2	mg/L	100	02/22/21 11:38	EPA300.0		AES
Total Organic Carbon*	13.3	0.500	0.0616	mg/L	1	03/03/21 00:25	5310C		JDA

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	02/24/21 18:33	EPA200.7		AES
Calcium*	333	0.500	0.289	mg/L	5	02/24/21 18:33	EPA200.7		AES
Hardness as CaCO ₃	1810	3.31	2.07	mg/L	5	02/24/21 18:33	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	02/24/21 18:33	EPA200.7		AES
Magnesium*	238	0.500	0.327	mg/L	5	02/24/21 18:33	EPA200.7		AES
Potassium*	12.8	5.00	0.403	mg/L	5	02/24/21 18:33	EPA200.7		AES
Silica (SiO ₂)	12.4	5.35	0.398	mg/L	5	02/24/21 18:33	Calculation		AES
Silicon	5.80	2.50	0.186	mg/L	5	02/24/21 18:33	EPA200.7		AES
Sodium*	136	5.00	0.396	mg/L	5	02/24/21 18:33	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0013	0.0005	0.00007	mg/L	1	02/23/21 15:46	EPA200.8		AES
Cadmium*	<0.0001	0.0001	0.00004	mg/L	1	02/23/21 15:46	EPA200.8		AES
Copper*	0.0021	0.0005	0.0003	mg/L	1	02/23/21 15:46	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00008	mg/L	1	02/23/21 15:46	EPA200.8		AES
Manganese*	0.0921	0.0005	0.0001	mg/L	1	02/23/21 15:46	EPA200.8		AES
Molybdenum*	0.0014	0.0005	0.0001	mg/L	1	02/23/21 15:46	EPA200.8		AES
Selenium*	0.0026	0.0010	0.0006	mg/L	1	02/23/21 15:46	EPA200.8		AES
Uranium	0.0058	0.0005	0.00009	mg/L	1	02/23/21 15:46	EPA200.8		AES
Zinc*	0.0077	0.0020	0.0007	mg/L	1	02/23/21 15:46	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

SEEP#3

2102140-07 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	02/24/21 15:33	EPA245.1		LLG
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance	9.27
----------------------	------

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210376 - General Prep - Wet Chem

Duplicate (B210376-DUP2) Source: 2102140-07 Prepared & Analyzed: 02/17/21

pH	7.44		pH Units	7.44				0.00	20	
----	------	--	----------	------	--	--	--	------	----	--

Reference (B210376-SRM1) Prepared & Analyzed: 02/17/21

pH	7.04		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B210396 - General Prep - Wet Chem

Blank (B210396-BLK1) Prepared & Analyzed: 02/19/21

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B210396-BS1) Prepared & Analyzed: 02/19/21

Chloride	24.0	1.00	mg/L	25.0		96.1	90-110			
Fluoride	2.51	0.100	mg/L	2.50		100	90-110			
Sulfate	24.4	1.00	mg/L	25.0		97.7	90-110			

LCS Dup (B210396-BSD1) Prepared & Analyzed: 02/19/21

Chloride	23.8	1.00	mg/L	25.0		95.1	90-110	1.00	20	
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	0.675	20	
Sulfate	24.5	1.00	mg/L	25.0		98.0	90-110	0.384	20	

Batch B210403 - General Prep - Wet Chem

Blank (B210403-BLK1) Prepared & Analyzed: 02/19/21

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Duplicate (B210403-DUP1) Source: 2102130-01 Prepared & Analyzed: 02/19/21

Total Dissolved Solids	1120	10.0	mg/L	1130				0.450	20	
------------------------	------	------	------	------	--	--	--	-------	----	--

Reference (B210403-SRM1) Prepared & Analyzed: 02/19/21

Total Dissolved Solids	615	10.0	mg/L	600		102	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B210414 - General Prep - Wet Chem

Blank (B210414-BLK1) Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO3	ND	10.0	mg/L							
----------------------------	----	------	------	--	--	--	--	--	--	--

LCS (B210414-BS1) Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO3	101	10.0	mg/L	100		101	85-115			
----------------------------	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (B210414-BSD1) Prepared & Analyzed: 02/22/21

Alkalinity, Total as CaCO3	98.0	10.0	mg/L	100		98.0	85-115	3.02	20	
----------------------------	------	------	------	-----	--	------	--------	------	----	--

Batch B210427 - General Prep - Wet Chem

Blank (B210427-BLK1) Prepared: 02/25/21 Analyzed: 03/01/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
03/03/21 11:20General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B210427 - General Prep - Wet Chem (Continued)

LCS (B210427-BS1)

Prepared: 02/25/21 Analyzed: 03/01/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B210427-BSD1)

Prepared: 02/25/21 Analyzed: 03/01/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.0391	20	
----------------------	------	-------	-----------	------	--	-----	--------	--------	----	--

Batch B210476 - General Prep - Wet Chem

Blank (B210476-BLK1)

Prepared & Analyzed: 03/02/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B210476-BS1)

Prepared & Analyzed: 03/02/21

Total Organic Carbon	9.02	0.500	mg/L	10.0		90.2	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B210476-BSD1)

Prepared & Analyzed: 03/02/21

Total Organic Carbon	9.16	0.500	mg/L	10.0		91.6	85-115	1.50	20	
----------------------	------	-------	------	------	--	------	--------	------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210419 - Diss. 200.7/200.8

Blank (B210419-BLK1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B210419-BS1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.19	0.050	mg/L	5.00	104	85-115
Calcium	5.37	0.100	mg/L	5.00	107	85-115
Iron	5.28	0.050	mg/L	5.00	106	85-115
Magnesium	27.5	0.100	mg/L	25.0	110	85-115
Potassium	10.5	1.00	mg/L	10.0	105	85-115
Silicon	5.32	0.500	mg/L	5.00	106	85-115
Sodium	4.11	1.00	mg/L	4.05	102	85-115

LCS Dup (B210419-BSD1)

Prepared: 02/23/21 Analyzed: 02/24/21

Aluminum	5.21	0.050	mg/L	5.00	104	85-115	0.286	20
Calcium	5.38	0.100	mg/L	5.00	108	85-115	0.0499	20
Iron	5.26	0.050	mg/L	5.00	105	85-115	0.275	20
Magnesium	27.5	0.100	mg/L	25.0	110	85-115	0.178	20
Potassium	10.7	1.00	mg/L	10.0	107	85-115	1.49	20
Silicon	5.30	0.500	mg/L	5.00	106	85-115	0.440	20
Sodium	4.09	1.00	mg/L	4.05	101	85-115	0.465	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B210335 - Diss. 200.7/200.8

Blank (B210335-BLK1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210335-BS1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0503	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0492	0.0001	mg/L	0.0500	98.4	85-115
Copper	0.0486	0.0005	mg/L	0.0500	97.3	85-115
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0486	0.0005	mg/L	0.0500	97.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0528	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0492	0.0020	mg/L	0.0500	98.4	85-115

LCS Dup (B210335-BSD1)

Prepared: 02/17/21 Analyzed: 02/22/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115	1.92	20
Cadmium	0.0508	0.0001	mg/L	0.0500	102	85-115	3.26	20
Copper	0.0496	0.0005	mg/L	0.0500	99.2	85-115	1.92	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	2.24	20
Manganese	0.0505	0.0005	mg/L	0.0500	101	85-115	2.05	20
Molybdenum	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.61	20
Selenium	0.250	0.0010	mg/L	0.250	100	85-115	0.446	20
Uranium	0.0505	0.0005	mg/L	0.0500	101	85-115	4.46	20
Zinc	0.0493	0.0020	mg/L	0.0500	98.6	85-115	0.235	20

Batch B210383 - Diss. 200.7/200.8

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

**Dissolved Metals by ICPMS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch B210383 - Diss. 200.7/200.8 (Continued)

Blank (B210383-BLK1)

Prepared: 02/22/21 Analyzed: 02/23/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0001	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B210383-BS1)

Prepared: 02/22/21 Analyzed: 02/23/21

Arsenic	0.0518	0.0005	mg/L	0.0500	104	85-115
Cadmium	0.0493	0.0001	mg/L	0.0500	98.5	85-115
Copper	0.0504	0.0005	mg/L	0.0500	101	85-115
Lead	0.0527	0.0005	mg/L	0.0500	105	85-115
Manganese	0.0515	0.0005	mg/L	0.0500	103	85-115
Molybdenum	0.0507	0.0005	mg/L	0.0500	101	85-115
Selenium	0.252	0.0010	mg/L	0.250	101	85-115
Uranium	0.0507	0.0005	mg/L	0.0500	101	85-115
Zinc	0.0510	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B210383-BSD1)

Prepared: 02/22/21 Analyzed: 02/23/21

Arsenic	0.0445	0.0005	mg/L	0.0500	88.9	85-115	15.2	20
Cadmium	0.0449	0.0001	mg/L	0.0500	89.7	85-115	9.33	20
Copper	0.0470	0.0005	mg/L	0.0500	93.9	85-115	7.04	20
Lead	0.0481	0.0005	mg/L	0.0500	96.1	85-115	9.27	20
Manganese	0.0468	0.0005	mg/L	0.0500	93.7	85-115	9.40	20
Molybdenum	0.0466	0.0005	mg/L	0.0500	93.3	85-115	8.44	20
Selenium	0.219	0.0010	mg/L	0.250	87.6	85-115	14.2	20
Uranium	0.0450	0.0005	mg/L	0.0500	90.1	85-115	11.8	20
Zinc	0.0453	0.0020	mg/L	0.0500	90.6	85-115	11.8	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B210406 - EPA 245.1/7470										
Blank (B210406-BLK1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	ND	0.0002	mg/L							
LCS (B210406-BS1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0057	0.0002	mg/L	0.00500		113	85-115			
LCS Dup (B210406-BSD1)				Prepared: 02/19/21 Analyzed: 02/24/21						
Mercury	0.0058	0.0002	mg/L	0.00500		115	85-115	1.52	20	BS1

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW & SW Baseline
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
03/03/21 11:20

Notes and Definitions

M5	Sample was chosen for matrix spike. Spike recovery did not meet laboratory acceptance criteria, possible matrix interference in sample.
BS1	Laboratory control sample recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

Page 18 of 18 2102140 GAL FINAL 03 03 21 1120 A 03/03/21 11:21:04