

Lorencito Coal Company, LLC

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

March 22, 2021

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

March 22, 2021

Prepared By:

Arcadis U.S., Inc.
630 Plaza Drive, Suite 200
Highlands Ranch
Colorado 80129
Phone: 720 344 3500
Fax: 720 344 3535

Prepared For:

Lorencito Coal Company, LLC
12250 Highway 12
Weston, CO 81416

Our Ref:

30072831

Eric Cowan
Project Manager

Jerry Koblitz
Senior Technical Lead

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Contents

1 INTRODUCTION 1

2 PROPOSED MONITORING PROGRAM 2

3 REFERENCES 7

Tables

Table 1 Surface and Groundwater Monitoring Stations 2

Table 2 Ground Water Parameters and Frequency 3

Table 3 Surface Water Parameters and Frequency 4

Table 4 Water Quality Methods of Analysis 5

Maps

Map 1 Proposed Monitoring Locations

1 INTRODUCTION

Lorencito Coal Company, LLC (Lorencito) intends to initiate underground coal mining at the Lorencito Canyon Mine (Project) in the Primero Coal Seam. Mining would begin in the P3 reserve and may extend to the P1 and P2 reserves as coal is mined out at P3 (**Map 1**). To fulfill the requirements of the Regulations of the Colorado Mined Land Reclamation Board, the following information represents the surface and groundwater monitoring program which represents characteristics of water resources in the pre-mine phase of this Project. This Hydrology Monitoring Plan (Plan) has been assembled in compliance with Rule 2.04.7 and the Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data (Colorado Mined Land Reclamation Division [now known as Colorado Division of Reclamation, Mining and Safety; CDRMS] C 1982).

Since 1996, analyses have been performed at the Lorencito Canyon Mine Project area to interpret the hydrology of the area. Lorencito will rely on this historic data base as the baseline conditions for the Project area. Field work accomplished during the baseline and surface mining phases of the Project have included the installation and testing of 10 alluvial wells, 16 consolidated aquifer wells, along with the monitoring of springs and seeps, ponds, and windmills in the Project area. From the field data collected, insight has been gained into the recharge and discharge characteristics of aquifers, hydraulic properties, potentiometric and water table surfaces, and water quality for each of the hydrologic units. Based on these previous studies, both conceptual and mathematical hydrologic models have been developed to show the relationships between the various units.

2 PROPOSED MONITORING PROGRAM

Since the current plan for underground mining will cause limited surface disturbance within the Project area, water resources monitoring will be limited to those areas shown on **Map 1**. **Tables 1, 2, 3, and 4** presents the monitoring locations, water quality parameters, monitoring frequency and analysis methods for this monitoring program. Locations of all monitoring stations are shown on **Map 1**. Monitoring will begin as soon as the Plan is approved by CDRMS.

Collected data will be summarized and presented to the CDRMS as the Permit Revision Application is submitted for approval anticipated to be completed later this year (2021). All data collected will be presented in future Annual Hydrology Monitoring Reports.

Table 1 **Surface and Groundwater Monitoring Stations**

Station/Well	Type	Purpose
CWC-1	Alluvial/Surface	Cow Canyon - Downgradient of P3 Portal Surface Facilities
CWC-2a	Alluvial/Surface	Cow Canyon - Upgradient of P3 Portal Surface Facilities
MW-4 (three wells)	Interburden/Primero/Underburden	Downgradient of P1 Mine and Upgradient of P3
MW-5 (three wells)	Interburden/Primero/Underburden	Upgradient of P1 and P2 Mines
SPCWC-1	Spring/Seep	Near P3 Portal
Water Resources Survey	Streams, Springs/Seeps, Ponds, Windmills	Near P3 Mine Area

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

Table 2 **Ground Water Parameters and Monitoring Frequency**

A. Water Quality Parameters *		
pH (field)		Nitrate-Nitrite
Conductivity at 25°C (field)		Phosphate (PO_4^{3-} as P)
Temperature (field)		Sodium (Na^+)
Total Dissolved Solids		Sulfate (SO_4^{2-})
Bicarbonate (HCO_3^-)		Arsenic (As) Cadmium (Cd)
Calcium (Ca^{+2})		Iron (Fe)
Carbonate (CO_3) **		Manganese (Mn)
Chloride (Cl^-)		Mercury (Hg)
Magnesium (Mg^{+2})		Selenium (Se)
Ammonia (NH_3)		Zinc (Zn)
* Dissolved species concentration only.		
** First sampling only.		
B. Monitoring Frequency		
1. Bedrock Aquifers		
a. Measure field water quality parameters monthly (pH, conductivity, and temperature). Record elevation of the water level in the well at time of sampling.		
b. Sample water for complete chemical analysis semi-annually.		
2. Alluvial Aquifers		
a. Measure field water quality parameters monthly (pH, conductivity, and temperature). Record elevation of the water level in the well at time of sampling.		
b. Sample water for complete chemical analysis quarterly.		

Table Source: Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data, CDRMS 1982.

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

Table 3 Surface Water Parameters and Monitoring Frequency

A. Water Quality Parameters *		
pH (field)		Phosphate (PO_4^{3-} as P)
Conductivity at 25°C (field)		Sodium (Na^+)
Temperature (field)		Sulfate (SO_4^{2-})
Dissolved Oxygen (field) **		Aluminum (Al)
Total Suspended Solids **		Arsenic (As)
Total Dissolved Solids		Cadmium (Cd)
Oil and Grease **		Copper (Cu)
Sodium Adsorption Ratio		Iron (Fe)
Bicarbonate (HCO_3^-)		Lead (Pb)
Calcium (Ca^{+2})		Manganese (Mn)
Chloride (Cl^-)		Mercury (Hg)
Magnesium (Mg^{+2})		Molybdenum (Mo)
Nitrate-Nitrite		Selenium (Se)
		Zinc (Zn)
* Total species concentration (dissolved and suspended).		
** Not necessary for springs and seeps.		
B. Monitoring Frequency		
1. Streams		
a. Measure field water quality parameters monthly (pH, conductivity, and temperature).		
b. Sample water for complete chemical analysis quarterly, especially during high and low flow periods. Record flow at time of sampling.		
2. Springs and Seeps		
a. Measure field water quality parameters monthly (pH, conductivity, and temperature). Record flow at time of sampling.		
b. Sample water for complete chemical analysis quarterly.		

Table Source: Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data, CDRMS 1982.

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

Table 4 Water Quality Methods of Analysis *

Chemical Parameter	Sampled Units	Medium **	Method of Analysis ***
pH (field)	pH Units	G,S	Field pH meter
Specific Conductance (field)	uhmo/cm @ 25°C	G,S	Wheatstone Bridge (Specific Conductance Meter)
Temperature (field)	°C	S	Field thermometer
Total Dissolved Solids	mg/l	G,S	Filtrate evaporation; calculation
Total Suspended Solids	mg/l	S	Glass fiber filtration 103°-105°
Oil and Grease	mg/l	S	Liquid-liquid extraction with trifluoroethane
Sodium Adsorption Ratio	--	S	Calculation
Dissolved Oxygen (field)	mg/l	S	Membrane electrode
Bicarbonate (HCO_3^-)	mg/l	G,S	Titration; electrometric; manual or automated method -methyl orangeatomic absorption
Calcium (Ca^{+2})	mg/l	G,S	EDTA titration
Carbonate (CO_3^-)	mg/l	G	Titration; electrometric; manual or method -methyl orange
Chloride (Cl^-)	mg/l	G,S	Silver nitrate; mercuric nitrate; automated colorimetric-ferricyanide
Magnesium (Mg^{+2})	mg/l	G,S	Atomic absorption; gravimetric
Ammonia (NH_3)	mg/l	G	Automated colorimetric phenate; distillation
Nitrate-Nitrite	mg/l	G,S	Automated (cadmium reduction); automated (hydrazine reduction)
Phosphate (PO_4^{-3} as P)	mg/l	G,S	Direct single reagent; automated single reagent or stannous chloride
Sodium (Na^+)	mg/l	G,S	Flame photometric; atomic absorption
Sulfate (SO_4^-)	mg/l	G,S	Gravimetric; turbidimetric; automated colorimetric – barium chlorinate
Aluminum (Al)	mg/l	S	Atomic absorption
Arsenic (As)	mg/l	G,S	Atomic absorption
Cadmium (Cd)	mg/l	G,S	Atomic absorption
Copper (Cu)	mg/l	S	Atomic absorption
Iron (Fe)	mg/l	G,S	Atomic absorption
Lead (Pb)	mg/l	S	Atomic absorption
Manganese (Mn)	mg/l	G,S	Atomic absorption
Mercury (Hg)	mg/l	G,S	Flameless atomic absorption
Molybdenum (Mo)	mg/l	S	Atomic absorption
Selenium (Se)	mg/l	G,S	Atomic absorption
Zinc (Zn)	mg/l	G,S	Atomic absorption

Notes:

* Additional methods may be substituted with prior approval from the Division.

** G = groundwater; dissolved species concentration only

S = surface water (includes springs); total species concentration(dissolved and suspended)

*** References which describe these methods:

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN


Table 4 Water Quality Methods of Analysis *

Chemical Parameter	Sampled Units	Medium **	Method of Analysis ***
<p>American Public Health Association; American Water Works Association; and, Water Pollution Control Federation, 1979, Standard methods for the examination of water and wastewater. 14th edition, American Public Health Association, 1015 18th Street, Washington, D.C. 20036, 1193 p.</p> <p>American Society for Testing and Materials, 1980, Water: Part 31, Annual Book of ASTM Standards, American Society for Testing and Materials, 1916 Race Street, Philadelphia, Pennsylvania, 19103, 1401 p.</p> <p>Brown, E.; Skaugstad, M. W.; and Fishman, M. J., 1979, Methods for collection and analysis for water samples for dissolved minerals and gasses: Book 5, Chap. A1, Techniques of Water-Resources Investigations of the United States Geological Survey, U.S.G.S., Publications Sales and Inquiries Office, Federal Office Building, Denver, Colorado.</p> <p>U.S. Environmental Protection Agency, 1979, Methods for chemical analysis of water and wastes: EPA-600/4-79-020, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio 45268.</p> <p>All these references are available for inspection at the Division office: 1313 Sherman Street, Room 423, Denver, Colorado 80203.</p> <p>Table Source: Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data, CDRMS 1982.</p>			

3 REFERENCES

Colorado Mined Land Reclamation Division (CDRMS). 1982. Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data. September 16, 1982. 18 pages.

Maps



LEGEND

- ▲ Nest of Bedrock Well Locations
- Surface Stations and Alluvial Monitoring Locations
- (7082.80) Alluvial Monitoring Well Elevations
- ▲ Ponds
- ▲ Windmill
- ▲ Springs-Seeps
- Permit Boundary
- Proposed Public Access Road
- Haul Road
- Perennial Stream Reach
- CWC = Cow Canyon
- PCWC = Pond Cow Canyon
- WMCWC = Windmill Cow Canyon
- WMPC = Windmill Puertecito Canyon
- SPCWC = Spring-Seeps Cow Canyon
- MW = Monitoring Well

#	NAME
A# 42096	NO. 20 (PCWC-2)
P# 23096	OF&I CORPORATION (WMCWC-2)
P# 88102	PARSONS LAND & CATTLE (WMPC-1)

(NOTE: A# = ADMIN #, P# = PERMIT #)

LORENCITO COAL CO., LLC
LORENCITO CANYON MINE
Las Animas County, Colorado

PROPOSED MONITORING LOCATIONS

REV	DESCRIPTION	BY	DATE

DRAWN BY: ETC PREPARED BY: JK DATE: 3/19/21

MAP
1

Arcadis U.S., Inc.
630 Plaza Drive, Suite 200
Highlands Ranch
Colorado 80129
Phone: 720 344 3500
Fax: 720 344 3535
www.arcadis.com