

DMR Copy of Record

Permit
 Permit #: CO0038776
 Major: No
 Permitted Feature: 035 External Outfall
 Report Dates & Status
 Monitoring Period: From 02/01/21 to 02/28/21
 Considerations for Form Completion
 Facility: WEST ELK MINE
 Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434
 Status: NetDMR Validated

Principal Executive Officer
 First Name:
 Last Name:
 Title:
 Telephone:

Form NOD: --

Code	Parameter Name	Monitoring Location	Season	Param. NOD	Sample Permit Req. Value NOD	Quantity or Loading Qualifier 1 Value 1	Qualifier 2 Value 2	Units	Qualifier 1 Value 1	Qualifier 2 Value 2	Quality or Concentration Qualifier 3 Value 3	Req Min MAXIMUM 12 - SU	Req Min MAXIMUM 12 - SU	Units	# of Ex. Frequency of Analysis Sample Type
00400	pH	1 - Effluent Gross	0	--											GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--											GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--											GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--		1.3 30DA AVG									IN - INSTAN

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Comments
 No Discharge

Attachments
 No attachments

Report Last Saved By
 Mountain Coal Co LLC
 User: 3WELTBOYS
 Name: Kathleen Welt
 E-Mail: kwelt@archcoal.com
 Date/Time: 2021-03-24 13:04 (Time Zone: -06:00)

Report Last Signed By
 User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archsc.com
 Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
Permit #: CO0038776
Major: No
Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
 Somerset, CO 81434
Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434

Permitted Feature: 034
 External Outfall
Discharge: 034-A
 Comingled Discharge of Outfall 033 and from Drainage Basin 43B and 43C to Sylvester Gulch

Report Dates & Status
Monitoring Period: From 02/01/21 to 02/28/21
DMR Due Date: 03/28/21
Status: NetDMR Validated

Considerations for Form Completion

Principal Executive Officer
First Name:
Last Name:
Title:

No Data Indicator (NODI)

Form NODI:

Code	Parameter Name	Monitoring Location	Season	# Param NODI	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Etc. Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon MAXIMUM 12 - SU C - No Discharge	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG C - No Discharge	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon DAILY MX 03 - MGD C - No Discharge	IN - INSTAN

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

No Discharge

Attachments

No attachments

Report Last Saved By
 Mountain Coal Co LLC

User: 3WELTBOYS
 Kathleen Welt
 kwel@archcoal.com
 2021-03-24 13:04 (Time Zone: -06:00)

Name:
E-Mail:

Date/Time:

Report Last Signed By
 JWILCZEK
 Jessica Wilczek
 jwilczek@archisc.com
 2021-03-24 13:41 (Time Zone: -06:00)

User:
Name:
E-Mail:
Date/Time:

DMR Copy of Record

Permit		Permittee:		Facility:					
Permit #:	CO0038776	Permittee Address:	Mountain Coal Co LLC	Facility Location:	WEST ELK MINE				
Major:	No	Discharge:	5174 Hwy 133 Somerset, CO 81434		HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434				
Permitted Feature:									
UST1 Receiving Water (Ambient)	UST1-A Instream Monitoring								
Report Dates & Status									
Monitoring Period:	From 02/01/21 to 02/28/21	DMR Due Date:	03/28/21	Status:	NetDMR Validated				
Considerations for Form Completion									
Principal Executive Officer									
First Name:	Title:								
Last Name:	Telephone:								
No Data Indicator (NODI)									
Form NODI:									
Code	Parameter Name	Monitoring Location	Season & Param. NODI	Quantity or Loading Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 1 Value 1 Qualifier 2 Value 2	Quality or Concentration Value 2 Qualifier 3	Value 3	Units	# of Etc. Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 1 Value 1 Qualifier 2 Value 2	Req Mon MX WK AV 5 - Frozen Conditions	Req Mon DAILY MX 04 - deg C		9999 - Continuous	RC - Recorder (auto)

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
The water is frozen and, while the data is being collected, it cannot be retrieved until things thaw in the spring. Once we're able to collect the data, we can go back and amend this DMR to include the actual data.

Attachments
No attachments

Report Last Saved By
Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com
Date/Time: 2021-03-24 13:11 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrc.com
Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
Permit #: CO0038776
Major: No
Permitted Feature: 300 Influent Structure
Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
 Somerset, CO 81434
Facility: WEST ELK MINE
 HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434
Discharge: 300-I
 Influent Measurements

Report Dates & Status
Monitoring Period: From 02/01/21 to 02/28/21
DMR Due Date: 03/28/21
Status: NetDMR Validated

Considerations for Form Completion
 Influent samples must be collected, analyzed and reported monthly regardless of whether an effluent discharge occurs. Plant capacity - report hydraulic capacity @ M.LOC=Q. Hydraulic capacity = 28 lbs BOD-5/Day
Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

Code	Parameter Name	Monitoring Location	Season & Param. NODI	Qualifier 1	Value 1	Quantity or Loading Qualifier 2	Units	Qualifier 3	Value 2	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00180	Plant capacity fact, percent of capacity	P - See Comments	0	Sample Permit Req. Value NODI	25.2	Req Mon 300A AVG	39.34					23	Monthly	CA - CALCTD
00180	Plant capacity fact, percent of capacity	Q - See Comments	0	Sample Permit Req. Value NODI	25.2	Req Mon 300A AVG	39.34					23	Monthly	CA - CALCTD
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	Sample Permit Req. Value NODI	25.2	Req Mon 300A AVG	39.34					19	Monthly	GP - COMPOS
00530	Solids, total suspended	G - Raw Sewage Influent	0	Sample Permit Req. Value NODI	25.2	Req Mon 300A AVG	39.34					19	Monthly	GP - COMPOS

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors
 No errors

Comments

Attachments
 No attachments

Report Last Saved By
 Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com

Date/Time: 2021-03-24 13:07 (Time Zone: -06:00)

Report Last Signed By
User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com

Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	030 External Outfall	Discharge:	030-A Stormwater from Drainage Basins 46B1 and 46B2 to Sylvester Gulch	Status:	NetDMR Validated
Report Dates & Status		DMR Due Date:	03/28/21	Telephone:	
Monitoring Period:	From 02/01/21 to 02/28/21				
Considerations for Form Completion					
Principal Executive Officer					
First Name:		Title:			
Last Name:					
No Data Indicator (NODI)					
Form NODI:					

Code	Parameter Name	Monitoring Location	Season	Param. NODI	Sample Permit Req. Value NODI	Qualifier 1	Quantity or Loading Value 1	Qualifier 2	Quality or Concentration Value 2	Qualifier 3	Value 3	Units	# of Ex. Frequency of Analysis Sample Type
00400	pH	1 - Effluent Gross	0	--			8.3	Req Mon MINIMUM					0130 - Monthly GR - GRAB
00630	Solids, total suspended	1 - Effluent Gross	0	--			240.0	Req Mon 30DA AVG					0130 - Monthly GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	--			0.1	Req Mon 30DA AVG					0130 - Monthly GR - GRAB
00890	Iron, total recoverable	1 - Effluent Gross	0	--			14000.0	Req Mon 30DA AVG					0130 - Monthly GR - GRAB
50050	Flow, In conduit or thru treatment plant	1 - Effluent Gross	0	--			0.00792	03 - MGD					0130 - Monthly IN - INSTAN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

TDS = 270 mg/l

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

3WELTBOYS

Name:

Kathleen Weit

E-Mail:

kweit@archcoal.com

Date/Time:

2021-03-24 13:00 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
 Permit #: CON038776
 Major: No
 Facility: WEST ELK MINE
 Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434

Permitted Feature:
 027 External Outfall
 Discharge: 027-A Stormwater from Drainage Basin 48A2 to Sylvester Gulch

Report Dates & Status
 Monitoring Period: From 02/01/21 to 02/28/21
 DMR Due Date: 03/28/21
 Status: NetDMR Validated

Considerations for Form Completion

Principal Executive Officer
 First Name:
 Last Name:
 Title:
 Telephone:

No Data Indicator (NODI)

Code	Parameter Name	Monitoring Location	Season	# Param. NODI	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
					Permit Req.	Value NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
					Permit Req.	Value NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
					Permit Req.	Value NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
					Permit Req.	Value NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	GR - GRAB
50050	Flow, In conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	IN - INSTANT
					Permit Req.	Value NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	0	0130 - Monthly	IN - INSTANT

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
 No errors.

Comments

Attachments
 No attachments

Report Last Saved By
 Mountain Coal Co LLC
 User: 3WELTBOYS
 Name: Kathleen Welt
 E-Mail: kwel@archcoal.com
 Date/Time: 2021-03-24 12:54 (Time Zone: -06:00)

Report Last Signed By
 User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archsc.com
 Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
 Permit #: **CO0038776**
 Major: **No**

Permitted Feature:
 033
 Internal Outfall

Facility:
 Facility Location: **WEST ELK MINE
 HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434**

Permittee:
 Permittee Address: **Mountain Coal Co LLC
 5174 Hwy 133
 Somerset, CO 81434**

Discharge:
 033-A
 Stormwater from Drainage Basin 43D and 43E

Report Dates & Status
 Monitoring Period: **From 02/01/21 to 02/28/21**
 Considerations for Form Completion

Status:
NetDMR Validated

Principal Executive Officer
 First Name:
 Last Name:
 Title:
 Telephone:

Form NODI:
 No Data Indicator (NODI)

Code	Parameter Name	Monitoring Location	Season	Param NODI	Sample Permit Req. Value NODI	Quantity or Loading Qualifier 1 Value 1	Qualifier 2 Value 2	Unit	Qualifier 1 Value 1	Qualifier 2 Value 2	Quality or Concentration Qualifier 3 Value 3	Unit	# of Ex. Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge							01/30 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge							01/30 - Monthly	GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge							01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge							01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	0.54 30DA AVG C - No Discharge							01/30 - Monthly	IN - INSTAN

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors
 No errors.

Comments
 No Discharge

Attachments
 No attachments

Report Last Saved By
 Mountain Coal Co LLC

User:
 3WELTBOYS
 Kahleen Weil
 kweil@archcoal.com

Name:
 2021-03-24 13:03 (Time Zone: -06:00)

Date/Time:
 Report Last Signed By

User:
 JWILCZEK
 Jessica Wilczek
 jwilczek@archrsc.com

Name:
 2021-03-24 13:41 (Time Zone: -06:00)

Date/Time:

DMR Copy of Record

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	032 External Outfall	Discharge:	032-A Stormwater from Drainage Basins 43A and 43F to Sylvester Gulch		
Report Dates & Status		DMR Due Date:	03/28/21	Status:	NetDMR Validated
Monitoring Period:	From 02/01/21 to 02/28/21				
Considerations for Form Completion					

Principal Executive Officer

First Name:		Title:	
Last Name:			
No Data Indicator (NODI)			
Form NODI:			

Code	Parameter Name	Monitoring Location	Season	Param. NODI	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent	Gross	0	--		7.1		7.1	Req Mon MINIMUM		7.1	Req Mon MAXIMUM	12 - SU	0	GR - GRAB
00530	Solids, total suspended	1 - Effluent	Gross	0	--				120.0	Req Mon 30DA AVG		120.0	Req Mon DAILY MX	19 - mg/L	0	GR - GRAB
00545	Solids, settleable	1 - Effluent	Gross	0	--				0.1	Req Mon 30DA AVG		0.1	Req Mon DAILY MX	25 - mL/L	0	GR - GRAB
00890	Iron, total recoverable	1 - Effluent	Gross	0	--				5400.0	Req Mon 30DA AVG		5400.0	Req Mon DAILY MX	28 - ug/L	0	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent	Gross	0	--				0.02016	Req Mon DAILY MX	03 - MGD	0.02016	Req Mon DAILY MX	03 - MGD		IN - INSTAN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

3WELTBOYS
Kathleen Well
kwel@archcoal.com
2021-03-24 13:02 (Time Zone: -06:00)

JWILCZEK
Jessica Wilczek
jwilczek@archsc.com
2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
Permit #: CO0038776
Major: No

Permittee:
Permittee Address:
Mountain Coal Co LLC
5174 Hwy 133
Someset, CO 81434

Facility:
Facility Location:
WEST ELK MINE
HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature:
017A
External Outfall

Discharge:
017A-W
Acute Monthly WET Testing for 017A

Report Dates & Status
Monitoring Period: From 02/01/21 to 02/28/21
Considerations for Form Completion

DMR Due Date: 03/28/21

Status: NetDMR Validated

Principal Executive Officer
First Name:
Last Name:
No Data Indicator (NODI)
Form NODI:

Title:

Code	Parameter Name	Monitoring Location	Season & Param. NODI	Quantity or Loading			Quality of Concentration		Units	# of Ex. Frequency of Analysis	Sample Type
				Qualifier 1 Value 1	Qualifier 2 Value 2	Qualifier 3 Value 3	Qualifier 1 Value 1	Qualifier 2 Value 2			
51484	Number of Events	1 - Effluent Gross	0	Sample Permit Req. Value NODI	10.0 30DA AVG C - No Discharge	<	3.0 7 DA AVG C - No Discharge	5J - #	01/30 - Monthly	CA - CALCTD	
81081	Duration of discharge	1 - Effluent Gross	0	Sample Permit Req. Value NODI	3.0 7 DA AVG C - No Discharge	<	3.0 7 DA AVG C - No Discharge	5A - d	01/07 - Weekly	CA - CALCTD	

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
No Discharge

Attachments
No attachments.

Report Last Saved By
Mountain Coal Co LLC
User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwell@archcoal.com
Date/Time: 2021-03-24 12:23 (Time Zone: -06:00)

Report Last Signed By
User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archcsc.com
Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	017 External Outfall	Discharge:	017-AA Mine Water & MWTF		
Report Dates & Status		DMR Due Date:	03/28/21	Status:	NetDMR Validated
Monitoring Period:	From 02/01/21 to 02/28/21				

Considerations for Form Completion

TSS and TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR.24HR PRECIP EVENTS-SEE PG. 15 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name: _____ Title: _____

Last Name: _____ Telephone: _____

No Data Indicator (NODI)

Form NODI: _____

Code	Parameter Name	Monitoring Location	Season #Param. NODI	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Quantity or Loading Qualifier 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Quality or Concentration Qualifier 3	Value 3	Units	# of Ex. Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0										Req Mon MX WK AV C - No Discharge		04 - deg C	9999 - Continuous	RC - Recorder (auto)
00094	Conductivity	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		78 - dS/m	0230 - Twice Per Month	GR - GRAB
00400	pH	1 - Effluent Gross	0										9.0 MAXIMUM C - No Discharge		12 - SU	0107 - Weekly	GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0										35.0 30DA AVG C - No Discharge		19 - mg/L	0130 - Monthly	GR - GRAB
00818	Calcium, total recoverable	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month	GR - GRAB
00821	Magnesium, total recoverable	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month	GR - GRAB
00823	Sodium, total recoverable	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month	GR - GRAB
00831	Sodium adsorption ratio	EG - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		1U - Ratio	0230 - Twice Per Month	CA - CALCTD
00831	Sodium adsorption ratio	P - See Comments	0										Req Mon 30DA AVG C - No Discharge		1U - Ratio	0230 - Twice Per Month	CA - CALCTD
00840	Chloride [as Cl]	1 - Effluent Gross	0										Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month	GR - GRAB
00878	Arsenic, total recoverable	1 - Effluent Gross	0										100.0 30DA AVG C - No Discharge		28 - ug/L	0230 - Twice Per Month	GR - GRAB
00860	Iron, total recoverable	1 - Effluent Gross	0										1000.0 30DA AVG C - No Discharge		28 - ug/L	0130 - Monthly	GR - GRAB

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

3WELTBOYS

Kathleen Well

kwell@archcoal.com

2021-03-24 12:22 (Time Zone: -06:00)

JWILCZEK

Jessica Wilczek

jwilczek@archrsc.com

2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit Permit #: CO0038776 Major: No	Permittee: Permittee Address: Mountain Coal Co LLC 5174 Hwy 133 Somerset, CO 81434	Facility: Facility Location: WEST ELK MINE HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature: 026 External Outfall	Discharge: 026-A Stormwater from Drainage Basin 48A3 to Sylvester Gulch	
Report Dates & Status Monitoring Period: From 02/01/21 to 02/28/21 Considerations for Form Completion	DMR Due Date: 03/28/21	Status: NetDMR Validated

Principal Executive Officer First Name: Last Name: No Data Indicator (NODI) Form NODI:	Title: --	Telephone:
--	--------------------------	----------------------------

Code	Parameter Name	Monitoring Location	Season	# Param. NODI	Qualifier 1			Quantity or Loading			Qualifier 2			Quality or Concentration			Qualifier 3			Value 1			Value 2			Value 3			Units			# of Ex. Frequency of Analysis			Sample Type		
					Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI	Sample	Permit Req.	Value NODI
00400	pH		1 - Effluent Gross	0	--																																
00530	Solids, total suspended		1 - Effluent Gross	0	--																																
00545	Solids, settleable		1 - Effluent Gross	0	--																																
00980	Iron, total recoverable		1 - Effluent Gross	0	--																																
50050	Flow, in conduit or thru treatment plant		1 - Effluent Gross	0	--																																

Submission Note If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type	Edit Check Errors No errors	Comments
Attachments No attachments	Report Last Saved By Mountain Coal Co LLC	User: Kathleen Welt kwelt@archcoal.com
Name: E-Mail: Date/Time: Report Last Signed By	3WELTBOYS Kathleen Welt kwelt@archcoal.com 2021-03-24 13:00 (Time Zone: -06:00)	JWILCZEK Jessica Wilczek jwilczek@archsc.com 2021-03-24 13:41 (Time Zone: -06:00)

Permit	Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	Permitted Feature:	025 External Outfall	Discharge:	025-A Stormwater from Drainage Basin 49A5 to Sylvester Gulch	Status:	NetDMR Validated
Report Dates & Status	Report Dates & Status	From 02/01/21 to 02/28/21	DMR Due Date:	03/28/21		
Monitoring Period:	Monitoring Period:					
Considerations for Form Completion	Considerations for Form Completion					
Principal Executive Officer	Principal Executive Officer		Title:		Telephone:	
First Name:	First Name:					
Last Name:	Last Name:					

Submission Note	
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row. Units, Number of Excursions, Frequency of Analysis, and Sample Type.	
Edit Check Errors	
No errors.	
Comments	
Attachments	
No attachments.	
Report Last Saved By	
Mountain Coal Co LLC	
User:	3WELTBOYS
Name:	Kathleen Well
E-Mail:	kwel1@archcoal.com
Date/Time:	2021-03-24 12:48 (Time Zone: -06:00)
Report Last Signed By	
User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archtsc.com
Date/Time:	2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:	
Permit #:	C00038776	Mountain Coal Co LLC	WEST ELK MINE		
Major:	No	5174 Hwy 133 Someset, CO 81434	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434		
Permitted Feature:		Discharge:		Status:	
012A External Outfall		012A-W Acute Monthly WET Testing for 012A		NetDMR Validated	
Report Dates & Status		DMR Due Date:			
Monitoring Period: From 02/01/21 to 02/28/21		03/28/21			
Considerations for Form Completion					
Principal/Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					
Form NODI:					
Code	Parameter Name	Monitoring Location Season # Param. NODI	Quantity or Loading Qualifier:1 Value 1 Qualifier:2 Value 2 Units Qualifier:1 Value 1 Qualifier:2 Value 2	Quality or Concentration Qualifier:3 Value 3	# of Ex. Frequency of Analysis Sample Type
51484	Number of Events	1 - Effluent Gross 0	10.0 30DA AVG C - No Discharge	3.0 MX 7D AV C - No Discharge	5J - # 0130 - Monthly CA - CALCTD
81381	Duration of discharge	1 - Effluent Gross 0	3.0 MX 7D AV C - No Discharge	3.0 MX 7D AV C - No Discharge	5A - d 0107 - Weekly CA - CALCTD
Submission Note					
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type					
Edit Check Errors					
No errors:					
Comments					
No Discharge					
Attachments					
No attachments:					
Report Last Saved By					
Mountain Coal Co LLC					
User:					
3WELTBOYS					
Name:					
Kathleen Well					
E-Mail:					
kwell@archcoal.com					
Date/Time:					
2021-03-24 12:20 (Time Zone: -06:00)					
Report Last Signed By					
JWILCZEK					
User:					
Jessica Wilczek					
Name:					
jwilczek@archnsc.com					
E-Mail:					
2021-03-24 13:41 (Time Zone: -06:00)					
Date/Time:					

DMR Copy of Record

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	012 External Outfall	Discharge:	012-AA Mine Water to Minnesota Creek		
Report Dates & Status		DMR Due Date:	03/28/21	Status:	NetDMR Validated
Monitoring Period:	From 02/01/21 to 02/28/21				

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR, 24HR PRECIP. EVENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG, ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name: _____ Title: _____

Last Name: _____ Telephone: _____

No Data Indicator (NODI)

Form NODI: _____

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Value 1	Qualifier	Quantity or Loading	Value 2	Units	Qualifier	Value 1	Qualifier	Value 2	Qualifier	Value 3	Qualifier	# of EL.	Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	--	Sample Permit Req. Value NODI													9999 - Continuous	04 - deg C	RG - Recorder (trial)
																		Req Mon DAILY MX	C - No Discharge	
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													9.0 MAXIMUM	12 - SU	0107 - Weekly
																		6.5 MINIMUM	C - No Discharge	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													35.0 30DA AVG	19 - mg/L	0130 - Monthly
																		C - No Discharge	C - No Discharge	
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG	19 - mg/L	0230 - Twice Per Month
																		C - No Discharge	C - No Discharge	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG	28 - ug/L	0230 - Twice Per Month
																		C - No Discharge	C - No Discharge	
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													3500.0 30DA AVG	28 - ug/L	0130 - Monthly
																		C - No Discharge	C - No Discharge	
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG	28 - ug/L	0230 - Twice Per Month
																		C - No Discharge	C - No Discharge	
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG	28 - ug/L	0230 - Twice Per Month
																		C - No Discharge	C - No Discharge	
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI													Req Mon 30DA AVG	28 - ug/L	0230 - Twice Per Month
																		C - No Discharge	C - No Discharge	

		Value NODI		C - No Discharge			
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
03592	Oil and grease	1 - Effluent Gross	0	--	10.0 INST MAX C - No Discharge	77777 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Req Mon DAILY MX 28 - ug/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Req Mon DAILY MX 03 - MGD C - No Discharge	01/30 - Monthly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Req Mon 30DA AVG C - No Discharge	02/30 - Twice Per Month	GR - GRAB
							02/30 - Twice Per

Permit	Permit #:	Permittee:	Facility:
	CO0038776	Mountain Coal Co LLC	WEST ELK MINE
Major:	No	Permittee Address:	Facility Location:
		5174 Hwy 133 Somerset, CO 81434	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	015 External Outfall	Discharge:	
		015-AA Surface Runoff to N. Fork of Gunnison River	
Report Dates & Status	Monitoring Period:	DMR Due Date:	Status:
	From 02/01/21 to 02/28/21	03/28/21	NetDMR Validated

Considerations for Form Completion

TSS and TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR, 24HR PRECIP EVENTS -SEE PG. 23 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE LC.1.a. REPORT CALCULATED SAR AT MLOC-EG, ADJUSTED SAR AT MLOC-P.

Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

Form NOD1:																			
Parameter Name		Monitoring Location		Season # Param. NOD1		Quantity or Leading			Quality or Concentration			# of Ex. Frequency of Analysis Sample Type							
Code						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00094	Conductivity		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	7B - dS/m	02/30 - Twice Per Month GR - GRAB
00400	pH		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	12 - SU	01/30 - Monthly GR - GRAB
00440	Bicarbonate Ion- [as HCO3]		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00530	Solids, total suspended		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	01/30 - Monthly GR - GRAB
00918	Calcium, total recoverable		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio		EG - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALC/DT
00931	Sodium adsorption ratio		P - See Comments	0	--												Req Mon 30DA AVG C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALC/DT
00940	Chloride [as Cl]		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00978	Arsenic, total recoverable		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
00980	Iron, total recoverable		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	28 - ug/L	01/30 - Monthly GR - GRAB
10146	Iron, dissolved [as Fe]		1 - Effluent Gross	0	--												Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

3WELTBOYS

Kathleen Welt

kwell@archcoal.com

2021-03-24 12:22 (Time Zone: -06:00)

JWILCZEK

Jessica Wilczek

jwilczek@archrsc.com

2021-03-24 13:41 (Time Zone: -06:00)

Permit				Facility:	WEST ELK MINE
Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434		
Permitted Feature:	008 External Outfall	Discharge:	008-AA Loadout Runoff (MB4)		
Report Dates & Status				Status:	NetDMR Validated
Monitoring Period:	From 02/01/21 to 02/28/21				
Considerations for Farm Completion					
TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR, 24HR PRECIP EVENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C. a					
REPORT CALCULATED SAR AT MLOC-EG; ADJUSTED SAR AT MLOC-P.					
Principal Executive Officer					
First Name:				Telephone:	
Last Name:					
No Data Indicator (NODI)					

Form NOD1:																
Parameter Name		Monitoring Location		Season # Param. NOD1		Quantity or Loading				Quality or Concentration				# of Ex. Frequency of Analysis Sample Type		
Code						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	
00094	Conductivity		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon 30DA AVG C - No Discharge	7B - dSim	02/30 - Twice Per Month GR - GRAB
00400	pH		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1					6.5 MINIMUM C - No Discharge			9.0 MAXIMUM C - No Discharge	12 - SU	01/30 - Monthly GR - GRAB
00440	Bicarbonate ion- [as HCO3]		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00530	Solids, total suspended		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								35.0 30DA AVG C - No Discharge	19 - mg/L	01/30 - Monthly GR - GRAB
00918	Calcium, total recoverable		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio		EG - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALC/DT
00931	Sodium adsorption ratio		P - See Comments	0	--	Sample Permit Req. Value NOD1								Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALC/DT
00940	Chloride [as Cl]		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00979	Arsenic, total recoverable		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
00980	Iron, total recoverable		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								3000.0 30DA AVG C - No Discharge	28 - ug/L	01/30 - Monthly GR - GRAB
01046	Iron, dissolved [as Fe]		1 - Effluent Gross	0	--	Sample Permit Req. Value NOD1								3257.0 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB

					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

3WELTBOYS

Kathleen Well

kwell@archcoal.com

2021-03-24 12:19 (Time Zone: -06:00)

JWILCZEK

Jessica Wilczek

jwilczek@archrsc.com

2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit
 Permit #: CO0038776
 Major: No
 Facility: WEST ELK MINE
 Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434

Permitted Feature:
 007
 Internal Outfall
 Discharge: 007-A
 Domestic WWTP Polishing Pond

Report Dates & Status
 Monitoring Period: From 02/01/21 to 02/28/21
 Status: NetDMR Validated
 Considerations for Form Completion
 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer
 First Name:
 Last Name:
 Title:
 Telephone:
 No Data Indicator (NODI)

Parameter Name	Monitoring Location	Season	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex. Frequency of Analysis	Sample Type
Code				Qualifier 1 Value 1 Qualifier 2 Value 2	Qualifier 1 Value 1 Qualifier 2 Value 2	Units	
00310 BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample = 0.262474 Permit Req. <= 5.0 30DA AVG Value NODI	Qualifier 1 < Qualifier 2 <= 30.0 30DA AVG <= 4.0	19 - mg/L 19 - mg/L	GR - GRAB GR - GRAB
00530 Solids, total suspended	1 - Effluent Gross	0	--	Sample = 0.431442 Permit Req. <= 12.0 30DA AVG Value NODI	Qualifier 1 = Qualifier 2 = 6.575 75.0 30DA AVG <= 110.0 MX 7D AV	19 - mg/L 19 - mg/L	GR - GRAB GR - GRAB
00510 Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample = 0.007660 Permit Req. <= 0.02 30DA AVG Value NODI	Qualifier 1 < Qualifier 2 <= 0.05 85.0 30DA AVG <= 85.0 DAILY MX	19 - mg/L 19 - mg/L	GR - GRAB GR - GRAB
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample = 0.007660 Permit Req. <= 0.02 30DA AVG Value NODI	Qualifier 1 = Qualifier 2 = 0.01427 Req Mon DAILY MX 03 - MGD	03 - MGD 03 - MGD	RC - Recorder (auto) RC - Recorder (auto)

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors
No errors.

Comments

Attachments
No attachments

Report Last Saved By
Mountain Coal Co LLC

User: 3WELTBOYS
 Name: Kathleen Well
 E-Mail: kwell@archcoal.com

Date/Time: 2021-03-24 12:18 (Time Zone: -06:00)
 Report Last Signed By

User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archtrc.com

Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	011 External Outfall	Discharge:	011-AA Mine Water to Sylvester Gulch		
Permitted Feature:					
Report Dates & Status					
Monitoring Period:	From 02/01/21 to 02/28/21	DMR Due Date:	03/28/21	Status:	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR.24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a.

REPORT CALCULATED SAR AT MLOC-EG; ADJUSTED SAR AT MLOC-P.

Principal Executive Officer

First Name: _____ Title: _____

Last Name: _____ Telephone: _____

No Data Indicator (NODI)

Form NODI:

Code	Parameter Name	Monitoring Location	Season	Param. NODI	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Quantity or Loading Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon MX WK AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	04 - deg C	9999 - Continuous	RC - Recorder (auto)
00084	Conductivity	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge				78 - dS/m	0230 - Twice Per Month GR - GRAB	
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								6.5 MINIMUM C - No Discharge			9.0 MAXIMUM C - No Discharge	12 - SU	0107 - Weekly	GR - GRAB
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								35.0 30DA AVG C - No Discharge			70.0 DAILY MX C - No Discharge	19 - mg/L	0130 - Monthly	GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB	
00921	Magnesium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB	
00923	Sodium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	0230 - Twice Per Month GR - GRAB	
00931	Sodium adsorption ratio	EQ - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	0230 - Twice Per Month CA - CALCTD	
00931	Sodium adsorption ratio	P - See Comments	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	0230 - Twice Per Month CA - CALCTD	
00940	Chloride [as Cl]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge				19 - mg/L	0230 - Twice Per Month GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge				28 - ug/L	0230 - Twice Per Month GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								1000.0 30DA AVG C - No Discharge			6000.0 DAILY MX C - No Discharge	28 - ug/L	0130 - Monthly	GR - GRAB

82057	Boron, total	1 - Effluent Gross	0	--	Value NODI
84065	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Recd Value NODI
		Req Mon INST MAX AB - abhi=0prst=1	C - No Discharge	01/07 - Weekly	V1 - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By
Mountain Coal Co LLC

User:
3WELTBOYS

Name:
Kathleen Welt

E-Mail:
kwel@archcoal.com

Date/Time:
2021-03-24 12:19 (Time Zone: -05:00)

Report Last Signed By

User:
JWILCZEK

Name:
Jessica Wilczek

E-Mail:
jwilczek@archrsc.com

Date/Time:
2021-03-24 13:41 (Time Zone: -06:00)

[illegible]

Report Dates & Status	
Monitoring Period:	From 02/01/21 to 02/28/21
DNR Due Date:	03/28/21
Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name: _____ Title: _____

Telephone: _____

Last Name: *No Data Indicator (NODI)*

Code	Parameter	Monitoring Location	Season #	Param. NDI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type
	Parameter Name				Quantity 4 Quality 4	Quantity 2 Quality 2	Value 4 Value 2	Unit 4 Unit 2	Unit 4 Unit 2

Code	Param	Unit	Value 1	Quantity 1	Unit	Value 2	Quantity 2	Value 3	Unit
00984	Conductivity	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		78 - dS/m	02230 - Twice Per Month GR - GRAB
00400	pH	1 - Effluent Gross	0	—		6.5 MINIMUM C - No Discharge	≤	9.0 MAXIMUM C - No Discharge	01230 - Monthly GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	—		35.0 30DA AVG C - No Discharge	≤	70.0 DAILY MX C - No Discharge	01230 - Monthly GR - GRAB
00640	Nitrogen, inorganic total	1 - Effluent Gross	0	—		Sample Permit Req. Value NODI	≤	652.0 DAILY MX C - No Discharge	02230 - Twice Per Month GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month CA - CALCITD
00931	Sodium adsorption ratio	P - See Comments	0	—		Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	02230 - Twice Per Month CA - CALCITD
00940	Chloride [as Cl]	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		19 - mg/L	02230 - Twice Per Month GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	—		Req Mon 30DA AVG C - No Discharge		28 - ug/L	02230 - Twice Per Month GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	—		3000.0 30DA AVG C - No Discharge	≤	6000.0 DAILY MX C - No Discharge	01230 - Monthly GR - GRAB

01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	Sample Permit Req. Value NDI	3297.0 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01305	Copper, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	Sample Permit Req. Value NDI	10.0 INST MAX C - No Discharge	19 - mg/L	7/7/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	Sample Permit Req. Value NDI	0.23 30DA AVG C - No Discharge		01/30 - Monthly IN - INSTAN
50060	Chlorine, total residual	1 - Effluent Gross	0	Sample Permit Req. Value NDI	0.5 INST MAX C - No Discharge	19 - mg/L	01/30 - Monthly GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
51040	E. coli	1 - Effluent Gross	0	Sample Permit Req. Value NDI	2000.0 30DA GM C - No Discharge	13 - #/100mL	02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NDI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB

82057	Boron, total	1 - Effluent Gross	0	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - ng/L	02/20 - Twice Per Month GR - GRAB
84065	Oil and grease visual	1 - Effluent Gross	0	Sample Permit Req. Value NODI	Req Mon INST MAX AB - abs=0,pre=1 C - No Discharge	01/30 - Monthly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:

3WELTBOYS

Name:

Kathleen Welt

E-Mail:

kwelt@archcoal.com

Date/Time:

2021-03-24 12:19 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-03-24 13:41 (Time Zone: -06:00)

DMR Copy of Record

Permit	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	No	Permittee Address:	5174 Hwy 133 Somersel, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	005 External Outfall	Discharge:	005-AA Coal Conveyor Runoff (MB-3)		
Permitted Feature:					
Report Dates & Status					
Monitoring Period:	From 02/01/21 to 02/28/21	DMR Due Date:	03/28/21	Status:	NetDMR Validated
Considerations for Form Completion					
TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD OIL AND GREASE- SEE I.C.1.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.					
Principal Executive Officer					
First Name:		Title:			
Last Name:		Telephone:			
No Data Indicator (NODI)					
Form NODI:					

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading		Quality or Concentration		# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units
00094	Conductivity	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		78 - dS/m	0230 - Twice Per Month GR - GRAB
00400	pH	1 - Effluent Gross	0	--	>=	6.5 MINIMUM C - No Discharge		<=	9.0 MAXIMUM C - No Discharge	12 - SU	0130 - Monthly GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 19 - mg/L	0230 - Twice Per Month GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--			<=	35.0 30DA AVG C - No Discharge		70.0 DAILY MX 19 - mg/L	0130 - Monthly GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 19 - mg/L	0230 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 19 - mg/L	0230 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 19 - mg/L	0230 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 11 - Ratio	0230 - Twice Per Month CA - CALCTD
00931	Sodium adsorption ratio	P - See Comments	0	--				Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX 11 - Ratio	0230 - Twice Per Month CA - CALCTD
00940	Chloride [as Cl]	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		19 - mg/L	0230 - Twice Per Month GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--				Req Mon 30DA AVG C - No Discharge		28 - ug/L	0230 - Twice Per Month GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--			<=	3500.0 30DA AVG C - No Discharge		7000.0 DAILY MX 28 - ug/L	0130 - Monthly GR - GRAB
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--			<=	325/7.0 30DA AVG		28 - ug/L	0230 - Twice Per Month GR - GRAB

					Value NODI	C - No Discharge
01066	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
03592	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<= 10.0 INST MAX C - No Discharge GR - GRAB
04282	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. <=	Req Mon DAILY MX 03 - MGD C - No Discharge IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon INST MAX AB - abast-0>jst-1 C - No Discharge VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

3WELTBOYS

Kathleen Weil

kweil@archcoal.com

2021-03-24 11:53 (Time Zone: -05:00)

JWILCZEK

Jessica Wilczek

jwilczek@archrsc.com

2021-03-24 13:41 (Time Zone: -05:00)

DMR Copy of Record

Permit		Permittee:		Facility:	
Permit #:	CO0038776	Permittee Address:	Mountain Coal Co LLC	Facility Location:	WEST ELK MINE
Major:	No	Discharge:	5174 Hwy 133 Somersel, CO 81434		HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:		Status:			
UST2 Receiving Water (Ambient)		NetDMR Validated			
Report Dates & Status		DMR Due Date:			
Monitoring Period: From 02/01/21 to 02/28/21		03/28/21			
Considerations for Form Completion					
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					
Form NODI:					
Code	Parameter Name	Monitoring Location	Season # Param. NODI	Quantity or Loading Qualifier 1 Value 1 Qualifier 2 Value 2 Units Qualifier 1 Value 1 Qualifier 2 Value 2	Quality or Concentration Value 2 Qualifier 3
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	Req Mon MX WK AV 5 - Frozen Conditions	Req Mon DAILY MX 04 - deg C 5 - Frozen Conditions
					89/89 - Continuous RC - Recorder (auto)

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
The water is frozen and, while the data is being collected, it cannot be retrieved until things thaw in the spring. Once we're able to collect the data, we can go back and amend this DMR to include the actual data.

Attachments
No attachments.

Report Last Saved By
Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com
Date/Time: 2021-03-24 13:12 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archsc.com
Date/Time: 2021-03-24 13:41 (Time Zone: -06:00)