

DMR Copy of Record

Permit	CO00000132	Permittee:	Oxbow Mining LLC
Permit #:	No	Permittee Address:	PO Box 535 Somerset, CO 81434-0535
Major:		Discharge:	008-A
Permitted Feature:	009 External Outfall		Surface Runoff to N Fork of Gunnison River

Report Dates & Status From 04/01/21 to 04/30/21 **DMR Due Date:** 05/28/21 **Status:** NeiDMR Validated

Considerations for Form Completion

TSS & Total Recoverable Iron Limits will be waived, and settleable solids lmt applied for <=10YR,24hr precip event. 30 day avg is highest monthly avg during period reported.

Principal Executive Officer

First Name: MIKE
Last Name: LUDLOW
No Data Indicator (NODI)

PRESIDENT

Title: Telephone:

970-529-5122

Parameter	Name	Monitoring Location Session #	Param. NODI	Quantity or Loading		Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	# of Ex. Frequency of Analysis	Sample Type
				Qualifier 1	Value 1									
00400 pH				Sample	Permit Req. Value NODI									
00530 Solids, total suspended	1 - Effluent Gross	0	--			>=	6.5 MINIMUM	C - No Discharge			<=	9.0 MAXIMUM	12 : SU	01/30 - Monthly
00980 Iron, total recoverable	1 - Effluent Gross	0	--	Sample	Permit Req. Value NODI									
50050 Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	Permit Req. Value NODI									

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By
Oxbow Mining LLC

User:

Name: Douglas Smith
E-Mail: doug.smith@oxbow.com
DateTime: 2021-05-03 09:07 (Time Zone: -06:00)

Report Last Signed By
User:

Name: Douglas Smith
E-Mail: doug.smith@oxbow.com
DateTime: 2021-05-03 09:08 (Time Zone: -06:00)

DMR Copy of Record

01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01113	Cadmium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01313	Cadmium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<= 10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent GR - GRAB
04262	Chromium, trivalent, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	<= 0.004 30DA AVG C - No Discharge	01/30 - Monthly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB

