

May 24, 2021

Mrs. Janet Binns Environmental Protection Specialist Colorado Division of Reclamation, Mining and Safety 1313 Sherman Street, Room 215 Denver, CO 80203

RE: New Horizon North Mine Permit No. C-2010-089 2021 Annual Impoundment Inspections

Dear Mr. Bowles:

Elk Ridge Mining and Reclamation, LLC (Elk Ridge) operates the New Horizon North Mine. Tri-State Generation and Transmission Association, Inc. (Tri-State) is the parent company of Elk Ridge. The New Horizon North Mine operates under Colorado Division of Reclamation, Mining and Safety (CDRMS) Permit No. C-2010-089.

In accordance with Rules 4.05.9(14) and 4.05.9(15), Tri-State is submitting the enclosed annual impoundment inspection on behalf of Elk Ridge.

If you have any questions about the enclosed annual impoundment reports, please contact Tony Tennyson at (970) 824-1232 at your convenience.

Sincerely,

DocuSigned by:

Clinis Gilbreath —D250C711D0BF450...

Chris Gilbreath Senior Manager

Remediation and Reclamation

CG:TT:der

**Enclosures** 

cc: Frank Ferris (via email)
Tony Tennyson (via email)

G747-11.3(21)c-8

## **2021 ANNUAL IMPOUNDMENT INSPECTION**

Mine: New Horizon North Mine Owner's Rep.: Frank Ferris, Mine Manager Pond Name: **Pond 001** Pond Type: **Partly Incised** NPDES Permit & Outfall #s: CO-850062 CDRM & S #: C-2010-089 Date Inspected: 10-May-2021 Date Last Inspected: 14-October-2020 Location Description: 2.4 miles NW of Nucla Legal Location: Sec 25 of T47N R16W Inspector's Name: Frank Ferris **Pond Capacity Data** As Built Pond Embankment elev.: 5679.0 As Built Pond Bottom elev.: 5666.0 As Built Pond Emergency Spillway elev.: **5676.5** As Built Pond Primary Spillway elev.: 5675.5 As Built Pond Capacity (pond bottom to primary spillway) per As Built 7.9 ac-ft Existing Pond Capacity (pond bottom to primary spillway): As Built Volume - SV = 7.9 ac-ft Sediment Volume (SV) at Inspection: 0 Surface Water elev. Nearly Dry - Surveyed Pond Bottom elev. 5666 = Water Depth Nearly Dry Water Volume (WV) in Pond Nearly Dry (using as built capacity table & surface water eleves then subtracting sediment volume under water level) Pond Capacity Available below primary spillway 7.9 ac-ft [As Built Pond Capacity – WV 55]
Inflow volume from 10-yr 24-hr storm runoff event 5.5 ac-ft Inflow volume from 10-yr 24-hr storm runoff event 5.5 ac-ft Note: Small puddle in east end from irrigation Circle or Write appropriate Response Seepage (specify location, color, and approx. volume) \_\_\_\_\_\_ Yes 2. Cracks or scarps on crest or slopes Yes N/A 3. Sloughing or bulging on slopes \_\_\_\_\_\_ Yes N/A 4. Major erosion problems\_\_\_\_\_ N/A Surface movements in valley bottom or on hillside 5. N/A Water impounded against toe \_\_\_\_\_ Yes 6. N/A 7. Clogging N/A Spillway channels and pipes Yes a) b) Decant system\_\_\_\_\_\_Yes N/A Diversion Ditches N/A c) 8. Cracking or crushing of pipes a) Spillway pipes\_\_\_\_\_\_ Yes N/A b) Decant system\_\_\_\_\_\_ Yes N/A Trash racks clear and in place\_\_\_\_\_ 9. No N/A Monitoring instrumentation in place & functioning \_\_\_\_\_\_ 10. No N/A

Comments:

**Nearly Dry** 

## **2021 ANNUAL IMPOUNDMENT INSPECTION**

Mine	Mine: New Horizon North Mine Owner's Rep				Frank Ferris, Mine Manager		
Pond	Name:	Pond 002	Pond Type:	Partly Incised			
NPDES Permit & Outfall #s: CO-850062 CDRM & S				C-2010-0	89		
Date I	nspecte	ed: <b>10-May-2021</b>	Date Last Inspected: 14-October-2020				
Location Description: 2.4 miles NW of Nucla			Legal Location: Sec 25 of T47N R16W				
			Inspector's Nam	e: <b>Frank</b>	Ferris		
Pond (	Capacity	Data					
As Built Pond Embankment elev.: 5685.0 As Built Pond E							
As Built Pond Emergency Spillway elev.: 5682.9 As Built Pond Primary S					y elev.:	5682.0	
As Built Pond Capacity (pond bottom to primary spillway) per As Built 12.9 ac-ft							
Existing Pond Capacity (pond bottom to primary spillway): As Built Volume - SV = <b>12.9 ac-ft</b> Sediment Volume (SV) at Inspection: <b>None</b>							
Surface Water elev. <b>Dry</b> – As-built Pond Bottom elev. <b>5673.0</b> = Water Depth <b>NA</b>							
Water Volume (WV) in Pond DRY (using as built capacity table & surface water elevation, and hard 1/2							
Pond Capacity Available below primary spillway 12.9 ac-ft [As Built Pond Capacity – WV 5 SV 7 Fig. 1.9] Inflow volume from 10-yr 24-hr storm runoff event 8.6 ac-ft							
Inflow volume from 10-yr 24-hr storm runoff event <b>8.6 ac-ft</b>							
Note:	Dry				18	WW.	
Circle or Write appropriate Response							
1.	Seepag	e (specify location, color, and approx. volume		Yes	X	THE REAL PROPERTY.	
2.	Cracks o	or scarps on crest or slopes		Yes	No	N/A	
3.	Sloughi	ng or bulging on slopes		Yes	NX	N/A	
4.	Major erosion problems			Yes	NX	N/A	
5.	Surface movements in valley bottom or on hillside			Yes	<b>X</b> <sub>0</sub>	N/A	
6.	Water impounded against toe			Yes	36	N/A	
7.	Clogging						
	a)	Spillway channels and pipes		Yes	No	N/A	
	b)	Decant system		Yes	16	N/A	
	c)	Diversion Ditches		Yes	No	N/A	
8.	Cracking	g or crushing of pipes			1/2		
	a)	Spillway pipes		Yes	N	N/A	
	b)	Decant system			NX	N/A	
9.	Trash ra	cks clear and in place		Y s	No	N/A	

Comments:

10.

No

N/A

Monitoring instrumentation: in place & functioning