



STATE OF  
COLORADO

Ebert - DNR, Jared <jared.ebert@state.co.us>

---

## Top Map

---

J <jam2finance@yahoo.com>

Thu, May 27, 2021 at 2:27 PM

To: "Ebert - DNR, Jared" <jared.ebert@state.co.us>

Hi Jared

I also noticed LRM asked for a partial release that would be premature and our lawyer does not see it starting in September. We do not know if it will effect the lake or slope requirements of LRM. We will let you know when and how much land they purchase from us and if it affects that part of the lakeshore. There is more information as of the last few days that could affect several aspects of our decisions involving the reclamation property. We would hope that your decisions are not based on things that have not happened and that there is no way to possibly know the details of the ROW

Sincerely  
Jamie Christensen

Sent from my iPhone

On May 27, 2021, at 2:03 PM, J <jam2finance@yahoo.com> wrote:

7008 county rd 54 Johnstown co 80534

Sent from my iPhone

On May 27, 2021, at 12:22 PM, Ebert - DNR, Jared <jared.ebert@state.co.us> wrote:

You are welcome, and yes the maps you provided me have been scanned into Laserfiche file for the site.

I was looking at the file and I could not find a mailing address for you. Would you mind providing me with a good mailing address?

Thank you,

Jared

On Thu, May 27, 2021 at 11:40 AM J <jam2finance@yahoo.com> wrote:

Ok thank you. Did you put the slope map that we gave you in the system yet?

Jamie

Sent from my iPhone

On May 27, 2021, at 10:15 AM, Ebert - DNR, Jared  
<jared.ebert@state.co.us> wrote:

Looking at the file, no other documentation was provided by LRM that documents that backfilling and grading was completed. The annual reports submitted by LRM for 2018 and 2019 provide information that reclamation of

the Cell No. 4 area was ongoing those years. Peter's June 6, 2019 inspection report shows the above water reclaimed slopes.

Jared

On Thu, May 27, 2021 at 9:57 AM J <[jam2finance@yahoo.com](mailto:jam2finance@yahoo.com)> wrote:

Ok well I guess that explains a lot. What backfilling of the slopes was done and any was proof it was actually done submitted? Can you please share with me any documentation that LRM submitted in regards to back filling the slopes? Or please direct me where to find it? If you recall our complaint on the slope started in 2018.

Sincerely  
Jamie Christensen

Sent from my iPhone

On May 27, 2021, at 9:26 AM, Ebert - DNR, Jared  
<[jared.ebert@state.co.us](mailto:jared.ebert@state.co.us)> wrote:

Yes, that appears to be accurate. My understanding is LRM completed the earthwork to backfill and grade the slopes in 2018 and then surveyed the slopes at the beginning of 2019.

On Thu, May 27, 2021 at 9:06 AM J  
<[jam2finance@yahoo.com](mailto:jam2finance@yahoo.com)> wrote:

So I guess what I am saying no one verified the slope before 1/2/2019. Not the state or LRM?

Jamie

Sent from my iPhone

On May 27, 2021, at 8:59 AM, Ebert - DNR,  
Jared <[jared.ebert@state.co.us](mailto:jared.ebert@state.co.us)> wrote:

Good morning Jamie,

I am not sure I know what 2016 topographic maps you are referring to? The reclamation plan map submitted with AM01 - Map F-1, dated August 24/2016 does not have topographic lines depicted for the Cell No. 4 area. The F-1 map was a proposal that was submitted with the amendment application. If this is not the map you are referring to, can you please help me identify what map you are asking clarification on?

Thank you,

Jared

On Thu, May 27, 2021 at 8:21 AM JAMIE  
MCGILL <[jam2finance@yahoo.com](mailto:jam2finance@yahoo.com)> wrote:  
Hi Jared,

I still have not got a answer to my question. The submitted surveys and

Maps before then. How was that information collected please? How was the information on the Topo Map/Survey that was used and submitted in 2016 made? Was there actually measurements on site or what it a proposal of what it was going to look like?

Sincerely  
Jamie Christensen

On Tuesday, May 25, 2021, 07:17:55 AM MDT, Ebert - DNR, Jared  
<[jared.ebert@state.co.us](mailto:jared.ebert@state.co.us)> wrote:

Good morning Mrs. Christensen,

Loveland Ready-Mix claims the survey map was generated based on survey information on 1/2/2019 from elevation point measurements. According to Mrs. Fancher-English, these point measurements were taken onsite. Attached is additional correspondence provided by LRM regarding the survey.

Jared

On Mon, May 24, 2021 at 6:11 PM J  
<[jam2finance@yahoo.com](mailto:jam2finance@yahoo.com)> wrote:  
Hi Jared

Did you find out if the Topographical Map that LRM used was a Map on how the slope was supposed to look like or was there actual people that made a site visit and measurements in person to create map? If so who created the Topographical map used?

Sincerely  
Jamie Christensen  
Sent from my iPhone

--

Jared Ebert

Senior Environmental Protection  
Specialist

**\*I am working remotely, please feel  
free to call my cell at (720) 413-6466**

<image.png>

P 303.866.3567 ext. 8120 | F  
303.832.8106 |

1313 Sherman St., Room 215, Denver,  
CO 80203

jared.ebert@state.co.us  
| <https://drms.colorado.gov>

--

Jared Ebert

Senior Environmental Protection  
Specialist

**\*I am working remotely, please feel free  
to call my cell at (720) 413-6466**

<image.png>

P 303.866.3567 ext. 8120 | F 303.832.8106  
|

1313 Sherman St., Room 215, Denver, CO  
80203

jared.ebert@state.co.us  
| <https://drms.colorado.gov>

--

Jared Ebert

Senior Environmental Protection Specialist

**\*I am working remotely, please feel free to call my cell at  
(720) 413-6466**

<image.png>

P 303.866.3567 ext. 8120 | F 303.832.8106 |

1313 Sherman St., Room 215, Denver, CO 80203

jared.ebert@state.co.us | <https://drms.colorado.gov>

--

Jared Ebert

Senior Environmental Protection Specialist

**\*I am working remotely, please feel free to call my cell at (720) 413-6466**

<image.png>

P 303.866.3567 ext. 8120 | F 303.832.8106 |

1313 Sherman St., Room 215, Denver, CO 80203

[jared.ebert@state.co.us](mailto:jared.ebert@state.co.us) | <https://drms.colorado.gov>

--

**Jared Ebert**

**Senior Environmental Protection Specialist**

**\*I am working remotely, please feel free to call my cell at (720) 413-6466**

<image.png>

P 303.866.3567 ext. 8120 | F 303.832.8106 |

1313 Sherman St., Room 215, Denver, CO 80203

[jared.ebert@state.co.us](mailto:jared.ebert@state.co.us) | <https://drms.colorado.gov>