



Bowie No. 1 Mine  
PO Box 1488  
Paonia, CO. 81428  
(970)986-6236

July 12, 2021

Mr. Rob Zuber  
Department of Natural Resources  
Division of Reclamation, Mining and Safety  
1313 Sherman Street, Room 215  
Denver, CO. 80203

RE: Bowie Resources LLC  
Bowie No. 1 Mine  
CDPS Permit No. CO0049045  
Discharge Monitoring Reports

Dear Mr. Zuber:

Find enclosed completed Discharge Monitoring Reports (DMR's) forms for June 2021. This DMR submittal is for outfalls, 003A, 004A, 006A, 007A.

If you have any questions or concerns regarding this submittal, contact me at (970)986-6236.

Sincerely,

Basil R. Bear  
Mine Manager

DMR Copy of Record

<b>Permit</b>					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	003 External Outfall	Discharge:	003-A SR/Former Coal Storage Area		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 06/01/21 to 06/30/21	DMR Due Date:	07/28/21	Status:	NetDMR Validated

**Considerations for Form Completion**  
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

<b>Principal Executive Officer</b>					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

**No Data Indicator (NODI)**  
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00400	pH	1 - Effluent Gross	0	--	Sample													12 - SU	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.					>=	6.5 MINIMUM					<=	9.0 MAXIMUM				
					Value NODI						C - No Discharge						C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.							<=	35.0 30DA AVG							<=	70.0 DAILY MX
					Value NODI								C - No Discharge								C - No Discharge
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG								
					Value NODI								C - No Discharge								
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG								
					Value NODI								C - No Discharge								
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.							<=	1000.0 30DA AVG							<=	6000.0 DAILY MX
					Value NODI								C - No Discharge								C - No Discharge
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.							<=	300.0 30DA AVG								
					Value NODI								C - No Discharge								
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG								
					Value NODI								C - No Discharge								
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG								
					Value NODI								C - No Discharge								
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.															Req Mon DAILY MX	
					Value NODI															C - No Discharge	
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG							Req Mon DAILY MX	
					Value NODI								C - No Discharge							C - No Discharge	
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG							Req Mon DAILY MX	
					Value NODI								C - No Discharge							C - No Discharge	
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG							Req Mon DAILY MX	
					Value NODI								C - No Discharge							C - No Discharge	
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								Req Mon 30DA AVG								
					Value NODI								C - No Discharge								



**DMR Copy of Record**

<b>Permit</b>					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	004 External Outfall	Discharge:	004-A SR/Former Coal Loadout and Storage Area		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 06/01/21 to 06/30/21	DMR Due Date:	07/28/21	Status:	NetDMR Validated

**Considerations for Form Completion**  
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

<b>Principal Executive Officer</b>					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

**No Data Indicator (NODI)**  
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00400	pH	1 - Effluent Gross	0	--	Sample													12 - SU	02/30 - Twice Per Month	GR - GRAB
					Permit Req.					>=	6.5 MINIMUM				<=	9.0 MAXIMUM				
					Value NODI						C - No Discharge					C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							<=	35.0 30DA AVG		<=	70.0 DAILY MX				
					Value NODI								C - No Discharge			C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG							
					Value NODI								C - No Discharge							
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG							
					Value NODI								C - No Discharge							
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							<=	1000.0 30DA AVG		<=	6000.0 DAILY MX				
					Value NODI								C - No Discharge			C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.							<=	300.0 30DA AVG							
					Value NODI								C - No Discharge							
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG							
					Value NODI								C - No Discharge							
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG							
					Value NODI								C - No Discharge							
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.										Req Mon DAILY MX					
					Value NODI										C - No Discharge					
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI								C - No Discharge		C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI								C - No Discharge		C - No Discharge					
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI								C - No Discharge		C - No Discharge					
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								Req Mon 30DA AVG							
					Value NODI								C - No Discharge							



DMR Copy of Record

<b>Permit</b>		<b>Permit #:</b> CO0049045		<b>Permittee:</b> Bowie Resources LLC		<b>Facility:</b> BOWIE 2 MINE	
<b>Major:</b> No		<b>Permittee Address:</b> PO Box 1488 Paonia, CO 81428		<b>Facility Location:</b> 1720 4010 DRIVE PAONIA, CO 81428			
<b>Permitted Feature:</b> 006 External Outfall		<b>Discharge:</b> 006-A SR/Cut and Fill Slopes of Rail Spur/Train Loadout					

<b>Report Dates &amp; Status</b>			
<b>Monitoring Period:</b> From 06/01/21 to 06/30/21	<b>DMR Due Date:</b> 07/28/21	<b>Status:</b>	<b>NetDMR Validated</b>

**Considerations for Form Completion**  
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

<b>Principal Executive Officer</b>			
<b>First Name:</b> Basil	<b>Title:</b> Mine Manager	<b>Telephone:</b> 970-986-6236	
<b>Last Name:</b> Bear			

**No Data Indicator (NODI)**  
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00400	pH	1 - Effluent Gross	0	--	Sample													12 - SU	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM				
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	300.0 30DA AVG						
					Value NODI									C - No Discharge						
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon DAILY MX						
					Value NODI									C - No Discharge						
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						



DMR Copy of Record

<b>Permit</b>					
Permit #:	CO0049045	Permittee:	Bowie Resources LLC	Facility:	BOWIE 2 MINE
Major:	No	Permittee Address:	PO Box 1488 Paonia, CO 81428	Facility Location:	1720 4010 DRIVE PAONIA, CO 81428
Permitted Feature:	007 External Outfall	Discharge:	007-A SR/Cut and Fill Slopes of Rail Spur/Train Loadout		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 06/01/21 to 06/30/21	DMR Due Date:	07/28/21	Status:	NetDMR Validated

**Considerations for Form Completion**  
 Settleable solids limit applies only if <10YR,24HR precip event is claimed. If claim approved by WQCD, TSS & Iron limits will not be applied to reported measurements - see I.C.1.b for burden of proof requirements. Oil & grease - I.C.1.a, pg 5.

<b>Principal Executive Officer</b>					
First Name:	Basil	Title:	Mine Manager	Telephone:	970-986-6236
Last Name:	Bear				

**No Data Indicator (NODI)**  
 Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00400	pH	1 - Effluent Gross	0	--	Sample													12 - SU	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM				<=	9.0 MAXIMUM				
					Value NODI							C - No Discharge					C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.								<=	300.0 30DA AVG							
					Value NODI									C - No Discharge							
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon DAILY MX							
					Value NODI									C - No Discharge							
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX					
					Value NODI									C - No Discharge		C - No Discharge					
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample												28 - ug/L	02/30 - Twice Per Month	GR - GRAB		
					Permit Req.									Req Mon 30DA AVG							
					Value NODI									C - No Discharge							



