

DMR Copy of Record

Permit

Permit #:

CO0034142

Major:

No

Permittee:

Moffat County Mining LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

WILLIAMS FORK MINE

Facility Location:

1030 CR 107
CRAIG, CO 81626

Permitted Feature:

024
External Outfall

Discharge:

024-A
Mine Dewatering to Sedimentation Basin Prior to Discharge to Williams Fork River

Report Dates & Status

Monitoring Period:

From 04/01/19 to 06/30/19

DMR Due Date:

07/28/19

Status:

NetDMR Validated

Considerations for Form Completion

Oil and grease sample required if visible sheen is observed. Qtrly sampling instructions - I.C.12, pg 11.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
00400	pH	1 - Effluent Gross	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		02/30 - Twice Per Month	GR - GRAB
					Permit Req. Value NODI						>=	6.5 MINIMUM		C - No Discharge		<=	9 MAXIMUM	12 - SU		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		02/30 - Twice Per Month	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
00745	Sulfide, total [as S]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge						
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge						
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01304	Silver, potentially dissolved	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01309	Arsenic, potentially dissolved	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge						
01313	Cadmium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req. Value NODI									C - No Discharge		C - No Discharge				

