

DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

001A
External Outfall

Discharge:

001A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 07/01/20 to 09/30/20

DMR Due Date:

10/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2020-10-05 13:51 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

002A
External Outfall

Discharge:

002A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 07/01/20 to 09/30/20

DMR Due Date:

10/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2020-10-05 13:46 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

003A
External Outfall

Discharge:

003A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 07/01/20 to 09/30/20

DMR Due Date:

10/28/20

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal										
					Value NODI		C - No Discharge													
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI											C - No Discharge	C - No Discharge			
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2020-10-05 13:46 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

001A
External Outfall

Discharge:

001A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-01-11 12:54 (Time Zone: -07:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

002A
External Outfall

Discharge:

002A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal										
					Value NODI		C - No Discharge													
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX		01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI											C - No Discharge	C - No Discharge			
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-01-11 12:52 (Time Zone: -07:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

003A
External Outfall

Discharge:

003A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 10/01/20 to 12/31/20

DMR Due Date:

01/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-01-11 12:52 (Time Zone: -07:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

001A
External Outfall

Discharge:

001A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 01/01/21 to 03/31/21

DMR Due Date:

04/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-04-05 11:17 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

002A
External Outfall

Discharge:

002A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 01/01/21 to 03/31/21

DMR Due Date:

04/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal										
					Value NODI		C - No Discharge													
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX		01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI											C - No Discharge	C - No Discharge			
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-04-05 11:15 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

003A
External Outfall

Discharge:

003A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 01/01/21 to 03/31/21

DMR Due Date:

04/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal										
					Value NODI		C - No Discharge													
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX		01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI											C - No Discharge	C - No Discharge			
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-04-05 11:15 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

001A
External Outfall

Discharge:

001A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 04/01/21 to 06/30/21

DMR Due Date:

07/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-06-28 13:34 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

002A
External Outfall

Discharge:

002A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 04/01/21 to 06/30/21

DMR Due Date:

07/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal										
					Value NODI		C - No Discharge													
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX		01/90 - Quarterly	GR - GRAB
					Permit Req.															
					Value NODI											C - No Discharge	C - No Discharge			
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-06-28 13:33 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com



DMR Copy of Record

Permit

Permit #:

COG501534

Major:

No

Permittee:

Alpine Aggregates LLC

Permittee Address:

1878 13 St
Steamboat Springs, CO 80487

Facility:

STEAMBOAT SAND & GRAVEL FISHER TRAIL

Facility Location:

32199 FISTER TRAIL
STEAMBOAT SPRINGS, CO 80487

Permitted Feature:

003A
External Outfall

Discharge:

003A-2
Discharge to Yampa River

Report Dates & Status

Monitoring Period:

From 04/01/21 to 06/30/21

DMR Due Date:

07/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Chronic flow limit - see Note 1, pg 12. Oil and grease - see Note 3, pg 12. Total flow - see Note 4, pg 12. Phosphorus monitoring - see Note 6, pg 12. Selenium loading calculation - see Note 7, pg 12.

Principal Executive Officer

First Name:

June

Last Name:

MacArthur

Title:

Vice President

Telephone:

970-879-6231

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type	
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU				
					Value NODI							C - No Discharge				C - No Discharge					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	30.0 30DA AVG	<=	45.0 DAILY MX	19 - mg/L				
					Value NODI									C - No Discharge		C - No Discharge					
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB	
					Permit Req.										<=	10.0 INST MAX	19 - mg/L				
					Value NODI											C - No Discharge					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	IS - INSITU	
					Permit Req.	<=	0.001 30DA AVG		Req Mon DAILY MX	03 - MGD											
					Value NODI		C - No Discharge		C - No Discharge												
51500	Flow, total	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	CA - CALCTD	
					Permit Req.		Req Mon QTRTOTAL			3R - Mgal											
					Value NODI		C - No Discharge														
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample											Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L		01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI											C - No Discharge	C - No Discharge				
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	VI - VISUAL	
					Permit Req.				Req Mon INST MAX	AB - abst=0;prst=1											
					Value NODI				C - No Discharge												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Alpine Aggregates LLC

User:

betsy.wilbanks@nativeexcavating.com

Name:

Betsy Wilbanks

E-Mail:

betsy.wilbanks@nativeexcavating.com

Date/Time:

2021-06-28 13:32 (Time Zone: -06:00)

Report Last Signed By

User:

june.native@gmail.com

