

11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

505.286.6026
svance@gcc.com



October 2, 2021

State of Colorado
Division of Reclamation, Mining & Safety
1313 Sherman St., Room 215
Denver, CO 80203

Attn: Janet Binns, Environmental Protection Specialist III

Re: GCC Energy, LLC, King II Mine
CDRMS Permit # C-1981-035
Water Monitoring Analysis; King I & King II
3rd Quarter 2021

Ms. Binns:

Please find enclosed a copy of quarterly water analysis reports for the 3rd quarter of 2021 for the following water monitoring locations:

Wiltse Well
#1 Up-gradient Monitoring Well
#2 Down-gradient Monitoring Well
Hay Gulch Irrigation Ditch, Down-gradient & Blind Duplicate MW-99-SW
Hay Gulch Irrigation Ditch, Up-gradient
MW-1-A, MW-1-C & Blind Duplicates MW-99-A (MW-1-A) and MW-99-C (MW-1-C)
MW-3-MI, MW-3-A, MW-3-C
MW-4-MI, MW-4-A, MW-4-C
MW-5-C, MW-5-MI
MW-HGA-4
MW-6-A, MW-6-LM
MW-7-EAA
MW-8-EAA, MW-8-MI, MW-8-LM, MW-8-PL & Blind Duplicate MW-99-MI (MW-8-MI)

Also enclosed are summary sheets for the above water monitoring locations which include field collection data.

Please note that GCC is now utilizing a low-level mercury analysis method for the surface water (ditch) compliance samples as requested by DRMS during a 12/7/2020 conference call. Green Analytical Labs prepared method certification studies to analyze low-level mercury by EPA 200.8, submitted and received certification from CDPHE. The reporting limit (RL) is = 0.01 µg/L and the minimum detection limit (MDL) is = 0.00432 µg/L, so Green now has in-house capability to analyze mercury to meet the CDPHE surface water quality standard (0.01 µg/L) to which the King II mine is held to for the Alkali/Hay Gulch/La Plata River drainages. GCC collected Hay Gulch Ditch samples in Q3 for both the previous mercury method EPA 245.1 (which is still fine for the groundwater sites), as well as by the low-level mercury method 200.8, to provide a side-by-side comparison for this transition quarter. Both ditch sites, both methods were non-detect for mercury so we are now good to proceed with surface water compliance samples by 200.8 only going forward.

Please contact me at 505.238.8272 or svance@gcc.com if you have any questions or require any additional information.

Sincerely,

📍 11783 Highway 337 S.
PO Box 100, Tijeras, NM 87123

☎ 505.286.6026
✉ svance@gcc.com



A handwritten signature in blue ink that reads 'Sarah Vance'.

Sarah Vance
Environmental Manager
GCC Energy, LLC

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Upgradient																																
Year	2016										2017					2018				2019				2020				2021				
Quarter	Q1	Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	6	9	
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/14	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/13	12/3	2/22	6/3	9/1	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																
Flow Rate	cfs	0.70	1.0	1.20	1.60	1.0	1.0	1.10	1.0	NM	1.0	NM	0.82	0.28	2.70	NM	NM	0.60	0.70	0.70	0.25	3.63	1.17	NM	NM	0.92	0.13	1.02	0.06	0.16	NM	
Temperature	deg C	9.8	20.9	11.3	21.1	20.8	16.8	14.9	16.4	5.9	7.0	1.5	4.7	10.7	20.2	19.7	8.8	4.7	11.3	22.1	1.1	5.9	5.9	16.9	5.7	1.5	16.5	18.1	2.0	5.8	11.3	15.5
pH	SU	7.75	8.27	7.95	8.15	8.24	8.26	8.47	8.19	8.79	8.58	8.2	8.69	8.77	8.88	8.39	7.60	7.9	7.58	9.07	7.16	6.4	7.53	8.03	7.33	7.75	8.39	8.65	8.08	7.83	7.75	8.07
Specific Conductance	µS/cm	247	323	197	141	189	207	233	210	258	234	687	455	454	106	549	868	1041	304	307	307	752	306	275	682	902	314	528	434	1024	189	280
Oxygen Reduction Potential	mV	76.4	114.7	97.2	51.6	53.6	82.8	72.5	105.9	92.4	116.3	66.3	-12	-10.6	23.8	86.1	95.10	-164.1	111.4	-181.3	13.9	103.7	-24.0	24.4	-22.4	-4.5	81.7	118.9	120.3	51.6	86.6	58.3
Dissolved Oxygen	mg/L	8.1	6.4	8.0	6.0	6.5	6.9	7.2	4.7	6.7	6.1	10.6	9.0	6.9	4.8	6.7	9.3	9.4	8.5	6.4	10.2	8.0	8.9	7.8	7.9	7.0	7.5	8.4	10.4	8.7	8.5	7.1
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	128			80.9			119		152				257	69.2	316	456	489	101	153	149	393	136	125	372	405	150	287	213	588	92.6	131
pH (Lab)	SU	8.17			8.04			8.16		8.19				8.06	8.06	8.22	8.31	8.39	7.99	9.07	7.86	7.45	7.69	7.83	7.40	7.22	7.60	8.01	7.92	7.57	7.72	7.44
Total Dissolved Solids (Lab)	mg/L	170			75			165		180				285	65.0	390	650	700	140	215	175	535	205	225	635	587	255	340	160	685	210	185
Total Suspended Solids	mg/L	30.0			117			17.0		4.8				2.50	63.5	2.00	5.75	6.01	106	6.25	14.8	22.0	113	20.0	5.38	<4.0	140	19.5	13.2	55	133	51
Calcium	mg/L	33.5			24			33.0		38.4				53.6	20.8	64.9	86.6	87.3	26.3	39.1	40.3	79.8	34.6	32.4	79.3	81.5	36.1	63.2	49.9	113	25.8	35.8
Magnesium	mg/L	10.9			5.08			9.01		13.7				29.8	4.21	37.5	58.3	65.9	8.61	13.5	11.9	47.0	12.1	10.8	42.2	49	14.5	31.3	21.5	74.3	6.87	10.1
Sodium	mg/L	4.46			2.19			3.90		6				10.9	1.97	13.8	27.1	34.6	3.31	5.33	5.00	19.1	7.24	5.81	25.4	30.9	7.67	10.9	8.39	34.3	2.71	3.97
Potassium	mg/L	<1			<1			1.35		<1.00				<1.00	1.75	2.15	3.05	3.52	1.18	1.24	<1.00	3.89	1.57	1.07	3.25	3.65	1.86	1.85	1.53	4.74	<1.00	3.28
Alkalinity, Total	mg/L	160			65			98.0		118				185	55.0	177	305	244	67	111	120	260	390	103	233	315	102	220	137	340	68	98
Alkalinity, Bicarbonate	mg/L	160			65			94.0		118				185	55.0	161	285	244	67	107	120	260	390	103	233	295	102	220	131	340	68	98
Alkalinity, Carbonate	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	16.0	20.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	5.77			2.07			4.32		7.92				22.7	1.76	30.8	48.2	46.7	3.12	6.70	5.58	48.1	7.75	6.04	22.8	31.6	9.64	24.5	14.8	85.9	3.17	5.23
Fluoride	mg/L	0.213			0.208			0.223		0.208				0.215	0.195	0.265	0.283	0.285	0.224	0.272	0.224	0.252	0.208	0.214	<0.500	0.239	<0.500	0.226	0.226	0.235	0.188	0.227
Sulfate as SO4	mg/L	42.1			17.7			29.0		45.3				87.7	15.0	99.0	179	229	34	49.7	45.0	128	47.2	35.6	107	151	44.0	86.3	64.4	211	26.4	42.2
Total Organic Carbon (TOC)	mg/L	1.41			1.6			2.21		1.14				2.49	1.15	1.90	1.99	1.81	2.31	1.61	1.09	4.94	3.08	1.84	4.54	5.45	2.93	1.65	1.22	2.69	1.39	2.8
Oil & Grease	mg/L	<5.00			<5.00			<5.00		<5.00				<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Nitrate/Nitrite as N	mg/L	<0.02			0.028			<0.020		<0.020				0.053	<0.020	0.045	0.088	0.105	0.026	<0.020	<0.020	0.263	0.050	0.072	0.104	0.044	0.302	0.042	0.026	0.282	0.049	0.026
Sodium Adsorption Ratio (SAR)	no unit	0.17			0.1			0.16		0.21				0.30	0.10	0.34	0.55	0.68	0.14	0.18	0.16	0.42	0.26	0.22	0.55	0.65	0.26	0.29	0.25	0.62	0.12	0.15
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Arsenic	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				0.0005	<0.0005	0.0009	0.0007	<0.0025	<0.0005	0.0009	<0.0005	0.0007	0.0006	0.0007	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0012	<0.0005	0.001
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	
Copper	mg/L	0.0006			0.0011			0.0011		0.0005				0.0008	0.0013	0.0006	0.0005	0.0007	0.0011	0.0011	0.0013	0.0026	0.0013	0.0012	0.0005	0.0005	0.0010	0.0006	0.0005	0.0007	0.0009	0.0012
Iron	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.05	<0.05	<0.05	0.255	0.055	<0.050	0.316	0.551	<0.050	<0.050	<0.05	0.103	<0.0500	<0.0500
Lead	mg/L	<0.00																														

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Downgradient																																
Year		2016										2017						2018				2019				2020				2021		
Quarter		Q1	Q2			Q3			Q4			Q1			Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month		3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	6	8	12	2	6	9
Sample Date		3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/7	8/9	11/7	2/28	5/23	8/16	11/13	2/6	6/1	8/13	12/3	2/22	6/3	9/1
Lab Analysis (Y/N)		Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																																
Flow Rate	cfs	1.10	1.20	1.10	NM	1.10	1.10	NM	0.80	NM	NM	NM	0.80	0.30	0.30	NM	dry	NM	NM	NM	0.50	0.25	0.30	1.05	NM	NM	1.50	0.13	NM	0.001	0.40	NM
Temperature	deg C	11.8	17.6	10.9	21.9	21.3	18.8	16.1	11.8	7.0	6.6	7.2	5.0	12.7	17.6	18.7		6.3	11.3	20.6	4.7	6.88	8.23	15.15	3.51	3.73	14.21	20.4	6.83	10.37	13.35	10.47
pH	SU	8.57	8.55	8.14	8.14	8.55	8.37	8.3	8.36	8.64	8.06	7.28	8.06	9.00	8.53	8.66		8.33	7.58	7.43	7.48	6.42	7.77	7.61	8.38	7.94	8.24	8.00	7.7	7.76	8.12	8.26
Specific Conductance	µS/cm	429	530	297	116	308	257	1183	420	421	728	678	987	17	114	164		742	304	356	309	577	202	295	554	882	137	237	478	815	131	184
Oxygen Reduction Potential	mV	57.5	105.9	33.2	32.5	68.6	38.4	18.7	88.6	117.5	155.2	147.6	-15.5	137.8	185.3	48		51.6	111.4	-10.0	-88.9	125.6	50.6	111.6	-108.1	124.2	104.8	103.0	127.8	-26.5	85.1	119.5
Dissolved Oxygen	mg/L	7.9	7.7	8.7	6.0	6.7	5.6	6.8	7.1	6.5	7.2	7.6	9.8	5.6	6.4	7.1	9.8	8.5	6.3	9.1	7.6	8.8	7.2	9.6	9.5	8.0	6.4	9.6	6.8	7.8	6.7	
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	226			67.8			480		267				503	59.1	91.4		329	140	182	167	281	91.9	137	295	416	63.6	120	232	419	64.8	90.7
pH (Lab)	SU	8.42			8.13			8.25		8.24				8.15	7.98	7.98		8.17	8.05	8.09	7.95	7.84	7.68	7.73	7.73	7.80	7.49	7.59	7.85	7.83	7.74	7.58
Total Dissolved Solids (Lab)	mg/L	270			55			630		320				615	65.0	80.0		420	220	260	185	390	185	195	355	573	120	135	370	435	175	90
Total Suspended Solids	mg/L	27.3			18			4.20		12.4				12.7	3.00	<0.500		49.5	<2	5.67	4.40	18.4	153.0	22.5	<4.00	4.20	17.5	28.6	10.5	28.0	8.4	4.8
Calcium	mg/L	55.5			21.9			94.7		65.5				112	19.0	29.5		75.4	37.5	49.0	44.7	61.6	26.0	34.5	67.2	85.6	20.3	34.2	55.6	98.2	21.2	29.8
Magnesium	mg/L	21.1			3.15			59.1		25.2				54.6	2.86	4.31		34.2	11.2	14.4	13.4	31	6.54	12.3	30.8	49.0	3.15	8.38	22.7	42.2	2.86	3.94
Sodium	mg/L	8.69			1.57			16.8		10.7				22.5	1.49	2.37		18.1	5.42	6.49	5.15	16.5	5.03	6.62	17.0	28.5	1.90	3.68	9.03	15.8	1.14	1.75
Potassium	mg/L	1.49			<1			4.48		1.46				2.33	<1.00	<1.00		2.84	1.14	1.58	1.34	3.13	1.31	1.27	2.60	3.81	<1.00	1.36	1.89	3.75	<1.00	1.02
Alkalinity, Total	mg/L	220			59			220		225				320	47.0	85.0		265	112	170	140	150	340	140	194	297	48	110	158	315	52	72
Alkalinity, Bicarbonate	mg/L	220			59			140		155				320	47.0	85.0		259	104	170	140	150	340	140	188	283	48	110	154	315	52	72
Alkalinity, Carbonate	mg/L	<10			<10			80.0		70				<10.0	<10.0	<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	14.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10			<10			<10		<10.0				<10.0	<10.0	<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.40			1.26			97.9		12				31.9	<1.00	1.54		23.1	7.54	7.47	5.69	40.2	16.9	7.65	14.8	30.7	1.87	4.42	17.1	59	1.16	1.21
Fluoride	mg/L	0.244			0.195			0.244		0.227				0.224	0.290	0.227		0.308	0.228	0.295	0.228	0.232	0.205	0.218	0.252	0.272	0.185	0.224	0.244	0.246	0.195	0.216
Sulfate as SO4	mg/L	68.1			13.5			144		89.5				204	11.3	17.9		86.5	40.2	46.8	45.0	91.4	18.5	42.7	83.3	143	14.2	32.4	70.2	90.1	17.3	25.7
Total Organic Carbon (TOC)	mg/L	1.53			1.4			3.48		1.65				2.31	2.16	0.932		1.56	1.28	1.33	1.76	2.90	2.37	2.10	3.26	4.53	1.39	1.47	1.55	2.31	1.18	1.48
Oil & Grease	mg/L	<5			<5			<5		<5.00				<5.00	<5.00	<5.00		<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Nitrate/Nitrite as N	mg/L	<0.02			0.026			0.027		<0.020				<0.020	<0.020	<0.020		<0.020	<0.020	<0.020	<0.020	0.17	0.146	0.090	<0.020	0.056	0.031	0.053	<0.02	0.148	0.021	<0.020
Sodium Adsorption Ratio (SAR)	no unit	0.25			0.03			0.33		0.28				0.44	0.08	0.11		0.43	0.2	0.20	0.17	0.43	0.22	0.24	0.41	0.61	0.10	0.14	0.26	0.34	0.06	0.08
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050		<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Arsenic	mg/L	0.0005			<0.0005			0.0015		0.0006				0.0006	0.0005	0.0006		0.0005	0.0005	0.0008	<0.0005	0.0006	0.0006	0.0006	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0013	<0.0005	0.0007
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	
Copper	mg/L	0.0004			0.0016			0.0012		0.0005				0.0004	0.0020	0.0013		0.0005	0.0008	0.0008	0.0008	<0.0010	0.0021	0.0009	0.0007	0.0006	0.0014	0.0009	0.0005	0.0006	0.0011	0.001
Iron	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050		<0.050	<0.050	<0.050	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Lead	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005	<0.0005	<0.0005		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.00								

GCC Energy Hydrologic Monitoring Data

Well #1 Upgradient																																
Year	2016										2017						2018				2019				2020				2021			
Quarter	Q1	Q2			Q3			Q4			Q1			Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	3/30	4/27	5/26	6/23	7/19	8/24	9/21	10/24	11/30	12/14	1/18	2/27	3/22	6/28	9/28	11/29	2/22	5/14	8/9	11/7	2/25	5/23	8/16	11/14	2/13	6/1	8/31	12/14	2/11	5/19	8/12	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																
Purge Flow Rate	gpm	1.5	7.9	7.1	5.8	7.1	7.4	6.8	7.5	9.3	7.5	7.7	7.5	8.2	7.0	7.1	7.5	7.2	7.2	10	7.2	10.0	8.3	11.0	6.5	8.0	10.0	8.0	8.0	8.0	8.0	8.0
Total Purged	gal	306	522	870	297	280	284	288	300	280	295	298	297	291	286	259	287	268	280	267	305	300	321	327	293	314	300	291	280	302	324	300
Depth to Water	ft bgs	4.40	5.07	4.60	4.95	5.55	6.30	6.03	5.73	5.69	5.08	4.30	3.80	3.82	4.50	5.51	5.50	5.40	5.77	5.65	6.50	5.98	4.50	5.68	6.08	5.55	4.17	6.25	3.72	6.48	5.82	7.25
Temperature	deg C	8.8	13.1	11.9	14.2	14.1	12.7	12.5	12.6	10.6	11.3	10.9	10.4	11.2	11.9	11.8	11.6	11.5	11.7	12.0	12.5	11.7	11.5	11.8	12.9	11.6	12.1	12.3	11.5	11.6	12.2	12.3
pH	SU	7.77	7.57	7.46	7.6	7.69	7.59	7.67	7.77	7.72	7.68	7.6	7.67	7.67	7.59	7.6	7.58	7.56	7.49	7.35	7.34	7.44	7.39	7.37	7.32	7.37	7.38	7.57	7.6	7.54	7.56	7.59
Specific Conductance	µS/cm	1224	1199	1284	1246	1226	1143	1176	1223	1280	1305	1392	1415	1351	1159	1162	1241	1278	1218	1289	1204	1235	1308	1253	1232	1277	1268	1067	1190	1142	1235	1212
Oxygen Reduction Potential	mV	-123.1	-162.2	-142.5	-185.4	-156.6	-196.8	-140.6	-148.9	-152.9	-141.0	-143.6	-125.6	-132.2	-201	-176.9	-213.20	-185.3	-219.3	-251.6	-273.0	-232.0	-194.0	-192.0	-159.9	-193.0	-221.7	-187.2	-138.1	-153.4	-208.9	-202.5
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	230			306			216		271				391	277	215	280	274	275	369	287	252	350	303	263	290	319	255	247	298	313	236
pH (Lab)	SU	7.73			7.57			7.58		7.59				7.46	7.74	7.66	7.56	7.75	7.95	7.48	7.50	7.77	7.56	7.23	7.35	7.12	7.26	7.53	7.72	7.39	7.33	7.47
Total Dissolved Solids (Lab)	mg/L	760			745			735		725				775	725	705	790	745	770	835	730	735	860	780	705	700	775	710	690	755	785	750
Calcium	mg/L	44.0			59.7			42.4		51.7				75.7	54.0	41.6	55.6	53.4	53.8	71.5	56.7	49.1	67.8	58.2	51.5	56.5	61.6	49.6	47.4	58.1	60.9	45.4
Magnesium	mg/L	29.1			38.2			26.7		34.5				49.1	34.6	27.1	34.4	34.2	34.1	46.4	35.4	31.4	43.8	38.3	32.7	36.1	40.0	31.7	31.1	37.2	39.1	29.8
Sodium	mg/L	199			196			210		189				167	189	203	195	183	191	154	212	196	172	167	198	183	178	193	196	204	172	177
Potassium	mg/L	3.00			3.15			3.01		3.01				3.30	3.00	3.09	2.99	3.09	3.03	3.16	3.15	3.01	3.32	3.01	3.01	<5	3.05	3.05	3.02	<5.00	3.00	<5.00
Alkalinity, Total	mg/L	610			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	605	570	620	600
Alkalinity, Bicarbonate	mg/L	570			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	587	570	620	600
Alkalinity, Carbonate	mg/L	40.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	18	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	4.33			6.12			4.30		4.44				4.53	4.32	6.21	4.39	4.30	4.35	4.34	4.23	4.35	4.59	4.36	6.19	4.76	4.76	4.62	4.34	4.27	4.91	4.89
Fluoride	mg/L	0.347			<0.5			0.353		0.337				0.337	0.362	<0.500	0.358	0.354	0.335	0.390	0.359	0.355	0.349	0.335	<0.500	0.348	0.366	0.356	0.342	0.311	0.338	0.35
Sulfate as SO4	mg/L	90.1			108			83.8		117				156	97.4	74.0	101	106	97.2	147	89.9	91.4	131	112	92.1	104	110	79.6	87.9	102	110	98.5
Total Organic Carbon (TOC)	mg/L	2.54			3.3			2.80		3.18				3.84	5.82	2.84	3.33	3.37	3.5	3.94	3.35	3.31	3.70	3.53	3.14	3.29	3.37	3.32	3.17	3.26	3.27	3.23
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020		<0.200				<0.020	<0.400	<0.400	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.931	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0590	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050			<0.050			<0.050		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.150	<0.050	<0.250	<0.050	<0.250	
Arsenic	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				0.0009	<0.0005	<0.0005	<0.0005	0.0005	0.0005	0.0005	<0.0005	0.0005	0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	0.0008	<0.0025	0.0005	<0.0005
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0005	<0.0005	
Copper	mg/L	0.0035			0.003			0.0021		0.0041				0.0020	0.0020	0.0030	0.0027	0.0035	0.003	0.0022	0.0025	0.0042	0.0015	0.0019	0.0012	0.0017	0.0017	0.0021	0.0007	<0.0025	0.0039	0.0038
Iron	mg/L	1.20			1.51			0.946		1.64				2.01	1.34	0.101	1.44	1.44	1.39	1.98	1.52	1.26	1.74	1.58	1.41	1.49	1.53	1.24	1.7	1.66	1.69	1.19
Lead	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0005	
Manganese	mg/L	0.267			0.344			0.221		0.312				0.491	0.315	0.202	0.311	0.307	0.306	0.498	0.286	0.355	0.439	0.428	0.354	0.366	0.369	0.297	0.297	0.414	0.388	0.308
Mercury	mg/L	<0.0002			<0.0002			<0.0002		<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0														

GCC Energy Hydrologic Monitoring Data

Well #2 Downgradient																																	
Year	2016										2017						2018					2019				2020				2021			
Quarter	Q1	Q2			Q3			Q4			Q1			Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	3/30	4/21	5/25	6/23	7/19	8/24	9/20	10/19	11/30	12/14	1/26	2/27	3/22	6/13	9/21	11/28	2/22	5/7	8/8	8/9	11/7	2/27	5/22	8/16	11/13	2/6	6/1	8/26	12/14	2/11	5/19	8/12	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																	
Purge Flow Rate	gpm	0.50	0.50	0.50	0.50	0.50	0.50	0.50	NM	7.20	2.00	NM	NM	NM	NM	NM	0.1	1.00	0.10	1.00	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.13	0.50	0.25	0.25	
Total Purged	gal	7	6	7	7	6	6	6	6	6	6	8	8	6	8	8	6	6	11	2	6.5	7.5	13	10	9	8	12	8	7	7	12	9	7
Depth to Water	ft bgs	3.69	3.17	4.25	1.42	4.17	4.17	5.50	6.4	4.7	5	3.95	2.74	6.35	0.95	4.85	5.68	6.68	7.4	6.65	6.59	5.17	5.85	0.92	3.60	5.20	5.60	4.00	6.29	7.48	8.10	8.70	8.32
Temperature	deg C	6.3	10.1	13.5	18.4	19.8	14.0	14.1	13.3	10.4	12.4	7.0	4.4	8.4	17.1	12.1	11.7	9.8	8.9	14.0	11.1	11.9	9.1	8.1	10.5	11.5	10.4	9.1	11.5	11.0	9.8	9.4	11.2
pH	SU	7.58	7.6	7.6	7.64	7.68	7.73	7.53	7.66	7.66	7.71	7.57	7.68	7.78	7.56	7.66	7.52	7.59	7.48	7.84	7.20	7.15	7.41	7.34	7.23	7.19	7.32	7.41	7.44	7.56	7.50	7.54	7.57
Specific Conductance	µS/cm	899	867	804	600	369	815	877	881	904	872	908	1193	921	633	852	879	887	847	828	895	955	960	1091	1051	1083	1083	1134	1017	1099	964	939	1038
Oxygen Reduction Potential	mV	-9.4	-13.7	-35.7	-66.9	-112.1	-76.3	-88.3	-82	-72.7	-81.1	-66.8	-55.7	-67	-54.3	-53.7	-63.70	-44.9	-34	-75.6	-127	-91.9	48.4	-57.8	-30.1	-5.5	25.3	-51.3	19.9	3.2	-4.8	-48.3	-26.0
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	444			314			452		432				485	352	378	449	412	415	422	415	465	488	537	513	603	540	575	560	569	624	529	503
pH (Lab)	SU	7.63			7.66			7.48		7.55				7.72	7.6	7.51	7.51	7.62	7.6	7.61	7.45	7.50	7.5	7.4	7.04	7.12	7.20	7.09	7.3	7.2	7.17	7.15	7.32
Total Dissolved Solids (Lab)	mg/L	685			470			525		495				635	415	525	540	515	545	545	575	550	575	695	655	690	695	730	665	685	660	655	685
Calcium	mg/L	72.2			54.9			75.9		72.7				81.0	60.9	64.8	78.0	70.1	70.2	72.7	70.4	78.7	81.3	87.1	83.3	99.4	87.2	92.2	90.1	90	97.9	81.2	76.8
Magnesium	mg/L	63.9			43.1			63.8		60.8				68.7	48.5	52.6	61.8	57.4	58.2	58.4	58.2	65.2	69.2	77.6	74.0	86.3	78.2	83.7	81.3	83.7	92.2	79.2	75.6
Sodium	mg/L	22.2			16.5			19.8		20.7				21.8	16.1	17.0	20.1	19.4	19.2	19.6	19.1	21.3	22.1	23.4	21.4	25.5	23.3	24.5	23.8	24.5	26.9	23.4	23.1
Potassium	mg/L	2.04			2.1			2.16		2.05				1.94	2.22	1.64	2.19	1.76	1.68	2.00	1.82	2.08	1.97	1.94	2.06	2.40	2.04	2.00	2.06	2.22	<5.00	1.94	<5.00
Alkalinity, Total	mg/L	342			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	341	385	375	380
Alkalinity, Bicarbonate	mg/L	338			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	333	385	375	380
Alkalinity, Carbonate	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	35.8			6.8			27.4		26.2				23.3	7.11	19.0	23.4	24.7	27.2	34.5	34.1	39.3	40.1	42.9	45.2	47.2	48.9	50.3	44.8	44.6	46	45.9	37
Fluoride	mg/L	0.230			0.298			0.272		0.256				0.228	0.313	0.263	0.246	0.244	0.224	0.259	0.281	0.263	0.244	0.246	0.221	<0.500	<0.500	<0.500	0.254	0.248	0.216	0.236	<0.500
Sulfate as SO4	mg/L	129			70			114		117				153	75.2	98.4	94.7	104	102	112	111	137	138	196	189	182	199	230	204	219	190	199	186
Total Organic Carbon (TOC)	mg/L	3.34			14			2.64		3.4				3.52	3.56	2.61	2.25	2.10	2.02	2.06	1.93	2.08	1.87	2.69	2.28	1.99	1.80	1.84	1.87	1.74	2.18	1.74	1.77
Nitrate/Nitrite as N	mg/L	0.042			<0.02			<0.02		0.089				<0.020	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	0.156			<0.05			<0.05		<0.050				<0.050	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.050	<0.250	<0.050	<0.250	
Arsenic	mg/L	0.0008			0.0015			0.0010		0.0013				0.0009	0.0017	0.0006	0.0011	0.0010	0.0009	0.0012	0.0012	0.0010	0.0012	0.0011	0.0012	0.0012	0.0011	0.0009	<0.001	0.0013	<0.0025	0.0009	0.0012
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0005	<0.0005
Copper	mg/L	0.0004			0.0005			0.0003		0.0051				0.0007	0.0002	0.0004	0.0001	0.0056	0.0002	0.0006	0.0004	0.0003	0.001	0.0016	0.0003	0.0002	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	0.0006	0.0005
Iron	mg/L	0.081			0.085			0.118		<0.050				0.213	<0.050	<0.050	0.074	0.060	0.073	0.089	0.163	0.082	0.062	0.116	0.105	0.119	0.094	0.107	0.109	0.159	<0.250	<0.050	<0.250
Lead	mg/L	<0.0005			<0.0005			<0.0005		0.0078				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0005	
Manganese	mg/L	0.497			0.54			0.354		0.359				0.384	0.259	0.307	0.309	0.304	0.306	0.349	0.375	0.320	0.423	0.504	0.404	0.427	0.						

GCC Energy Hydrologic Monitoring Data

Wiltse Well																																
Year	2016										2017					2018				2019				2020				2021				
Quarter	Q1	Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	3/31	4/27	5/25	6/23	7/19	8/24	9/20	10/24	11/29	12/13	1/18	2/27	3/21	6/13	9/28	11/28	2/22	5/16	8/9	11/8	2/28	5/23	8/19	11/11	2/17	5/13	8/12	12/15	2/24	5/21	8/11	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																
Purge Flow Rate	gpm	150.0	38.5	23.4	18.6	19.9	17.3	15.8	17.0	10.6	18.1	39.5	39.6	39.6	NM	18.3	23.5	11.9	12.0	18.5	12.3	28.0	38.0	18.0	17.0	35.0	24.4	16.0	18.0	15.0	12.5	8.5
Total Purged	gal	5850	4228	4229	3686	2844	2979	2637	2724	2992	2916	3595	3580	3560	2980	2712	2423	2700	2890	2783	2747	3017	3200	3010	3058	3825	3495	3200	3030	2920	3000	1800
Depth to Water	ft bgs	0.35	0.00	0.85	2.15	2.99	2.60	3.32	6.85	1.90	1.95	0.30	0.00	0.00	2.05	3.40	3.40	3.35	3.93	4.13	3.78	2.40	0.05	2.47	2.68	0.43	1.60	3.18	5.65	3.64	3.70	4.55
Temperature	deg C	6.7	8.8	10.4	10.7	11.5	12.1	11.5	11.0	9.1	8.8	7.6	7.2	7.5	10.3	11.3	9.7	8.0	10.2	11.7	10.4	8.0	9.3	10.7	9.9	6.7	9.8	11.7	8.7	8.9	9.9	11.3
pH	SU	7.22	7.32	7.34	7.26	7.26	7.24	7.22	7.22	7.32	7.29	7.2	7.17	7.12	7.41	7.27	7.3	7.26	7.13	7.04	7.07	7.17	7.08	7.09	7.09	7.01	7.12	7.22	7.26	7.25	7.23	7.33
Specific Conductance	µS/cm	2043	1633	1805	1768	1478	1602	1941	1937	2014	2036	2262	2276	2085	1869	2074	2190	2232	2144	2072	2167	2170	2151	1964	1970	2171	2017	1450	1984	1739	1789	2012
Oxygen Reduction Potential	mV	105.6	17.9	20.1	38.5	26.9	20.0	28.6	21.6	13.7	20.9	3.2	18.3	6.0	13.3	19.5	19.2	14.3	29.9	-52.7	-18.8	22.7	-10.6	-23.7	51.9	49.33	71.9	72.2	73.7	6.9	31.2	41.5
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	990			1050			1030		963				1040	1060	1140	1150	1090	1160	1130	1180	1150	1080	1080	1060	982	1060	1070	1130	1090	1070	1080
pH (Lab)	SU	7.22			7.34			7.29		7.36				7.22	7.46	7.30	7.33	7.70	8.35	7.22	7.42	7.38	7.35	7.11	7.09	7.12	7.09	7.29	6.86	7.27	6.98	7.25
Total Dissolved Solids (Lab)	mg/L	1580			1480			1520		1520				1480	1510	1680	1740	1740	1740	1750	1720	1710	1670	1520	1480	1600	1560	1580	1540	1550	1500	1580
Calcium	mg/L	197			208			206		186				205	211	219	226	211	216	221	230	226	214	214	208	191	206	206	215	208	199	206
Magnesium	mg/L	121			128			126		121				128	129	143	142	136	150	139	147	143	132	132	132	123	132	136	144	138	140	136
Sodium	mg/L	95.9			75.2			80.7		82.4				110	87.5	80.7	83.4	80.4	82.3	79.1	81.2	83.2	89.4	72.4	67.3	68.1	69.1	64	67.5	65.1	61.1	61.6
Potassium	mg/L	4.64			4.56			4.90		4.42				4.61	4.79	4.62	<5.00	4.73	4.98	5.01	5.00	5.01	4.77	4.92	4.85	4.33	<5.00	4.48	4.54	<5.00	4.35	<5.00
Alkalinity, Total	mg/L	460			500			470		450				410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480
Alkalinity, Bicarbonate	mg/L	440			500			470		450				410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480
Alkalinity, Carbonate	mg/L	20.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	81.0			76.3			62.3		70.1				72.5	72.5	68.7	68.9	66.7	60	57.2	57.5	67.2	67.8	49.9	48.2	57.7	51.8	58.1	57.9	54.8	52.3	49
Fluoride	mg/L	0.285			<0.5			<0.5		0.3				<0.500	0.332	<0.500	<0.500	<0.500	<0.500	<0.500	0.298	0.324	0.306	<0.500	<0.500	<0.500	<0.500	0.304	0.292	0.276	0.28	<0.500
Sulfate as SO4	mg/L	671			595			656		676				731	702	779	772	832	714	733	741	801	709	627	627	711	633	704	728	683	661	679
Total Organic Carbon (TOC)	mg/L	3.54			4.1			3.15		3.02				3.40	3.54	3.34	3.26	3.37	3.5	3.51	3.63	3.82	4.87	4.27	3.30	4.22	3.80	3.69	3.43	3.29	3.33	3.48
Nitrate/Nitrite as N	mg/L	0.456			0.891			1.08		0.965				0.492	1.07	1.80	1.94	2.26	2.48	2.26	1.99	1.95	0.651	0.896	1.31	1.05	0.865	1.25	1.48	1.82	1.49	2.06
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.1	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250	<0.100	<0.050	<0.250	<0.050	<0.250
Arsenic	mg/L	<0.0025			<0.0025			0.0005		0.0008				0.0009	0.0006	0.0005	0.0029	0.0009	0.0006	<0.0025	<0.001	<0.0010	0.0006	<0.0010	<0.0010	<0.0010	<0.0025	<0.0010	0.0005	<0.0025	<0.0025	<0.0025
Cadmium	mg/L	<0.0005			<0.0005			<0.0005		<0.0001				<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0005	<0.0002	<0.0001	<0.0005	<0.0025	<0.0025
Copper	mg/L	0.0018			0.0024			0.0020		0.0038				0.0023	0.0019	0.0025	0.0097	0.0020	0.0019	0.0018	0.0030	0.002	0.0021	0.0021	0.0012	0.0020	<0.0025	0.0013	0.0006	0.0028	<0.0025	<0.0025
Iron	mg/L	0.100			<0.05			0.060		0.136				0.286	0.161	<0.050	<0.250	0.132	0.151	0.125	0.121	0.151	0.379	0.287	0.209	0.285	<0.250	<0.100	0.216	<0.250	0.304	<0.250
Lead	mg/L	<0.0025			<0.0025			<0.0025		<0.0005				<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.001	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.001	<0.0005	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.673			0.857			0.756		0.608				0.440	0.797	0.881	4.50	0.845	0.997	1.37	1.08	0.937	0.357	0.902	0.892	0.419	0.816	1.03	0.943	1.21	0.98	1.4
Mercury	mg/L	<0.0002			<0.0002			<																								

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																														
Year	2016	2017												2018					2019				2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22	5/19	8/12	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																														
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.40	NM	0.1	1.5	2.00	1.00	1.12	1.00	1.00	0.25	1.00	0.25	0.25	0.13	0.25	0.13	0.25
Total Purged	gal	21	21	21	21	21	19.5	20	20	21	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21	21	20	
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90	2.91	3.95
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8	8.2	8.9
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29	7.34	7.37
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975	1093	1108
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9	-116.8	-104.9
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	724			611			616			522		595			561	555	524	625	613	563	544	624	563	528	571	612	630	582	515
pH (Lab)	SU	7.30			7.17			7.31			7.25		7.21			7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38	6.89	7.05
Total Dissolved Solids (Lab)	mg/L	855			710			715			750		775			740	730	695	770	795	695	695	715	705	685	700	665	685	680	735
Calcium	mg/L	147			118			121			102		118			110	108	102	124	122	110	106	123	112	101	111	122	126	114	98.7
Magnesium	mg/L	86.7			76.7			76.6			64.9		72.8			69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8	72	65.2
Sodium	mg/L	19.5			27.4			28.6			24.9		27.2			26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4	27.4	26.4
Potassium	mg/L	2.02			2.13			2.11			1.75		2.21			2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24	2.03	<5.00
Alkalinity, Total	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475	465	470
Alkalinity, Bicarbonate	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475	465	470
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	10.9			8.75			7.95			8.96		8.74			8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65	9.41	11.1
Fluoride	mg/L	0.577			0.485			0.506			0.517		0.495			0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424	0.434	<0.500
Sulfate as SO4	mg/L	240			229			192			205		204			222	190	169	201	221	186	212	190	193	181	179	187	191	184	194
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35			4.69		4.79			4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31	4.36	4.55
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020			<0.020		<0.100			<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	0.423			<0.050			<0.050			<0.050		<0.050			<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.050	<0.250
Arsenic	mg/L	0.0030			0.0029			0.0028			<0.0005		0.0035			0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036	0.0033	0.0034
Cadmium	mg/L	<0.0001			<0.0001			<0.0001			<0.0001		<0.0001			<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0005	<0.0005
Copper	mg/L	0.0006			0.0008			0.0002			0.0004		0.0002			0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006	0.0007	0.0009
Iron	mg/L	3.71			7.29			7.32			0.378		7.84			7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6	9.29	8.52
Lead	mg/L	<0.0005			<0.0005			<0.0005			<0.0005		<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0005
Manganese	mg/L	4.07			2.78			2.37			2.03		2.11			1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54	2.51	1.79
Mercury	mg/L	ND			<0.0002			<0.0002			<0.0002		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0013			0.0024			0.0027			0.0028		0.0027			0.0030	0.0031	0.0038	0.0029	0.0026	0.0027	0.0029	0.0031	0.0025	0.0030	0.0032	0.0029	0.0027	0.003	0.0033
Selenium	mg/L	<0.001			0.0030			<0.001			<0.0010		<0.0010			<0.0010	0.002	0.0016	<0.001	0.001	<0.0010	<0.0010	<0.0010	<0.001	<0.0020	<0.0020	<0.001	<0.0010	0.001	0.0057
Silica (SiO2)	mg/L	22.3			16.8			18			16.5		17.9			15.8	16.4	15.7	17.3	15.9	14.9	14.9	16.5	15.2	13.9	15.4	18.3	16.9	16.3	14.3
Silicon	mg/L	10.4			7.86			8.41			7.72		8.35			7.37	7.67	7.34	8.10	7.46	6.96	6.96	7.69	7.09	6.48	7.21	8.56	7.8.		

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories.

GCC Energy Hydrologic Monitoring Data

MW-1-A																													
Year		2017								2018								2019				2020				2021			
Quarter		Q2	Q3			Q4			Q1			Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8
Sample Date		6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23
Lab Analysis (Y/N)		Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																													
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	***	0.12	0.10	0.09	0.12	0.12	0.06	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25
Total Purged	gal	12.8	NM*	NM*	NM	NM	2.0	2.0	1.0	1.5	2	1.5	1	1.3		1.5	1.5	1.6	1.0	1.5	1.1	1.5	1.0	1.0	1.0	1.3	1.0	2.0	1.0
Depth to Water	ft bgs	215.42	NM*	215.92	215.54	216.33	216.31	216.47	216.58	216.21	216.47	216.47	216.54	216.54		216.63	216.63	216.65	216.55	216.43	216.33	216.13	216.05	215.85	215.56	215.80	215.60	215.53	215.71
Temperature	deg C	17.7	NM*	NM*	10.7	9.7	9.1	9.1	8.7	9.5	9.0	8.7	9.6	9.2		9.9	10.0	8.9	7.5	10.3	9.6	9.7	8.1	9.1	9.6	9.4	8.4	9.6	10.1
pH	SU	7.78	NM*	NM*	7.35	7.38	7.29	7.28	7.25	7.19	7.37	7.28	6.8	6.97		6.99	7.05	7.01	7.13	6.96	7.05	7.00	7.13	7.18	7.22	7.24	7.19	7.30	7.35
Specific Conductance	µS/cm	1362	NM*	NM*	1555	1563	1616	1650	1693	1700	1723	1735	1647	1761		1734	1815	1781	1776	1681	1757	1737	1797	1855	1664	1670	1550	1647	1691
Oxygen Reduction Potential	mV	-34.6	NM*	NM*	-54.7	-46.5	-50.0	-48.3	-49.6	-44.6	-52.8	-37.5	142.4	0.4		-26.4	-33.2	101.4	-11.8	25.4	-18.7	3.6	12.7	4.2	-20.1	111.4	23.8	-13.4	-6.5
Lab Analytical Results:																													
Hardness as CaCO3	mg/L	124				133		130			159			156			160	174	159	153	148	150	159	165	161	168	168	150	158
pH (Lab)	SU	7.74				7.35		7.33			7.22			7.45			7.17	7.27	7.13	7.03	7.14	6.92	7.19	6.91	7.23	7.17	7.22	7.13	7.1
Total Dissolved Solids (Lab)	mg/L	975				1080		1120			1100			1150			1040	1130	1160	1150	1150	1140	1190	1150	1150	1170	1250	1150	1190
Calcium	mg/L	24.7				25.8		24.9			30.5			29.7			30.9	34.0	31.2	29.8	27.9	29.0	30.9	31.6	30.6	32.8	32.1	28.3	29.9
Magnesium	mg/L	15.1				16.7		16.6			20.1			19.9			20.1	21.5	19.7	19.1	18.9	18.8	19.9	20.8	20.6	20.9	21.4	19.2	20.3
Sodium	mg/L	324				329		325			348			327			333	358	357	319	348	333	337	349	348	353	357	314	333
Potassium	mg/L	1.98				2.02		<5.00			<5.00			2.12			2.23	2.47	2.34	2.18	2.29	2.12	2.13	<5.00	2.29	<3.00	<5.00	2.18	<5.00
Alkalinity, Total	mg/L	375				450		380			415			353			385	395	375	355	368	420	360	340	325	366	400	400	370
Alkalinity, Bicarbonate	mg/L	375				450		380			415			353			385	395	375	355	368	420	360	340	325	366	400	400	370
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.75				2.16		<5.00			2.19			<5			2.12	2.20	2.74	2.33	2.72	2.66	2.74	2.71	2.74	2.88	2.73	2.34	2.78
Fluoride	mg/L	0.268				0.245		<0.500			0.240			<0.5			0.260	0.240	0.266	0.242	0.252	0.246	0.234	0.228	0.24	0.264	0.212	0.223	0.24
Sulfate as SO4	mg/L	427				432		511			518			522			515	511	508	494	537	495	506	532	510	508	553	531	507
Total Organic Carbon (TOC)	mg/L	5.03				1.36		1.58			1.51			1.54			1.60	1.75	1.61	1.67	1.59	1.50	1.55	1.55	1.49	1.57	1.58	1.49	1.57
Nitrate/Nitrite as N	mg/L	<0.200				<0.400		<0.100			<0.020			<0.020			<0.020	0.028	<0.020	<0.020	<0.020	0.020	<0.020	0.046	<0.020	<0.020	<0.020	<0.020	0.036
Ammonia as N ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	0.387	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250			<0.050			<0.050	<0.100	<0.100	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.050	<0.250	<0.050	<0.250
Arsenic	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0005	<0.0015	<0.0015	<0.0025
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0001	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0043				0.0057		0.0045			0.0066			0.0041			0.0048	0.0048	0.0075	0.0064	0.0040	0.0147	0.0034	0.0012	0.004	0.0024	0.0026	0.0059	0.0068
Iron	mg/L	0.128				0.367		<0.250			0.590			0.614			0.644	0.647	0.581	0.589	0.613	0.510	0.614	0.559	0.637	0.579	0.572	0.61	0.592
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025
Manganese	mg/L	0.0260				0.0218		0.0259			0.0279			0.026			0.0242	0.0282	0.0281	0.0235	0.0270	0.0248	0.0303	0.0329	0.032	0.0313	0.0367	0.0316	0.0328
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0007				0.0010		<0.0025			<0.0025			0.0009			0.0008	0.0007	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025
Selenium	mg/L	<0.0010				<0.0010		<0.0050			<0.0050			<0.0010			<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0020	<0.0020	<0.0050	<0.0030	<0.0030	<0.0030	<0.0050
Silica (SiO2)	mg/L	12.3				11.9		8.27			11.2			11.2			11.4	12.0	11.1	11.2	11.6	11.0	11.1	10.4	11.1	11.5	11.3	10.7	10.7
Silicon	mg/L	5.74				5.56		3.87			5.24			5.25			5.31	5.62	5.2	5.23	5.43	5.13	5.19	4.85	5.17	5.37	5.27	5.00	5.01
Uranium	mg/L	0.0004				0.0002		<0.0005			<0.0005			0.0003			0.0002	0.0003	0.0002	0.0001	0.0001	0.0001	<0.0010	<0.0010	<0.0025	<0.0025	<0.0015	<0.0015	<0.0025
Zinc	mg/L	0.0270				0.0088		<0.0100			<0.0100			0.0051			<0.0100	<0.002	<0.0040	0.0022	<0.0040	0.0020	<0.0040	<0.0040	<0.0100	<0.0060	<0.0060	<0.0060	<0.0100

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-1-MI																												
Year		2017						2018								2019				2020				2021				
Quarter		Q2	Q3			Q4		Q1			Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8
Sample Date		6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23
Lab Analysis (Y/N)		Y	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM*	NM	NM	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal	19.5	NM*	<0.5	NM																							
Depth to Water	ft bgs	259.99	NM*	258.29	258.34																							
Temperature	deg C	15.8	NM*	11.8	21.7																							
pH	SU	8	NM*	7.94	7.86																							
Specific Conductance	µS/cm	2032	NM*	2137	2119																							
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																							
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	231																										
pH (Lab)	SU	8.14																										
Total Dissolved Solids (Lab)	mg/L	1520																										
Calcium	mg/L	46.7																										
Magnesium	mg/L	27.9																										
Sodium	mg/L	470																										
Potassium	mg/L	2.55																										
Alkalinity, Total	mg/L	600																										
Alkalinity, Bicarbonate	mg/L	600																										
Alkalinity, Carbonate	mg/L	<10.0																										
Alkalinity, Hydroxide	mg/L	<10.0																										
Chloride	mg/L	7.69																										
Fluoride	mg/L	1.14																										
Sulfate as SO4	mg/L	739																										
Total Organic Carbon (TOC)	mg/L	5.14																										
Nitrate/Nitrite as N	mg/L	0.103																										
Aluminum	mg/L	<0.050																										
Arsenic	mg/L	0.0029																										
Cadmium	mg/L	<0.0001																										
Copper	mg/L	0.0067																										
Iron	mg/L	<0.050																										
Lead	mg/L	0.0010																										
Manganese	mg/L	0.0445																										
Mercury	mg/L	<0.0002																										
Molybdenum	mg/L	0.0796																										
Selenium	mg/L	0.0028																										
Silica (SiO2)	mg/L	11.6																										
Silicon	mg/L	5.44																										
Uranium	mg/L	0.0505																										
Zinc	mg/L	1.52																										

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

- Y/N

yes or no
- gpm

gallons per minute
- deg C

degrees Celsius
- SU

standard pH units
- µS/cm

microsiemens per centimeter
- mV

millivolts
- mg/L

milligram per liter
- µCi/L

picocuries per liter
- NM

not measured (field)
- NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-1-C																												
Year	2017								2018								2019				2020				2021			
Quarter	Q2	Q3			Q4			Q1			Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/18	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	MM	0.1	NM	0.1	0.1	***	0.05	0.1	0.10	0.06	0.02	0.03	0.01	0.01	0.10	0.05	0.05	0.05	0.05
Total Purged	gal	5	NM*	NM*	NM	NM	1.00	1.00	1.00	1	1	1	1	1.25		1	1	1.10	1.00	1.10	1.00	1.00	1.00	0.75	0.80	1.00	1.00	2.00
Depth to Water	ft bgs	216.5	NM*	216.91	216.95	216.59	216.52	216.48	216.52	216.38	216.38	216.37	216.35	216.41		216.41	216.05	216.04	216.41	216.20	216.02	216.04	216.12	216.10	216.41	216.66	216.66	216.66
Temperature	deg C	16.0	NM*	NM*	NM	12.9	11.7	10.6	7.0	9.7	9.6	6.7	9.2	10.5		20.0	14.1	9.7	5.4	9.8	10.4	11.1	6.4	9.5	11.2	9.7	7.0	10.7
pH	SU	7.52	NM*	NM*	NM	7.17	7.16	7.15	7.17	7.11	7.19	7.32	7.03	7.05		6.91	6.97	6.93	7.09	6.80	6.65	6.70	6.79	6.85	6.93	6.99	7.40	7.18
Specific Conductance	µS/cm	2446	NM*	NM*	NM	2725	2738	2739	2778	2778	2738	2751	2700	2749		2693	2675	2751	2621	3139	3172	3080	3005	3002	2653	2709	2410	2249
Oxygen Reduction Potential	mV	74.3	NM*	NM*	NM	77.4	31.7	23.9	13.0	6.2	-4.3	-29.6	-15.3	-42.3		-41.8	-32.5	-110.0	-23.4	27.6	10.5	51.0	50.7	-57.7	21.8	49.6	57.5	-16.8
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	498				1290		1180			1190			1130			1120	1180	1010	1820	1840	1700	1600	1590	1400	1420	1320	953
pH (Lab)	SU	8.35				7.36		7.34			7.22			7.2			7.20	7.02	7.24	6.93	6.67	6.63	6.80	6.62	6.83	7.12	7.08	6.86
Total Dissolved Solids (Lab)	mg/L	2020				2440		2360			2360			2340			2170	2200	1960	2880	2890	2750	2610	2460	2420	2450	2330	1910
Calcium	mg/L	96.0				234		216			219			203			203	219	188	340	342	318	301	294	248	265	241	175
Magnesium	mg/L	62.8				172		155			156			150			148	154	131	237	240	219	207	207	189	183	173	126
Sodium	mg/L	506				242		253			260			239			239	255	265	146	119	119	143	155	168	194	206	196
Potassium	mg/L	11.4				3.81		<5.00			<5.00			3.07			3.04	2.65	3.13	<5.00	<5.00	<5.00	3.05	<5.00	2.82	<5.00	<5.00	<5.00
Alkalinity, Total	mg/L	530				700		540			570			580			560	410	525	530	518	505	515	490	445	520	580	480
Alkalinity, Bicarbonate	mg/L	530				700		540			570			580			560	410	525	530	518	505	515	490	445	520	580	480
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	24.2				6.97		8.03			7.78			7.75			5.97	6.22	6.36	10.2	9.31	8.78	8.54	8.20	8.15	7.14	7.13	5.3
Fluoride	mg/L	1.59				0.864		0.955			1.03			0.96			0.888	0.924	0.975	0.67	0.525	0.565	0.615	0.695	0.705	0.750	0.804	0.654
Sulfate as SO4	mg/L	1090				1350		1230			1160			1210			1090	1080	1070	1630	1730	1520	1400	1370	1280	1180	1150	940
Total Organic Carbon (TOC)	mg/L	4.56				2.84		2.12			2.21			2.2			2.35	2.37	2.32	2.62	2.52	2.30	2.30	2.32	2.2	2.13	2.26	1.92
Nitrate/Nitrite as N	mg/L	<2.00				<0.400		<0.100			<0.020			<0.020			0.036	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	0.140	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250			<0.05			<0.05	<0.100	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.050	<0.050	<0.250	<0.100
Arsenic	mg/L	0.0029				0.0016		<0.0025			<0.0025			0.0051			0.0052	0.0035	0.0038	0.0048	0.0034	<0.0025	<0.0025	0.0019	<0.0025	<0.0005	<0.0025	<0.0025
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0003	<0.0005	<0.0001	<0.0005	<0.0025
Copper	mg/L	0.0088				0.0085		0.0036			0.0052			0.003			0.0049	0.0033	0.0054	0.0057	0.0014	0.0096	<0.0025	<0.0015	<0.0025	<0.0005	<0.0025	0.0042
Iron	mg/L	<0.050				<0.050		<0.250			<0.250			0.643			1.01	1.12	0.988	2.3	0.819	0.543	0.570	0.606	0.619	0.855	0.769	0.552
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0744				0.0853		0.0959			0.0989			0.153			0.140	0.106	0.0807	0.075	0.0562	0.0512	0.0537	0.0473	0.0445	0.0496	0.0482	0.0419
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0164				0.0049		<0.0025			<0.0025			0.0006			<0.0025	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025
Selenium	mg/L	0.0136				0.0012		<0.0050			<0.0050			<0.001			<0.0050	0.0011	<0.0020	0.0016	0.0023	<0.0050	<0.0050	<0.0030	<0.0050	<0.0050	<0.0050	<0.0050
Silica (SiO2)	mg/L	10.6				16.6		13.2			14.8			15.2			14.7	14.5	14	16.6	17.3	16.4	15.7	13.8	14.1	14.8	14.4	15.0
Silicon	mg/L	4.94				7.77		6.16			6.94			7.09			6.87	6.78	6.55	7.75	8.07	7.65	7.35	6.47	6.6	6.93	6.75	7.00
Uranium	mg/L	0.0500				0.0044		0.0028			0.0024			0.0025			0.0022	0.0021	0.0016	0.002	0.0025	0.0023	<0.0025	0.0020	<0.0025	<0.0015	<0.0025	<0.0025
Zinc	mg/L	0.0293				0.0294		<0.0100			<0.0100			0.0062			<0.0100	0.0055	<0.0040	0.0085	0.0077	<0.0100	<0.0100	<0.0060	<0.0100	<0.0100	<0.0100	<0.0100

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no	1. "$<$" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO_3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
$\mu\text{S}/\text{cm}$	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

[illegible]

Notes & Definitions:

Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-2-C																										
Year	2017							2018							2019				2020				2021			
Quarter	Q1	Q2	Q3		Q4		Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																										
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																									
Depth to Water	ft bgs																									
Temperature	deg C																									
pH	SU																									
Specific Conductance	µS/cm																									
Oxygen Reduction Potential	mV																									
Lab Analytical Results:																										
Hardness as CaCO3	mg/L																									
pH (Lab)	SU																									
Total Dissolved Solids (Lab)	mg/L																									
Calcium	mg/L																									
Magnesium	mg/L																									
Sodium	mg/L																									
Potassium	mg/L																									
Alkalinity, Total	mg/L																									
Alkalinity, Bicarbonate	mg/L																									
Alkalinity, Carbonate	mg/L																									
Alkalinity, Hydroxide	mg/L																									
Chloride	mg/L																									
Fluoride	mg/L																									
Sulfate as SO4	mg/L																									
Total Organic Carbon (TOC)	mg/L																									
Nitrate/Nitrite as N	mg/L																									
Aluminum	mg/L																									
Arsenic	mg/L																									
Cadmium	mg/L																									
Copper	mg/L																									
Iron	mg/L																									
Lead	mg/L																									
Manganese	mg/L																									
Mercury	mg/L																									
Molybdenum	mg/L																									
Selenium	mg/L																									
Silica (SiO2)	mg/L																									
Silicon	mg/L																									
Uranium	mg/L																									
Zinc	mg/L																									

Notes & Definitions:		
Y/N	yes or no	1. " < " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-3-A																											
Year		2017							2018							2019				2020				2021			
Quarter		Q1	Q2	Q3			Q4		Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8
Sample Date		3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																											
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5	1.5
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586
Sodium	mg/L	566	585			589		551			562			542	562	605	543	525	553	528	520	507	510	505	536	471	462
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00
Alkalinity, Total	mg/L	530	470			500		490			430			480	480	475	540	450	459	420	460	430	440	470	520	530	465
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360			480	420	385	330	430	423	420	460	400	440	450	520	530	465
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366
Sulfate as SO4	mg/L	729	802			840		730			812			756	706	682	716	699	724	633	637	656	624	644	600	601	599
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.05	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078			0.0065			0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	0.0015	0.0013
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050			<0.0050			0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	0.0276	0.0167
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66			11.1			11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	10.1	10.7
Silicon	mg/L	4.70	5.10			5.41		3.58			5.18			5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	4.73	4.98
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036			0.0030			0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0010
Zinc	mg/L	0.0031	<0.0100			<0.0100		<0.0100			<0.0100			<0.002	<0.002	<0.0040	<0.0040	<0.01	<0.0080	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	<0.0020	<0.0040

Notes & Definitions:

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-MI																											
Year	2017								2018							2019				2020				2021			
Quarter	Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170			1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120	1110	1180
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5
Sodium	mg/L	420	430			440		411			459			417	446	476	434	419	454	437	437	427	431	431	468	410	403
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00
Alkalinity, Total	mg/L	740	675			700		660			700			680	730	720	685	755	720	690	705	680	625	770	690	690	705
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600			500	630	610	485	605	590	610	645	550	465	690	450	550	555
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100			180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07
Sulfate as SO4	mg/L	165	241			247		254			245			250	226	230	232	229	236	224	227	231	222	110	223	227	228
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170			0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010			0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33			8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36			4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51	3.79	4.1
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125			0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0.0043	0.0049	0.0049	0.0043	0.0041
Zinc	mg/L	0.0405	<0.0100			<0.0100		<0.0100			<0.0020			0.0023	0.0023	<0.0040	0.0028	<0.0100	0.0070	<0.0040	<0.0040	<0.0100	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040

Notes & Definitions:

- | | | |
|-------|-----------------------------|---|
| ^ | one-time analysis | |
| Y/N | yes or no | 1. " <i><</i> " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. |
| gpm | gallons per minute | |
| deg C | degrees Celsius | |
| SU | standard pH units | 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO ₃ . |
| µS/cm | microsiemens per centimeter | |
| mV | millivolts | |
| mg/L | milligram per liter | |
| pCi/L | picocuries per liter | 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
| NM | not measured (field) | |
| NA | not analyzed (lab) | |

GCC Energy Hydrologic Monitoring Data

MW-3-C																											
Year		2017							2018							2019				2020				2021			
Quarter		Q1	Q2	Q3			Q4		Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8
Sample Date		3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																											
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.5	1.3
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574	577	582
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.02	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241			0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008	0.0069	0.0061
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240			0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027	0.0411	0.0372
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01			<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7	7.48	8.4
Silicon	mg/L	3.66	4.14			4.28		2.81			<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.5	3.93
Uranium	mg/L	0.0091	0.0102			0.0137		0.0100			0.0091			0.0087	0.0089	0.0113	0.0077	0.0046	0.0053	0.0034	0.0045	0.0033	<0.0050	<0.0050	<0.0050	0.0025	0.0025
Zinc	mg/L	0.375	<0.0200			<0.0200		<0.0100			<0.0100			<0.0100	0.0664	0.0814	0.123	0.128	0.0567	0.0886	<0.0100	<0.0100	<0.0200	0.0332	0.0294	0.0363	0.0347

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-A																												
Year		2017								2018								2019				2020				2021		
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date		3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.3	1.5	
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	
Sodium	mg/L	515	537			513		511			507			528	531	568	535	515	548	529	551	498	533	531	565	507	411	
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620	590	580	
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620	530	580	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200	<0.200		
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561	577	593	
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	
Arsenic	mg/L	0.0016	<0.0025			<0.0025		<0.0025			0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	0.0005	<0.0010	
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	
Copper	mg/L	0.0053	0.0093			0.0076		0.0073			0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036	0.0135	0.0161	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	
Lead	mg/L	0.0014	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	
Manganese	mg/L	0.0044	0.0063			0.0044		0.0040			0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029	0.0029	0.003	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0009	0.0275			<0.0025		<0.0025			0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	
Selenium	mg/L	0.0016	<0.0050			<0.0050		<0.0050			0.0014			0.0025	<0.0050	<0.0020	0.0036	<0.0010	<0.0010	<0.0020	<0.0020	<0.0020	<0.0050	<0.0050	<0.0050	<0.0010	<0.0020	
Silica (SiO2)	mg/L	10.2	10.6			9.99		6.85			9.47			10	10.2	11.2	9.65	9.81	11.0	10.5	10.3	8.55	9.44	9.96	10.4	8.98	8.57	
Silicon	mg/L	4.75	4.97			4.67		3.20			4.43			4.7	4.77	5.22	4.51	4.59	5.14	4.89	4.79	4.00	4.42	4.65	4.87	4.2	4.01	
Uranium	mg/L	0.0016	<0.0005			<0.0005		0.0005			0.0003			<0.0001	<0.0005	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	
Zinc	mg/L	0.269	0.0319			<0.0100		<0.0100			0.0022			0.0024	<0.0100	<0.0040	<0.0040	0.0033	<0.0020	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	0.0021	<0.0040	

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-MI																												
Year		2017								2018								2019				2020				2021		
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date		3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.3	1.5	
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476	431	427	
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910	900	865	
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151			0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082	0.0076	0.0068	
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010			0.0022	0.0113	<0.0020	0.002	<0.0010	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.004	0.0143	<0.0010	<0.0020	
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30			8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26	7.82	8.69	
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88			4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33	3.66	4.06	
Uranium	mg/L	0.0043	0.0126			0.0184		0.0169			0.0183			0.0173	0.0151	0.0191	0.0269	0.0176	0.0168	0.0145	0.0163	0.0195	0.0121	0.0139	0.0137	0.0115	0.0112	
Zinc	mg/L	0.113	0.0697			<0.0100		<0.0100			<0.0020			<0.0020	<0.0020	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0040	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040	

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry

GCC Energy Hydrologic Monitoring Data

MW-4-C																												
Year		2017								2018							2019				2020				2021			
Quarter		Q1	Q2	Q3			Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date		3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5	1.5	
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4	12.3	
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557	553	572	
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	4.92	4.81	
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	0.0212	0.0248	
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	<0.0025	<0.0025	
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	0.0464	0.0499	
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	0.355	0.793	
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.005	<0.0050	<0.0025	<0.0025	
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	0.0063	0.005	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	0.0037	0.0031	
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	0.0186	0.028	
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	8.35	9.54	
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06	3.91	4.46	
Uranium	mg/L	0.0297	0.121			0.0984		0.0545			0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.005	<0.0050	<0.0050	<0.0025	<0.0025	
Zinc	mg/L	0.0156	0.0265			<0.0200		<0.0200			<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	<0.0200	<0.0200	<0.0100	<0.0100	

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry

GCC Energy Hydrologic Monitoring Data

MW-6-A																		
Year	2018	2019										2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																		
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.13
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.64
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	4238
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	5.2
Lab Analytical Results:																		
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2740
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	7.1
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4440
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	415
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	413
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	263
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	11
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	255
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	255
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	26
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2780
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.33
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.118
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100

Notes & Definitions:

* Anomalous value under review

- ^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units
 $\mu\text{S}/\text{cm}$ microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "*<*" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO₃.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																			
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9												
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00												
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9												
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84												
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527												
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9												
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	679		147															
pH (Lab)	SU	8.18		8.35															
Total Dissolved Solids (Lab)	mg/L	2480		1880															
Calcium	mg/L	104		23.4															
Magnesium	mg/L	102		21.6															
Sodium	mg/L	646		565															
Potassium	mg/L	12.0		5.30															
Alkalinity, Total	mg/L	395		615															
Alkalinity, Bicarbonate	mg/L	345		615															
Alkalinity, Carbonate	mg/L	50.0		<10.0															
Alkalinity, Hydroxide	mg/L	<10.0		<10.0															
Chloride	mg/L	175		178															
Fluoride	mg/L	2.06		2.46															
Sulfate as SO4	mg/L	1210		585															
Total Organic Carbon (TOC)	mg/L	3.63		4.55															
Nitrate/Nitrite as N	mg/L	0.023		<0.020															
Aluminum	mg/L	<0.100		<0.100															
Arsenic	mg/L	0.0084		0.0144															
Cadmium	mg/L	<0.0001		<0.0002															
Copper	mg/L	0.0113		0.0112															
Iron	mg/L	<0.100		<0.100															
Lead	mg/L	<0.0005		<0.0010															
Manganese	mg/L	0.0500		0.0224															
Mercury	mg/L	<0.0002		<0.0002															
Molybdenum	mg/L	0.0558		0.0690															
Selenium	mg/L	0.0098		0.0127															
Silica (SiO2)	mg/L	9.93		9.05															
Silicon	mg/L	4.64		4.23															
Uranium	mg/L	0.0200		0.0118															
Zinc	mg/L	0.0092		0.0143															

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-C																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																			
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																		
Depth to Water	ft bgs																		
Temperature	deg C																		
pH	SU																		
Specific Conductance	µS/cm																		
Oxygen Reduction Potential	mV																		
Lab Analytical Results:																			
Hardness as CaCO3	mg/L																		
pH (Lab)	SU																		
Total Dissolved Solids (Lab)	mg/L																		
Calcium	mg/L																		
Magnesium	mg/L																		
Sodium	mg/L																		
Potassium	mg/L																		
Alkalinity, Total	mg/L																		
Alkalinity, Bicarbonate	mg/L																		
Alkalinity, Carbonate	mg/L																		
Alkalinity, Hydroxide	mg/L																		
Chloride	mg/L																		
Fluoride	mg/L																		
Sulfate as SO4	mg/L																		
Total Organic Carbon (TOC)	mg/L																		
Nitrate/Nitrite as N	mg/L																		
Aluminum	mg/L																		
Arsenic	mg/L																		
Cadmium	mg/L																		
Copper	mg/L																		
Iron	mg/L																		
Lead	mg/L																		
Manganese	mg/L																		
Mercury	mg/L																		
Molybdenum	mg/L																		
Selenium	mg/L																		
Silica (SiO2)	mg/L																		
Silicon	mg/L																		
Uranium	mg/L																		
Zinc	mg/L																		

Notes & Definitions:		
Y/N	yes or no	1. " $<$ " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-6-LM																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																			
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.52
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060

Notes & Definitions:

- ^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-7-EAA																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																			
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.85	36.72	35.40	36.35	37.10	36.20	35.33
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	12.1	10.3	10.3	10.1	10.5
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	7.03	7.06	6.91	7.17	7.09	7.12	7.14	7.19
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1628	1672	1805
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1430	1480	1450	1590	1460
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.0025
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100

Notes & Definitions:	
^	one-time analysis
Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
µS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.	
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.	
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.	

GCC Energy Hydrologic Monitoring Data

MW-8-EAA																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	16.0	15.0
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671
Oxygen Reduction Potential	mV	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	870		861			864			883			867	861	907	937	810	914	838	859
pH (Lab)	SU	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240			1280			1380	1290	1260	1280	1310	1400	1320	1320
Calcium	mg/L	152		151			148			154			143	149	153	160	134	156	146	146
Magnesium	mg/L	119		118			120			121			124	119	127	130	115	127	115	120
Sodium	mg/L	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8
Potassium	mg/L	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00
Alkalinity, Total	mg/L	400		435			450			431			445	404	385	288	480	450	445	385
Alkalinity, Bicarbonate	mg/L	400		435			450			431			445	404	385	288	480	450	445	385
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3
Fluoride	mg/L	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35
Sulfate as SO4	mg/L	533		559			606			643			577	602	625	605	582	609	595	615
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.100		<0.100			<0.050			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Arsenic	mg/L	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Iron	mg/L	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Manganese	mg/L	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009		0.0011			0.0008			0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.003	<0.0050
Silica (SiO2)	mg/L	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5
Silicon	mg/L	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24
Uranium	mg/L	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100

Notes & Definitions:	
^	one-time analysis
Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
µS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.	

GCC Energy Hydrologic Monitoring Data

MW-8-MI																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100

Notes & Definitions:	
^	one-time analysis
Y/N	yes or no
gpm	gallons per minute
deg C	degrees Celsius
SU	standard pH units
µS/cm	microsiemens per centimeter
mV	millivolts
mg/L	milligram per liter
pCi/L	picocuries per liter
NM	not measured (field)
NA	not analyzed (lab)
1. "<i><</i>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.	

GCC Energy Hydrologic Monitoring Data

MW-8-LM																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	2.50
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100

Notes & Definitions:

- ^

one-time analysis

Y/N

yes or no

gpm

gallons per minute

deg C

degrees Celsius

SU

standard pH units

µS/cm

microsiemens per centimeter

mV

millivolts

mg/L

milligram per liter

pCi/L

picocuries per liter

NM

not measured (field)

NA

not analyzed (lab)
1.

"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2.

Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3.

Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																			
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.75	0.25	0.25
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.002
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004

Notes & Definitions:																			
^		one-time analysis																	
Y/N		yes or no																	
gpm		gallons per minute																	
deg C		degrees Celsius																	
SU		standard pH units																	
µS/cm		microsiemens per centimeter																	
mV		millivolts																	
mg/L		milligram per liter																	
pCi/L		picocuries per liter																	
NM		not measured (field)																	
NA		not analyzed (lab)																	
		1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.																	
		2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.																	
		3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.																	



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

23 August 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/11/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Wiltse Well	2108112-01	Water	08/11/21 13:10	08/11/21 15:00	

Green Analytical Laboratories

A handwritten signature in black ink that reads 'Debbie Zufelt'.

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Wiltse Well**2108112-01 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	480	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	480	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	49.0	5.00	0.211	mg/L	5	08/19/21 23:47	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	08/19/21 23:47	EPA300.0		AES
Nitrate/Nitrite as N*	2.06	0.100	0.031	mg/L as N	5	08/19/21 13:03	EPA353.2		DTR
pH*	7.25			pH Units	1	08/11/21 16:45	EPA150.1		VJW
pH Temperature, degrees C	20.3			pH Units	1	08/11/21 16:45	EPA150.1		VJW
Total Dissolved Solids*	1580	10.0		mg/L	1	08/16/21 17:15	EPA160.1		VJW
Sulfate*	679	25.0	3.81	mg/L	25	08/20/21 00:06	EPA300.0		AES
Total Organic Carbon*	3.48	0.500	0.0616	mg/L	1	08/19/21 03:00	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/20/21 15:54	EPA200.7		AES
Calcium*	206	0.500	0.289	mg/L	5	08/20/21 15:54	EPA200.7		AES
Hardness as CaCO ₃	1080	3.31	2.07	mg/L	5	08/20/21 15:54	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/20/21 15:54	EPA200.7		AES
Magnesium*	136	0.500	0.327	mg/L	5	08/20/21 15:54	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/20/21 15:54	EPA200.7		AES
Silica (SiO ₂)	15.4	5.35	0.398	mg/L	5	08/20/21 15:54	Calculation		AES
Silicon	7.19	2.50	0.186	mg/L	5	08/20/21 15:54	EPA200.7		AES
Sodium*	61.6	5.00	0.396	mg/L	5	08/20/21 15:54	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/20/21 16:07	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/20/21 16:07	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0005	mg/L	5	08/20/21 16:07	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/20/21 16:07	EPA200.8		AES
Manganese*	1.40	0.0025	0.0006	mg/L	5	08/20/21 16:07	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/20/21 16:07	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/20/21 16:07	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/20/21 16:07	EPA200.8		AES
Zinc*	0.0311	0.0100	0.0005	mg/L	5	08/20/21 16:07	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Wiltse Well

2108112-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-1.82								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211845 - General Prep - Wet Chem

Blank (B211845-BLK1) Prepared: 08/12/21 Analyzed: 08/16/21

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Duplicate (B211845-DUP1) Source: 2108099-19 Prepared: 08/12/21 Analyzed: 08/16/21

Total Dissolved Solids	135	10.0	mg/L	135	0.0707	20
------------------------	-----	------	------	-----	--------	----

Reference (B211845-SRM1) Prepared: 08/12/21 Analyzed: 08/16/21

Total Dissolved Solids	355	10.0	mg/L	380	93.4	85-115
------------------------	-----	------	------	-----	------	--------

Batch B211854 - General Prep - Wet Chem

Duplicate (B211854-DUP2) Source: 2108105-01 Prepared & Analyzed: 08/11/21

pH	7.59	pH Units	7.57	0.264	20
pH Temperature, degrees C	19.9	pH Units	20.1	1.00	200

Reference (B211854-SRM1) Prepared & Analyzed: 08/11/21

pH	7.08	pH Units	7.00	101	98.57-101.42
----	------	----------	------	-----	--------------

Batch B211878 - General Prep - Wet Chem

Blank (B211878-BLK1) Prepared & Analyzed: 08/18/21

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B211878-BS1) Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.70	0.500	mg/L	10.0	97.0	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B211878-BSD1) Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.68	0.500	mg/L	10.0	96.8	85-115	0.124	20
----------------------	------	-------	------	------	------	--------	-------	----

Batch B211895 - General Prep - Wet Chem

Blank (B211895-BLK1) Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO3	ND	10.0	mg/L
----------------------------	----	------	------

LCS (B211895-BS1) Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO3	100	10.0	mg/L	100	100	85-115
----------------------------	-----	------	------	-----	-----	--------

LCS Dup (B211895-BSD1) Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO3	101	10.0	mg/L	100	101	85-115	0.995	20
----------------------------	-----	------	------	-----	-----	--------	-------	----

Batch B211911 - General Prep - Wet Chem

Blank (B211911-BLK1) Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N
----------------------	----	-------	-----------

LCS (B211911-BS1) Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00	104	90-110
----------------------	------	-------	-----------	------	-----	--------

LCS Dup (B211911-BSD1) Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110	0.761	20
----------------------	------	-------	-----------	------	-----	--------	-------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:21General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch B211919 - General Prep - Wet Chem									
Blank (B211919-BLK1)									
Prepared & Analyzed: 08/19/21									
Chloride	ND	1.00	mg/L						
Fluoride	ND	0.100	mg/L						
Sulfate	ND	1.00	mg/L						
LCS (B211919-BS1)									
Prepared & Analyzed: 08/19/21									
Chloride	24.7	1.00	mg/L	25.0		98.6	90-110		
Fluoride	2.53	0.100	mg/L	2.50		101	90-110		
Sulfate	24.9	1.00	mg/L	25.0		99.4	90-110		
LCS Dup (B211919-BSD1)									
Prepared & Analyzed: 08/19/21									
Chloride	24.7	1.00	mg/L	25.0		98.6	90-110	0.0122	20
Fluoride	2.53	0.100	mg/L	2.50		101	90-110	0.237	20
Sulfate	25.0	1.00	mg/L	25.0		99.9	90-110	0.413	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211860 - Diss. 200.7/200.8

Blank (B211860-BLK1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211860-BS1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.71	0.050	mg/L	5.00	94.2	85-115
Calcium	5.10	0.100	mg/L	5.00	102	85-115
Iron	5.22	0.050	mg/L	5.00	104	85-115
Magnesium	25.3	0.100	mg/L	25.0	101	85-115
Potassium	9.73	1.00	mg/L	10.0	97.3	85-115
Silicon	5.13	0.500	mg/L	5.00	103	85-115
Sodium	3.81	1.00	mg/L	4.05	94.2	85-115

LCS Dup (B211860-BSD1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.72	0.050	mg/L	5.00	94.3	85-115	0.109	20
Calcium	5.10	0.100	mg/L	5.00	102	85-115	0.0199	20
Iron	5.29	0.050	mg/L	5.00	106	85-115	1.29	20
Magnesium	25.4	0.100	mg/L	25.0	101	85-115	0.189	20
Potassium	9.86	1.00	mg/L	10.0	98.6	85-115	1.34	20
Silicon	5.11	0.500	mg/L	5.00	102	85-115	0.345	20
Sodium	3.84	1.00	mg/L	4.05	94.8	85-115	0.662	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211929 - Diss. 200.7/200.8

Blank (B211929-BLK1)

Prepared & Analyzed: 08/20/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211929-BS1)

Prepared & Analyzed: 08/20/21

Arsenic	0.0487	0.0005	mg/L	0.0500	97.5	85-115
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115
Copper	0.0473	0.0005	mg/L	0.0500	94.6	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0502	0.0005	mg/L	0.0500	100	85-115
Molybdenum	0.0505	0.0005	mg/L	0.0500	101	85-115
Selenium	0.247	0.0010	mg/L	0.250	98.6	85-115
Uranium	0.0507	0.0005	mg/L	0.0500	101	85-115
Zinc	0.0500	0.0020	mg/L	0.0500	100	85-115

LCS Dup (B211929-BSD1)

Prepared & Analyzed: 08/20/21

Arsenic	0.0480	0.0005	mg/L	0.0500	96.1	85-115	1.43	20
Cadmium	0.0493	0.0005	mg/L	0.0500	98.7	85-115	2.73	20
Copper	0.0475	0.0005	mg/L	0.0500	94.9	85-115	0.323	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	0.0496	20
Manganese	0.0500	0.0005	mg/L	0.0500	100	85-115	0.362	20
Molybdenum	0.0500	0.0005	mg/L	0.0500	100	85-115	1.04	20
Selenium	0.242	0.0010	mg/L	0.250	96.9	85-115	1.74	20
Uranium	0.0514	0.0005	mg/L	0.0500	103	85-115	1.29	20
Zinc	0.0507	0.0020	mg/L	0.0500	101	85-115	1.31	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211849 - EPA 245.1/7470										
Blank (B211849-BLK1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	ND	0.0002	mg/L							
LCS (B211849-BS1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	0.0046	0.0002	mg/L	0.00500		92.7	85-115			
LCS Dup (B211849-BSD1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	0.0048	0.0002	mg/L	0.00500		96.3	85-115	3.81	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:21

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

27 August 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/12/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Well #2 Downgradient	2108127-01	Water	08/12/21 09:00	08/12/21 15:00	
Well #1 Upgradient	2108127-02	Water	08/12/21 10:37	08/12/21 15:00	
MW-HGA-4	2108127-03	Water	08/12/21 11:45	08/12/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Well #2 Downgradient**2108127-01 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	380	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	380	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	37.0	5.00	0.211	mg/L	5	08/23/21 15:56	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	08/23/21 15:56	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 13:48	EPA353.2		DTR
pH*	7.32			pH Units	1	08/13/21 16:05	EPA150.1		VJW
pH Temperature, degrees C	24.1			pH Units	1	08/13/21 16:05	EPA150.1		VJW
Total Dissolved Solids*	685	10.0		mg/L	1	08/17/21 16:30	EPA160.1		VJW
Sulfate*	186	5.00	0.762	mg/L	5	08/23/21 15:56	EPA300.0		AES
Total Organic Carbon*	1.77	0.500	0.0616	mg/L	1	08/19/21 04:05	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/24/21 13:01	EPA200.7		AES
Calcium*	76.8	0.500	0.289	mg/L	5	08/24/21 13:01	EPA200.7		AES
Hardness as CaCO ₃	503	3.31	2.07	mg/L	5	08/24/21 13:01	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/24/21 13:01	EPA200.7		AES
Magnesium*	75.6	0.500	0.327	mg/L	5	08/24/21 13:01	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/24/21 13:01	EPA200.7		AES
Silica (SiO ₂)	11.3	5.35	0.398	mg/L	5	08/24/21 13:01	Calculation		AES
Silicon	5.30	2.50	0.186	mg/L	5	08/24/21 13:01	EPA200.7		AES
Sodium*	23.1	5.00	0.396	mg/L	5	08/24/21 13:01	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0012	0.0005	0.00005	mg/L	1	08/20/21 16:22	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	08/20/21 16:22	EPA200.8		AES
Copper*	0.0005	0.0005	0.00009	mg/L	1	08/20/21 16:22	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	08/20/21 16:22	EPA200.8		AES
Manganese*	0.389	0.0005	0.0001	mg/L	1	08/20/21 16:22	EPA200.8		AES
Molybdenum*	0.0028	0.0005	0.00003	mg/L	1	08/20/21 16:22	EPA200.8		AES
Selenium*	0.0012	0.0010	0.0002	mg/L	1	08/20/21 16:22	EPA200.8		AES
Uranium	0.0015	0.0005	0.00004	mg/L	1	08/20/21 16:22	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	08/20/21 16:22	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Well #2 Downgradient

2108127-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/26/21 08:55	EPA245.1		DTR
Cation/Anion Balance	-5.99								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Well #1 Upgradient

2108127-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	600	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	600	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	4.89	2.00	0.0845	mg/L	2	08/23/21 16:16	EPA300.0		AES
Fluoride*	0.350	0.200	0.0194	mg/L	2	08/23/21 16:16	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/25/21 17:01	EPA353.2		DTR
pH*	7.47			pH Units	1	08/13/21 16:05	EPA150.1		VJW
pH Temperature, degrees C	22.6			pH Units	1	08/13/21 16:05	EPA150.1		VJW
Total Dissolved Solids*	750	10.0		mg/L	1	08/17/21 16:30	EPA160.1		VJW
Sulfate*	98.5	2.00	0.305	mg/L	2	08/23/21 16:16	EPA300.0		AES
Total Organic Carbon*	3.23	0.500	0.0616	mg/L	1	08/19/21 05:25	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/24/21 13:03	EPA200.7		AES
Calcium*	45.4	0.500	0.289	mg/L	5	08/24/21 13:03	EPA200.7		AES
Hardness as CaCO ₃	236	3.31	2.07	mg/L	5	08/24/21 13:03	2340 B		AES
Iron*	1.19	0.250	0.089	mg/L	5	08/24/21 13:03	EPA200.7		AES
Magnesium*	29.8	0.500	0.327	mg/L	5	08/24/21 13:03	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/24/21 13:03	EPA200.7		AES
Silica (SiO ₂)	12.5	5.35	0.398	mg/L	5	08/24/21 13:03	Calculation		AES
Silicon	5.84	2.50	0.186	mg/L	5	08/24/21 13:03	EPA200.7		AES
Sodium*	177	5.00	0.396	mg/L	5	08/24/21 13:03	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0005	0.0005	0.00005	mg/L	1	08/20/21 16:27	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	08/20/21 16:27	EPA200.8		AES
Copper*	0.0038	0.0005	0.00009	mg/L	1	08/20/21 16:27	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	08/20/21 16:27	EPA200.8		AES
Manganese*	0.308	0.0005	0.0001	mg/L	1	08/20/21 16:27	EPA200.8		AES
Molybdenum*	<0.0005	0.0005	0.00003	mg/L	1	08/20/21 16:27	EPA200.8		AES
Selenium*	0.0331	0.0010	0.0002	mg/L	1	08/20/21 16:27	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	08/20/21 16:27	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	08/20/21 16:27	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Well #1 Upgradient

2108127-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/26/21 08:55	EPA245.1		DTR
Cation/Anion Balance	-6.28								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/27/21 06:57

MW-HGA-4

2108127-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	470	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	470	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	11.1	5.00	0.211	mg/L	5	08/23/21 16:36	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	08/23/21 16:36	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/25/21 17:02	EPA353.2		DTR
pH*	7.05			pH Units	1	08/13/21 16:05	EPA150.1		VJW
pH Temperature, degrees C	22.8			pH Units	1	08/13/21 16:05	EPA150.1		VJW
Total Dissolved Solids*	735	10.0		mg/L	1	08/17/21 16:30	EPA160.1		VJW
Sulfate*	194	5.00	0.762	mg/L	5	08/23/21 16:36	EPA300.0		AES
Total Organic Carbon*	4.55	0.500	0.0616	mg/L	1	08/19/21 05:41	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/24/21 13:05	EPA200.7		AES
Calcium*	98.7	0.500	0.289	mg/L	5	08/24/21 13:05	EPA200.7		AES
Hardness as CaCO ₃	515	3.31	2.07	mg/L	5	08/24/21 13:05	2340 B		AES
Iron*	8.52	0.250	0.089	mg/L	5	08/24/21 13:05	EPA200.7		AES
Magnesium*	65.2	0.500	0.327	mg/L	5	08/24/21 13:05	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/24/21 13:05	EPA200.7		AES
Silica (SiO ₂)	14.3	5.35	0.398	mg/L	5	08/24/21 13:05	Calculation		AES
Silicon	6.68	2.50	0.186	mg/L	5	08/24/21 13:05	EPA200.7		AES
Sodium*	26.4	5.00	0.396	mg/L	5	08/24/21 13:05	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0034	0.0005	0.00005	mg/L	1	08/20/21 16:29	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	08/20/21 16:29	EPA200.8		AES
Copper*	0.0009	0.0005	0.00009	mg/L	1	08/20/21 16:29	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	08/20/21 16:29	EPA200.8		AES
Manganese*	1.79	0.0005	0.0001	mg/L	1	08/20/21 16:29	EPA200.8		AES
Molybdenum*	0.0033	0.0005	0.00003	mg/L	1	08/20/21 16:29	EPA200.8		AES
Selenium*	0.0057	0.0010	0.0002	mg/L	1	08/20/21 16:29	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	08/20/21 16:29	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	08/20/21 16:29	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

MW-HGA-4

2108127-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/26/21 08:55	EPA245.1		DTR
Cation/Anion Balance	-7.76								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/27/21 06:57

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211878 - General Prep - Wet Chem

Blank (B211878-BLK1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon ND 0.500 mg/L

LCS (B211878-BS1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon 9.70 0.500 mg/L 10.0 97.0 85-115

LCS Dup (B211878-BSD1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon 9.68 0.500 mg/L 10.0 96.8 85-115 0.124 20

Batch B211880 - General Prep - Wet Chem

Duplicate (B211880-DUP1)

Source: 2108122-01

Prepared & Analyzed: 08/13/21

pH 7.15 pH Units 7.07 1.13 20
pH Temperature, degrees C 24.7 pH Units 25.0 1.21 200

Reference (B211880-SRM1)

Prepared & Analyzed: 08/13/21

pH 6.95 pH Units 7.00 99.3 98.57-101.42

Batch B211889 - General Prep - Wet Chem

Blank (B211889-BLK1)

Prepared & Analyzed: 08/17/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B211889-DUP1)

Source: 2108153-01

Prepared & Analyzed: 08/17/21

Total Dissolved Solids 2320 10.0 mg/L 2330 0.643 20

Reference (B211889-SRM1)

Prepared & Analyzed: 08/17/21

Total Dissolved Solids 390 10.0 mg/L 380 103 85-115

Batch B211896 - General Prep - Wet Chem

Blank (B211896-BLK1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Bicarbonate as CaCO3 ND 10.0 mg/L
Alkalinity, Carbonate as CaCO3 ND 10.0 mg/L
Alkalinity, Hydroxide as CaCO3 ND 10.0 mg/L
Alkalinity, Total as CaCO3 ND 10.0 mg/L

LCS (B211896-BS1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Bicarbonate as CaCO3 101 10.0 mg/L 85-115
Alkalinity, Carbonate as CaCO3 ND 10.0 mg/L 85-115
Alkalinity, Hydroxide as CaCO3 ND 10.0 mg/L 85-115
Alkalinity, Total as CaCO3 101 10.0 mg/L 100 101 85-115

LCS Dup (B211896-BSD1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Bicarbonate as CaCO3 102 10.0 mg/L 85-115 0.985 20
Alkalinity, Carbonate as CaCO3 ND 10.0 mg/L 85-115 20
Alkalinity, Hydroxide as CaCO3 ND 10.0 mg/L 85-115 20
Alkalinity, Total as CaCO3 102 10.0 mg/L 100 102 85-115 0.985 20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211912 - General Prep - Wet Chem										
Blank (B211912-BLK1)				Prepared & Analyzed: 08/19/21						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B211912-BS1)				Prepared & Analyzed: 08/19/21						
Nitrate/Nitrite as N	1.05	0.020	mg/L as N	1.00		105	90-110			
LCS Dup (B211912-BSD1)				Prepared & Analyzed: 08/19/21						
Nitrate/Nitrite as N	1.05	0.020	mg/L as N	1.00		105	90-110	0.876	20	
Batch B211914 - General Prep - Wet Chem										
Blank (B211914-BLK1)				Prepared: 08/20/21 Analyzed: 08/25/21						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B211914-BS1)				Prepared: 08/20/21 Analyzed: 08/25/21						
Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00		104	90-110			
LCS Dup (B211914-BSD1)				Prepared: 08/20/21 Analyzed: 08/25/21						
Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	1.44	20	
Batch B211937 - General Prep - Wet Chem										
Blank (B211937-BLK1)				Prepared & Analyzed: 08/23/21						
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							
LCS (B211937-BS1)				Prepared & Analyzed: 08/23/21						
Chloride	24.6	1.00	mg/L	25.0		98.3	90-110			
Fluoride	2.41	0.100	mg/L	2.50		96.2	90-110			
Sulfate	24.3	1.00	mg/L	25.0		97.2	90-110			
LCS Dup (B211937-BSD1)				Prepared & Analyzed: 08/23/21						
Chloride	24.3	1.00	mg/L	25.0		97.3	90-110	0.977	20	
Fluoride	2.40	0.100	mg/L	2.50		96.2	90-110	0.0416	20	
Sulfate	24.1	1.00	mg/L	25.0		96.3	90-110	0.984	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/27/21 06:57

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211928 - Diss. 200.7/200.8

Blank (B211928-BLK1)

Prepared: 08/20/21 Analyzed: 08/24/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211928-BS1)

Prepared: 08/20/21 Analyzed: 08/24/21

Aluminum	5.28	0.050	mg/L	5.00	106	85-115
Calcium	5.16	0.100	mg/L	5.00	103	85-115
Iron	5.15	0.050	mg/L	5.00	103	85-115
Magnesium	26.6	0.100	mg/L	25.0	106	85-115
Potassium	10.5	1.00	mg/L	10.0	105	85-115
Silicon	5.47	0.500	mg/L	5.00	109	85-115
Sodium	4.29	1.00	mg/L	4.05	106	85-115

LCS Dup (B211928-BSD1)

Prepared: 08/20/21 Analyzed: 08/24/21

Aluminum	4.87	0.050	mg/L	5.00	97.4	85-115	8.02	20
Calcium	4.68	0.100	mg/L	5.00	93.6	85-115	9.75	20
Iron	4.68	0.050	mg/L	5.00	93.7	85-115	9.41	20
Magnesium	24.5	0.100	mg/L	25.0	98.1	85-115	8.07	20
Potassium	9.80	1.00	mg/L	10.0	98.0	85-115	7.07	20
Silicon	5.02	0.500	mg/L	5.00	100	85-115	8.57	20
Sodium	4.00	1.00	mg/L	4.05	98.8	85-115	6.95	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211929 - Diss. 200.7/200.8

Blank (B211929-BLK1)

Prepared & Analyzed: 08/20/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211929-BS1)

Prepared & Analyzed: 08/20/21

Arsenic	0.0487	0.0005	mg/L	0.0500	97.5	85-115
Cadmium	0.0507	0.0005	mg/L	0.0500	101	85-115
Copper	0.0473	0.0005	mg/L	0.0500	94.6	85-115
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115
Manganese	0.0502	0.0005	mg/L	0.0500	100	85-115
Molybdenum	0.0505	0.0005	mg/L	0.0500	101	85-115
Selenium	0.247	0.0010	mg/L	0.250	98.6	85-115
Uranium	0.0507	0.0005	mg/L	0.0500	101	85-115
Zinc	0.0500	0.0020	mg/L	0.0500	100	85-115

LCS Dup (B211929-BSD1)

Prepared & Analyzed: 08/20/21

Arsenic	0.0480	0.0005	mg/L	0.0500	96.1	85-115	1.43	20
Cadmium	0.0493	0.0005	mg/L	0.0500	98.7	85-115	2.73	20
Copper	0.0475	0.0005	mg/L	0.0500	94.9	85-115	0.323	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	0.0496	20
Manganese	0.0500	0.0005	mg/L	0.0500	100	85-115	0.362	20
Molybdenum	0.0500	0.0005	mg/L	0.0500	100	85-115	1.04	20
Selenium	0.242	0.0010	mg/L	0.250	96.9	85-115	1.74	20
Uranium	0.0514	0.0005	mg/L	0.0500	103	85-115	1.29	20
Zinc	0.0507	0.0020	mg/L	0.0500	101	85-115	1.31	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211949 - EPA 245.1/7470										
Blank (B211949-BLK1)				Prepared: 08/24/21 Analyzed: 08/26/21						
Mercury	ND	0.0002	mg/L							
LCS (B211949-BS1)				Prepared: 08/24/21 Analyzed: 08/26/21						
Mercury	0.0046	0.0002	mg/L	0.00500		91.8	85-115			
LCS Dup (B211949-BSD1)				Prepared: 08/24/21 Analyzed: 08/26/21						
Mercury	0.0046	0.0002	mg/L	0.00500		92.8	85-115	1.08	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/27/21 06:57

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

20 September 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC SW Baseline August 2021

Enclosed are the results of analyses for samples received by the laboratory on 09/01/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/20/21 16:13

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Haygulch Ditch Downgradient	2109024-01	Water	09/01/21 10:47	09/01/21 15:00	
Haygulch Ditch Upgradient	2109024-02	Water	09/01/21 11:42	09/01/21 15:00	
SW-99-HG	2109024-03	Water	09/01/21 12:30	09/01/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Haygulch Ditch Downgradient

2109024-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	72.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	72.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Chloride*	1.21	1.00	0.0422	mg/L	1	09/08/21 03:20	EPA300.0		AES
Fluoride*	0.216	0.100	0.00971	mg/L	1	09/08/21 03:20	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	09/07/21 13:30	EPA353.2		DTR
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	09/15/21 09:00	EPA1664 A		VJW
pH*	7.58			pH Units	1	09/03/21 09:35	EPA150.1		VJW
pH Temperature, degrees C	19.8			pH Units	1	09/03/21 09:35	EPA150.1		VJW
SAR	0.08			No Unit	1	09/14/21 15:26	Calculation		AES
Total Dissolved Solids*	90.0	10.0		mg/L	1	09/07/21 14:10	EPA160.1		VJW
Total Suspended Solids*	4.80	2.50		mg/L	1	09/07/21 15:10	2540 D		VJW
Sulfate*	25.7	1.00	0.152	mg/L	1	09/08/21 03:20	EPA300.0		AES
Total Organic Carbon*	1.48	0.500	0.0616	mg/L	1	09/09/21 20:49	5310C		aes

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	09/14/21 15:26	EPA200.7		AES
Calcium*	29.8	0.100	0.058	mg/L	1	09/14/21 15:26	EPA200.7		AES
Hardness as CaCO ₃	90.7	0.662	0.414	mg/L	1	09/14/21 15:26	2340 B		AES
Iron*	<0.050	0.050	0.018	mg/L	1	09/14/21 15:26	EPA200.7		AES
Magnesium*	3.94	0.100	0.065	mg/L	1	09/14/21 15:26	EPA200.7		AES
Potassium*	1.02	1.00	0.081	mg/L	1	09/14/21 15:26	EPA200.7		AES
Silica (SiO ₂)	8.84	1.07	0.0797	mg/L	1	09/14/21 15:26	Calculation		AES
Silicon	4.13	0.500	0.037	mg/L	1	09/14/21 15:26	EPA200.7		AES
Sodium*	1.75	1.00	0.079	mg/L	1	09/14/21 15:26	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	09/20/21 15:24	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Haygulch Ditch Downgradient

2109024-01 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	0.0007	0.0005	0.00005	mg/L	1	09/15/21 13:42	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	09/15/21 13:42	EPA200.8		AES
Copper*	0.0010	0.0005	0.00009	mg/L	1	09/15/21 13:42	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	09/15/21 13:42	EPA200.8		AES
Manganese*	0.0021	0.0005	0.0001	mg/L	1	09/15/21 13:42	EPA200.8		AES
Molybdenum*	0.0010	0.0005	0.00003	mg/L	1	09/15/21 13:42	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0002	mg/L	1	09/15/21 13:42	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	09/15/21 13:42	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	09/15/21 13:42	EPA200.8		AES

Total Mercury by CVAA

Mercury*	<0.00001	0.0002	0.00001	mg/L	1	09/10/21 12:43	EPA245.1		DTR
----------	----------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.71

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Haygulch Ditch Upgradient

2109024-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	98.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	98.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Chloride*	5.23	1.00	0.0422	mg/L	1	09/08/21 03:59	EPA300.0		AES
Fluoride*	0.227	0.100	0.00971	mg/L	1	09/08/21 03:59	EPA300.0		AES
Nitrate/Nitrite as N*	0.026	0.020	0.006	mg/L as N	1	09/07/21 13:36	EPA353.2		DTR
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	09/15/21 09:00	EPA1664 A		VJW
pH*	7.44			pH Units	1	09/03/21 09:35	EPA150.1		VJW
pH Temperature, degrees C	19.8			pH Units	1	09/03/21 09:35	EPA150.1		VJW
SAR	0.15			No Unit	1	09/14/21 15:28	Calculation		AES
Total Dissolved Solids*	185	10.0		mg/L	1	09/07/21 14:10	EPA160.1		VJW
Total Suspended Solids*	51.0	2.50		mg/L	1	09/07/21 15:10	2540 D		VJW
Sulfate*	42.2	1.00	0.152	mg/L	1	09/08/21 03:59	EPA300.0		AES
Total Organic Carbon*	2.80	0.500	0.0616	mg/L	1	09/09/21 21:33	5310C		aes

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	09/14/21 15:28	EPA200.7		AES
Calcium*	35.8	0.100	0.058	mg/L	1	09/14/21 15:28	EPA200.7		AES
Hardness as CaCO ₃	131	0.662	0.414	mg/L	1	09/14/21 15:28	2340 B		AES
Iron*	<0.050	0.050	0.018	mg/L	1	09/14/21 15:28	EPA200.7		AES
Magnesium*	10.1	0.100	0.065	mg/L	1	09/14/21 15:28	EPA200.7		AES
Potassium*	3.28	1.00	0.081	mg/L	1	09/14/21 15:28	EPA200.7		AES
Silica (SiO ₂)	9.33	1.07	0.0797	mg/L	1	09/14/21 15:28	Calculation		AES
Silicon	4.36	0.500	0.037	mg/L	1	09/14/21 15:28	EPA200.7		AES
Sodium*	3.97	1.00	0.079	mg/L	1	09/14/21 15:28	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	09/20/21 15:27	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Haygulch Ditch Upgradient

2109024-02 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	0.0010	0.0005	0.00005	mg/L	1	09/15/21 13:44	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	09/15/21 13:44	EPA200.8		AES
Copper*	0.0012	0.0005	0.00009	mg/L	1	09/15/21 13:44	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	09/15/21 13:44	EPA200.8		AES
Manganese*	0.0156	0.0005	0.0001	mg/L	1	09/15/21 13:44	EPA200.8		AES
Molybdenum*	0.0011	0.0005	0.00003	mg/L	1	09/15/21 13:44	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0002	mg/L	1	09/15/21 13:44	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	09/15/21 13:44	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	09/15/21 13:44	EPA200.8		AES

Total Mercury by CVAA

Mercury*	<0.00001	0.0002	0.00001	mg/L	1	09/10/21 12:43	EPA245.1		DTR
----------	----------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.09

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

SW-99-HG

2109024-03 (Surface Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	99.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	09/10/21 11:30	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	99.0	10.0	4.53	mg/L	1	09/10/21 11:30	2320 B		VJW
Chloride*	5.41	1.00	0.0422	mg/L	1	09/08/21 05:16	EPA300.0		AES
Fluoride*	0.244	0.100	0.00971	mg/L	1	09/08/21 05:16	EPA300.0		AES
Nitrate/Nitrite as N*	0.020	0.020	0.006	mg/L as N	1	09/07/21 13:38	EPA353.2		DTR
Oil & Grease (HEM)	<5.00	5.00	1.16	mg/L	1	09/15/21 09:00	EPA1664 A		VJW
pH*	7.53			pH Units	1	09/03/21 09:35	EPA150.1		VJW
pH Temperature, degrees C	20.0			pH Units	1	09/03/21 09:35	EPA150.1		VJW
SAR	0.15			No Unit	1	09/14/21 15:29	Calculation		AES
Total Dissolved Solids*	190	10.0		mg/L	1	09/07/21 14:10	EPA160.1		VJW
Total Suspended Solids*	45.0	2.50		mg/L	1	09/07/21 15:10	2540 D		VJW
Sulfate*	42.6	1.00	0.152	mg/L	1	09/08/21 05:16	EPA300.0		AES
Total Organic Carbon*	3.34	0.500	0.0616	mg/L	1	09/09/21 21:49	5310C		aes

Dissolved Metals by ICP

Aluminum*	<0.050	0.050	0.013	mg/L	1	09/14/21 15:29	EPA200.7		AES
Calcium*	36.1	0.100	0.058	mg/L	1	09/14/21 15:29	EPA200.7		AES
Hardness as CaCO ₃	132	0.662	0.414	mg/L	1	09/14/21 15:29	2340 B		AES
Iron*	<0.050	0.050	0.018	mg/L	1	09/14/21 15:29	EPA200.7		AES
Magnesium*	10.2	0.100	0.065	mg/L	1	09/14/21 15:29	EPA200.7		AES
Potassium*	3.22	1.00	0.081	mg/L	1	09/14/21 15:29	EPA200.7		AES
Silica (SiO ₂)	9.46	1.07	0.0797	mg/L	1	09/14/21 15:29	Calculation		AES
Silicon	4.42	0.500	0.037	mg/L	1	09/14/21 15:29	EPA200.7		AES
Sodium*	4.01	1.00	0.079	mg/L	1	09/14/21 15:29	EPA200.7		AES

Total Recoverable Metals by ICPMS (E200.8)

Mercury	<0.0100	0.0100	0.00430	ug/L	1	09/20/21 15:30	EPA200.8		AES
---------	---------	--------	---------	------	---	----------------	----------	--	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/20/21 16:13

SW-99-HG**2109024-03 (Surface Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Metals by ICPMS

Arsenic*	0.0009	0.0005	0.00005	mg/L	1	09/15/21 13:45	EPA200.8		AES
Cadmium*	<0.0005	0.0005	0.0001	mg/L	1	09/15/21 13:45	EPA200.8		AES
Copper*	0.0012	0.0005	0.00009	mg/L	1	09/15/21 13:45	EPA200.8		AES
Lead*	<0.0005	0.0005	0.00001	mg/L	1	09/15/21 13:45	EPA200.8		AES
Manganese*	0.0156	0.0005	0.0001	mg/L	1	09/15/21 13:45	EPA200.8		AES
Molybdenum*	0.0011	0.0005	0.00003	mg/L	1	09/15/21 13:45	EPA200.8		AES
Selenium*	<0.0010	0.0010	0.0002	mg/L	1	09/15/21 13:45	EPA200.8		AES
Uranium	<0.0005	0.0005	0.00004	mg/L	1	09/15/21 13:45	EPA200.8		AES
Zinc*	<0.0020	0.0020	0.0001	mg/L	1	09/15/21 13:45	EPA200.8		AES

Total Mercury by CVAA

Mercury*	<0.00001	0.0002	0.00001	mg/L	1	09/10/21 12:43	EPA245.1		DTR
----------	----------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance -2.26

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211863 - General Prep - Wet Chem										
Blank (B211863-BLK1)				Prepared & Analyzed: 08/16/21						
Oil & Grease (HEM)	ND	5.00	mg/L							
LCS (B211863-BS1)				Prepared & Analyzed: 08/16/21						
Oil & Grease (HEM)	35.4	5.00	mg/L	40.0		88.5	85-115			
LCS Dup (B211863-BSD1)				Prepared & Analyzed: 08/16/21						
Oil & Grease (HEM)	34.0	5.00	mg/L	40.0		85.0	85-115	4.03	20	
Batch B212063 - Lachat										
Blank (B212063-BLK1)				Prepared & Analyzed: 09/07/21						
Nitrate/Nitrite as N	ND	0.020	mg/L as N							
LCS (B212063-BS1)				Prepared & Analyzed: 09/07/21						
Nitrate/Nitrite as N	1.09	0.020	mg/L as N	1.00		109	90-110			
LCS Dup (B212063-BSD1)				Prepared & Analyzed: 09/07/21						
Nitrate/Nitrite as N	1.09	0.020	mg/L as N	1.00		109	90-110	0.101	20	
Batch B212088 - General Prep - Wet Chem										
Blank (B212088-BLK1)				Prepared & Analyzed: 09/07/21						
Total Dissolved Solids	ND	10.0	mg/L							
Duplicate (B212088-DUP1)				Source: 2108320-03 Prepared & Analyzed: 09/07/21						
Total Dissolved Solids	320	10.0	mg/L		360			11.8	20	
Reference (B212088-SRM1)				Prepared & Analyzed: 09/07/21						
Total Dissolved Solids	380	10.0	mg/L	380		100	85-115			
Batch B212091 - General Prep - Wet Chem										
Duplicate (B212091-DUP1)				Source: 2109018-01 Prepared & Analyzed: 09/03/21						
pH	8.66		pH Units		8.63			0.347	20	
pH Temperature, degrees C	20.7		pH Units		20.9			0.962	200	
Reference (B212091-SRM1)				Prepared & Analyzed: 09/03/21						
pH	6.93		pH Units	7.00		99.0	98.57-101.42			
Batch B212093 - IC- Ion Chromatograph										
Blank (B212093-BLK1)				Prepared & Analyzed: 09/07/21						
Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B212093 - IC- Ion Chromatograph (Continued)

LCS (B212093-BS1)

Prepared & Analyzed: 09/07/21

Chloride	24.6	1.00	mg/L	25.0		98.3	90-110			
Fluoride	2.62	0.100	mg/L	2.50		105	90-110			
Sulfate	26.4	1.00	mg/L	25.0		105	90-110			

LCS Dup (B212093-BSD1)

Prepared & Analyzed: 09/07/21

Chloride	24.6	1.00	mg/L	25.0		98.3	90-110	0.0326	20	
Fluoride	2.62	0.100	mg/L	2.50		105	90-110	0.153	20	
Sulfate	26.2	1.00	mg/L	25.0		105	90-110	0.708	20	

Batch B212096 - General Prep - Wet Chem

Blank (B212096-BLK1)

Prepared & Analyzed: 09/07/21

Total Suspended Solids	ND	2.50	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Duplicate (B212096-DUP1)

Source: 2109024-03

Prepared & Analyzed: 09/07/21

Total Suspended Solids	58.0	2.50	mg/L		45.0			25.2	20	R1
------------------------	------	------	------	--	------	--	--	------	----	----

Reference (B212096-SRM1)

Prepared & Analyzed: 09/07/21

Total Suspended Solids	99.0	2.50	mg/L	100		99.0	85-115			
------------------------	------	------	------	-----	--	------	--------	--	--	--

Batch B212109 - General Prep - Wet Chem

Blank (B212109-BLK1)

Prepared & Analyzed: 09/09/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B212109-BS1)

Prepared & Analyzed: 09/09/21

Total Organic Carbon	9.70	0.500	mg/L	10.0		97.0	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B212109-BSD1)

Prepared & Analyzed: 09/09/21

Total Organic Carbon	9.77	0.500	mg/L	10.0		97.7	85-115	0.729	20	
----------------------	------	-------	------	------	--	------	--------	-------	----	--

Batch B212127 - General Prep - Wet Chem

Blank (B212127-BLK1)

Prepared & Analyzed: 09/10/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B212127-BS1)

Prepared & Analyzed: 09/10/21

Alkalinity, Bicarbonate as CaCO ₃	104	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	104	10.0	mg/L	100		104	85-115			

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B212127 - General Prep - Wet Chem (Continued)

LCS Dup (B212127-BSD1)

Prepared & Analyzed: 09/10/21

Alkalinity, Bicarbonate as CaCO ₃	100	10.0	mg/L				85-115	3.92	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100		100	85-115	3.92	20	

Batch B212176 - General Prep - Wet Chem

Blank (B212176-BLK1)

Prepared & Analyzed: 09/15/21

Oil & Grease (HEM)	ND	5.00	mg/L							
--------------------	----	------	------	--	--	--	--	--	--	--

LCS (B212176-BS1)

Prepared & Analyzed: 09/15/21

Oil & Grease (HEM)	34.6	5.00	mg/L	40.0		86.5	85-115			
--------------------	------	------	------	------	--	------	--------	--	--	--

LCS Dup (B212176-BSD1)

Prepared & Analyzed: 09/15/21

Oil & Grease (HEM)	37.3	5.00	mg/L	40.0		93.3	85-115	7.51	20	
--------------------	------	------	------	------	--	------	--------	------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B212128 - Diss. 200.7/200.8

Blank (B212128-BLK1)

Prepared: 09/10/21 Analyzed: 09/14/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B212128-BS1)

Prepared: 09/10/21 Analyzed: 09/14/21

Aluminum	5.42	0.050	mg/L	5.00	108	85-115
Calcium	5.46	0.100	mg/L	5.00	109	85-115
Iron	5.48	0.050	mg/L	5.00	110	85-115
Magnesium	27.6	0.100	mg/L	25.0	110	85-115
Potassium	10.7	1.00	mg/L	10.0	107	85-115
Silicon	5.12	0.500	mg/L	5.00	102	85-115
Sodium	4.33	1.00	mg/L	4.05	107	85-115

LCS Dup (B212128-BSD1)

Prepared: 09/10/21 Analyzed: 09/14/21

Aluminum	5.20	0.050	mg/L	5.00	104	85-115	4.03	20
Calcium	5.22	0.100	mg/L	5.00	104	85-115	4.55	20
Iron	5.21	0.050	mg/L	5.00	104	85-115	5.01	20
Magnesium	26.5	0.100	mg/L	25.0	106	85-115	3.98	20
Potassium	10.4	1.00	mg/L	10.0	104	85-115	3.08	20
Silicon	5.62	0.500	mg/L	5.00	112	85-115	9.35	20
Sodium	4.19	1.00	mg/L	4.05	104	85-115	3.24	20

Total Recoverable Metals by ICPMS (E200.8) - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B212210 - Mercury by 200.8

Blank (B212210-BLK1)

Prepared: 09/17/21 Analyzed: 09/20/21

Mercury	ND	0.0100	ug/L
---------	----	--------	------

LCS (B212210-BS1)

Prepared: 09/17/21 Analyzed: 09/20/21

Mercury	0.0929	0.0100	ug/L	0.100	92.9	85-115
---------	--------	--------	------	-------	------	--------

LCS Dup (B212210-BSD1)

Prepared: 09/17/21 Analyzed: 09/20/21

Mercury	0.0907	0.0100	ug/L	0.100	90.7	85-115	2.44	20
---------	--------	--------	------	-------	------	--------	------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom BirdReported:
09/20/21 16:13

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B212129 - Diss. 200.7/200.8

Blank (B212129-BLK1)

Prepared: 09/10/21 Analyzed: 09/15/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B212129-BS1)

Prepared: 09/10/21 Analyzed: 09/15/21

Arsenic	0.0497	0.0005	mg/L	0.0500	99.4	85-115
Cadmium	0.0509	0.0005	mg/L	0.0500	102	85-115
Copper	0.0491	0.0005	mg/L	0.0500	98.1	85-115
Lead	0.0490	0.0005	mg/L	0.0500	98.1	85-115
Manganese	0.0506	0.0005	mg/L	0.0500	101	85-115
Molybdenum	0.0496	0.0005	mg/L	0.0500	99.2	85-115
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115
Uranium	0.0513	0.0005	mg/L	0.0500	103	85-115
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115

LCS Dup (B212129-BSD1)

Prepared: 09/10/21 Analyzed: 09/15/21

Arsenic	0.0504	0.0005	mg/L	0.0500	101	85-115	1.44	20
Cadmium	0.0504	0.0005	mg/L	0.0500	101	85-115	0.902	20
Copper	0.0495	0.0005	mg/L	0.0500	99.1	85-115	0.925	20
Lead	0.0503	0.0005	mg/L	0.0500	101	85-115	2.52	20
Manganese	0.0514	0.0005	mg/L	0.0500	103	85-115	1.68	20
Molybdenum	0.0502	0.0005	mg/L	0.0500	100	85-115	1.28	20
Selenium	0.252	0.0010	mg/L	0.250	101	85-115	1.25	20
Uranium	0.0525	0.0005	mg/L	0.0500	105	85-115	2.39	20
Zinc	0.0506	0.0020	mg/L	0.0500	101	85-115	0.000913	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/20/21 16:13

Total Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch B212106 - EPA 245.1/7470									
Blank (B212106-BLK1)				Prepared: 09/09/21 Analyzed: 09/10/21					
Mercury	ND	0.0002	mg/L						
LCS (B212106-BS1)				Prepared: 09/09/21 Analyzed: 09/10/21					
Mercury	0.0048	0.0002	mg/L	0.00500	95.1	85-115			
LCS Dup (B212106-BSD1)				Prepared: 09/09/21 Analyzed: 09/10/21					
Mercury	0.0050	0.0002	mg/L	0.00500	101	85-115	5.58	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC SW Baseline August 2021
Project Name / Number: GCC SW Baseline
Project Manager: Tom Bird

Reported:
09/20/21 16:13

Notes and Definitions

R1	Duplicate sample RPD exceeded laboratory acceptance criteria. Sample(s) may be difficult to homogenize.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle St Durango, CO 81301
dzufelt@greenanalytical.com

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006
COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 September 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/23/21 15:45.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-99-A	2108236-01	Water	08/23/21 09:30	08/23/21 15:45	
MW-1-A	2108236-02	Water	08/23/21 10:56	08/23/21 15:45	
MW-99-C	2108236-03	Water	08/23/21 11:15	08/23/21 15:45	
MW-1-C	2108236-04	Water	08/23/21 12:05	08/23/21 15:45	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:28

MW-99-A

2108236-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	375	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	375	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	2.79	2.00	0.0845	mg/L	2	08/24/21 21:46	EPA300.0		AES
Fluoride*	0.246	0.200	0.0194	mg/L	2	08/24/21 21:46	EPA300.0		AES
Nitrate/Nitrite as N*	0.135	0.020	0.006	mg/L as N	1	08/30/21 15:14	EPA353.2		DTR
pH*	7.07			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	23.0			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	1190	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	508	20.0	3.05	mg/L	20	08/24/21 22:06	EPA300.0		AES
Total Organic Carbon*	1.59	0.500	0.0616	mg/L	1	08/27/21 21:37	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 14:46	EPA200.7		AES
Calcium*	30.6	0.500	0.289	mg/L	5	08/31/21 14:46	EPA200.7		AES
Hardness as CaCO ₃	161	3.31	2.07	mg/L	5	08/31/21 14:46	2340 B		AES
Iron*	0.523	0.250	0.089	mg/L	5	08/31/21 14:46	EPA200.7		AES
Magnesium*	20.6	0.500	0.327	mg/L	5	08/31/21 14:46	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 14:46	EPA200.7		AES
Silica (SiO ₂)	10.9	5.35	0.398	mg/L	5	08/31/21 14:46	Calculation		AES
Silicon	5.11	2.50	0.186	mg/L	5	08/31/21 14:46	EPA200.7		AES
Sodium*	335	5.00	0.396	mg/L	5	08/31/21 14:46	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:32	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/26/21 14:32	EPA200.8		AES
Copper*	0.0065	0.0025	0.0005	mg/L	5	08/26/21 14:32	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/26/21 14:32	EPA200.8		AES
Manganese*	0.0307	0.0025	0.0006	mg/L	5	08/26/21 14:32	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/26/21 14:32	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/26/21 14:32	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:32	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/26/21 14:32	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-99-A

2108236-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1		DTR
----------	---------	--------	---------	------	---	----------------	----------	--	-----

Cation/Anion Balance	-83
----------------------	-----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-1-A**2108236-02 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	370	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	370	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	2.78	2.00	0.0845	mg/L	2	08/26/21 12:25	EPA300.0		AES
Fluoride*	0.240	0.200	0.0194	mg/L	2	08/26/21 12:25	EPA300.0		AES
Nitrate/Nitrite as N*	0.036	0.020	0.006	mg/L as N	1	08/30/21 15:18	EPA353.2		DTR
pH*	7.10			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	22.7			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	1190	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	507	20.0	3.05	mg/L	20	08/26/21 12:45	EPA300.0		AES
Total Organic Carbon*	1.57	0.500	0.0616	mg/L	1	08/27/21 21:53	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 14:48	EPA200.7		AES
Calcium*	29.9	0.500	0.289	mg/L	5	08/31/21 14:48	EPA200.7		AES
Hardness as CaCO ₃	158	3.31	2.07	mg/L	5	08/31/21 14:48	2340 B		AES
Iron*	0.592	0.250	0.089	mg/L	5	08/31/21 14:48	EPA200.7		AES
Magnesium*	20.3	0.500	0.327	mg/L	5	08/31/21 14:48	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 14:48	EPA200.7		AES
Silica (SiO ₂)	10.7	5.35	0.398	mg/L	5	08/31/21 14:48	Calculation		AES
Silicon	5.01	2.50	0.186	mg/L	5	08/31/21 14:48	EPA200.7		AES
Sodium*	333	5.00	0.396	mg/L	5	08/31/21 14:48	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:34	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/26/21 14:34	EPA200.8		AES
Copper*	0.0068	0.0025	0.0005	mg/L	5	08/26/21 14:34	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/26/21 14:34	EPA200.8		AES
Manganese*	0.0328	0.0025	0.0006	mg/L	5	08/26/21 14:34	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/26/21 14:34	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/26/21 14:34	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:34	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/26/21 14:34	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-1-A

2108236-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1		DTR
Cation/Anion Balance	-0.88								

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-99-C**2108236-03 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	485	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	485	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	6.33	5.00	0.211	mg/L	5	08/26/21 13:04	EPA300.0		AES
Fluoride*	0.670	0.500	0.0486	mg/L	5	08/26/21 13:04	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:24	EPA353.2		DTR
pH*	6.99			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	21.0			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	1860	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	866	50.0	7.62	mg/L	50	08/27/21 10:36	EPA300.0		AES
Total Organic Carbon*	1.98	0.500	0.0616	mg/L	1	08/27/21 22:09	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 14:54	EPA200.7		AES
Calcium*	179	0.500	0.289	mg/L	5	08/31/21 14:54	EPA200.7		AES
Hardness as CaCO ₃	983	3.31	2.07	mg/L	5	08/31/21 14:54	2340 B		AES
Iron*	0.575	0.250	0.089	mg/L	5	08/31/21 14:54	EPA200.7		AES
Magnesium*	130	0.500	0.327	mg/L	5	08/31/21 14:54	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 14:54	EPA200.7		AES
Silica (SiO ₂)	14.4	5.35	0.398	mg/L	5	08/31/21 14:54	Calculation		AES
Silicon	6.73	2.50	0.186	mg/L	5	08/31/21 14:54	EPA200.7		AES
Sodium*	214	5.00	0.396	mg/L	5	08/31/21 14:54	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:35	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/26/21 14:35	EPA200.8		AES
Copper*	0.0097	0.0025	0.0005	mg/L	5	08/26/21 14:35	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/26/21 14:35	EPA200.8		AES
Manganese*	0.0384	0.0025	0.0006	mg/L	5	08/26/21 14:35	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/26/21 14:35	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/26/21 14:35	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:35	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/26/21 14:35	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-99-C

2108236-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	0.0010	0.0002	0.00001	mg/L	1	09/02/21 10:14	EPA245.1		DTR
Cation/Anion Balance	1.89								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:28

MW-1-C

2108236-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	485	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	485	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	5.04	2.00	0.0845	mg/L	2	08/26/21 13:24	EPA300.0		AES
Fluoride*	0.716	0.200	0.0194	mg/L	2	08/26/21 13:24	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:25	EPA353.2		DTR
pH*	7.04			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	22.0			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	1850	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	872	50.0	7.62	mg/L	50	08/26/21 13:43	EPA300.0		AES
Total Organic Carbon*	1.93	0.500	0.0616	mg/L	1	08/27/21 22:24	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 14:58	EPA200.7		AES
Calcium*	178	0.500	0.289	mg/L	5	08/31/21 14:58	EPA200.7		AES
Hardness as CaCO ₃	975	3.31	2.07	mg/L	5	08/31/21 14:58	2340 B		AES
Iron*	0.573	0.250	0.089	mg/L	5	08/31/21 14:58	EPA200.7		AES
Magnesium*	129	0.500	0.327	mg/L	5	08/31/21 14:58	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 14:58	EPA200.7		AES
Silica (SiO ₂)	14.5	5.35	0.398	mg/L	5	08/31/21 14:58	Calculation		AES
Silicon	6.79	2.50	0.186	mg/L	5	08/31/21 14:58	EPA200.7		AES
Sodium*	214	5.00	0.396	mg/L	5	08/31/21 14:58	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:37	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/26/21 14:37	EPA200.8		AES
Copper*	0.0043	0.0025	0.0005	mg/L	5	08/26/21 14:37	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/26/21 14:37	EPA200.8		AES
Manganese*	0.0383	0.0025	0.0006	mg/L	5	08/26/21 14:37	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/26/21 14:37	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/26/21 14:37	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/26/21 14:37	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/26/21 14:37	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

MW-1-C

2108236-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	1.51								

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:28

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211953 - General Prep - Wet Chem

Blank (B211953-BLK1)

Prepared & Analyzed: 08/24/21

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B211953-BS1)

Prepared & Analyzed: 08/24/21

Chloride	24.4	1.00	mg/L	25.0	97.7	90-110
Fluoride	2.47	0.100	mg/L	2.50	98.6	90-110
Sulfate	24.2	1.00	mg/L	25.0	97.0	90-110

LCS Dup (B211953-BSD1)

Prepared & Analyzed: 08/24/21

Chloride	24.4	1.00	mg/L	25.0	97.8	90-110	0.0450	20
Fluoride	2.48	0.100	mg/L	2.50	99.1	90-110	0.486	20
Sulfate	24.5	1.00	mg/L	25.0	98.0	90-110	1.06	20

Batch B211966 - General Prep - Wet Chem

Blank (B211966-BLK1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Duplicate (B211966-DUP1)

Source: 2108180-01

Prepared & Analyzed: 08/25/21

Total Dissolved Solids	870	10.0	mg/L	880	1.16	20
------------------------	-----	------	------	-----	------	----

Reference (B211966-SRM1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids	410	10.0	mg/L	380	108	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B211977 - General Prep - Wet Chem

Duplicate (B211977-DUP2)

Source: 2108247-01

Prepared & Analyzed: 08/24/21

pH	7.88	pH Units	7.91	0.380	20
pH Temperature, degrees C	18.4	pH Units	18.7	1.62	200

Reference (B211977-SRM1)

Prepared & Analyzed: 08/24/21

pH	6.93	pH Units	7.00	99.0	98.57-101.42
----	------	----------	------	------	--------------

Batch B211981 - General Prep - Wet Chem

Blank (B211981-BLK1)

Prepared & Analyzed: 08/26/21

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B211981-BS1)

Prepared & Analyzed: 08/26/21

Chloride	24.6	1.00	mg/L	25.0	98.5	90-110
Fluoride	2.56	0.100	mg/L	2.50	102	90-110
Sulfate	24.6	1.00	mg/L	25.0	98.6	90-110

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:28General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211981 - General Prep - Wet Chem (Continued)

LCS Dup (B211981-BSD1)

Prepared & Analyzed: 08/26/21

Chloride	24.4	1.00	mg/L	25.0		97.8	90-110	0.738	20	
Fluoride	2.51	0.100	mg/L	2.50		101	90-110	1.77	20	
Sulfate	24.6	1.00	mg/L	25.0		98.5	90-110	0.0974	20	

Batch B211988 - General Prep - Wet Chem

Blank (B211988-BLK1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B211988-BS1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	9.65	0.500	mg/L	10.0		96.5	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B211988-BSD1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	9.68	0.500	mg/L	10.0		96.8	85-115	0.321	20	
----------------------	------	-------	------	------	--	------	--------	-------	----	--

Batch B212003 - General Prep - Wet Chem

Blank (B212003-BLK1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO3	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO3	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO3	ND	10.0	mg/L							
Alkalinity, Total as CaCO3	ND	10.0	mg/L							

LCS (B212003-BS1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO3	104	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO3	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO3	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO3	104	10.0	mg/L	100		104	85-115			

LCS Dup (B212003-BSD1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO3	105	10.0	mg/L				85-115	0.957	20	
Alkalinity, Carbonate as CaCO3	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO3	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO3	105	10.0	mg/L	100		105	85-115	0.957	20	

Batch B212011 - General Prep - Wet Chem

Blank (B212011-BLK1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B212011-BS1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

LCS Dup (B212011-BSD1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110	0.0197	20	
----------------------	------	-------	-----------	------	--	-----	--------	--------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211993 - Diss. 200.7/200.8

Blank (B211993-BLK1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211993-BS1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.06	0.050	mg/L	5.00	101	85-115
Calcium	5.09	0.100	mg/L	5.00	102	85-115
Iron	5.03	0.050	mg/L	5.00	101	85-115
Magnesium	26.4	0.100	mg/L	25.0	105	85-115
Potassium	10.2	1.00	mg/L	10.0	102	85-115
Silicon	5.42	0.500	mg/L	5.00	108	85-115
Sodium	4.34	1.00	mg/L	4.05	107	85-115

LCS Dup (B211993-BSD1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.01	0.050	mg/L	5.00	100	85-115	1.02	20
Calcium	4.98	0.100	mg/L	5.00	99.6	85-115	2.24	20
Iron	4.96	0.050	mg/L	5.00	99.2	85-115	1.53	20
Magnesium	25.7	0.100	mg/L	25.0	103	85-115	2.65	20
Potassium	10.2	1.00	mg/L	10.0	102	85-115	0.263	20
Silicon	5.22	0.500	mg/L	5.00	104	85-115	3.73	20
Sodium	4.21	1.00	mg/L	4.05	104	85-115	2.95	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211984 - Diss. 200.7/200.8

Blank (B211984-BLK1)

Prepared & Analyzed: 08/26/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211984-BS1)

Prepared & Analyzed: 08/26/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0506	0.0005	mg/L	0.0500	101	85-115
Copper	0.0494	0.0005	mg/L	0.0500	98.8	85-115
Lead	0.0524	0.0005	mg/L	0.0500	105	85-115
Manganese	0.0527	0.0005	mg/L	0.0500	105	85-115
Molybdenum	0.0498	0.0005	mg/L	0.0500	99.7	85-115
Selenium	0.252	0.0010	mg/L	0.250	101	85-115
Uranium	0.0521	0.0005	mg/L	0.0500	104	85-115
Zinc	0.0496	0.0020	mg/L	0.0500	99.2	85-115

LCS Dup (B211984-BSD1)

Prepared & Analyzed: 08/26/21

Arsenic	0.0514	0.0005	mg/L	0.0500	103	85-115	0.288	20
Cadmium	0.0499	0.0005	mg/L	0.0500	99.7	85-115	1.56	20
Copper	0.0487	0.0005	mg/L	0.0500	97.3	85-115	1.52	20
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115	1.29	20
Manganese	0.0514	0.0005	mg/L	0.0500	103	85-115	2.52	20
Molybdenum	0.0487	0.0005	mg/L	0.0500	97.4	85-115	2.25	20
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115	1.12	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.06	20
Zinc	0.0491	0.0020	mg/L	0.0500	98.2	85-115	1.00	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B212018 - EPA 245.1/7470										
Blank (B212018-BLK1)			Prepared: 08/30/21 Analyzed: 09/01/21							
Mercury	ND	0.0002	mg/L							
LCS (B212018-BS1)			Prepared: 08/30/21 Analyzed: 09/01/21							
Mercury	0.0049	0.0002	mg/L	0.00500	97.7	85-115				
LCS Dup (B212018-BSD1)			Prepared: 08/30/21 Analyzed: 09/01/21							
Mercury	0.0049	0.0002	mg/L	0.00500	98.9	85-115	1.28	20		

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:28

Notes and Definitions

VI	Continuing calibration verification recovery was above laboratory acceptance limits. Target analyte was not detected in the sample.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle St Durango, CO 81301
dzufelt@greenanalytical.com

75 Suttle St Durango, CO 81303

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

FORM-006
COC - Revision 6.0

Page 17 of 17 2108236 GAL FINAL 09 02 21 1728 09/02/21 17:28:26

† GAL cannot always accept verbal changes. Please fax or email written change requests.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

23 August 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/10/21 15:00.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-4-MI	2108095-01	Water	08/10/21 08:30	08/10/21 15:00	
MW-4-A	2108095-02	Water	08/10/21 09:01	08/10/21 15:00	
MW-4-C	2108095-03	Water	08/10/21 09:30	08/10/21 15:00	
MW-3-MI	2108095-04	Water	08/10/21 10:53	08/10/21 15:00	
MW-3-A	2108095-05	Water	08/10/21 11:32	08/10/21 15:00	
MW-3-C	2108095-06	Water	08/10/21 12:30	08/10/21 15:00	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

MW-4-MI

2108095-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	865	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	120	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	985	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	4.91	2.00	0.0845	mg/L	2	08/13/21 12:13	EPA300.0		AES
Fluoride*	5.20	0.200	0.0194	mg/L	2	08/13/21 12:13	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:50	EPA353.2		DTR
pH*	8.28			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	20.6			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	1130	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	16.4	2.00	0.305	mg/L	2	08/13/21 12:13	EPA300.0		AES
Total Organic Carbon*	5.29	0.500	0.0616	mg/L	1	08/19/21 00:53	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.026	mg/L	2	08/20/21 13:07	EPA200.7		AES
Calcium*	1.23	0.200	0.116	mg/L	2	08/20/21 13:07	EPA200.7		AES
Hardness as CaCO ₃	4.59	1.32	0.827	mg/L	2	08/20/21 13:07	2340 B		AES
Iron*	<0.100	0.100	0.036	mg/L	2	08/20/21 13:07	EPA200.7		AES
Magnesium*	0.370	0.200	0.131	mg/L	2	08/20/21 13:07	EPA200.7		AES
Potassium*	<2.00	2.00	0.161	mg/L	2	08/20/21 13:07	EPA200.7		AES
Silica (SiO ₂)	8.69	2.14	0.159	mg/L	2	08/20/21 13:07	Calculation		AES
Silicon	4.06	1.00	0.075	mg/L	2	08/20/21 13:07	EPA200.7		AES
Sodium*	427	2.00	0.159	mg/L	2	08/20/21 13:07	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0099	0.0010	0.0001	mg/L	2	08/16/21 17:45	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	08/16/21 17:45	EPA200.8		AES
Copper*	0.0134	0.0010	0.0002	mg/L	2	08/16/21 17:45	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	08/16/21 17:45	EPA200.8		AES
Manganese*	0.0075	0.0010	0.0003	mg/L	2	08/16/21 17:45	EPA200.8		AES
Molybdenum*	0.0068	0.0010	0.00006	mg/L	2	08/16/21 17:45	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0003	mg/L	2	08/16/21 17:45	EPA200.8		AES
Uranium	0.0112	0.0010	0.00009	mg/L	2	08/16/21 17:45	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	08/16/21 17:45	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-4-MI

2108095-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-4.47								

Green Analytical Laboratories

Debbie Zufelt

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

MW-4-A

2108095-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	580	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	580	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	9.17	2.00	0.0845	mg/L	2	08/13/21 12:33	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	08/13/21 12:33	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:51	EPA353.2		DTR
pH*	8.09			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	19.1			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	1510	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	593	20.0	3.05	mg/L	20	08/13/21 12:52	EPA300.0		AES
Total Organic Carbon*	3.23	0.500	0.0616	mg/L	1	08/19/21 01:38	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/20/21 15:26	EPA200.7		AES
Calcium*	1.41	0.500	0.289	mg/L	5	08/20/21 15:26	EPA200.7		AES
Hardness as CaCO ₃	5.81	3.31	2.07	mg/L	5	08/20/21 15:26	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/20/21 15:26	EPA200.7		AES
Magnesium*	0.555	0.500	0.327	mg/L	5	08/20/21 15:26	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/20/21 15:26	EPA200.7		AES
Silica (SiO ₂)	8.57	5.35	0.398	mg/L	5	08/20/21 15:26	Calculation		AES
Silicon	4.01	2.50	0.186	mg/L	5	08/20/21 15:26	EPA200.7		AES
Sodium*	411	5.00	0.396	mg/L	5	08/20/21 15:26	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0010	0.0010	0.0001	mg/L	2	08/16/21 17:47	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	08/16/21 17:47	EPA200.8		AES
Copper*	0.0161	0.0010	0.0002	mg/L	2	08/16/21 17:47	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	08/16/21 17:47	EPA200.8		AES
Manganese*	0.0030	0.0010	0.0003	mg/L	2	08/16/21 17:47	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.00006	mg/L	2	08/16/21 17:47	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0003	mg/L	2	08/16/21 17:47	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	08/16/21 17:47	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	08/16/21 17:47	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-4-A

2108095-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-14.64								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

MW-4-C

2108095-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	2290	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	120	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	2410	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	572	25.0	1.06	mg/L	25	08/13/21 14:10	EPA300.0		AES
Fluoride*	2.28	0.500	0.0486	mg/L	5	08/13/21 13:51	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:53	EPA353.2		DTR
pH*	7.96			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	19.0			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	3600	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	<5.00	5.00	0.762	mg/L	5	08/13/21 13:51	EPA300.0		AES
Total Organic Carbon*	4.81	0.500	0.0616	mg/L	1	08/19/21 02:06	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/20/21 15:28	EPA200.7		AES
Calcium*	5.07	0.500	0.289	mg/L	5	08/20/21 15:28	EPA200.7		AES
Hardness as CaCO ₃	21.9	3.31	2.07	mg/L	5	08/20/21 15:28	2340 B		AES
Iron*	0.793	0.250	0.089	mg/L	5	08/20/21 15:28	EPA200.7		AES
Magnesium*	2.25	0.500	0.327	mg/L	5	08/20/21 15:28	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/20/21 15:28	EPA200.7		AES
Silica (SiO ₂)	9.54	5.35	0.398	mg/L	5	08/20/21 15:28	Calculation		AES
Silicon	4.46	2.50	0.186	mg/L	5	08/20/21 15:28	EPA200.7		AES
Sodium*	1340	5.00	0.396	mg/L	5	08/20/21 15:28	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0248	0.0025	0.0002	mg/L	5	08/16/21 17:49	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/16/21 17:49	EPA200.8		AES
Copper*	0.0499	0.0025	0.0005	mg/L	5	08/16/21 17:49	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/16/21 17:49	EPA200.8		AES
Manganese*	0.0050	0.0025	0.0006	mg/L	5	08/16/21 17:49	EPA200.8		AES
Molybdenum*	0.0031	0.0025	0.0001	mg/L	5	08/16/21 17:49	EPA200.8		AES
Selenium*	0.0280	0.0050	0.0008	mg/L	5	08/16/21 17:49	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/16/21 17:49	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/16/21 17:49	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-4-C

2108095-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-4.56								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

MW-3-MI

2108095-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	555	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	150	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	705	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	10.4	2.00	0.0845	mg/L	2	08/13/21 14:29	EPA300.0		AES
Fluoride*	1.07	0.200	0.0194	mg/L	2	08/13/21 14:29	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:54	EPA353.2		DTR
pH*	8.81			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	19.0			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	1180	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	228	10.0	1.52	mg/L	10	08/13/21 14:49	EPA300.0		AES
Total Organic Carbon*	5.40	0.500	0.0616	mg/L	1	08/19/21 02:23	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.026	mg/L	2	08/20/21 15:32	EPA200.7		AES
Calcium*	1.34	0.200	0.116	mg/L	2	08/20/21 15:32	EPA200.7		AES
Hardness as CaCO ₃	5.39	1.32	0.827	mg/L	2	08/20/21 15:32	2340 B		AES
Iron*	<0.100	0.100	0.036	mg/L	2	08/20/21 15:32	EPA200.7		AES
Magnesium*	0.500	0.200	0.131	mg/L	2	08/20/21 15:32	EPA200.7		AES
Potassium*	<2.00	2.00	0.161	mg/L	2	08/20/21 15:32	EPA200.7		AES
Silica (SiO ₂)	8.77	2.14	0.159	mg/L	2	08/20/21 15:32	Calculation		AES
Silicon	4.10	1.00	0.075	mg/L	2	08/20/21 15:32	EPA200.7		AES
Sodium*	403	2.00	0.159	mg/L	2	08/20/21 15:32	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0091	0.0010	0.0001	mg/L	2	08/16/21 17:50	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	08/16/21 17:50	EPA200.8		AES
Copper*	0.0143	0.0010	0.0002	mg/L	2	08/16/21 17:50	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	08/16/21 17:50	EPA200.8		AES
Manganese*	0.0058	0.0010	0.0003	mg/L	2	08/16/21 17:50	EPA200.8		AES
Molybdenum*	0.0149	0.0010	0.00006	mg/L	2	08/16/21 17:50	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0003	mg/L	2	08/16/21 17:50	EPA200.8		AES
Uranium	0.0041	0.0010	0.00009	mg/L	2	08/16/21 17:50	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	08/16/21 17:50	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-3-MI

2108095-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-4.12								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-3-A**2108095-05 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	465	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	465	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	14.1	2.00	0.0845	mg/L	2	08/13/21 15:08	EPA300.0		AES
Fluoride*	0.366	0.200	0.0194	mg/L	2	08/13/21 15:08	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:55	EPA353.2		DTR
pH*	8.21			pH Units	1	08/11/21 16:45	EPA150.1		VJW
pH Temperature, degrees C	20.5			pH Units	1	08/11/21 16:45	EPA150.1		VJW
Total Dissolved Solids*	1420	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	599	20.0	3.05	mg/L	20	08/13/21 15:28	EPA300.0		AES
Total Organic Carbon*	3.01	0.500	0.0616	mg/L	1	08/19/21 02:39	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/20/21 15:35	EPA200.7		AES
Calcium*	2.59	0.500	0.289	mg/L	5	08/20/21 15:35	EPA200.7		AES
Hardness as CaCO ₃	8.89	3.31	2.07	mg/L	5	08/20/21 15:35	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/20/21 15:35	EPA200.7		AES
Magnesium*	0.586	0.500	0.327	mg/L	5	08/20/21 15:35	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/20/21 15:35	EPA200.7		AES
Silica (SiO ₂)	10.7	5.35	0.398	mg/L	5	08/20/21 15:35	Calculation		AES
Silicon	4.98	2.50	0.186	mg/L	5	08/20/21 15:35	EPA200.7		AES
Sodium*	462	5.00	0.396	mg/L	5	08/20/21 15:35	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0010	0.0010	0.0001	mg/L	2	08/16/21 17:52	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	08/16/21 17:52	EPA200.8		AES
Copper*	0.0156	0.0010	0.0002	mg/L	2	08/16/21 17:52	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	08/16/21 17:52	EPA200.8		AES
Manganese*	0.0096	0.0010	0.0003	mg/L	2	08/16/21 17:52	EPA200.8		AES
Molybdenum*	0.0013	0.0010	0.00006	mg/L	2	08/16/21 17:52	EPA200.8		AES
Selenium*	0.0167	0.0020	0.0003	mg/L	2	08/16/21 17:52	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	08/16/21 17:52	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	08/16/21 17:52	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-3-A

2108095-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-4.44								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-3-C**2108095-06 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1950	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	190	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/20/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	2140	10.0	4.53	mg/L	5	08/20/21 00:00	2320 B		JDA
Chloride*	582	25.0	1.06	mg/L	25	08/13/21 16:07	EPA300.0		AES
Fluoride*	3.36	0.500	0.0486	mg/L	5	08/13/21 15:47	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/19/21 12:58	EPA353.2		DTR
pH*	8.47			pH Units	1	08/11/21 16:45	EPA150.1		VJW
pH Temperature, degrees C	20.2			pH Units	1	08/11/21 16:45	EPA150.1		VJW
Total Dissolved Solids*	3300	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	<5.00	5.00	0.762	mg/L	5	08/13/21 15:47	EPA300.0		AES
Total Organic Carbon*	15.7	0.500	0.0616	mg/L	1	08/19/21 10:25	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/20/21 15:37	EPA200.7		AES
Calcium*	3.84	0.500	0.289	mg/L	5	08/20/21 15:37	EPA200.7		AES
Hardness as CaCO ₃	16.9	3.31	2.07	mg/L	5	08/20/21 15:37	2340 B		AES
Iron*	0.464	0.250	0.089	mg/L	5	08/20/21 15:37	EPA200.7		AES
Magnesium*	1.77	0.500	0.327	mg/L	5	08/20/21 15:37	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/20/21 15:37	EPA200.7		AES
Silica (SiO ₂)	8.40	5.35	0.398	mg/L	5	08/20/21 15:37	Calculation		AES
Silicon	3.93	2.50	0.186	mg/L	5	08/20/21 15:37	EPA200.7		AES
Sodium*	1220	5.00	0.396	mg/L	5	08/20/21 15:37	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0195	0.0025	0.0002	mg/L	5	08/16/21 17:53	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/16/21 17:53	EPA200.8		AES
Copper*	0.0434	0.0025	0.0005	mg/L	5	08/16/21 17:53	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/16/21 17:53	EPA200.8		AES
Manganese*	0.0034	0.0025	0.0006	mg/L	5	08/16/21 17:53	EPA200.8		AES
Molybdenum*	0.0061	0.0025	0.0001	mg/L	5	08/16/21 17:53	EPA200.8		AES
Selenium*	0.0372	0.0050	0.0008	mg/L	5	08/16/21 17:53	EPA200.8		AES
Uranium	0.0025	0.0025	0.0002	mg/L	5	08/16/21 17:53	EPA200.8		AES
Zinc*	0.0347	0.0100	0.0005	mg/L	5	08/16/21 17:53	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

MW-3-C

2108095-06 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-5.22								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211831 - General Prep - Wet Chem

Reference (B211831-SRM1)

Prepared & Analyzed: 08/10/21

pH	7.10		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B211844 - General Prep - Wet Chem

Blank (B211844-BLK1)

Prepared & Analyzed: 08/12/21

Total Dissolved Solids	ND	10.0	mg/L							
------------------------	----	------	------	--	--	--	--	--	--	--

Duplicate (B211844-DUP1)

Source: 2108056-01

Prepared & Analyzed: 08/12/21

Total Dissolved Solids	375	10.0	mg/L	370		1.36	20			
------------------------	-----	------	------	-----	--	------	----	--	--	--

Reference (B211844-SRM1)

Prepared & Analyzed: 08/12/21

Total Dissolved Solids	405	10.0	mg/L	380		107	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B211854 - General Prep - Wet Chem

Duplicate (B211854-DUP1)

Source: 2108097-01

Prepared & Analyzed: 08/11/21

pH	7.63		pH Units	7.65		0.262	20			
pH Temperature, degrees C	19.8		pH Units	20.1		1.50	200			

Reference (B211854-SRM1)

Prepared & Analyzed: 08/11/21

pH	7.08		pH Units	7.00		101	98.57-101.42			
----	------	--	----------	------	--	-----	--------------	--	--	--

Batch B211857 - General Prep - Wet Chem

Blank (B211857-BLK1)

Prepared & Analyzed: 08/13/21

Chloride	ND	1.00	mg/L							
Fluoride	ND	0.100	mg/L							
Sulfate	ND	1.00	mg/L							

LCS (B211857-BS1)

Prepared & Analyzed: 08/13/21

Chloride	24.7	1.00	mg/L	25.0		98.7	90-110			
Fluoride	2.35	0.100	mg/L	2.50		94.1	90-110			
Sulfate	24.1	1.00	mg/L	25.0		96.6	90-110			

LCS Dup (B211857-BSD1)

Prepared & Analyzed: 08/13/21

Chloride	25.3	1.00	mg/L	25.0		101	90-110	2.59	20	
Fluoride	2.37	0.100	mg/L	2.50		95.0	90-110	0.889	20	
Sulfate	24.0	1.00	mg/L	25.0		95.9	90-110	0.669	20	

Batch B211878 - General Prep - Wet Chem

Blank (B211878-BLK1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B211878-BS1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.70	0.500	mg/L	10.0		97.0	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B211878 - General Prep - Wet Chem (Continued)

LCS Dup (B211878-BSD1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.68	0.500	mg/L	10.0	96.8	85-115	0.124	20	
----------------------	------	-------	------	------	------	--------	-------	----	--

Batch B211895 - General Prep - Wet Chem

Blank (B211895-BLK1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO ₃	ND	10.0	mg/L						
--	----	------	------	--	--	--	--	--	--

LCS (B211895-BS1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO ₃	100	10.0	mg/L	100	100	85-115			
--	-----	------	------	-----	-----	--------	--	--	--

LCS Dup (B211895-BSD1)

Prepared: 08/17/21 Analyzed: 08/20/21

Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100	101	85-115	0.995	20	
--	-----	------	------	-----	-----	--------	-------	----	--

Batch B211911 - General Prep - Wet Chem

Blank (B211911-BLK1)

Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N						
----------------------	----	-------	-----------	--	--	--	--	--	--

LCS (B211911-BS1)

Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	1.04	0.020	mg/L as N	1.00	104	90-110			
----------------------	------	-------	-----------	------	-----	--------	--	--	--

LCS Dup (B211911-BSD1)

Prepared & Analyzed: 08/19/21

Nitrate/Nitrite as N	1.03	0.020	mg/L as N	1.00	103	90-110	0.761	20	
----------------------	------	-------	-----------	------	-----	--------	-------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/23/21 16:15

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211860 - Diss. 200.7/200.8

Blank (B211860-BLK1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211860-BS1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.71	0.050	mg/L	5.00	94.2	85-115
Calcium	5.10	0.100	mg/L	5.00	102	85-115
Iron	5.22	0.050	mg/L	5.00	104	85-115
Magnesium	25.3	0.100	mg/L	25.0	101	85-115
Potassium	9.73	1.00	mg/L	10.0	97.3	85-115
Silicon	5.13	0.500	mg/L	5.00	103	85-115
Sodium	3.81	1.00	mg/L	4.05	94.2	85-115

LCS Dup (B211860-BSD1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.72	0.050	mg/L	5.00	94.3	85-115	0.109	20
Calcium	5.10	0.100	mg/L	5.00	102	85-115	0.0199	20
Iron	5.29	0.050	mg/L	5.00	106	85-115	1.29	20
Magnesium	25.4	0.100	mg/L	25.0	101	85-115	0.189	20
Potassium	9.86	1.00	mg/L	10.0	98.6	85-115	1.34	20
Silicon	5.11	0.500	mg/L	5.00	102	85-115	0.345	20
Sodium	3.84	1.00	mg/L	4.05	94.8	85-115	0.662	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211862 - Diss. 200.7/200.8

Blank (B211862-BLK1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211862-BS1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0506	0.0005	mg/L	0.0500	101	85-115
Copper	0.0487	0.0005	mg/L	0.0500	97.4	85-115
Lead	0.0491	0.0005	mg/L	0.0500	98.1	85-115
Manganese	0.0528	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0473	0.0005	mg/L	0.0500	94.6	85-115
Selenium	0.252	0.0010	mg/L	0.250	101	85-115
Uranium	0.0529	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0507	0.0020	mg/L	0.0500	101	85-115

LCS Dup (B211862-BSD1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	0.0509	0.0005	mg/L	0.0500	102	85-115	0.760	20
Cadmium	0.0504	0.0005	mg/L	0.0500	101	85-115	0.377	20
Copper	0.0480	0.0005	mg/L	0.0500	96.0	85-115	1.44	20
Lead	0.0487	0.0005	mg/L	0.0500	97.4	85-115	0.721	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.977	20
Molybdenum	0.0467	0.0005	mg/L	0.0500	93.3	85-115	1.32	20
Selenium	0.256	0.0010	mg/L	0.250	102	85-115	1.44	20
Uranium	0.0538	0.0005	mg/L	0.0500	108	85-115	1.56	20
Zinc	0.0502	0.0020	mg/L	0.0500	100	85-115	1.00	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211849 - EPA 245.1/7470										
Blank (B211849-BLK1)				Prepared: 08/12/21		Analyzed: 08/13/21				
Mercury	ND	0.0002	mg/L							
LCS (B211849-BS1)				Prepared: 08/12/21		Analyzed: 08/13/21				
Mercury	0.0046	0.0002	mg/L	0.00500		92.7	85-115			
LCS Dup (B211849-BSD1)				Prepared: 08/12/21		Analyzed: 08/13/21				
Mercury	0.0048	0.0002	mg/L	0.00500		96.3	85-115	3.81	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/23/21 16:15

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 September 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/23/21 15:45.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-5-MI	2108237-01	Water	08/23/21 13:19	08/23/21 15:45	
MW-5-L	2108237-02	Water	08/23/21 13:43	08/23/21 15:45	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

MW-5-MI

2108237-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	820	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	110	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	930	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	4.78	1.00	0.0422	mg/L	1	08/26/21 14:02	EPA300.0		AES
Fluoride*	0.304	0.100	0.00971	mg/L	1	08/26/21 14:02	EPA300.0		AES
Nitrate/Nitrite as N*	0.039	0.020	0.006	mg/L as N	1	08/30/21 15:26	EPA353.2		DTR
pH*	8.31			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	22.5			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	1010	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	6.31	1.00	0.152	mg/L	1	08/26/21 14:02	EPA300.0		AES
Total Organic Carbon*	2.66	0.500	0.0616	mg/L	1	08/27/21 22:45	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 15:02	EPA200.7		AES
Calcium*	2.13	0.500	0.289	mg/L	5	08/31/21 15:02	EPA200.7		AES
Hardness as CaCO ₃	7.88	3.31	2.07	mg/L	5	08/31/21 15:02	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/31/21 15:02	EPA200.7		AES
Magnesium*	0.623	0.500	0.327	mg/L	5	08/31/21 15:02	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 15:02	EPA200.7		AES
Silica (SiO ₂)	7.70	5.35	0.398	mg/L	5	08/31/21 15:02	Calculation		AES
Silicon	3.60	2.50	0.186	mg/L	5	08/31/21 15:02	EPA200.7		AES
Sodium*	402	5.00	0.396	mg/L	5	08/31/21 15:02	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0117	0.0025	0.0002	mg/L	5	08/26/21 14:38	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/26/21 14:38	EPA200.8		AES
Copper*	0.0083	0.0025	0.0005	mg/L	5	08/26/21 14:38	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/26/21 14:38	EPA200.8		AES
Manganese*	0.0187	0.0025	0.0006	mg/L	5	08/26/21 14:38	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/26/21 14:38	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/26/21 14:38	EPA200.8		AES
Uranium	0.0063	0.0025	0.0002	mg/L	5	08/26/21 14:38	EPA200.8		AES
Zinc*	0.0693	0.0100	0.0005	mg/L	5	08/26/21 14:38	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

MW-5-MI

2108237-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-3.33								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

MW-5-L

2108237-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	1540	10.0	4.53	mg/L	5	08/30/21 00:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 00:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 00:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	1540	10.0	4.53	mg/L	5	08/30/21 00:00	2320 B		JDA
Chloride*	5.95	5.00	0.211	mg/L	5	08/26/21 15:01	EPA300.0		AES
Fluoride*	2.09	0.500	0.0486	mg/L	5	08/26/21 15:01	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:27	EPA353.2		DTR
pH*	7.87			pH Units	1	08/24/21 14:45	EPA150.1		VJW
pH Temperature, degrees C	22.6			pH Units	1	08/24/21 14:45	EPA150.1		VJW
Total Dissolved Solids*	2670	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	607	50.0	7.62	mg/L	50	08/26/21 15:20	EPA300.0		AES
Total Organic Carbon*	2.80	0.500	0.0616	mg/L	1	08/27/21 23:06	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.500	0.500	0.128	mg/L	10	08/31/21 15:04	EPA200.7		AES
Calcium*	5.54	1.00	0.579	mg/L	10	08/31/21 15:04	EPA200.7		AES
Hardness as CaCO ₃	23.9	6.62	4.14	mg/L	10	08/31/21 15:04	2340 B		AES
Iron*	<0.500	0.500	0.178	mg/L	10	08/31/21 15:04	EPA200.7		AES
Magnesium*	2.43	1.00	0.654	mg/L	10	08/31/21 15:04	EPA200.7		AES
Potassium*	<10.0	10.0	0.807	mg/L	10	08/31/21 15:04	EPA200.7		AES
Silica (SiO ₂)	<10.7	10.7	0.797	mg/L	10	08/31/21 15:04	Calculation		AES
Silicon	<5.00	5.00	0.373	mg/L	10	08/31/21 15:04	EPA200.7		AES
Sodium*	942	10.0	0.793	mg/L	10	08/31/21 15:04	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0050	0.0050	0.0005	mg/L	10	08/26/21 14:40	EPA200.8		AES
Cadmium*	<0.0050	0.0050	0.0010	mg/L	10	08/26/21 14:40	EPA200.8		AES
Copper*	0.0202	0.0050	0.0009	mg/L	10	08/26/21 14:40	EPA200.8		AES
Lead*	<0.0050	0.0050	0.0001	mg/L	10	08/26/21 14:40	EPA200.8		AES
Manganese*	<0.0050	0.0050	0.0013	mg/L	10	08/26/21 14:40	EPA200.8		AES
Molybdenum*	<0.0050	0.0050	0.0003	mg/L	10	08/26/21 14:40	EPA200.8		AES
Selenium*	<0.0100	0.0100	0.0017	mg/L	10	08/26/21 14:40	EPA200.8		AES
Uranium	<0.0050	0.0050	0.0004	mg/L	10	08/26/21 14:40	EPA200.8		AES
Zinc*	<0.0200	0.0200	0.0011	mg/L	10	08/26/21 14:40	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

MW-5-L

2108237-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-2.58								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:33

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211966 - General Prep - Wet Chem

Blank (B211966-BLK1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B211966-DUP1)

Source: 2108180-01

Prepared & Analyzed: 08/25/21

Total Dissolved Solids 870 10.0 mg/L 880 1.16 20

Reference (B211966-SRM1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids 410 10.0 mg/L 380 108 85-115

Batch B211977 - General Prep - Wet Chem

Duplicate (B211977-DUP2)

Source: 2108247-01

Prepared & Analyzed: 08/24/21

pH 7.88 pH Units 7.91 0.380 20

pH Temperature, degrees C 18.4 pH Units 18.7 1.62 200

Reference (B211977-SRM1)

Prepared & Analyzed: 08/24/21

pH 6.93 pH Units 7.00 99.0 98.57-101.42

Batch B211981 - General Prep - Wet Chem

Blank (B211981-BLK1)

Prepared & Analyzed: 08/26/21

Chloride ND 1.00 mg/L

Fluoride ND 0.100 mg/L

Sulfate ND 1.00 mg/L

LCS (B211981-BS1)

Prepared & Analyzed: 08/26/21

Chloride 24.6 1.00 mg/L 25.0 98.5 90-110

Fluoride 2.56 0.100 mg/L 2.50 102 90-110

Sulfate 24.6 1.00 mg/L 25.0 98.6 90-110

LCS Dup (B211981-BSD1)

Prepared & Analyzed: 08/26/21

Chloride 24.4 1.00 mg/L 25.0 97.8 90-110 0.738 20

Fluoride 2.51 0.100 mg/L 2.50 101 90-110 1.77 20

Sulfate 24.6 1.00 mg/L 25.0 98.5 90-110 0.0974 20

Batch B211988 - General Prep - Wet Chem

Blank (B211988-BLK1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon ND 0.500 mg/L

LCS (B211988-BS1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon 9.65 0.500 mg/L 10.0 96.5 85-115

LCS Dup (B211988-BSD1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon 9.68 0.500 mg/L 10.0 96.8 85-115 0.321 20

Batch B211990 - General Prep - Wet Chem

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:33General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211990 - General Prep - Wet Chem (Continued)

Blank (B211990-BLK1)

Prepared: 08/27/21 Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B211990-BS1)

Prepared: 08/27/21 Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	109	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	109	10.0	mg/L	100		109	85-115			

LCS Dup (B211990-BSD1)

Prepared: 08/27/21 Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	103	10.0	mg/L				85-115	5.66	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115	5.66	20	

Batch B212003 - General Prep - Wet Chem

Blank (B212003-BLK1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B212003-BS1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	104	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	104	10.0	mg/L	100		104	85-115			

LCS Dup (B212003-BSD1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	105	10.0	mg/L				85-115	0.957	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100		105	85-115	0.957	20	

Batch B212011 - General Prep - Wet Chem

Blank (B212011-BLK1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B212011-BS1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00		102	90-110			
----------------------	------	-------	-----------	------	--	-----	--------	--	--	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B212011 - General Prep - Wet Chem (Continued)

LCS Dup (B212011-BSD1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	1.02	0.020	mg/L as N	1.00	102	90-110	0.0197	20	
----------------------	------	-------	-----------	------	-----	--------	--------	----	--

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211993 - Diss. 200.7/200.8

Blank (B211993-BLK1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	ND	0.050	mg/L						
Calcium	ND	0.100	mg/L						
Iron	ND	0.050	mg/L						
Magnesium	ND	0.100	mg/L						
Potassium	ND	1.00	mg/L						
Silicon	ND	0.500	mg/L						
Sodium	ND	1.00	mg/L						

LCS (B211993-BS1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.06	0.050	mg/L	5.00	101	85-115			
Calcium	5.09	0.100	mg/L	5.00	102	85-115			
Iron	5.03	0.050	mg/L	5.00	101	85-115			
Magnesium	26.4	0.100	mg/L	25.0	105	85-115			
Potassium	10.2	1.00	mg/L	10.0	102	85-115			
Silicon	5.42	0.500	mg/L	5.00	108	85-115			
Sodium	4.34	1.00	mg/L	4.05	107	85-115			

LCS Dup (B211993-BSD1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.01	0.050	mg/L	5.00	100	85-115	1.02	20	
Calcium	4.98	0.100	mg/L	5.00	99.6	85-115	2.24	20	
Iron	4.96	0.050	mg/L	5.00	99.2	85-115	1.53	20	
Magnesium	25.7	0.100	mg/L	25.0	103	85-115	2.65	20	
Potassium	10.2	1.00	mg/L	10.0	102	85-115	0.263	20	
Silicon	5.22	0.500	mg/L	5.00	104	85-115	3.73	20	
Sodium	4.21	1.00	mg/L	4.05	104	85-115	2.95	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:33

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211984 - Diss. 200.7/200.8

Blank (B211984-BLK1)

Prepared & Analyzed: 08/26/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211984-BS1)

Prepared & Analyzed: 08/26/21

Arsenic	0.0513	0.0005	mg/L	0.0500	103	85-115
Cadmium	0.0506	0.0005	mg/L	0.0500	101	85-115
Copper	0.0494	0.0005	mg/L	0.0500	98.8	85-115
Lead	0.0524	0.0005	mg/L	0.0500	105	85-115
Manganese	0.0527	0.0005	mg/L	0.0500	105	85-115
Molybdenum	0.0498	0.0005	mg/L	0.0500	99.7	85-115
Selenium	0.252	0.0010	mg/L	0.250	101	85-115
Uranium	0.0521	0.0005	mg/L	0.0500	104	85-115
Zinc	0.0496	0.0020	mg/L	0.0500	99.2	85-115

LCS Dup (B211984-BSD1)

Prepared & Analyzed: 08/26/21

Arsenic	0.0514	0.0005	mg/L	0.0500	103	85-115	0.288	20
Cadmium	0.0499	0.0005	mg/L	0.0500	99.7	85-115	1.56	20
Copper	0.0487	0.0005	mg/L	0.0500	97.3	85-115	1.52	20
Lead	0.0517	0.0005	mg/L	0.0500	103	85-115	1.29	20
Manganese	0.0514	0.0005	mg/L	0.0500	103	85-115	2.52	20
Molybdenum	0.0487	0.0005	mg/L	0.0500	97.4	85-115	2.25	20
Selenium	0.249	0.0010	mg/L	0.250	99.6	85-115	1.12	20
Uranium	0.0516	0.0005	mg/L	0.0500	103	85-115	1.06	20
Zinc	0.0491	0.0020	mg/L	0.0500	98.2	85-115	1.00	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B212018 - EPA 245.1/7470										
Blank (B212018-BLK1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	ND	0.0002	mg/L							
LCS (B212018-BS1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	0.0049	0.0002	mg/L	0.00500		97.7	85-115			
LCS Dup (B212018-BSD1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	0.0049	0.0002	mg/L	0.00500		98.9	85-115	1.28	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:33

Notes and Definitions

VI	Continuing calibration verification recovery was above laboratory acceptance limits. Target analyte was not detected in the sample.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com
75 Suttle St Durango, CO

COC - Revision 6.0

FORM-006
COC - Revision 6.0

[illegible]



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

25 August 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/09/21 15:10.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-6-LM	2108086-01	Water	08/09/21 12:00	08/09/21 15:10	
MW-6-A	2108086-02	Water	08/09/21 13:31	08/09/21 15:10	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/21 17:23

MW-6-LM

2108086-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	330	10.0	4.53	mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	330	10.0	4.53	mg/L	1	08/17/21 16:40	2320 B		VJW
Chloride*	12.6	2.00	0.0845	mg/L	2	08/17/21 21:23	EPA300.0		AES
Fluoride*	0.418	0.200	0.0194	mg/L	2	08/17/21 21:23	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/12/21 15:05	EPA353.2		DTR
pH*	7.37			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	19.5			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	2290	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	1300	50.0	7.62	mg/L	50	08/17/21 21:43	EPA300.0		AES
Total Organic Carbon*	1.91	0.500	0.0616	mg/L	1	08/19/21 00:20	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.026	mg/L	2	08/19/21 12:09	EPA200.7		AES
Calcium*	201	0.200	0.116	mg/L	2	08/19/21 12:09	EPA200.7		AES
Hardness as CaCO ₃	1280	1.32	0.827	mg/L	2	08/19/21 12:09	2340 B		AES
Iron*	<0.100	0.100	0.036	mg/L	2	08/19/21 12:09	EPA200.7		AES
Magnesium*	189	0.200	0.131	mg/L	2	08/19/21 12:09	EPA200.7		AES
Potassium*	5.69	2.00	0.161	mg/L	2	08/19/21 12:09	EPA200.7		AES
Silica (SiO ₂)	16.8	2.14	0.159	mg/L	2	08/19/21 12:09	Calculation		AES
Silicon	7.85	1.00	0.075	mg/L	2	08/19/21 12:09	EPA200.7		AES
Sodium*	177	2.00	0.159	mg/L	2	08/19/21 12:09	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0039	0.0010	0.0001	mg/L	2	08/25/21 11:33	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	08/25/21 11:33	EPA200.8		AES
Copper*	0.0046	0.0010	0.0002	mg/L	2	08/25/21 11:33	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	08/25/21 11:33	EPA200.8		AES
Manganese*	0.257	0.0010	0.0003	mg/L	2	08/25/21 11:33	EPA200.8		AES
Molybdenum*	0.0016	0.0010	0.00006	mg/L	2	08/25/21 11:33	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0003	mg/L	2	08/25/21 11:33	EPA200.8		AES
Uranium	0.0037	0.0010	0.00009	mg/L	2	08/25/21 11:33	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	08/25/21 11:33	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

MW-6-LM

2108086-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	-0.91								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/21 17:23

MW-6-A

2108086-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	255	10.0	4.53	mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	1	08/17/21 16:40	2320 B		VJW
Alkalinity, Total as CaCO ₃ *	255	10.0	4.53	mg/L	1	08/17/21 16:40	2320 B		VJW
Chloride*	26.0	5.00	0.211	mg/L	5	08/17/21 22:02	EPA300.0		AES
Fluoride*	<0.500	0.500	0.0486	mg/L	5	08/17/21 22:02	EPA300.0		AES
Nitrate/Nitrite as N*	0.118	0.020	0.006	mg/L as N	1	08/12/21 15:06	EPA353.2		DTR
pH*	7.10			pH Units	1	08/10/21 13:05	EPA150.1		VJW
pH Temperature, degrees C	19.9			pH Units	1	08/10/21 13:05	EPA150.1		VJW
Total Dissolved Solids*	4440	10.0		mg/L	1	08/12/21 16:00	EPA160.1		VJW
Sulfate*	2780	100	15.2	mg/L	100	08/17/21 22:22	EPA300.0		AES
Total Organic Carbon*	3.33	0.500	0.0616	mg/L	1	08/19/21 00:36	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/19/21 12:13	EPA200.7		AES
Calcium*	415	0.500	0.289	mg/L	5	08/19/21 12:13	EPA200.7		AES
Hardness as CaCO ₃	2740	3.31	2.07	mg/L	5	08/19/21 12:13	2340 B		AES
Iron*	1.48	0.250	0.089	mg/L	5	08/19/21 12:13	EPA200.7		AES
Magnesium*	413	0.500	0.327	mg/L	5	08/19/21 12:13	EPA200.7		AES
Potassium*	11.0	5.00	0.403	mg/L	5	08/19/21 12:13	EPA200.7		AES
Silica (SiO ₂)	14.3	5.35	0.398	mg/L	5	08/19/21 12:13	Calculation		AES
Silicon	6.67	2.50	0.186	mg/L	5	08/19/21 12:13	EPA200.7		AES
Sodium*	263	5.00	0.396	mg/L	5	08/19/21 12:13	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	08/16/21 17:42	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	08/16/21 17:42	EPA200.8		AES
Copper*	0.0082	0.0025	0.0005	mg/L	5	08/16/21 17:42	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	08/16/21 17:42	EPA200.8		AES
Manganese*	0.407	0.0025	0.0006	mg/L	5	08/16/21 17:42	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	08/16/21 17:42	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	08/16/21 17:42	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	08/16/21 17:42	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	08/16/21 17:42	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

MW-6-A

2108086-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	08/13/21 15:10	EPA245.1		DTR
Cation/Anion Balance	2.09								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
08/25/21 17:23

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211822 - General Prep - Wet Chem

Blank (B211822-BLK1)

Prepared: 08/10/21 Analyzed: 08/12/21

Nitrate/Nitrite as N ND 0.020 mg/L as N

LCS (B211822-BS1)

Prepared: 08/10/21 Analyzed: 08/12/21

Nitrate/Nitrite as N 1.09 0.020 mg/L as N 1.00 109 90-110

LCS Dup (B211822-BSD1)

Prepared: 08/10/21 Analyzed: 08/12/21

Nitrate/Nitrite as N 1.08 0.020 mg/L as N 1.00 108 90-110 0.893 20

Batch B211831 - General Prep - Wet Chem

Duplicate (B211831-DUP1)

Source: 2108076-01 Prepared & Analyzed: 08/10/21

pH 7.71 pH Units 7.64 0.912 20
pH Temperature, degrees C 20.1 pH Units 20.3 0.990 200

Reference (B211831-SRM1)

Prepared & Analyzed: 08/10/21

pH 7.10 pH Units 7.00 101 98.57-101.42

Batch B211840 - General Prep - Wet Chem

Blank (B211840-BLK1)

Prepared: 08/12/21 Analyzed: 08/16/21

Chloride ND 1.00 mg/L
Fluoride ND 0.100 mg/L
Sulfate ND 1.00 mg/L

LCS (B211840-BS1)

Prepared: 08/12/21 Analyzed: 08/16/21

Chloride 24.4 1.00 mg/L 25.0 97.8 90-110
Fluoride 2.38 0.100 mg/L 2.50 95.2 90-110
Sulfate 24.0 1.00 mg/L 25.0 95.8 90-110

LCS Dup (B211840-BSD1)

Prepared: 08/12/21 Analyzed: 08/16/21

Chloride 23.9 1.00 mg/L 25.0 95.5 90-110 2.32 20
Fluoride 2.47 0.100 mg/L 2.50 98.8 90-110 3.79 20
Sulfate 23.4 1.00 mg/L 25.0 93.7 90-110 2.22 20

Batch B211844 - General Prep - Wet Chem

Blank (B211844-BLK1)

Prepared & Analyzed: 08/12/21

Total Dissolved Solids ND 10.0 mg/L

Duplicate (B211844-DUP1)

Source: 2108056-01 Prepared & Analyzed: 08/12/21

Total Dissolved Solids 375 10.0 mg/L 370 1.36 20

Reference (B211844-SRM1)

Prepared & Analyzed: 08/12/21

Total Dissolved Solids 405 10.0 mg/L 380 107 85-115

Batch B211878 - General Prep - Wet Chem

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

**General Chemistry - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B211878 - General Prep - Wet Chem (Continued)

Blank (B211878-BLK1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	ND	0.500	mg/L							
----------------------	----	-------	------	--	--	--	--	--	--	--

LCS (B211878-BS1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.70	0.500	mg/L	10.0		97.0	85-115			
----------------------	------	-------	------	------	--	------	--------	--	--	--

LCS Dup (B211878-BSD1)

Prepared & Analyzed: 08/18/21

Total Organic Carbon	9.68	0.500	mg/L	10.0		96.8	85-115	0.124	20	
----------------------	------	-------	------	------	--	------	--------	-------	----	--

Batch B211890 - General Prep - Wet Chem

Blank (B211890-BLK1)

Prepared & Analyzed: 08/17/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B211890-BS1)

Prepared & Analyzed: 08/17/21

Alkalinity, Bicarbonate as CaCO ₃	103	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	103	10.0	mg/L	100		103	85-115			

LCS Dup (B211890-BSD1)

Prepared & Analyzed: 08/17/21

Alkalinity, Bicarbonate as CaCO ₃	101	10.0	mg/L				85-115	1.96	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	101	10.0	mg/L	100		101	85-115	1.96	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211860 - Diss. 200.7/200.8

Blank (B211860-BLK1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211860-BS1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.71	0.050	mg/L	5.00	94.2	85-115
Calcium	5.10	0.100	mg/L	5.00	102	85-115
Iron	5.22	0.050	mg/L	5.00	104	85-115
Magnesium	25.3	0.100	mg/L	25.0	101	85-115
Potassium	9.73	1.00	mg/L	10.0	97.3	85-115
Silicon	5.13	0.500	mg/L	5.00	103	85-115
Sodium	3.81	1.00	mg/L	4.05	94.2	85-115

LCS Dup (B211860-BSD1)

Prepared: 08/13/21 Analyzed: 08/19/21

Aluminum	4.72	0.050	mg/L	5.00	94.3	85-115	0.109	20
Calcium	5.10	0.100	mg/L	5.00	102	85-115	0.0199	20
Iron	5.29	0.050	mg/L	5.00	106	85-115	1.29	20
Magnesium	25.4	0.100	mg/L	25.0	101	85-115	0.189	20
Potassium	9.86	1.00	mg/L	10.0	98.6	85-115	1.34	20
Silicon	5.11	0.500	mg/L	5.00	102	85-115	0.345	20
Sodium	3.84	1.00	mg/L	4.05	94.8	85-115	0.662	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211862 - Diss. 200.7/200.8

Blank (B211862-BLK1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211862-BS1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	0.0505	0.0005	mg/L	0.0500	101	85-115
Cadmium	0.0506	0.0005	mg/L	0.0500	101	85-115
Copper	0.0487	0.0005	mg/L	0.0500	97.4	85-115
Lead	0.0491	0.0005	mg/L	0.0500	98.1	85-115
Manganese	0.0528	0.0005	mg/L	0.0500	106	85-115
Molybdenum	0.0473	0.0005	mg/L	0.0500	94.6	85-115
Selenium	0.252	0.0010	mg/L	0.250	101	85-115
Uranium	0.0529	0.0005	mg/L	0.0500	106	85-115
Zinc	0.0507	0.0020	mg/L	0.0500	101	85-115

LCS Dup (B211862-BSD1)

Prepared: 08/13/21 Analyzed: 08/16/21

Arsenic	0.0509	0.0005	mg/L	0.0500	102	85-115	0.760	20
Cadmium	0.0504	0.0005	mg/L	0.0500	101	85-115	0.377	20
Copper	0.0480	0.0005	mg/L	0.0500	96.0	85-115	1.44	20
Lead	0.0487	0.0005	mg/L	0.0500	97.4	85-115	0.721	20
Manganese	0.0523	0.0005	mg/L	0.0500	105	85-115	0.977	20
Molybdenum	0.0467	0.0005	mg/L	0.0500	93.3	85-115	1.32	20
Selenium	0.256	0.0010	mg/L	0.250	102	85-115	1.44	20
Uranium	0.0538	0.0005	mg/L	0.0500	108	85-115	1.56	20
Zinc	0.0502	0.0020	mg/L	0.0500	100	85-115	1.00	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B211849 - EPA 245.1/7470										
Blank (B211849-BLK1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	ND	0.0002	mg/L							
LCS (B211849-BS1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	0.0046	0.0002	mg/L	0.00500		92.7	85-115			
LCS Dup (B211849-BSD1)				Prepared: 08/12/21 Analyzed: 08/13/21						
Mercury	0.0048	0.0002	mg/L	0.00500		96.3	85-115	3.81	20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
08/25/21 17:23

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.
RPD Relative Percent Difference
LCS Laboratory Control Sample (Blank Spike)
RL Report Limit
MDL Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
970.247.4227 Fax
www.greenanalytical.com

02 September 2021

Tom Bird
GCC Energy, LLC
6473 CR 120
Hesperus, CO 81326
RE: GCC GW Baseline

Enclosed are the results of analyses for samples received by the laboratory on 08/24/21 15:20.
If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Debbie Zufelt'. The script is cursive and fluid, with the first name 'Debbie' and last name 'Zufelt' clearly legible.

Debbie Zufelt
Reports Manager

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.
TNI Certificate Number: T104704514-21-12.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-21-14



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW-8-PL	2108249-01	Water	08/24/21 11:21	08/24/21 15:20	
MW-8-LM	2108249-02	Water	08/24/21 11:46	08/24/21 15:20	
MW-8-MI	2108249-03	Water	08/24/21 12:06	08/24/21 15:20	
MW-8-EAA	2108249-04	Water	08/24/21 12:42	08/24/21 15:20	
MW-7-EAA	2108249-05	Water	08/24/21 13:29	08/24/21 15:20	

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:41

MW-8-PL

2108249-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	360	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	360	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	3.33	1.00	0.0422	mg/L	1	08/26/21 18:54	EPA300.0		AES
Fluoride*	0.222	0.100	0.00971	mg/L	1	08/26/21 18:54	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:40	EPA353.2		DTR
pH*	7.29			pH Units	1	08/25/21 13:50	EPA150.1		VJW
pH Temperature, degrees C	20.9			pH Units	1	08/25/21 13:50	EPA150.1		VJW
Total Dissolved Solids*	475	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	102	5.00	0.762	mg/L	5	08/26/21 19:13	EPA300.0		AES
Total Organic Carbon*	1.54	0.500	0.0616	mg/L	1	08/27/21 23:22	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.100	0.100	0.026	mg/L	2	08/31/21 15:10	EPA200.7		AES
Calcium*	53.0	0.200	0.116	mg/L	2	08/31/21 15:10	EPA200.7		AES
Hardness as CaCO ₃	280	1.32	0.827	mg/L	2	08/31/21 15:10	2340 B		AES
Iron*	<0.100	0.100	0.036	mg/L	2	08/31/21 15:10	EPA200.7		AES
Magnesium*	35.9	0.200	0.131	mg/L	2	08/31/21 15:10	EPA200.7		AES
Potassium*	<2.00	2.00	0.161	mg/L	2	08/31/21 15:10	EPA200.7		AES
Silica (SiO ₂)	20.0	2.14	0.159	mg/L	2	08/31/21 15:10	Calculation		AES
Silicon	9.37	1.00	0.075	mg/L	2	08/31/21 15:10	EPA200.7		AES
Sodium*	77.8	2.00	0.159	mg/L	2	08/31/21 15:10	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	0.0017	0.0010	0.0001	mg/L	2	09/01/21 14:44	EPA200.8		AES
Cadmium*	<0.0010	0.0010	0.0002	mg/L	2	09/01/21 14:44	EPA200.8		AES
Copper*	<0.0010	0.0010	0.0002	mg/L	2	09/01/21 14:44	EPA200.8		AES
Lead*	<0.0010	0.0010	0.00003	mg/L	2	09/01/21 14:44	EPA200.8		AES
Manganese*	0.0772	0.0010	0.0003	mg/L	2	09/01/21 14:44	EPA200.8		AES
Molybdenum*	<0.0010	0.0010	0.00006	mg/L	2	09/01/21 14:44	EPA200.8		AES
Selenium*	<0.0020	0.0020	0.0003	mg/L	2	09/01/21 14:44	EPA200.8		AES
Uranium	<0.0010	0.0010	0.00009	mg/L	2	09/01/21 14:44	EPA200.8		AES
Zinc*	<0.0040	0.0040	0.0002	mg/L	2	09/01/21 14:44	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-PL

2108249-01 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-2.17								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-LM**2108249-02 (Ground Water)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	650	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	100	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	750	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	2.55	1.00	0.0422	mg/L	1	08/26/21 19:33	EPA300.0		AES
Fluoride*	3.67	0.100	0.00971	mg/L	1	08/26/21 19:33	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:42	EPA353.2		DTR
pH*	8.48			pH Units	1	08/25/21 13:50	EPA150.1		VJW
pH Temperature, degrees C	20.8			pH Units	1	08/25/21 13:50	EPA150.1		VJW
Total Dissolved Solids*	740	10.0		mg/L	1	08/25/21 12:30	EPA160.1		VJW
Sulfate*	<1.00	1.00	0.152	mg/L	1	08/26/21 19:33	EPA300.0		AES
Total Organic Carbon*	1.79	0.500	0.0616	mg/L	1	08/27/21 23:42	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 15:12	EPA200.7		AES
Calcium*	1.86	0.500	0.289	mg/L	5	08/31/21 15:12	EPA200.7		AES
Hardness as CaCO ₃	4.65	3.31	2.07	mg/L	5	08/31/21 15:12	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/31/21 15:12	EPA200.7		AES
Magnesium*	<0.500	0.500	0.327	mg/L	5	08/31/21 15:12	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 15:12	EPA200.7		AES
Silica (SiO ₂)	7.82	5.35	0.398	mg/L	5	08/31/21 15:12	Calculation		AES
Silicon	3.66	2.50	0.186	mg/L	5	08/31/21 15:12	EPA200.7		AES
Sodium*	308	5.00	0.396	mg/L	5	08/31/21 15:12	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:45	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:45	EPA200.8		AES
Copper*	0.0068	0.0025	0.0005	mg/L	5	09/01/21 14:45	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	09/01/21 14:45	EPA200.8		AES
Manganese*	0.0025	0.0025	0.0006	mg/L	5	09/01/21 14:45	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	09/01/21 14:45	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	09/01/21 14:45	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:45	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	09/01/21 14:45	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-LM

2108249-02 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-5.84								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-MI

2108249-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	570	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	570	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	7.85	2.00	0.0845	mg/L	2	08/26/21 19:52	EPA300.0		AES
Fluoride*	<0.200	0.200	0.0194	mg/L	2	08/26/21 19:52	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:43	EPA353.2		DTR
pH*	7.31			pH Units	1	08/25/21 13:50	EPA150.1		VJW
pH Temperature, degrees C	20.7			pH Units	1	08/25/21 13:50	EPA150.1		VJW
Total Dissolved Solids*	1000	10.0		mg/L	1	08/27/21 13:15	EPA160.1		VJW
Sulfate*	324	10.0	1.52	mg/L	10	08/26/21 20:12	EPA300.0		AES
Total Organic Carbon*	2.97	0.500	0.0616	mg/L	1	08/28/21 00:31	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 15:14	EPA200.7		AES
Calcium*	70.3	0.500	0.289	mg/L	5	08/31/21 15:14	EPA200.7		AES
Hardness as CaCO ₃	377	3.31	2.07	mg/L	5	08/31/21 15:14	2340 B		AES
Iron*	<0.250	0.250	0.089	mg/L	5	08/31/21 15:14	EPA200.7		AES
Magnesium*	48.9	0.500	0.327	mg/L	5	08/31/21 15:14	EPA200.7		AES
Potassium*	5.69	5.00	0.403	mg/L	5	08/31/21 15:14	EPA200.7		AES
Silica (SiO ₂)	13.6	5.35	0.398	mg/L	5	08/31/21 15:14	Calculation		AES
Silicon	6.35	2.50	0.186	mg/L	5	08/31/21 15:14	EPA200.7		AES
Sodium*	229	5.00	0.396	mg/L	5	08/31/21 15:14	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:50	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:50	EPA200.8		AES
Copper*	0.0047	0.0025	0.0005	mg/L	5	09/01/21 14:50	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	09/01/21 14:50	EPA200.8		AES
Manganese*	0.0544	0.0025	0.0006	mg/L	5	09/01/21 14:50	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	09/01/21 14:50	EPA200.8		AES
Selenium*	0.0072	0.0050	0.0008	mg/L	5	09/01/21 14:50	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:50	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	09/01/21 14:50	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-MI

2108249-03 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-2.05								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-EAA

2108249-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	385	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	385	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	10.3	2.00	0.0845	mg/L	2	08/26/21 20:31	EPA300.0		AES
Fluoride*	0.350	0.200	0.0194	mg/L	2	08/26/21 20:31	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:44	EPA353.2		DTR
pH*	7.06			pH Units	1	08/25/21 13:50	EPA150.1		VJW
pH Temperature, degrees C	21.2			pH Units	1	08/25/21 13:50	EPA150.1		VJW
Total Dissolved Solids*	1320	10.0		mg/L	1	08/27/21 13:15	EPA160.1		VJW
Sulfate*	615	20.0	3.05	mg/L	20	08/26/21 20:51	EPA300.0		AES
Total Organic Carbon*	3.71	0.500	0.0616	mg/L	1	08/28/21 00:47	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 15:17	EPA200.7		AES
Calcium*	146	0.500	0.289	mg/L	5	08/31/21 15:17	EPA200.7		AES
Hardness as CaCO ₃	859	3.31	2.07	mg/L	5	08/31/21 15:17	2340 B		AES
Iron*	2.20	0.250	0.089	mg/L	5	08/31/21 15:17	EPA200.7		AES
Magnesium*	120	0.500	0.327	mg/L	5	08/31/21 15:17	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 15:17	EPA200.7		AES
Silica (SiO ₂)	15.5	5.35	0.398	mg/L	5	08/31/21 15:17	Calculation		AES
Silicon	7.24	2.50	0.186	mg/L	5	08/31/21 15:17	EPA200.7		AES
Sodium*	75.8	5.00	0.396	mg/L	5	08/31/21 15:17	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:52	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:52	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:52	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	09/01/21 14:52	EPA200.8		AES
Manganese*	3.60	0.0025	0.0006	mg/L	5	09/01/21 14:52	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	09/01/21 14:52	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	09/01/21 14:52	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:52	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	09/01/21 14:52	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-8-EAA

2108249-04 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-0.45								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:41

MW-7-EAA

2108249-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

General Chemistry

Alkalinity, Bicarbonate as CaCO ₃ *	340	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Carbonate as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Hydroxide as CaCO ₃ *	<10.0	10.0		mg/L	5	08/30/21 16:00	2320 B		JDA
Alkalinity, Total as CaCO ₃ *	340	10.0	4.53	mg/L	5	08/30/21 16:00	2320 B		JDA
Chloride*	10.5	2.00	0.0845	mg/L	2	08/27/21 11:15	EPA300.0		AES
Fluoride*	0.312	0.200	0.0194	mg/L	2	08/27/21 11:15	EPA300.0		AES
Nitrate/Nitrite as N*	<0.020	0.020	0.006	mg/L as N	1	08/30/21 15:45	EPA353.2		DTR
pH*	7.03			pH Units	1	08/25/21 13:50	EPA150.1		VJW
pH Temperature, degrees C	21.1			pH Units	1	08/25/21 13:50	EPA150.1		VJW
Total Dissolved Solids*	1510	10.0		mg/L	1	08/27/21 13:15	EPA160.1		VJW
Sulfate*	796	20.0	3.05	mg/L	20	08/26/21 21:10	EPA300.0		AES
Total Organic Carbon*	3.63	0.500	0.0616	mg/L	1	08/28/21 01:04	5310C		AES

Dissolved Metals by ICP

Aluminum*	<0.250	0.250	0.064	mg/L	5	08/31/21 15:19	EPA200.7		AES
Calcium*	167	0.500	0.289	mg/L	5	08/31/21 15:19	EPA200.7		AES
Hardness as CaCO ₃	986	3.31	2.07	mg/L	5	08/31/21 15:19	2340 B		AES
Iron*	1.75	0.250	0.089	mg/L	5	08/31/21 15:19	EPA200.7		AES
Magnesium*	138	0.500	0.327	mg/L	5	08/31/21 15:19	EPA200.7		AES
Potassium*	<5.00	5.00	0.403	mg/L	5	08/31/21 15:19	EPA200.7		AES
Silica (SiO ₂)	16.7	5.35	0.398	mg/L	5	08/31/21 15:19	Calculation		AES
Silicon	7.81	2.50	0.186	mg/L	5	08/31/21 15:19	EPA200.7		AES
Sodium*	74.6	5.00	0.396	mg/L	5	08/31/21 15:19	EPA200.7		AES

Dissolved Metals by ICPMS

Arsenic*	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:53	EPA200.8		AES
Cadmium*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:53	EPA200.8		AES
Copper*	<0.0025	0.0025	0.0005	mg/L	5	09/01/21 14:53	EPA200.8		AES
Lead*	<0.0025	0.0025	0.00007	mg/L	5	09/01/21 14:53	EPA200.8		AES
Manganese*	4.39	0.0025	0.0006	mg/L	5	09/01/21 14:53	EPA200.8		AES
Molybdenum*	<0.0025	0.0025	0.0001	mg/L	5	09/01/21 14:53	EPA200.8		AES
Selenium*	<0.0050	0.0050	0.0008	mg/L	5	09/01/21 14:53	EPA200.8		AES
Uranium	<0.0025	0.0025	0.0002	mg/L	5	09/01/21 14:53	EPA200.8		AES
Zinc*	<0.0100	0.0100	0.0005	mg/L	5	09/01/21 14:53	EPA200.8		AES

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

MW-7-EAA

2108249-05 (Ground Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Dissolved Mercury by CVAA

Mercury*	<0.0002	0.0002	0.00001	mg/L	1	09/01/21 10:13	EPA245.1	V1	DTR
Cation/Anion Balance	-1.27								

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

General Chemistry - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211966 - General Prep - Wet Chem

Blank (B211966-BLK1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Reference (B211966-SRM1)

Prepared & Analyzed: 08/25/21

Total Dissolved Solids	410	10.0	mg/L	380	108	85-115
------------------------	-----	------	------	-----	-----	--------

Batch B211978 - General Prep - Wet Chem

Duplicate (B211978-DUP1)

Source: 2108257-07

Prepared & Analyzed: 08/25/21

pH	7.44		pH Units	7.43		0.135	20
pH Temperature, degrees C	21.5		pH Units	21.8		1.39	200

Batch B211981 - General Prep - Wet Chem

Blank (B211981-BLK1)

Prepared & Analyzed: 08/26/21

Chloride	ND	1.00	mg/L
Fluoride	ND	0.100	mg/L
Sulfate	ND	1.00	mg/L

LCS (B211981-BS1)

Prepared & Analyzed: 08/26/21

Chloride	24.6	1.00	mg/L	25.0	98.5	90-110
Fluoride	2.56	0.100	mg/L	2.50	102	90-110
Sulfate	24.6	1.00	mg/L	25.0	98.6	90-110

LCS Dup (B211981-BSD1)

Prepared & Analyzed: 08/26/21

Chloride	24.4	1.00	mg/L	25.0	97.8	90-110	0.738	20
Fluoride	2.51	0.100	mg/L	2.50	101	90-110	1.77	20
Sulfate	24.6	1.00	mg/L	25.0	98.5	90-110	0.0974	20

Batch B211988 - General Prep - Wet Chem

Blank (B211988-BLK1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	ND	0.500	mg/L
----------------------	----	-------	------

LCS (B211988-BS1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	9.65	0.500	mg/L	10.0	96.5	85-115
----------------------	------	-------	------	------	------	--------

LCS Dup (B211988-BSD1)

Prepared & Analyzed: 08/27/21

Total Organic Carbon	9.68	0.500	mg/L	10.0	96.8	85-115	0.321	20
----------------------	------	-------	------	------	------	--------	-------	----

Batch B211991 - General Prep - Wet Chem

Blank (B211991-BLK1)

Prepared & Analyzed: 08/27/21

Total Dissolved Solids	ND	10.0	mg/L
------------------------	----	------	------

Duplicate (B211991-DUP1)

Source: 2108249-03

Prepared & Analyzed: 08/27/21

Total Dissolved Solids	1000	10.0	mg/L	1000		0.495	20
------------------------	------	------	------	------	--	-------	----

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:41General Chemistry - Quality Control
(Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211991 - General Prep - Wet Chem (Continued)

Reference (B211991-SRM1)

Prepared & Analyzed: 08/27/21

Total Dissolved Solids	385	10.0	mg/L	380		101	85-115			
------------------------	-----	------	------	-----	--	-----	--------	--	--	--

Batch B212003 - General Prep - Wet Chem

Blank (B212003-BLK1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L							
Alkalinity, Total as CaCO ₃	ND	10.0	mg/L							

LCS (B212003-BS1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	104	10.0	mg/L				85-115			
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115			
Alkalinity, Total as CaCO ₃	104	10.0	mg/L	100		104	85-115			

LCS Dup (B212003-BSD1)

Prepared & Analyzed: 08/30/21

Alkalinity, Bicarbonate as CaCO ₃	105	10.0	mg/L				85-115	0.957	20	
Alkalinity, Carbonate as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Hydroxide as CaCO ₃	ND	10.0	mg/L				85-115		20	
Alkalinity, Total as CaCO ₃	105	10.0	mg/L	100		105	85-115	0.957	20	

Batch B212012 - General Prep - Wet Chem

Blank (B212012-BLK1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	ND	0.020	mg/L as N							
----------------------	----	-------	-----------	--	--	--	--	--	--	--

LCS (B212012-BS1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	0.912	0.020	mg/L as N	1.00		91.2	90-110			
----------------------	-------	-------	-----------	------	--	------	--------	--	--	--

LCS Dup (B212012-BSD1)

Prepared & Analyzed: 08/30/21

Nitrate/Nitrite as N	0.911	0.020	mg/L as N	1.00		91.1	90-110	0.143	20	
----------------------	-------	-------	-----------	------	--	------	--------	-------	----	--

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom BirdReported:
09/02/21 17:41

Dissolved Metals by ICP - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211993 - Diss. 200.7/200.8

Blank (B211993-BLK1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	ND	0.050	mg/L
Calcium	ND	0.100	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Potassium	ND	1.00	mg/L
Silicon	ND	0.500	mg/L
Sodium	ND	1.00	mg/L

LCS (B211993-BS1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.06	0.050	mg/L	5.00	101	85-115
Calcium	5.09	0.100	mg/L	5.00	102	85-115
Iron	5.03	0.050	mg/L	5.00	101	85-115
Magnesium	26.4	0.100	mg/L	25.0	105	85-115
Potassium	10.2	1.00	mg/L	10.0	102	85-115
Silicon	5.42	0.500	mg/L	5.00	108	85-115
Sodium	4.34	1.00	mg/L	4.05	107	85-115

LCS Dup (B211993-BSD1)

Prepared: 08/27/21 Analyzed: 08/31/21

Aluminum	5.01	0.050	mg/L	5.00	100	85-115	1.02	20
Calcium	4.98	0.100	mg/L	5.00	99.6	85-115	2.24	20
Iron	4.96	0.050	mg/L	5.00	99.2	85-115	1.53	20
Magnesium	25.7	0.100	mg/L	25.0	103	85-115	2.65	20
Potassium	10.2	1.00	mg/L	10.0	102	85-115	0.263	20
Silicon	5.22	0.500	mg/L	5.00	104	85-115	3.73	20
Sodium	4.21	1.00	mg/L	4.05	104	85-115	2.95	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

Dissolved Metals by ICPMS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B211994 - Diss. 200.7/200.8

Blank (B211994-BLK1)

Prepared: 08/27/21 Analyzed: 09/01/21

Arsenic	ND	0.0005	mg/L
Cadmium	ND	0.0005	mg/L
Copper	ND	0.0005	mg/L
Lead	ND	0.0005	mg/L
Manganese	ND	0.0005	mg/L
Molybdenum	ND	0.0005	mg/L
Selenium	ND	0.0010	mg/L
Uranium	ND	0.0005	mg/L
Zinc	ND	0.0020	mg/L

LCS (B211994-BS1)

Prepared: 08/27/21 Analyzed: 09/01/21

Arsenic	0.0478	0.0005	mg/L	0.0500	95.7	85-115
Cadmium	0.0516	0.0005	mg/L	0.0500	103	85-115
Copper	0.0510	0.0005	mg/L	0.0500	102	85-115
Lead	0.0500	0.0005	mg/L	0.0500	100	85-115
Manganese	0.0498	0.0005	mg/L	0.0500	99.5	85-115
Molybdenum	0.0506	0.0005	mg/L	0.0500	101	85-115
Selenium	0.245	0.0010	mg/L	0.250	97.8	85-115
Uranium	0.0488	0.0005	mg/L	0.0500	97.5	85-115
Zinc	0.0508	0.0020	mg/L	0.0500	102	85-115

LCS Dup (B211994-BSD1)

Prepared: 08/27/21 Analyzed: 09/01/21

Arsenic	0.0497	0.0005	mg/L	0.0500	99.4	85-115	3.84	20
Cadmium	0.0508	0.0005	mg/L	0.0500	102	85-115	1.51	20
Copper	0.0500	0.0005	mg/L	0.0500	100	85-115	1.82	20
Lead	0.0505	0.0005	mg/L	0.0500	101	85-115	1.09	20
Manganese	0.0501	0.0005	mg/L	0.0500	100	85-115	0.638	20
Molybdenum	0.0505	0.0005	mg/L	0.0500	101	85-115	0.220	20
Selenium	0.249	0.0010	mg/L	0.250	99.7	85-115	1.87	20
Uranium	0.0494	0.0005	mg/L	0.0500	98.8	85-115	1.27	20
Zinc	0.0496	0.0020	mg/L	0.0500	99.2	85-115	2.31	20

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

Dissolved Mercury by CVAA - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B212018 - EPA 245.1/7470										
Blank (B212018-BLK1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	ND	0.0002	mg/L							
LCS (B212018-BS1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	0.0049	0.0002	mg/L	0.00500	97.7	85-115				
LCS Dup (B212018-BSD1)				Prepared: 08/30/21 Analyzed: 09/01/21						
Mercury	0.0049	0.0002	mg/L	0.00500	98.9	85-115	1.28	20		

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



GCC Energy, LLC
6473 CR 120
Hesperus CO, 81326

Project: GCC GW Baseline
Project Name / Number: GCC GW Baseline
Project Manager: Tom Bird

Reported:
09/02/21 17:41

Notes and Definitions

VI	Continuing calibration verification recovery was above laboratory acceptance limits. Target analyte was not detected in the sample.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

