

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No
Permitted Feature: 012A
External Outfall

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Discharge: 012A-W
Acute Monthly WET Testing for 012A

Report Dates & Status

Monitoring Period: From 09/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:
Last Name:
No Data Indicator (NODI)
Form NODI: --

Title:
Telephone:

Form NODI																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type					
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
51484	Number of Events	1 - Effluent Gross	0		Sample Permit Req. Value NODI				10.0 30DA AVG					1.0 MX 7D AV			SJ - #	01/30 - Monthly	CA - CALCTD
									C - No Discharge					C - No Discharge					
81381	Duration of discharge	1 - Effluent Gross	0		Sample Permit Req. Value NODI									1.0 MX 7D AV			5A - d	01/07 - Weekly	CA - CALCTD
									C - No Discharge					C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com
Date/Time: 2021-10-19 10:50 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776

Major: No

Permitted Feature: 011
External Outfall

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21

Considerations for Form Completion

Quarterly monitoring - see Appendix B, #35, pg 64.

Principal Executive Officer

First Name:

Last Name:

No Data Indicator (NODI)

Form NODI: -

Permittee:

Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Discharge: 011-Q
Quarterly Monitoring for 011A

DMR Due Date: 10/28/21

Status: NetDMR Validated

Facility:

Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Title:

Telephone:

Parameter Code	Monitoring Location	Season #	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type
Name				Qualifier 1 Value 1 Qualifier 2 Value 2 Units	Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3 Units			
70295 Solids, total dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI		Req Mon QTR AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L 01/90 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS

Name: Kathleen Welt

E-Mail: kwelt@archcoal.com

Date/Time: 2021-10-19 10:49 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK

Name: Jessica Wilczek

E-Mail: jwilczek@archrsc.com

Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	009 External Outfall	Discharge:	009-AA Subsoil Stockpile Runoff (MB-5)		

Report Dates & Status

Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 16 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a.

Principal Executive Officer

First Name:		Title:		Telephone:	
-------------	--	--------	--	------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Quantity or Loading		Units	Qualifier 1	Quality or Concentration		Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
						Value 1	Qualifier 2	Value 2		Value 1	Qualifier 2	Value 2					
00094	Conductivity	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge		7B - dS/m		02/30 - Twice Per Month	GR - GRAB
00400	pH	1 - Effluent Gross	0		Sample Permit Req. Value NODI				>=	6.5 MINIMUM C - No Discharge		<=	9.0 MAXIMUM C - No Discharge	12 - SU		01/30 - Monthly	GR - GRAB
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0		Sample Permit Req. Value NODI							35.0 30DA AVG C - No Discharge	70.0 DAILY MX C - No Discharge	19 - mg/L		01/30 - Monthly	GR - GRAB
00640	Nitrogen, Inorganic total	1 - Effluent Gross	0		Sample Permit Req. Value NODI								652.0 DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
00931	Sodium adsorption ratio	P - See Comments	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
00940	Chloride [as Cl]	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge		19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge		28 - ug/L		02/30 - Twice Per Month	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI							3000.0 30DA AVG C - No Discharge	6000.0 DAILY MX C - No Discharge	28 - ug/L		01/30 - Monthly	GR - GRAB

01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	3297.0 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	0.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	0.23 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge	01/30 - Monthly IN - INSTAN
50060	Chlorine, total residual	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	0.5 INST MAX C - No Discharge	19 - mg/L	01/30 - Monthly GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
51040	E. coli	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	2000.0 30DA GM C - No Discharge	<2000.0 MX 7D GM C - No Discharge	13 - #/100ml 02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB

82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon INST MAX AB - abst=0.prst=1 C - No Discharge		01/30 - Monthly VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
 Name: Kathleen Welt
 E-Mail: kwelt@archcoal.com
 Date/Time: 2021-10-19 10:47 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archrsc.com
 Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature: 032
External Outfall

Discharge: 032-Q
Quarterly Monitoring for 032A

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21

DMR Due Date: 10/28/21

Status: NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Title:

Telephone:

Last Name:

No Data Indicator (NODI)

Form NODI:

Form NODI:															# of Ex.		Frequency of Analysis		Sample Type		
Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration				Units							
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2						Value 2	Qualifier 3	Value 3
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					5.2			Req Mon 30DA AVG			19 - mg/L	0	01/90 - Quarterly	GR - GRAB		
																19 - mg/L		01/90 - Quarterly	GR - GRAB		
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					3.2			Req Mon 30DA AVG			26 - ug/L	0	01/90 - Quarterly	GR - GRAB		
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					1.9			Req Mon 30DA AVG			26 - ug/L	0	01/90 - Quarterly	GR - GRAB		
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					7.7			Req Mon 30DA AVG			26 - ug/L	0	01/90 - Quarterly	GR - GRAB		
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							9.6	Req Mon DAILY MX			26 - ug/L	0	01/90 - Quarterly	GR - GRAB		
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					10.0			Req Mon 30DA AVG			10.0	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					130.0			Req Mon 30DA AVG			130.0	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					5.2			Req Mon 30DA AVG			5.2	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					20.0			Req Mon 30DA AVG				26 - ug/L	0	01/90 - Quarterly	GR - GRAB	
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					5.3			Req Mon 30DA AVG			5.3	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					130.0			Req Mon 30DA AVG			130.0	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					2.1			Req Mon 30DA AVG			2.1	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					0.0			Req Mon 30DA AVG			0.0	Req Mon DAILY MX	26 - ug/L	0	01/90 - Quarterly	GR - GRAB
																26 - ug/L		01/90 - Quarterly	GR - GRAB		

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NDI	20.0	23 - ug/L	01/30 - Quarterly	GR - GRAB
					Req Mon DAILY MX	23 - ug/L	01/30 - Quarterly	GR - GRAB
50266	Mercury, total (low level)	1 - Effluent Gross	0	Sample Permit Req. Value NDI	0.044	28 - ug/L	01/30 - Quarterly	GR - GRAB
					Req Mon 30DA AVG	28 - ug/L	01/30 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide (undissociated)	1 - Effluent Gross	0	Sample Permit Req. Value NDI	0.05	19 - mg/L	01/30 - Quarterly	GR - GRAB
					Req Mon 30DA AVG	19 - mg/L	01/30 - Quarterly	GR - GRAB
81220	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NDI	50.0	19 - mg/L	01/30 - Quarterly	GR - GRAB
					Req Mon 30DA AVG	19 - mg/L	01/30 - Quarterly	GR - GRAB
82357	Boron, total	1 - Effluent Gross	0	Sample Permit Req. Value NDI	0.04	15 - mg/L	01/30 - Quarterly	GR - GRAB
					Req Mon 30DA AVG	15 - mg/L	01/30 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Tracing, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPCULOS1031
 Name: Nicole Poulos
 E-Mail: npoulos@archrsc.com
 Date/Time: 2021-10-21 10:16 (Time Zone: -05:00)

Report Last Signed By

User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archrsc.com
 Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature: 015
External Outfall

Discharge: 015-W
Acute WET Testing for 011A

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21

DMR Due Date: 10/28/21

Status: NetDMR Validated

Considerations for Form Completion

SEE I.D. 1, PP. 32-34, FOR DETAILS OF TEST PROCEDURE. REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:

Title:

Telephone:

Last Name:

No Data Indicator (NODI)

Form NODI:

Parameter		Monitoring Location	Season	# Param. NODI	Quantity or Loading			Quantity or Concentration			# of Ex.	Frequency of Analysis	Sample Type
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3			
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB	
							C - No Discharge						
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB	
							C - No Discharge						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwell@archcoal.com
Date/Time: 2021-10-19 10:52 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	015 External Outfall	Discharge:	015-AA Surface Runoff to N. Fork of Gunnison River		

Report Dates & Status

Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 23 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.1.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		Title:		Telephone:	
-------------	--	--------	--	------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Param. NODI					Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Parameter Name	Monitoring Location	Season	# Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			78 - dS/m	02/30 - Twice Per Month	GR - GRAB	
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					>=	6.5 MINIMUM C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU	01/30 - Monthly	GR - GRAB	
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	35.0 30DA AVG C - No Discharge		<=	70.0 DAILY MX C - No Discharge	19 - mg/l	01/30 - Monthly	GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month	CA - CALCTD	
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	3000.0 30DA AVG C - No Discharge	<=	6000.0 DAILY MX C - No Discharge	28 - ug/L	01/30 - Monthly	GR - GRAB	
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	3297.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month	GR - GRAB	

					Value NODI	C - No Discharge				
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		10.0 INST MAX C - No Discharge	19 - mg/L	7/7/77 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	0.04 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge		01/30 - Monthly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon INST MAX AB - abst=0,prst=1 C - No Discharge			01/30 - Monthly	VI - VISUAL

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kalhleen Welt
E-Mail: kwell@archcoal.com
Date/Time: 2021-10-19 10:51 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	014 External Outfall	Discharge:	014-Q Quarterly Monitoring for 014A		

Report Dates & Status

Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
---------------------------	---------------------------	----------------------	----------	----------------	------------------

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		Title:		Telephone:	
--------------------	--	---------------	--	-------------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Code	Parameter Name	Monitoring Location	Season	Param. NODI	Quantity or Loading				Quality or Concentration			Units	# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Value 3				
00940	Chloride [as Cl]	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG			19 - mg/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
01074	Nickel, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
01114	Lead, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
01118	Chromium, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG			28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge						
01318	Lead, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
									C - No Discharge		C - No Discharge				
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB

					Value NODI	C - No Discharge	C - No Discharge		
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req Value NODI		Req Mon DAILY MX 28 - ug/L	C1/90 - Quarterly	GR - GRAB
5C286	Mercury, total [low leve]	1 - Effluent Gross	0	--	Sample Permit Req Value NODI	Req Mon 3QDA AVG C - No Discharge	28 - ug/L	C1/90 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide (undissociated)	1 - Effluent Gross	0	--	Sample Permit Req Value NODI	Req Mon 3QDA AVG C - No Discharge	19 - mg/L	01/90 - Quarterly	GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req Value NODI	Req Mon 3QDA AVG C - No Discharge	28 - ug/L	01/90 - Quarterly	GR - GRAB
820E7	Boror, total	1 - Effluent Gross	0	--	Sample Permit Req Value NODI	Req Mon 3QDA AVG C - No Discharge	19 - mg/L	01/90 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
 Name: Nicole Poulos
 E-Mail: npoulos@archrsc.com
 Date/Time: 2021-10-11 13:11 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
 Name: Jessica Wilczek
 E-Mail: jwilczek@archrsc.com
 Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

Permit		Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	CO0038776	Permittee Address:	5174 Hwy 133	Facility Location:	HWY 133, E OF TOWN
Major:	No		Somerset, CO 81434		GUNNISON COUNTY, CO 81434
Permitted Feature:	017 External Outfall	Discharge:	017-AA Mine Water & MWTF		
Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated

TSS and TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

First Name:	Title:	Telephone:
Last Name:		
No Data Indicator (NODI)		

Parameter		Monitoring Location	Season	# Param. NODI	Quantity or Loading			Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type				
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00010	Temperature, water deg. cent/grade	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon MX WK AV C - No Discharge		Req Mon DAILY MX C - No Discharge	04 - deg C	99/99 - Continuous	RC - Recorder (auto)
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge					7B - dS/m	02/30 - Twice Per Month GR - GRAB	
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					6.5 MINIMUM C - No Discharge					9.0 MAXIMUM C - No Discharge	12 - SU	01/07 - Weekly	GR - GRAB
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							35.0 30DA AVG C - No Discharge			70.0 DAILY MX C - No Discharge	19 - mg/L	01/30 - Monthly	GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB	
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALCTD	
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALCTD	
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon 30DA AVG C - No Discharge				19 - mg/L	02/30 - Twice Per Month GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							100.0 30DA AVG C - No Discharge				28 - ug/L	02/30 - Twice Per Month GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.							1000.0 30DA AVG	<=		6000.0 DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB

					Value NODI				C - No Discharge	C - No Discharge			
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB		
01074	Nickel, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB		
01114	Lead, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI					Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01118	Chromium, total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01303	Zinc, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01306	Copper, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01318	Lead, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01319	Manganese, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01322	Nickel, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01323	Selenium, potentially dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
03582	Oil and grease	1 - Effluent Gross	0		Sample Permit Req. Value NODI					10.0 INST MAX C - No Discharge	19 - mg/L	7/7/77 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0		Sample Permit Req. Value NODI					Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Sample Permit Req. Value NODI	0.29 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge					01/30 - Monthly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB		
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB		
81020	Sulfate	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB		
82057	Boron, total	1 - Effluent Gross	0		Sample Permit Req. Value NODI				2.59 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB		
84066	Oil and grease visual	1 - Effluent Gross	0		Sample Permit Req. Value NODI				Req Mon INST MAX C - No Discharge	AB - abst=0;prst=1		01/30 - Monthly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row, Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	3WELTBOYS
Name	Kathleen Welt
E-Mail	kwelt@archcoal.com
Date/Time	2021-10-19 10:52 (Time Zone: -06:00)

Report Last Signed By

User:	JWILCZEK
Name	Jessica Wilczek
E-Mail	jwilczek@archrsc.com
Date/Time	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434
Discharge: 007-A
Domestic WWTP Polishing Pond

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature: 007
Internal Outfall

Report Dates & Status

Monitoring Period: From 09/01/21 to 09/30/21

DMR Due Date: 10/28/21

Status: NetDMR Validated

Considerations for Form Completion

30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:

Title:

Telephone:

Last Name:

No Data Indicator (NODI)

Form NODI:

Form NODI:					Form NODI												
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0		Sample	0.163747		0.163747	26 - lb/d		4.0		4.0		19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.	5.0 30DA AVG		Req Mon DAILY MX	26 - lb/d		30.0 30DA AVG		45.0 MX 7D AV		19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI												
00530	Solids, total suspended	1 - Effluent Gross	0		Sample	0.28459551		0.40424314	26 - lb/d		5.76		8.8		19 - mg/L	01/07 - Weekly	GR - GRAB
					Permit Req.	12.0 30DA AVG		Req Mon DAILY MX	26 - lb/d		75.0 30DA AVG		110.0 MX 7D AV		19 - mg/L	01/07 - Weekly	GR - GRAB
					Value NODI												
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0		Sample						0.05		0.05		19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						65.0 30DA AVG		85.0 DAILY MX		19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI												
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0		Sample	0.005508		0.01337	03 - MGD							99/99 - Continuous	RC - Recorder (auto)
					Permit Req.	0.02 30DA AVG		Req Mon DAILY MX	03 - MGD							99/99 - Continuous	RC - Recorder (auto)
					Value NODI												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com
Date/Time: 2021-10-19 11:15 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	008 External Outfall	Discharge:	008-AA Loadout Runoff (MB4)		

Report Dates & Status

Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI:

Permit NODI					Quantity or Loading					Quality or Concentration					# of Ex	Frequency of Analysis	Sample Type
Code	Parameter Name	Monitoring Location	Season	# Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			76 - dS/m	02/30 - Twice Per Month GR - GRAB
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					6.5 MINIMUM C - No Discharge				9.0 MAXIMUM C - No Discharge		12 - SU	01/30 - Monthly GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								35.0 30DA AVG C - No Discharge	70.0 DAILY MX C - No Discharge		19 - mg/L	01/30 - Monthly GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		1U - Ratio	02/30 - Twice Per Month CA - CALCTD
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge		1U - Ratio	02/30 - Twice Per Month CA - CALCTD
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								3000.0 30DA AVG C - No Discharge	6000.0 DAILY MX C - No Discharge		28 - ug/L	01/30 - Monthly GR - GRAB
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								1297.0 30DA AVG			28 - ug/L	02/30 - Twice Per Month GR - GRAB

[illegible]

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

[Edit Check Errors](#)

No errors.

[Comments](#)

No Discharge

[Attachments](#)

No attachments

[Report Last Saved By](#)

Mountain Coal Co LLC

User:	3WELTBOYS
Name:	Kathleen Well
E-Mail:	kwell@archcoal.com
Date/Time:	2021-10-19 10:46 (Time Zone: -06:00)

[Report Last Signed By](#)

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit					
Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	014 External Outfall	Discharge:	014-AA Surface Runoff to Sylvester Gulch		

Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated

Considerations for Form Completion
TSS & TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 21 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:		Title:		Telephone:	
--------------------	--	---------------	--	-------------------	--

Last Name:	
-------------------	--

No Data Indicator (NODI)

Form NODI:																		# of Ex.	Frequency of Analysis	Sample Type
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	Sample Permit Req. Value NODI										Req Mon MX WK AV C - No Discharge	Req Mon DAILY MX C - No Discharge	04 - deg C	99/99 - Continuous	RC - Recorder (auto)		
00400	pH	1 - Effluent Gross	0	Sample Permit Req. Value NODI					6.5 MINIMUM C - No Discharge					9.0 MAXIMUM C - No Discharge	12 - SU	01/30 - Monthly	GR - GRAB			
00530	Solids, total suspended	1 - Effluent Gross	0	Sample Permit Req. Value NODI								15.0 30DA AVG C - No Discharge	70.0 DAILY MX C - No Discharge	19 - mg/L	01/30 - Monthly	GR - GRAB				
00980	Iron, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI								3500.0 30DA AVG C - No Discharge	7000.0 DAILY MX C - No Discharge	2# - ug/L	01/30 - Monthly	GR - GRAB				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	Sample Permit Req. Value NODI		0.03 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	03 - MGD						01/30 - Monthly	IN - INSTAN			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Weil
E-Mail: kweilt@archcoal.com
Date/Time: 2021-10-19 10:51 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

Permit		Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	CO0038776	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	No	Discharge:	012-AA Mine Water to Minnesota Creek		
Permitted Feature:	012 External Outfall				
Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
Considerations for Form Completion					
TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR.24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C. A REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.					
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					

Form NODI:						Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	--	Sample Permit Req.									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RG - Recorder (auto)
					Value NODI								C - No Discharge		C - No Discharge					
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.					>=		6.5 MINIMUM				9.0 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.								<=	35.0 30DA AVG		70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge					
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge							
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge							
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.								<=	3500.0 30DA AVG		7000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI								C - No Discharge		C - No Discharge					
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge							
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge							
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI								C - No Discharge							

[illegible]

51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	Month	GR - GRAB
51484	Number of Events	1 - Effluent Gross	0	Sample Permit Req. Value NODI	10.0 30DA AVG C - No Discharge	3.0 7 DA AVG	5J - #	01/30 - Monthly CA - CALCTD
81020	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
81381	Duration of discharge	1 - Effluent Gross	0	Sample Permit Req. Value NODI	3.0 7 DA AVG C - No Discharge	5A - d	01/07 - Weekly	CA - CALCTD
82057	Boron, total	1 - Effluent Gross	0	Sample Permit Req. Value NODI	Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	Sample Permit Req. Value NODI	Req Mon INST MAX C - No Discharge	AB - abs1=0 prst=1	01/07 - Weekly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-11 13:10 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit
Permit #: CO0038776
Major: No
Permitted Feature: 005
 External Outfall

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
 Somerset, CO 81434
Discharge: 005-W
 Acute WET Testing for 005A

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434

Report Dates & Status
Monitoring Period: From 07/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion
 SEE I.D.1, PP. 32-35, FOR DETAILS OF TEST PROCEDURE. REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

No Data Indicator (NOD)

Form NOD:													# of Ex.	Frequency of Analysis	Sample Type
Code	Parameter Name	Monitoring Location	Season	# Param.	NOD	Quantity or Loading			Quality or Concentration			Units			
						Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD					Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB
										C - No Discharge					
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD					Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB
										C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwell@archcoal.com
Date/Time: 2021-10-19 10:46 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	009 External Outfall	Discharge:	009-W Acute WET Testing for 009A		

Report Dates & Status

Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

SEE I.D.1, PP. 32-35, FOR DETAILS OF TEST PROCEDURE. REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI:

Form NODI:																		
Parameter		Monitoring Location	Season		# Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--		Sample Permit Req. Value NODI	>=				100.0 MN VALUE				23 - %		01/90 - Quarterly	GR - GRAB
							C - No Discharge											
TAN6C	LC50 Static 96Hr Acute Pimephales	1 - Effluent Gross	0	--		Sample Permit Req. Value NODI	>=				100.0 MN VALUE				23 - %		01/90 - Quarterly	GR - GRAB
							C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	3WELTBOYS
Name:	Kathleen Welt
E-Mail:	kwelt@archcoal.com
Date/Time:	2021-10-19 10:48 (Time Zone: -05:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -05:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No
Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434
Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434
Permitted Feature: 005
External Outfall
Discharge: 005-Q
Quarterly Monitoring for 005A

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, #35, pg 64.

Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

No Data Indicator (NODI)

Form NODI: -

Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading		Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type
	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
70295	Solids, total dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI				Req Mon QTR AVG	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
								C - No Discharge	C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kallieen Welt
E-Mail: kwell@archcoal.com
Date/Time: 2021-10-19 10:45 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No
Permitted Feature: 012
External Outfall

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somersel, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Discharge: 012-Q
Quarterly Monitoring for 012A

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion

Quarterly monitoring - see Appendix B, #35, pg 64.

Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

No Data Indicator (NODI)

Form NODI: --

Param. NODI				Param. NODI										Sample Type		
Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
Code	Name			Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
70295	Solids, total dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI					Req Mon QTR AVG				Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly	GR - GRAB
									C - No Discharge				C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-11 13:10 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:					
Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE				
Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434				
Permitted Feature:		Discharge:							
025 External Outfall		025-Q Quarterly Monitoring for 025A							
Report Dates & Status									
Monitoring Period:		DMR Due Date:		Status:					
From 07/01/21 to 09/30/21		10/28/21		NetDMR Validated					
Considerations for Form Completion									
Principal Executive Officer									
First Name:		Title:		Telephone:					
Last Name:									
No Data Indicator (NODI)									
Form NODI:									
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1 Value 1 Qualifier 2 Value 2 Units	Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3 Units			
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	1000.0 Req Mon 30DA AVG	19 - mg/L 19 - mg/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	28.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	110.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	29.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	99.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	68.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	180.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	35.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	20.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	40.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	4200.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	29.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	3.7 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NOD	*	68.0	28 - ug/L	01/90 - Quarterly	GR - GRAB
						Req Mon DAILY Mon	28 - ug/L	01/90 - Quarterly	GR - GRAB
50286	Mercury, total (low level)	1 - Effluent Gross	0	Sample Permit Req. Value NOD	=	0.17	28 - ug/L	01/90 - Quarterly	GR - GRAB
						Req Mon 30DA AVG	28 - ug/L	01/90 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide (undissociated)	1 - Effluent Gross	0	Sample Permit Req. Value NOD	<	0.05	19 - mg/L	01/50 - Quarterly	GR - GRAB
						Req Mon 30DA AVG	19 - mg/L	01/50 - Quarterly	GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NOD	=	120.0	19 - mg/L	01/50 - Quarterly	GR - GRAB
						Req Mon 30DA AVG	19 - mg/L	01/50 - Quarterly	GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	Sample Permit Req. Value NOD	*	0.97	19 - mg/L	01/50 - Quarterly	GR - GRAB
						Req Mon 30DA AVG	19 - mg/L	01/50 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Tracking, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

MPOULOS1031

Name:

Nicole Poulos

E-Mail:

mpoulos@archrsc.com

Date/Time:

2021-10-25 07:51 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Someset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	017 External Outfall	Discharge:	017-Q Quarterly Monitoring for 017A		

Report Dates & Status

Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Quarterly monitoring - see Appendix B, #35, pg 64.

Principal Executive Officer

First Name:		Title:		Telephone:	
-------------	--	--------	--	------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Form NODI:					Monitoring Location		Season # Param. NODI		Quantity or Loading			Quality or Concentration			# of Ex. Frequency of Analysis Sample Type	
Code	Parameter Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units
70295	Solids, total dissolved	1 - Effluent Gross	0		Sample Permit Req. Value NODI								Req Mon QTRTR AVG	Req Mon DAILY MX	19 - mg/L	01/90 - Quarterly GR - GRAB
													C - No Discharge	C - No Discharge		

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	3WELTBOYS
Name:	Kathleen Welt
E-Mail:	kwell@archcoal.com
Date/Time:	2021-10-19 10:52 (Time Zone: -06:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	008 External Outfall	Discharge:	008-W Acute WET Testing for 008A		

Report Dates & Status

Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
---------------------------	---------------------------	----------------------	----------	----------------	------------------

Considerations for Form Completion

SEE I.D.1, PP. 32-35, FOR DETAILS OF TEST PROCEDURE. REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI:

Code	Parameter	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3			
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB
									C - No Discharge					
TAN6C	LC50 Static 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon MN VALUE			23 - %	01/90 - Quarterly	GR - GRAB
									C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2021-10-11 13:09 (Time Zone: -06:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit					
Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	025 External Outfall	Discharge:	025-A Stormwater from Drainage Basin 49A5 to Sylvester Gulch		
Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
Considerations for Form Completion					

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	
No Data Indicator (NODI)			

Form NODI:																				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							7.66				7.66	12 - SU		01/30 - Monthly	GR - GRAB
												Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU	0	01/30 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									2900.0		2900.0	19 - mg/L		01/30 - Monthly	GR - GRAB
														Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									15.0		15.0	25 - mL/L		01/30 - Monthly	GR - GRAB
														Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L	0	01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									26000.0		26000.0	28 - ug/L		01/30 - Monthly	GR - GRAB
														Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		0.0504		0.0504	03 - MGD									01/30 - Monthly	IN - INSTAN
							1.35 30DA AVG			Req Mon DAILY MX		03 - MGD						0	01/30 - Monthly	IN - INSTAN

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

Attachments

No attachments

Report Last Saved By
Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:22 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No
Permitted Feature: 017
External Outfall

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434
Discharge: 017-W
Acute WET Testing for 017A

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion

SEE I.D.1, PP. 32-34, FOR DETAILS OF TEST PROCEDURE. REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:
Last Name:
Title:
Telephone:

No Data Indicator (NODI)

Form NODI: --

Form NODI		Parameter	Monitoring Location	Season	# Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	
Code		Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units
TAM3C	LC50	Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		>=	100.0	MN VALUE					23 - %	01/90 - Quarterly	G3 - GRAB-3
													C - No Discharge				
TAN6C	LC50	Static 96Hr Acute Pimephales	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		>=	100.0	MN VALUE					23 - %	01/90 - Quarterly	G3 - GRAB-3
													C - No Discharge				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-11 13:12 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

<u>Permit</u>							
Permit #:	CO0038776	Facility:	WEST ELK MINE				
Major:	No	Permittee Address:	Mountain Coal Co LLC 5174 Hwy 133 SomerseI, CO 81434				
Permitted Feature:	015 External Outfall	Discharge:	015-Q Quarterly Monitoring for 015A				
Report Dates & Status							
Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21				
Status:		NetDMR Validated					
Considerations for Form Completion							
Quarterly monitoring - see Appendix B, #35, pg 64.							
Principal Executive Officer							
First Name:		Title:					
Last Name:		Telephone:					
No Data Indicator (NODI)							
Form NODI: --							
Parameter: Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading Qualifier 1 Value 1 Qualifier 2 Value 2 Units	Quality or Concentration Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3 Units	# of Ex. Frequency of Analysis	Sample Type
Code							
70295	Solids, total dissolved	1 - Effluent Gross	0	--			
				Req Mon QTR TR AVG	Reg Mn DAILY MX	19 - mg/L	01/90 - Quarterly
				C - No Discharge	C - No Discharge		GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS

Name: Kathleen Welt

E-Mail: kwelt@archcoal.com

Date/Time: 2021-10-19 10:51 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK

Name: Jessica Wilczek

E-Mail: jwilczek@archsc.com

Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	CO0038776	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	No	Discharge:	035-A Stormwater Runoff from Train Loadout Area to N. Fork of Gunnison River		
Permitted Feature:	035 External Outfall				
Report Dates & Status		DMR Due Date:	10/28/21	Status:	NetDMR Validated
Monitoring Period:	From 09/01/21 to 09/30/21				
Considerations for Form Completion					

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					

Form NODI:

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3			
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							01/30 - Monthly	GR - GRAB
												01/30 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							01/30 - Monthly	GR - GRAB
												01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							01/30 - Monthly	GR - GRAB
												01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	0.001584	0.001584	03 - MGD				01/30 - Monthly	IN - INSTAN
						1.330DA AVG	Req Mon DAILY MX	03 - MGD				01/30 - Monthly	IN - INSTAN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:24 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

Permit #:

CO0038776

Major:

No

Permitted Feature:

012
External Outfall

Report Dates & Status

Monitoring Period:

From 07/01/21 to 09/30/21

Considerations for Form Completion

SEE I.D.1, PP. 32 PG 32-34 FOR DETAILS OF PROCEDURE, REPORT LC50 - STATISTICAL POINT ESTIMATE WHICH IS LETHAL TO 50% OF TEST ORGANISMS, AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:

Last Name:

No Data Indicator (NODI)

Form NODI:

Permittee:

Mountain Coal Co LLC

Permittee Address:

5174 Hwy 133
Somerset, CO 81434

Facility:

WEST ELK MINE

Facility Location:

HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Discharge:

012-W
Acute WET Testing for 012A

Status:

NetDMR Validated

DMR Due Date:

10/28/21

Table

Code	Parameter Name	Monitoring Location	Season	#	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0			Sample Permit Req. Value NODI						100.0 MN VALUE			23 - %	01/90 - Quarterly	G3 - GRAB-3
												C - No Discharge					
TAN6C	LC50 Statre 96Hr Acute Pimephales	1 - Effluent Gross	0			Sample Permit Req. Value NODI						100.0 MN VALUE			23 - %	01/90 - Quarterly	G3 - GRAB-3
												C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

3WELTBOYS

Name:

Kathleen Welt

E-Mail:

kwelt@archcoal.com

Date/Time:

2021-10-19 10:49 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -06:00)

Permit		Permittee:		Facility:	
Permit #:	CO0038776	Mountain Coal Co LLC		WEST ELK MINE	
Major:	No	Permittee Address:		Facility Location:	
		5174 Hwy 133 Somerset, CO 81434		HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434	
Permitted Feature:		Discharge:			
017A External Outfall		017A-W Acute Monthly WET Testing for 017A			
Report Dates & Status					
Monitoring Period:		DMR Due Date:		Status:	
From 09/01/21 to 09/30/21		10/28/21		NetDMR Validated	
Considerations for Form Completion					

First Name:	Title:	Telephone:
Last Name:		
No Data Indicator (NOD)		

Form NODI:																	
Parameter	Monitoring Location	Season	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
Code	Name			Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
51484	Number of Events	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				<	10.0	30 DA AVG	<	1.0	7 DA AVG	5J - #	01/30 - Monthly	CA - CALCTD
										C - No Discharge			C - No Discharge				
81381	Duration of discharge	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<	3.0	7 DA AVG	5A - d	01/07 - Weekly	CA - CALCTD
										C - No Discharge							

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

No errors.

No Discharge

No attachments

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Well
E-Mail: kwellt@archcoal.com
Date/Time: 2021-10-19 10:53 (Time Zone: -06:00)

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	005 External Outfall	Discharge:	005-AA Coal Conveyor Runoff (MB-3)		

Report Dates & Status

Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD OIL AND GREASE- SEE I.C.1.a, REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		Title:		Telephone:	
-------------	--	--------	--	------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Form NODI:					Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Parameter Name	Monitoring Location	Season	# Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			78 - dS/m	02/30 - Twice Per Month	GR - GRAB
00400	pH	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI					6.5 MINIMUM C - No Discharge				9.0 MAXIMUM C - No Discharge			12 - SU	01/30 - Monthly	GR - GRAB
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									35.0 30DA AVG C - No Discharge			70.0 DAILY MX C - No Discharge	19 - mg/L	01/30 - Monthly GR - GRAB
00918	Calcium, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALCTD
00931	Sodium adsorption ratio	P - See Comments	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			Req Mon DAILY MX C - No Discharge	1U - Ratio	02/30 - Twice Per Month CA - CALCTD
00940	Chloride [as Cl]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge				19 - mg/L	02/30 - Twice Per Month GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge				28 - ug/L	02/30 - Twice Per Month GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									3500.0 30DA AVG C - No Discharge			7000.0 DAILY MX C - No Discharge	28 - ug/L	01/30 - Monthly GR - GRAB
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI									3.247.0 30DA AVG C - No Discharge				28 - ug/L	02/30 - Twice Per Month GR - GRAB

01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon DAILY MX	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01116	Chromium, total recoverable	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	Req Mon DAILY MX C - No Discharge	28 - ug/L 02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	10.0 INST MAX	19 - mg/L	77/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	0.04 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge		01/30 - Monthly IN - INSTANT
50286	Mercury, total [low level]	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	28 - ug/L	02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	19 - mg/L	02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	19 - mg/L	02/30 - Twice Per Month GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	C - No Discharge	Req Mon 30DA AVG	19 - mg/L	02/30 - Twice Per Month GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	—	Value NODI Sample Permit Req. Value NODI	Req Mon INST MAX AB - abst=0;prst=1 C - No Discharge			01/30 - Monthly VI - VISUAL

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	3WELTBOYS
Name:	Kathleen Welt
E-Mail:	kwelt@archcoal.com
Date/Time:	2021-10-19 10:45 (Time Zone: -06:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	035 External Outfall	Discharge:	035-Q Quarterly Monitoring for 035A		

Report Dates & Status

Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI:

Param. NODI					Monitoring Location	Season	# Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type	
Code	Parameter Name	Qualifier 1 Value 1	Qualifier 2 Value 2	Units				Qualifier 1 Value 1	Qualifier 2 Value 2	Value 2	Qualifier 3	Value 3	Units				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						120.0 Req Mon 30DA AVG			19 - mg/L 19 - mg/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						4.6 Req Mon 30DA AVG			28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						44.0 Req Mon 30DA AVG			28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						19.0 Req Mon 30DA AVG			28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								25.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						13.0 Req Mon 30DA AVG		13.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						160.0 Req Mon 30DA AVG		160.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						10.0 Req Mon 30DA AVG		10.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						20.0 Req Mon 30DA AVG			28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						16.0 Req Mon 30DA AVG		16.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						450.0 Req Mon 30DA AVG		450.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						7.5 Req Mon 30DA AVG		7.5 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						3.1 Req Mon 30DA AVG		3.1 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	C	Sample Permit Req. Value NOD	20.0	28 - ug/L	0.050 - Quarterly	GR - GRAB
					Req Mon DA-LY MAX	28 - ug/L	0.050 - Quarterly	GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	C	Sample Permit Req. Value NOD	0.079	28 - ug/L	0.050 - Quarterly	GR - GRAB
					Req Mon 3CDA AVG	28 - ug/L	0.050 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	D	Sample Permit Req. Value NOD	0.05	19 - mg/L	0.100 - Quarterly	GR - GRAB
					Req Mon 30CA AVG	19 - mg/L	0.100 - Quarterly	GR - GRAB
81020	Sulfate	1 - Effluent Gross	D	Sample Permit Req. Value NOD	25.0	19 - mg/L	0.100 - Quarterly	GR - GRAB
					Req Mon 30CA AVG	19 - mg/L	0.100 - Quarterly	GR - GRAB
82057	Boron, total	1 - Effluent Gross	D	Sample Permit Req. Value NOD	0.56	19 - mg/L	0.100 - Quarterly	GR - GRAB
					Req Mon 30CA AVG	19 - mg/L	0.100 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

NPOULOS1031

Name:

Nicole Poulos

E-Mail:

npoulos@archrsc.com

Date/Time:

2021-10-21 10:19 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:								
Permit #:	CO0038776	Permittee:		Mountain Coal Co LLC								
Major:	No	Permittee Address:		Facility Location:								
		5174 Hwy 133 Somerset, CO 81434		WEST ELK MINE HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434								
Permitted Feature:		Discharge:										
034 External Outfall		034-Q Quarterly Monitoring for 034A										
Report Dates & Status												
Monitoring Period:		DMR Due Date:		Status:								
From 07/01/21 to 09/30/21		10/28/21		Not DMR Validated								
Considerations for Form Completion												
Principal Executive Officer												
First Name:		Title:		Telephone:								
Last Name:												
No Data Indicator (NODI)												
Form NODI:												
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type			
Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	110.0 Req Mon 30DA AVG		19 - mg/L 19 - mg/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	4.2 Req Mon 30DA AVG		28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB	
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	3.7 Req Mon 30DA AVG		28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB	
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	13.0 Req Mon 30DA AVG		28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB	
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			12.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	9.7 Req Mon 30DA AVG		9.7 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	31.0 Req Mon 30DA AVG		31.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	7.9 Req Mon 30DA AVG		7.9 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	1.1 Req Mon 30DA AVG			28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	6.4 Req Mon 30DA AVG		6.4 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	260.0 Req Mon 30DA AVG		260.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	3.9 Req Mon 30DA AVG		3.9 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	1.3 Req Mon 30DA AVG		1.3 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI	20.0	28 - µg/L	01/90 - Quarterly	GR - GRAB
					Req Mon: DAILY MX	28 - µg/L	01/90 - Quarterly	GR - GRAB
50286	Mercury, total (low level)	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.022	28 - µg/L	01/90 - Quarterly	GR - GRAB
					Req Mon: 30CA AVG	28 - µg/L	01/90 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.05	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon: 30CA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB
61020	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NODI	13.0	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon: 30CA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB
E2057	Boron, total	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.45	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon: 30CA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

NPOULOS1031

Name:

Nicole Poulos

E-Mail:

npoulos@archrsc.com

Date/Time:

2021-10-21 10:18 (Time Zone: -06:00)

Report Last Signed By

User:

J.WILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	300 Influent Structure	Discharge:	300-I Influent Measurements		

Report Dates & Status

Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Influent samples must be collected, analyzed and reported monthly regardless of whether an effluent discharge occurs. Plant capacity - report hydraulic capacity @ MLOC=P; organic capacity @ MLOC=Q. Hydraulic capacity = 0.02 MGD; organic capacity = 28 lbs BOD-5/Day

Principal Executive Officer

First Name:		Title:		Telephone:	
-------------	--	--------	--	------------	--

Last Name:

No Data Indicator (NODI)

Form NODI:

Param. NODI					Data													
Parameter		Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex. Frequency of Analysis		Sample Type	
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00180	Plant capacity fact. percent of capacity	P - See Comments	0	--	Sample											23 - %	01/30 - Monthly	CA - CALCTD
					Permit Req.											23 - %	01/30 - Monthly	CA - CALCTD
					Value NODI													
00180	Plant capacity fact. percent of capacity	Q - See Comments	0	--	Sample											23 - %	01/30 - Monthly	CA - CALCTD
					Permit Req.											23 - %	01/30 - Monthly	CA - CALCTD
					Value NODI													
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample	3.76		3.76	26 - lb/d							19 - mg/L	01/30 - Monthly	CP - COMPOS
					Permit Req.	Req Mon 30DA AVG		Req Mon MX 7D AV	26 - lb/d						19 - mg/L	01/30 - Monthly	CP - COMPOS	
					Value NODI													
00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample											138.0	01/30 - Monthly	CP - COMPOS
					Permit Req.											138.0	01/30 - Monthly	CP - COMPOS
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2021-10-18 14:12 (Time Zone: -06:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE								
Major:	No	Permittee Address:	5174 Hwy 133 Somersel, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434								
Permitted Feature:	009 External Outfall	Discharge:	009-Q Quarterly Monitoring for 009A										
Report Dates & Status													
Monitoring Period:	From 07/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated								
Considerations for Form Completion													
Quarterly monitoring - see Appendix B, #35, pg 64.													
Principal Executive Officer													
First Name:			Title:	Telephone:									
Last Name:													
No Data Indicator (NODI)													
Form NODI:	--												
Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading		Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type		
Code	Name			Qualifier 1 Value 1	Qualifier 2 Value 2 Units	Qualifier 1 Value 1	Qualifier 2 Value 2	Value 1	Value 2	Qualifier 3 Value 3	Units		
70295	Solids, total dissolved	1 - Effluent Gross	0	--					Req Mon QTR AVG	Req Mon DAILY MX	13 - mg/L	01/90 - Quarterly	GR - GRAB
				Sample Permit Req. Value NODI				C - No Discharge	C - No Discharge				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS

Name: Kathleen Welt

E-Mail: kwelt@archcoal.com

Date/Time: 2021-10-19 10:47 (Time Zone: -06:00)

Report Last Signed By

JWILCZEK

User: Jessica Wilczek

Name: Jessica Wilczek

E-Mail: jwilczek@archsc.com

Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:						
Permit #:	CO0038776	Permittee: Mountain Coal Co LLC		Facility: WEST ELK MINE						
Major:	No	Permittee Address: 5174 Hwy 133 Somerset, CO 81434		Facility Location: HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434						
Permitted Feature: 027 External Outfall		Discharge: 027-Q Quarterly Monitoring for 027A								
Report Dates & Status										
Monitoring Period: From 07/01/21 to 09/30/21		DMR Due Date: 10/28/21		Status: NetDMR Validated						
Considerations for Form Completion										
Principal Executive Officer										
First Name:		Title:		Telephone:						
Last Name:										
No Data Indicator (NODI)										
Form NODI:										
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading Qualifier 1 Value 1 Qualifier 2 Value 2 Units	Quality or Concentration Qualifier 1 Value 1 Qualifier 2 Value 2 Value 3 Value 4	Units	# of Ex.	Frequency of Analysis	Sample Type
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	760.0 Req Mon 30DA AVG	19 - mg/L 19 - mg/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	22.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	52.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	100.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	58.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	49.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	220.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	35.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	20.0 Req Mon 30DA AVG	28 - ug/L 28 - ug/L	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	30.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	4700.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	36.0 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	5.4 Req Mon 30DA AVG	28 - ug/L Req Mon DAILY MX	0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB

34262	Chromium, trivalent total recoverable	1 - Effluent Gross	C	Sample Permit Req. Value NODI	49.3	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Req Mon DA LY VIX	28 - ug/L	01/90 - Quarterly	GR - GRAB
50286	Mercury, total [flow level]	1 - Effluent Gross	C	Sample Permit Req. Value NODI	0.17	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Req Mon 3CDA AVG	28 - ug/L	01/90 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	C	Sample Permit Req. Value NODI	0.05	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon 30DA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB
81220	Sulfate	1 - Effluent Gross	O	Sample Permit Req. Value NODI	91.0	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon 30CA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB
82057	Boron, total	1 - Effluent Gross	O	Sample Permit Req. Value NODI	0.77	19 - mg/L	01/90 - Quarterly	GR - GRAB
					Req Mon 30CA AVG	19 - mg/L	01/90 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Editor Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

NPOULOS1031

Name:

Nicole Poulos

E-Mail:

npoulos@archrsc.com

Date/Time:

2021-10-21 10:30 (Time Zone: -05:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -05:00)

DMR Copy of Record

Permit		Permittee: Mountain Coal Co LLC		Facility: WEST ELK MINE	
Permit #:	CO0038776	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	No				
Permitted Feature:	032 External Outfall	Discharge:	032-A Stormwater from Drainage Basins 43A and 43F to Sylvester Gulch		
Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	Not DMR Validated
Considerations for Form Completion					

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		
No Data Indicator (NODI)		

Form NODI:

Form NDDI:					Quantity or Loading										Quality or Concentration					# of Ex.		Frequency of Analysis		Sample Type
Code	Parameter Name	Monitoring Location	Season #	Param. NDDI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units								
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NDDI					8 21 Req Mon MINIMUM				8 21 Req Mon MAXIMUM		12 - SU 12 - SU	0	01/30 - Monthly 01/30 - Monthly		GR - GRAB GR - GRAB				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NDDI								680.0 Req Mon 30DA AVG		680.0 Req Mon DAILY MX	19 - mg/L 19 - mg/L	0	01/30 - Monthly 01/30 - Monthly		GR - GRAB GR - GRAB				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req. Value NDDI								0.4 Req Mon 30DA AVG		0.4 Req Mon DAILY MX	25 - mL/L 25 - mL/L	0	01/30 - Monthly 01/30 - Monthly		GR - GRAB GR - GRAB				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NDDI								27000.0 Req Mon 30DA AVG		27000.0 Req Mon DAILY MX	28 - ug/L 28 - ug/L	0	01/30 - Monthly 01/30 - Monthly		GR - GRAB GR - GRAB				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NDDI	0.01152 0.58 30DA AVG		0.01152 Req Mon DAILY MX	03 - MGD 03 - MGD								0	01/30 - Monthly 01/30 - Monthly		IN - INSTANT IN - INSTANT				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

Attachments

No attachments

Report Last Saved By Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:23 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:										
Permit #:	CO0038776	Permittee: Mountain Coal Co LLC		Facility: WEST ELK MINE										
Major:	No	Permittee Address: 5174 Hwy 133 Somerset, CO 81434		Facility Location: HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434										
Permitted Feature: 030 External Outfall		Discharge: 030-Q Quarterly Monitoring for 030A												
Report Dates & Status														
Monitoring Period: From 07/01/21 to 09/30/21		DMR Due Date: 10/28/21		Status: NetDMR Validated										
Considerations for Form Completion														
Principal Executive Officer														
First Name:		Title:		Telephone:										
Last Name:														
No Data Indicator (NODI)														
Form NODI:														
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1 Value 1	Qualifier 2 Value 2	Units	Qualifier 1 Value 1	Qualifier 2 Value 2	Qualifier 3 Value 3	Value 3	Units		
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	420.0		Req Mon 30DA AVG				19 - mg/L 19 - mg/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	3.9		Req Mon 30DA AVG				28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	9.9		Req Mon 30DA AVG				28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	9.2		Req Mon 30DA AVG				28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					9.3		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					7.6		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					23.0		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					5.5		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					20.0		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					5.3		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					260.0		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					3.2		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					2.8		28 - ug/L 28 - ug/L	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI	20.0 Req Mon DAILY MAX 25 - ug/L	25 - ug/L 0	01/93 - Quarterly 01/93 - Quarterly	GR - GRAB GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.050 Req Mon 30DA AVG	28 - ug/L 28 - ug/L 0	01/93 - Quarterly 01/93 - Quarterly	GR - GRAB GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.05 Req Mon 30DA AVG	19 - mg/L 19 - mg/L 0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
31020	Sulfate	1 - Effluent Gross	C	Sample Permit Req. Value NODI	58.0 Req Mon 30DA AVG	19 - mg/L 19 - mg/L 0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAB GR - GRAB
82057	Boron, total	1 - Effluent Gross	C	Sample Permit Req. Value NODI	0.6 Req Mon 30DA AVG	19 - mg/L 19 - mg/L 0	01/90 - Quarterly 01/90 - Quarterly	GR - GRAE GR - GRAE

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: Kathleen Wel:
E-Mail: kwelt@archcoa.com
Date/Time: 2021-10-19 15:33 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:				
Permit #:	CO0038776	Permittee Address:	Mountain Coal Co LLC	Facility Location:	WEST ELK MINE			
Major:	No		5174 Hwy 133 Somerset, CO 81434		HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434			
Permitted Feature:		Discharge:						
008 External Outfall		008-Q Quarterly Monitoring for 008A						
Report Dates & Status								
Monitoring Period:		DMR Due Date:		Status:				
From 07/01/21 to 09/30/21		10/28/21		NetDMR Validated				
Considerations for Form Completion								
Quarterly monitoring - see Appendix B, #35, pg 64.								
Principal Executive Officer								
First Name:		Title:		Telephone:				
Last Name:								
No Data Indicator (NODI)								
Form NODI: --								
Parameter	Monitoring Location	Session #	Param. NODI	Quantity or Loading	Quality or Concentration	# of Ex.	Frequency of Analysis	Sample Type
Code	Name			Qualifier 1 Value 1 Qualifier 2 Value 2 Units	Qualifier 1 Value 1 Qualifier 2 Value 2 Qualifier 3 Value 3			
70295	Solids, total dissolved	1 - Effluent Gross	0		Req Mon QTR AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	1B - mg/L 01/90 - Quarterly	GR - GRAB
Submission Note								
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.								
Edit Check Errors								
No errors.								
Comments								
No Discharge								
Attachments								
No attachments								
Report Last Saved By								
Mountain Coal Co LLC								
User:		3WELTBOYS						
Name:		Kathleen Welt						
E-Mail:		kwelt@archcoal.com						
Date/Time:		2021-10-19 10:46 (Time Zone: -06:00)						
Report Last Signed By								
User:		JWILCZEK						
Name:		Jessica Wilczek						
E-Mail:		jwilczek@archrsc.com						
Date/Time:		2021-10-25 09:15 (Time Zone: -06:00)						

Permit

Major: No

Discharge: UST2-A
Instream Monitoring

Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Report Dates & Status

Status: NetDMR Validated

Principal Executive Officer

Title:

Telephone:

No Data Indicator (NODI)

 Springer

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

[Edit Check Errors](#)

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

Report Last Signed By

Report Last Signed By

User:

Downloaded from <http://ajphaphysocpharm.sagepub.com/> at 10:00 11 September 2014

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No
Permitted Feature: 034
 External Outfall

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
 Somerset, CO 81434
Discharge: 034-A
 Comingled Discharge of Outfall 033 and from Drainage Basin 43B and 43C to Sylvester Gulch

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
 GUNNISON COUNTY, CO 81434

Report Dates & Status

Monitoring Period: From 09/01/21 to 09/30/21
DMR Due Date: 10/28/21
Status: NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:
Last Name:
No Data Indicator (NODI)

Title:
Telephone:

Form NODI:

Param. NODI															# of Ex.	Frequency of Analysis	Sample Type		
Parameter		Monitoring Location	Session #	Param. NODI	Quantity or Loading					Quality or Concentration					Units				
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req					=	8.46			=	8.46	12 - SU	0	01/30 - Monthly	GR - GRAB
					Value NODI						Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req					*			1800.0			28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Value NODI						Req Mon 30DA AVG					28 - ug/L		01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req	0.000432	*	0.000432	03 - MGD									01/30 - Monthly	IN - INSTANT
					Value NODI	0.39 30DA AVG			Req Mon DAILY MX 03 - MGD									01/30 - Monthly	IN - INSTANT

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:24 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature: 026
External Outfall

Discharge: 026-Q
Quarterly Monitoring for 026A

Report Dates & Status

Monitoring Period: From 07/01/21 to 09/30/21
Considerations for Form Completion

DMR Due Date: 10/28/21

Status: NetDMR Validated

Principal Executive Officer

First Name:
Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

Form NODI:					Quantity or Loading										Quality or Concentration			# of Ex.		Frequency of Analysis	Sample Type
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1 Value 1	Qualifier 2 Value 2	Units	Qualifier 1 Value 1	Qualifier 2 Value 2	Value 2	Qualifier 3	Value 3	Units								
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					980.0			19 - mg/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG			19 - mg/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					15.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					120.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					45.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							42.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon DAILY MX			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					31.0		31.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					100.0		100.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					21.0		21.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					20.0			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG			28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01316	Lead, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					24.0		24.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					2000.0		2000.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					17.0		17.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					2.5		2.5	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				
										Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	0	01/90 - Quarterly	GR - GRAB	GR - GRAB				

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD	=	31.0	28 - ug/L	0	01/30 - Quarterly	GR - GRAB
							Req Mon DAILY MX	28 - ug/L	0	01/30 - Quarterly	GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD	=	0.2	28 - ug/L	0	01/30 - Quarterly	GR - GRAB
							Req Mon 30DA AVG	28 - ug/L	0	01/30 - Quarterly	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD	<	0.05	19 - mg/L	0	01/30 - Quarterly	GR - GRAB
							Req Mon 30DA AVG	19 - mg/L	0	01/30 - Quarterly	GR - GRAB
31020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD	=	94.0	19 - mg/L	0	01/30 - Quarterly	GR - GRAB
							Req Mon 30DA AVG	19 - mg/L	0	01/30 - Quarterly	GR - GRAB
02057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NOD	=	0.31	19 - mg/L	0	01/30 - Quarterly	GR - GRAB
							Req Mon 30DA AVG	19 - mg/L	0	01/30 - Quarterly	GR - GRAB

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Tracking, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit: Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:

NPOULCS103

Name:

Nicole Poulos

E-Mail:

npoulos@archrsc.com

Date/Time:

2021-10-25 07:52 (Time Zone: -06:00)

Report Last Signed By

User:

JWILCZEK

Name:

Jessica Wilczek

E-Mail:

jwilczek@archrsc.com

Date/Time:

2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:		Facility:	
Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:		Discharge:			
011 External Outfall		011-AA Mine Water to Sylvester Gulch			
Report Dates & Status		DMR Due Date:		Status:	
Monitoring Period:		10/28/21		NetDMR Validated	
Considerations for Form Completion					
TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C a.					
REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.					
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					
Form NODI:					

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3			
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon MX WK AV C - No Discharge	Req Mon DAILY MX 04 - deg C C - No Discharge	99/99 - Continuous	RC - Recorder (auto)	
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	78 - dS/m	02/30 - Twice Per Month	GR - GRAB	
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			6.5 MINIMUM C - No Discharge		9.0 MAXIMUM C - No Discharge	12 - SU	01/07 - Weekly	GR - GRAB
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 19 - mg/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				35.0 30DA AVG C - No Discharge	70.0 DAILY MX 19 - mg/L C - No Discharge	01/30 - Monthly	GR - GRAB	
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 19 - mg/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB	
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 19 - mg/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB	
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 19 - mg/L C - No Discharge	02/30 - Twice Per Month	GR - GRAB	
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 1U - Ratio C - No Discharge	02/30 - Twice Per Month	CA - CALCTD	
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX 1U - Ratio C - No Discharge	02/30 - Twice Per Month	CA - CALCTD	
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB	
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				1000.0 30DA AVG C - No Discharge	6000.0 DAILY MX 28 - ug/L	01/30 - Monthly	GR - GRAB	

				Value NODI			C - No Discharge	C - No Discharge		
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01074	Nickel, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB	
01114	Lead, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI				Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	Sample Permit Req. Value NODI				10.0 INST MAX C - No Discharge	19 - mg/L	7/7/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	Sample Permit Req. Value NODI				Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	Sample Permit Req. Value NODI	0.014 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge				01/07 - Weekly IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
51484	Number of Events	1 - Effluent Gross	0	Sample Permit Req. Value NODI			10.0 30DA AVG C - No Discharge	3.0 7 DA AVG C - No Discharge	5J - #	01/30 - Monthly CA - CALCTD
81020	Sulfate	1 - Effluent Gross	0	Sample Permit Req. Value NODI			Req Mon 30DA AVG C - No Discharge		19 - mg/L	02/30 - Twice Per Month GR - GRAB
81381	Duration of discharge	1 - Effluent Gross	0	Sample Permit Req. Value NODI			3.0 7 DA AVG C - No Discharge		5A - d	01/07 - Weekly CA - CALCTD
				Sample Permit Req.			Req Mon 30DA AVG		19 - mg/L	02/30 - Twice Per Month GR - GRAB

82057	Boron, total	1 - Effluent Gross	0	Value NOD	C - No Discharge		
84066	Oil and grease visual	1 - Effluent Gross	0	Sample Permit Req. Value NOD	Req Mon INST MAX AB - absi=0,prst=1 C - No Discharge	01/07 - Weekly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: 3WELTBOYS
Name: KATHLEEN WELT
E-Mail: kwell@archcoal.com
Date/Time: 2021-10-19 10:48 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit
Permit #: CO0038776
Major: No
Permitted Feature: 027
External Outfall
Report Dates & Status
Monitoring Period: From 09/01/21 to 09/30/21
Considerations for Form Completion

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434
Discharge: 027-A
Stormwater from Drainage Basin 49A2 to Sylvester Gulch
Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434
Status: NetDMR Validated

Principal Executive Officer

First Name:
Last Name:
No Data Indicator (NODI)
Form NODI:

Title:
Telephone:

Form NODI:															# of Ex.		Frequency of Analysis	Sample Type
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration								
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					8.16	Req Mon MINIMUM			8.16	Req Mon MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB
																12 - SU	01/30 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								360.0		360.0	19 - mg/L	01/30 - Monthly	GR - GRAB
													Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								0.2		0.2	25 - mL/L	01/30 - Monthly	GR - GRAB
													Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L	01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								19000.0		19000.0	28 - ug/L	01/30 - Monthly	GR - GRAB
													Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	0.072		0.072	03 - MGD								01/30 - Monthly	IN - INSTAN
						0.48 30DA AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IN - INSTAN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors

Comments

Attachments

No attachments

Report Last Saved By Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:23 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit		Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Permit #:	CO0038776	Permittee Address:	5174 Hwy 133 Somersel, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Major:	No	Discharge:	033-A Stormwater from Drainage Basin 43D and 43E		
Permitted Feature:	033 Internal Outfall				
Report Dates & Status		DMR Due Date:	10/28/21	Status:	NetDMR Validated
Monitoring Period:	From 09/01/21 to 09/30/21				
Considerations for Form Completion					

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					

Form NODI:

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI				=	8.05	Req Mon MINIMUM			8.05	Req Mon MAXIMUM	12 - SU	0	01/30 - Monthly	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI				*	31.0	Req Mon 30DA AVG			31.0	Req Mon DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI				*	0.0	Req Mon 30DA AVG			0.0	Req Mon DAILY MX	25 - mL/L	0	01/30 - Monthly	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI				*	6400.0	Req Mon 30DA AVG			6400.0	Req Mon DAILY MX	28 - ug/L	0	01/30 - Monthly	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	---	Sample Permit Req. Value NODI	0.000288		0.000288	03 - MGD								0	01/30 - Monthly	IN - INSTAN
						0.54 30DA AVG			Req Mon DAILY MX	03 - MGD								01/30 - Monthly	IN - INSTAN

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Total Settleable Solids Not Detected

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:23 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit #:	CO0038776	Permittee:	Mountain Coal Co LLC	Facility:	WEST ELK MINE
Major:	No	Permittee Address:	5174 Hwy 133 Somerset, CO 81434	Facility Location:	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	030 External Outfall	Discharge:	030-A Stormwater from Drainage Basins 46B1 and 46B2 to Sylvester Gulch		
Report Dates & Status					
Monitoring Period:	From 09/01/21 to 09/30/21	DMR Due Date:	10/28/21	Status:	NetDMR Validated
Considerations for Form Completion					

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	
No Data Indicator (NODI)			

Form NODI:																	# of Ex.	Frequency of Analysis	Sample Type	
Code	Parameter Name	Monitoring Location	Season	# Param.	NODI	Quantity or Loading					Quality or Concentration					Units				
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						8.39				8.39		12 - SU	01/30 - Monthly	GR - GRAB	
												Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								41.0			41.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
													Req Mon 30DA AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								0.1			0.1	25 - mL/L	01/30 - Monthly	GR - GRAB	
													Req Mon 30DA AVG			Req Mon DAILY MX	25 - mL/L	01/30 - Monthly	GR - GRAB	
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								4000.0			4000.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
													Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		0.01728			03 - MGD								01/30 - Monthly	IN - INSTANT	
							0.07 30DA AVG			03 - MGD								01/30 - Monthly	IN - INSTANT	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User: NPOULOS1031
Name: Nicole Poulos
E-Mail: npoulos@archrsc.com
Date/Time: 2021-10-21 10:23 (Time Zone: -06:00)

Report Last Signed By

User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 09:15 (Time Zone: -06:00)

Permit		Permittee:		Mountain Coal Co LLC		Facility:		WEST ELK MINE	
Permit #:		CO0038776		Permittee Address:		5174 Hwy 133		HWY 133, E OF TOWN	
Major:		No		Somerset, CO 81434		Facility Location:		GUNNISON COUNTY, CO 81434	
Permitted Feature:		026 External Outfall		Discharge:		026-A Stormwater from Drainage Basin 49A3 to Sylvester Gulch			
Report Dates & Status									
Monitoring Period:		From 09/01/21 to 09/30/21		DMR Due Date:		10/28/21		Status:	
Considerations for Form Completion								NetDMR Validated	

First Name:	Title:	Telephone:
Last Name:		
No Data Indicator (NODI)		

[illegible]

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

No errors.

No attachments.

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2021-10-25 07:52 (Time Zone: -06:00)

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2021-10-25 09:15 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #: CO0038776
Major: No

Permittee: Mountain Coal Co LLC
Permittee Address: 5174 Hwy 133
Somerset, CO 81434

Facility: WEST ELK MINE
Facility Location: HWY 133, E OF TOWN
GUNNISON COUNTY, CO 81434

Permitted Feature: UST1
Receiving Water (Ambient)

Discharge: UST1-A
Instream Monitoring

Report Dates & Status

Monitoring Period: From 09/01/21 to 09/30/21
Considerations for Form Completion

DMR Due Date: 10/28/21

Status: NetDMR Validated

Principal Executive Officer

First Name:
Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type
	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3			
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0					11.533		13.798	04 - deg C	99/99 - Continuous	RC - Recorder (auto)
								Req Mon MX WK AV		Req Mon DAILY MX 04 - deg C	0	99/99 - Continuous	RC - Recorder (auto)

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
UST12ASeptember2021.pdf	pdf	338537.0

Report Last Saved By

Mountain Coal Co LLC
User: 3WELTBOYS
Name: Kathleen Welt
E-Mail: kwelt@archcoal.com
Date/Time: 2021-10-21 12:34 (Time Zone: -06:00)

Report Last Signed By


User: JWILCZEK
Name: Jessica Wilczek
E-Mail: jwilczek@archrsc.com
Date/Time: 2021-10-25 05:15 (Time Zone: -06:00)

UST1A				
Highest Daily Max. Temperature (DM)(°C) ¹			Maximum Weekly Average Temperature (MWAT) (°C) ^{2,3}	
Month	Temp. (°C)	Date	Temp. (°C)	Date
July 2020	16.237	30-Jul	12.637	31-Jul
August 2020	18.759	24-Aug	13.343	27-Aug
September 2020	17.665	6-Sep	12.712	1-Sep
October 2020	11.236	10-Oct	6.741	7-Oct
November 2020	8.033	7-Nov	3.868	5-Nov
December 2020	0.232	11-Dec	-0.366	8-Dec
January 2021	-0.102	31-Jan	-0.171	31-Jan
February 2021	0.010	25-Feb	0.010	21-Feb
March 2021	6.927	29-Mar	3.702	31-Mar
April 2021	12.304	30-Apr	6.523	29-Apr
May 2021	11.771	16-May	8.661	31-May
June 2021	14.182	17-Jun	11.078	19-Jun
July 2021	14.805	22-Jul	12.644	22-Jul
August 2021	13.510	4-Aug	12.379	1-Aug
September 2021	13.798	3-Sep	11.533	1-Sep

¹ DM is the highest two hour average water temperature recorded during a given 24-hour period (5 CCR 1002.31.5 (13)).

² MWAT is the highest Weekly Average Temperature (WAT) in the month (5 CCR 1002.31.5 (26)). WAT is the average of daily average temperatures over a seven day consecutive period, with a minimum of three data points spaced equally through each day (5 CCR 1002.31.5 (50)).

³ From July 1, 2020 through September 30, 2020 the formula for calculating WAT is the average of the daily average from the 7 previous days. Beginning on October 1st, 2020 the formula is the average of the daily average from the 3 previous days, the current day, and 3 days after.



UST2A				
Highest Daily Max. Temperature (DM)(°C) ¹			Maximum Weekly Average Temperature (MWAT) (°C) ^{2,3}	
Month	Temp. (°C)	Date	Temp. (°C)	Date
July 2020	18.188	28-Jul	15.404	31-Jul
August 2020	18.569	26-Aug	16.064	28-Aug
September 2020	15.712	5-Sep	15.354	1-Sep
October 2020	9.176	2-Oct	7.649	1-Oct
November 2020	4.986	7-Nov	2.872	6-Nov
December 2020	-0.046	1-Dec	-0.211	1-Dec
January 2021	-0.213	31-Jan	-0.314	31-Jan
February 2021	-0.102	18-Feb	-0.120	15-Feb
March 2021	0.893	31-Mar	0.356	31-Mar
April 2021	11.868	30-Apr	6.790	30-Apr
May 2021	13.365	16-May	9.928	31-May
June 2021	16.618	17-Jun	14.142	30-Jun
July 2021	19.710	22-Jul	17.819	23-Jul
August 2021	17.570	14-Aug	16.016	1-Aug
September 2021	15.808	3-Sep	13.832	1-Sep

¹ DM is the highest two hour average water temperature recorded during a given 24-hour period (5 CCR 1002.31.5 (13)).

² MWAT is the highest Weekly Average Temperature (WAT) in the month (5 CCR 1002.31.5 (26)). WAT is the average of daily average temperatures over a seven-day consecutive period, with a minimum of three data points spaced equally through each day (5 CCR 1002.31.5 (50)).

³ From July 1, 2020 through September 30, 2020 the formula for calculating WAT is the average of the daily average from the 7 previous days. Beginning on October 1st, 2020 the formula is the average of the daily average from the 3 previous days, the current day, and 3 days after.

