

Lorencito Coal Company, LLC

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

March 7, 2022

LORENCITO CANYON MINE HYDROLOGY MONITORING PLAN

March 7, 2022

Prepared By:

Arcadis U.S., Inc. 630 Plaza Drive, Suite 200 Highlands Ranch Colorado 80129 Phone: 720 344 3500 Fax: 720 344 3535 Prepared For: Lorencito Coal Company, LLC 12250 Highway 12 Weston, CO 81416

Our Ref:

30072831

DRAFT

Eric Cowan Project Manager

DRAFT

Jerry Koblitz Senior Technical Lead

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Contents

1	INTRODUCTION	1
2	PROPOSED MONITORING PROGRAM	2
3	REFERENCES	7

Tables

Table 1	Surface and Groundwater Monitoring Stations	2
Table 2	Ground Water Parameters and Monitoring Frequency	3
Table 3	Surface Water Parameters and Monitoring Frequency	4
Table 4	Water Quality Methods of Analysis	5

Maps

Map 1 P1/P2 Proposed Monitoring Locations

1 INTRODUCTION

Lorencito Coal Company, LLC (Lorencito) intends to initiate underground coal mining at the Lorencito Canyon Mine (Project) in the Primero Coal Seam. Mining would begin in the P1 and P2 reserves and may extend to the P3 reserves as coal is mined out at P1 and P2 (**Map 1**). To fulfill the requirements of the Regulations of the Colorado Mined Land Reclamation Board, the following information represents the surface and groundwater monitoring program which represents characteristics of water resources in the pre-mine phase of this Project. This Hydrology Monitoring Plan (Plan) has been assembled in compliance with Rule 2.04.7 and the Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data (Colorado Mined Land Reclamation Division [now known as Colorado Division of Reclamation, Mining and Safety; CDRMS] 1982).

Since 1996, analyses have been performed at the Lorencito Canyon Mine Project area to interpret the hydrology of the area. Lorencito will rely on this historic data base as the baseline conditions for the Project area. Field work accomplished during the baseline and surface mining phases of the Project have included the installation and testing of 10 alluvial wells, 16 consolidated aquifer wells, along with the monitoring of springs and seeps, ponds, and windmills in the Project area. From the field data collected, insight has been gained into the recharge and discharge characteristics of aquifers, hydraulic properties, potentiometric and water table surfaces, and water quality for each of the hydrologic units. Based on these previous studies, both conceptual and mathematical hydrologic models have been developed to show the relationships between the various units.

2 PROPOSED MONITORING PROGRAM

Monitoring will only occur in the P1 and P2 reserve areas and monitoring will be implemented in the P3 area as mining progresses in the second permit term. Since the current plan for underground mining will cause limited surface disturbance within the Project area, water resources monitoring will be limited to those areas shown on **Map 1**. **Tables 1, 2, 3**, and **4** presents the monitoring locations, water quality parameters, monitoring frequency and analysis methods for this monitoring program. Locations of all monitoring stations are shown on **Map 1**. Monitoring will begin as soon as the Plan is approved by CDRMS.

Collected data will be summarized and presented to the CDRMS as the Permit Revision Application is submitted for approval anticipated to be completed later this year (2022). All data collected will be presented in future Annual Hydrology Monitoring Reports.

Station/Well	Туре	Purpose
MW-4 (three wells)	Interburden/Primero/Underburden	Downgradient of P1/P2 Mine Areas
MW-5 (three wells)	Interburden/Primero/Underburden	Above P1 Mine Area
MW-6 (three wells)	Interburden/Primero/Underburden	Downgradient of P1/P2 Mine Areas
SPBC-1	Spring/Seep	Bonita Canyon - Downgradient of the P1/P2 Mine Areas
SPBC-2	Spring/Seep	Bonita Canyon - Downgradient of the P1/P2 Mine Areas
SPBC-3	Spring/Seep	Bonita Canyon - Downgradient of the P1/P2 Mine Areas
SPBC-4	Spring/Seep	Bonita Canyon - Downgradient of the P1/P2 Mine Areas
SPBC-5	Spring/Seep	Bonita Canyon - Downgradient of the P1/P2 Mine Areas
SPCC-1	Spring/Seep	Chimney Canyon - Above P1 Mine Area
SPAC-1	Spring/Seep	Alamosa Canyon - Above P1 Mine Area
CC-1	Alluvial/Surface	Chimney Canyon - Above P1 Mine Area
BC-1	Alluvial/Surface	Bonita Canyon – Downgradient of P1/P2 Mine Areas
AC-1	Alluvial/Surface	Alamosa Canyon - Above P1 Mine Area
LC-2	Alluvial/Surface	Lorencito Canyon - Downgradient of the P1/P2 Mine Areas
LC-3	Alluvial/Surface	Lorencito Canyon - Upgradient of the P1/P2 Mine Areas
LC-4	Alluvial/Surface	Lorencito Canyon - Upgradient of the P1/P2 Mine Areas
WNBC-1	Windmill	Bonita Canyon – Downgradient of P1/P2 Mine Areas
WNBC-2	Windmill	Bonita Canyon – Downgradient of P1/P2 Mine Areas
WNBC-3	Windmill	Bonita Canyon – Above P2 Mine Area
WMLPC-1	Windmill	Little Pine Canyon – Downgradient of P1/P2 Mine Areas
WMLPC-2	Windmill	Little Pine Canyon – Above P1 Mine Area
WMCC-1	Windmill	Little Pine Canyon – Above P12 Mine Area

Table 1 Surface and Groundwater Monitoring Stations

Table 2	Ground Water Parameters and Monitoring Frequency
---------	--

pH (field)	Nitrate-Nitrite
Conductivity at 25°C (field)	Phosphate (PO ₄ - ³ as P)
Temperature (field)	Sodium (Na ⁺)
Total Dissolved Solids	Sulfate (SO ₂)
Bicarbonate (HCO₃⁻)	Arsenic (As) Cadmium (Cd)
Calcium (Ca ⁺²)	Iron (Fe)
Carbonate (CO ₃) **	Manganese (Mn)
Chloride (C1 ⁻)	Mercury (Hg)
Magnesium (Mg ⁺²)	Selenium (Se)
Ammonia (NH₃)	Zinc (Zn)
 Dissolved species concentration only. First sampling only. 	
B. Monitoring Frequency	
1. Bedrock Aquifers	
	parameters monthly (pH, conductivity, and temperature). Record n the well at time of sampling.
b. Sample water for complete c	chemical analysis semi-annually.
2. Alluvial Aquifers	
	parameters monthly (pH, conductivity, and temperature). Record In the well at time of sampling. Windmills will only be sampled in the
ian or the your.	

Table 3	Surface Water Parameters and Monitoring Frequency
---------	---

A. Water Quality Parameters *	
pH (field)	Phosphate (PO4 ⁻³ as P)
Conductivity at 25°C (field)	Sodium (Na⁺)
Temperature (field)	Sulfate (SO ₂ -)
Dissolved Oxygen (field) **	Aluminum (AI)
Total Suspended Solids **	Arsenic (As)
Total Dissolved Solids	Cadmium (Cd)
Oil and Grease **	Copper (cu)
Sodium Adsorption Ratio	Iron (Fe)
Bicarbonate (HCO ₃ -)	Lead (Pb)
Calcium (Ca ⁺²)	Manganese (Mn)
Chloride (C1 ⁻)	Mercury (Hg)
Magnesium (Mg ⁺²)	Molybdenum (Mo)
Nitrate-Nitrite	Selenium (Se)
	Zinc (Zn)
* Total species concentration (dist	solved and suspended).

** Not necessary for springs and seeps.

B. Monitoring Frequency

1. Streams

a. Measure field water quality parameters monthly (pH, conductivity, and temperature).

b. Sample water for complete chemical analysis quarterly, especially during high andlow flow periods. Record flow at time of sampling.

- 2. Springs and Seeps
 - a. Measure field water quality parameters monthly (pH, conductivity, andtemperature). Record flow at time of sampling.

b. Sample water for complete chemical analysis quarterly.

Table Source: Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data, CDRMS 1982.

Chemical Parameter	Sampled Units	Medium **	Method of Analysis ***
pH (field)	pH Units	G,S	Field pH meter
Specific Conductance	uhmo/cm @	G,S	Wheatstone Bridge
(field)	25°C		(Specific Conductance Meter)
Temperature (field)	°C	S	Field thermometer
Total Dissolved Solids	mg/l	G,S	Filtrate evaporation; calculation
Total Suspended Solids	mg/l	S	Glass fiber filtration 103°-105°
Oil and Grease	mg/l	S	Liquid-liquid extraction with trifluoroethane
Sodium Adsorption Ratio		S	Calculation
Dissolved Oxygen (field)	mg/l	S	Membrane electrode
Bicarbonate (HCO ₃ -)	mg/l	G,S	Titration; electrometric; manual or automated method -methyl orangeatomic absorption
Calcium (Ca ⁺²)	mg/l	G,S	EDTA titration
Carbonate (CO ₃ -)		G,3	Titration; electrometric; manual or method -methyl
Carbonate (CO3)	mg/l	G	orange
Chloride (Cl ⁻)	mg/l	G,S	Silver nitrate; mercuric nitrate; automated colorimetric-ferricyanide
Magnesium (Mg ⁺²)	mg/l	G,S	Atomic absorption; gravimetric
Ammonia (NH₃)	mg/l	G	Automated colorimetric phenate; distillation
Nitrate-Nitrite	mg/l	G,S	Automated (cadmium reduction); automated (hydrazine reduction)
Phosphate (PO ₄ -3 as P)	mg/l	G,S	Direct single reagent; automated single reagent or stannous chloride
Sodium (Na⁺)	mg/l	G,S	Flame photometric; atomic absorption
Sulfate (SO4 ⁻)	mg/l	G,S	Gravimetric; turbidimetric; automated colorimetric
			 barium chlorinate
Aluminum (Al)	mg/l	S	Atomic absorption
Arsenic (As)	mg/l	G,S	Atomic absorption
Cadmium (Cd)	mg/l	G,S	Atomic absorption
Copper (Cu)	mg/l	S	Atomic absorption
Iron (Fe)	mg/l	G,S	Atomic absorption
Lead (Pb)	mg/l	S	Atomic absorption
Manganese (Mn)	mg/l	G,S	Atomic absorption
Mercury (Hg)	mg/l	G,S	Flameless atomic absorption
Molybdenum (Mo)	mg/l	S	Atomic absorption
Selenium (Se)	mg/l	G,S	Atomic absorption
Zinc (Zn)	mg/l	G,S	Atomic absorption

Table 4 Water Quality Methods of Analysis *


Table 4 Water Quality Methods of Analysis *

Chemical Parameter	Sampled Units	Medium **	Method of Analysis ***
Notes: * Additional methods may be	substituted with prior	approval from the	Division.
	es springs); total speci these methods: n; American Water Wor	es concentration(o	dissolved and suspended) d, Water Pollution Control Federation, 1979, Standard methods for Health Association, 1015 18th Street, Washington, D.C. 20036,
American Society for Testing and N 1916 Race Street, Philadelph			ok of ASTM Standards, American Society for Testing and Materials,
•	chniques of Water-Res	ources Investigatio	on and analysis for water samples for dissolved minerals and ns of the United States Geological Survey, U.S.G.S., Publications
U.S. Environmental Protection Age and Support Laboratory, Cinc		chemical analysis	of water and wastes: EPA-600/4-79-020, Environmental Monitoring
All these references are available	for inspection at the l	Division office: 13	13 Sherman Street, Room423, Denver, Colorado 80203.
Table Source: Guidelines for the	Collection of Baseline	e Water Quality an	d Overburden Geochemistry Data, CDRMS 1982.

3 REFERENCES

Colorado Mined Land Reclamation Division (CDRMS). 1982. Guidelines for the Collection of Baseline Water Quality and Overburden Geochemistry Data. September 16. 18 pages.

Maps



 Surface Stations and Alluvial Monitoring Locations
 (7082.80) Alluvial Monitoring Well Elevations
 Windmill Springs-Seeps

		ווואר #)
Alamosa Canyon	(NOTE: P#= PEF	 DMIT #\
Spring-Seeps Alamosa Canyon		ROBERT & BERNARD PARSONS (WMPNC-2)
-	P# 107598-A	ROBERT & BERNARD PARSONS (WMPNC-
Windmill Bonita Canyon	P# 107597	ROBERT & BERNARD PARSONS (WMBC-3)
Spring-Seeps Bonita Canyon		ROBERT & BERNARD PARSONS (WMBC-2)
3onita Canyon	P# 107595	ROBERT & BERNARD PARSONS (WMBC-2
Monitoring Well	#	NAME
orencito Canyon		
nney Canyon		
Spring-Seeps Chimney Canyon		
Nindmill Chimney Canyon		
Windmill Little Pine Canyon		
Perennial Stream Reach		
Proposed Public Access Road		
Permit Boundary		
Permi	nit Boundary	nit Boundary

Arcadis U.S., Inc. 630 Plaza Drive, Suite 200 Highlands Ranch Colorado 80129 Phone: 720 344 3500 Fax: 720 344 3535 www.arcadis.com