DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	015 External Outfall	**Discharge:**	**015-AA** Surface Runoff to N. Fork of Gunnison River		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	**NetDMR Validated**

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 23 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.1.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			78 - dS/m		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge						
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Value NODI									C - No Discharge		C - No Discharge				
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req.								<=	3297.0 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB

					Value NODI				C - No Discharge				
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					<= 10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<= 0.04 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge					01/30 - Monthly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		19 - mg/L	02/30 - Twice Per Month	GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		19 - mg/L	02/30 - Twice Per Month	GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				Req Mon 30DA AVG C - No Discharge		19 - mg/L	02/30 - Twice Per Month	GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon INST MAX AB - abs!=0,prs!=1 C - No Discharge					01/30 - Monthly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:29 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	**CO0038776**	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	035 External Outfall	**Discharge:**	**035-A** Stormwater Runoff from Train Loadout Area to N. Fork of Gunnison River		

Report Dates & Status

Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample															
					Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample															
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample															
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample															
					Permit Req.	<=	1.3 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:31 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	014 External Outfall	**Discharge:**	**014-AA** Surface Runoff to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

TSS & TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 21 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Value NODI									C - No Discharge		C - No Discharge				
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.03 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:29 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0036776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	030 External Outfall	**Discharge:**	**030-A** Stormwater from Drainage Basins 46B1 and 46B2 to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**	
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.07 30DA AVG			03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	011 External Outfall	**Discharge:**	**011-AA** Mine Water to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00094	Conductivity	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			7B - dS/m		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Permit Req.							C - No Discharge				C - No Discharge				
					Value NODI															
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<=	35 0 30DA AVG	<=	70 0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								<=	1000 0 30DA AVG	<=	6000 0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.															

					Value NODI						C - No Discharge		C - No Discharge			
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<=	0.014 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	03 - MGD					01/07 - Weekly	IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
51484	Number of Events	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					<	10.0 30DA AVG C - No Discharge	<	3.0 7 DA AVG C - No Discharge	5J - #	01/30 - Monthly	CA - CALCTD
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req Value NODI						Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
81381	Duration of discharge	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					<	3.0 7 DA AVG C - No Discharge			5A - d	01/07 - Weekly	CA - CALCTD
					Sample Permit Req.						Req Mon 30DA AVG			19 - mg/L	02/30 - Twice Per Month	GR - GRAB

82057 **Boron, total**	1 - Effluent Gross	0	--	Value NODI	C - No Discharge			
84066 **Oil and grease visual**	1 - Effluent Gross	0	--	Sample Permit Req Value NODI	Req Mon INST MAX AB - nhsl=0;prsl=1 C - No Discharge		01/07 - Weekly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:28 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	300 Influent Structure	**Discharge:**	300-I Influent Measurements		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Influent samples must be collected, analyzed and reported monthly regardless of whether an effluent discharge occurs. Plant capacity - report hydraulic capacity @ MLOC=P; organic capacity @ MLOC=Q. Hydraulic capacity = 0.02 MGD; organic capacity = 28 lbs BOD-5/Day

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00180	Plant capacity fact., percent of capacity	P - See Comments	0	--	Sample						=	42.31					23 - %		01/30 - Monthly	CA - CALCTD
					Permit Req.							Req Mon 30DA AVG					23 - %	0	01/30 - Monthly	CA - CALCTD
					Value NODI															
00180	Plant capacity fact., percent of capacity	Q - See Comments	0	--	Sample						=	104.0					23 - %		01/30 - Monthly	CA - CALCTD
					Permit Req.							Req Mon 30DA AVG					23 - %	0	01/30 - Monthly	CA - CALCTD
					Value NODI															
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	--	Sample	=	29.08	=	29.08	26 - lb/d	=	412.0	=	412.0			19 - mg/L		01/30 - Monthly	CP - COMPOS
					Permit Req.		Req Mon 30DA AVG		Req Mon MX 7D AV	26 - lb/d		Req Mon 30DA AVG		Req Mon MX 7D AV			19 - mg/L	0	01/30 - Monthly	CP - COMPOS
					Value NODI															
00530	Solids, total suspended	G - Raw Sewage Influent	0	--	Sample						=	110.0	=	110.0			19 - mg/L		01/30 - Monthly	CP - COMPOS
					Permit Req.							Req Mon 30DA AVG		Req Mon MX 7D AV			19 - mg/L	0	01/30 - Monthly	CP - COMPOS
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-08 09:24 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	009 External Outfall	**Discharge:**	009-AA Subsoil Stockpile Runoff (MB-5)		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 16 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample												7B - dS/m		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
00400	pH	1 - Effluent Gross	0	--	Sample												12 - SU		01/30 - Monthly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM				
					Value NODI							C - No Discharge				C - No Discharge				
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00640	Nitrogen, inorganic total	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.										<=	652.0 DAILY MX				
					Value NODI											C - No Discharge				
00918	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample												1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample												1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample												19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon 30DA AVG						
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample												28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX				
					Value NODI									C - No Discharge		C - No Discharge				

01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					<=	3297.0 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent	GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<=	0.23 30DA AVG C - No Discharge		Req Mon DAILY MX 03 - MGD C - No Discharge						01/30 - Monthly	IN - INSTAN
50060	Chlorine, total residual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							<=	0.5 INST MAX C - No Discharge	19 - mg/L	01/30 - Monthly	GR - GRAB
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month	GR - GRAB
51040	E. coli	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					<=	2000.0 30DA GM C - No Discharge	<=	4000.0 MX 7D GM C - No Discharge	13 - #/100mL	02/30 - Twice Per Month	GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month	GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month	GR - GRAB

82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon INST MAX AB - abst=0 prst=1 C - No Discharge			01/30 - Monthly VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:28 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	012A External Outfall	**Discharge:**	**012A-W** Acute Monthly WET Testing for 012A		

Report Dates & Status

Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
51484	Number of Events	1 - Effluent Gross	0	--	Sample								10.0 30DA AVG	<	3.0 MX 7D AV	5J - #		01/30 - Monthly	CA - CALCTD
					Permit Req.														
					Value NODI								C - No Discharge		C - No Discharge				
81381	Duration of discharge	1 - Effluent Gross	0	--	Sample									<	3.0 MX 7D AV	5A - d		01/07 - Weekly	CA - CALCTD
					Permit Req.														
					Value NODI										C - No Discharge				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:29 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	**CO0038776**	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	UST2 Receiving Water (Ambient)	**Discharge:**	**UST2-A** Instream Monitoring		

Report Dates & Status

Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req.									T - Environmental Conditions - Monitoring Not Possible		T - Environmental Conditions - Monitoring Not Possible				
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Frozen Conditions

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-11 13:47 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	007 Internal Outfall	**Discharge:**	**007-A** Domestic WWTP Polishing Pond
Report Dates & Status					
Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.

Principal Executive Officer

First Name:	**Title:**	**Telephone:**	
Last Name:			

No Data Indicator (NODI)

Form NODI: –

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	–	Sample	=	0.282287	=	0.282287	26 - lb/d	<	4.0	<	4.0			19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 30DA AVG		Req Mon DAILY MX	26 - lb/d	<=	30.0 30DA AVG	<=	45.0 MX 7D AV			19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	–	Sample	<	0.35285922	=	0.35285922	26 - lb/d	<	5.0	<	5.0			19 - mg/L		01/07 - Weekly	GR - GRAB
					Permit Req.	<=	12.0 30DA AVG		Req Mon DAILY MX	26 - lb/d	<=	75.0 30DA AVG	<=	110.0 MX 7D AV			19 - mg/L	0	01/07 - Weekly	GR - GRAB
					Value NODI															
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	–	Sample						<	0.2	<	0.2			19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.						<=	85.0 30DA AVG	<=	85.0 DAILY MX			19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Value NODI															
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	–	Sample	=	0.008462	=	0.02016	03 - MGD									99/99 - Continuous	RC - Recorder (auto)
					Permit Req.	<=	0.02 30DA AVG		Req Mon DAILY MX	03 - MGD								0	99/99 - Continuous	RC - Recorder (auto)
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-08 10:59 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	012 External Outfall	**Discharge:**	**012-AA** Mine Water to Minnesota Creek		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req.															
					Value NODI									C - No Discharge		C - No Discharge				
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Permit Req.															
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge		C - No Discharge				
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge						
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge						
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge		C - No Discharge				
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge						
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															
					Value NODI									C - No Discharge						
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															

					Value NODI					C - No Discharge					
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						<= 10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent	GR - GRAB	
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<=	0.072 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge					01/30 - Monthly	IN - INSTAN	
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		28 - ug/L	02/30 - Twice Per Month	GR - GRAB	
					Sample Permit								02/30 - Twice Per		

51202	**Sulfide-hydrogen sulfide [undissociated]**	1 - Effluent Gross	0	--	Req Value NODI					Req Mon 30DA AVG C - No Discharge	19 - mg/L	Month	GR - GRAB
51484	**Number of Events**	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			<	10 0 30DA AVG C - No Discharge	< 3 0 7 DA AVG C - No Discharge	5J - #	01/30 - Monthly	CA - CALCTD
81020	**Sulfate**	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
81381	**Duration of discharge**	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			<		3 0 7 DA AVG C - No Discharge	5A - d	01/07 - Weekly	CA - CALCTD
82057	**Boron, total**	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	19 - mg/L	02/30 - Twice Per Month	GR - GRAB
84066	**Oil and grease visual**	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	Req Mon INST MAX C - No Discharge	AB - abst=0,prst=1					01/07 - Weekly	VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:29 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	UST1 Receiving Water (Ambient)	**Discharge:**	**UST1-A** Instream Monitoring		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02.28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00010	Temperature, water deg. centigrade	Z - Instream Monitoring	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req.									T - Environmental Conditions - Monitoring Not Possible		T - Environmental Conditions - Monitoring Not Possible				
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

Frozen Conditions, See attached

Attachments

Name	Type	Size
UST12AFebruary2022.pdf	pdf	387787.0

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-11 13:47 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

UST1A

Month	Highest Daily Max. Temperature (DM)(°C)[1] Temp. (°C)	Date	Maximum Weekly Average Temperature (MWAT) (°C)[2] Temp. (°C)	Date
January 2021	-0.102	31-Jan	-0.171	31-Jan
February 2021	0.010	25-Feb	0.010	21-Feb
March 2021	6.927	29-Mar	3.702	31-Mar
April 2021	12.304	30-Apr	6.523	29-Apr
May 2021	11.771	16-May	8.661	31-May
June 2021	14.182	17-Jun	11.078	19-Jun
July 2021	14.805	22-Jul	12.644	22-Jul
August 2021	13.510	4-Aug	12.379	1-Aug
September 2021	13.798	3-Sep	11.533	1-Sep
October 2021	10.748	6-Oct	9.276	1-Oct
November 2021	7.129	1-Nov	4.899	1-Nov
December 2021	4.155	7-Dec	2.175	4-Dec
January 2022	3.367	6-Jan	2.155	6-Jan
February 2022[3]	Pending	Pending	Pending	Pending

[1] DM is the highest two hour average water temperature recorded during a given 24-hour period (5 CCR 1002-31 5 (13))

[2] MWAT is the highest Weekly Average Temperature (WAT) in the month (5 CCR 1002-31 5 (26)) WAT is the average of daily average temperatures over a seven-day consecutive period, with a minimum of three data points spaced equally through each day (5 CCR 1002-31 5 (50))

[3] On March 10, 2022, the UST1A location was frozen over and the data recorder was inaccessible for download. The water temperature is presumed to be about 0 °C. The full data set will be downloaded as soon as the recorder is accessible.



UST2A

Month	Highest Daily Max. Temperature (DM)(°C)[1] Temp. (°C)	Date	Maximum Weekly Average Temperature (MWAT) (°C)[2,3] Temp. (°C)	Date
January 2021	-0.213	31-Jan	-0.314	31-Jan
February 2021	-0.102	18-Feb	-0.120	15-Feb
March 2021	0.893	31-Mar	0.356	31-Mar
April 2021	11.868	30-Apr	6.790	30-Apr
May 2021	13.365	16-May	9.928	31-May
June 2021	16.618	17-Jun	14.142	30-Jun
July 2021	19.710	22-Jul	17.819	23-Jul
August 2021	17.570	14-Aug	16.016	1-Aug
September 2021	15.808	3-Sep	13.832	1-Sep
October 2021	10.895	2-Oct	9.798	1-Oct
November 1 to November 8, 2021[3]	5.450	1-Nov	3.764	1-Nov
December 2021[3]	Pending	Pending	Pending	Pending
January 2022[3]	Pending	Pending	Pending	Pending
February 2022[3]	Pending	Pending	Pending	Pending

[1] DM is the highest two hour average water temperature recorded during a given 24 hour period (5 CCR 1002-31 5 (13))

[2] MWAT is the highest Weekly Average Temperature (WAT) in the month (5 CCR 1002 31 5 (26)) WAT is the average of daily average temperatures over a seven-day consecutive period, with a minimum of three data points spaced equally through each day (5 CCR 1002 31 5 (50))

[3] As of December 10, 2021, the UST2A location and the data recorder are inaccessible for download. The water temperature is presumed to be 0 °C. The full data set will be downloaded as soon as the recorder is accessible



DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	005 External Outfall	**Discharge:**	**005-AA** Coal Conveyor Runoff (MB-3)		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	**NetDMR Validated**

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 14 FOR REQUIREMENTS. 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.1.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			7B - dS/m		02/30 - Twice Per Month	GR - GRAB
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						>=	6.5 MINIMUM C - No Discharge			<=	9.0 MAXIMUM C - No Discharge	12 - SU		01/30 - Monthly	GR - GRAB
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								<=	35.0 30DA AVG C - No Discharge	<=	70.0 DAILY MX C - No Discharge	19 - mg/L		01/30 - Monthly	GR - GRAB
00916	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI									Req Mon 30DA AVG C - No Discharge			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI								<=	3500.0 30DA AVG C - No Discharge	<=	7000.0 DAILY MX C - No Discharge	28 - ug/L		01/30 - Monthly	GR - GRAB
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample Permit Req.								<=	3297.0 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB

				Value NODI					C - No Discharge				
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG			28 - ug/L	02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.					Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI					C - No Discharge			
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG		28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge	C - No Discharge			
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req.					<= 10.0 INST MAX	19 - mg/L		77/77 - Contingent GR - GRAB
					Value NODI					C - No Discharge			
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.					Req Mon DAILY MX	28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI					C - No Discharge			
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.04 30DA AVG	Req Mon DAILY MX	03 - MGD				01/30 - Monthly IN - INSTAN
					Value NODI		C - No Discharge	C - No Discharge					
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG		28 - ug/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG		19 - mg/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG		19 - mg/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req.				Req Mon 30DA AVG		19 - mg/L		02/30 - Twice Per Month GR - GRAB
					Value NODI				C - No Discharge				
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req.			Req Mon INST MAX	AB - abst=0;prsl=1				01/30 - Monthly VI - VISUAL
					Value NODI			C - No Discharge					

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:28 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	017 External Outfall	**Discharge:**	**017-AA** Mine Water & MWTF		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00010	Temperature, water deg. centigrade	1 - Effluent Gross	0	--	Sample									Req Mon MX WK AV		Req Mon DAILY MX	04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00094	Conductivity	1 - Effluent Gross	0	--	Sample							Req Mon 30DA AVG					78 - dS/m		02/30 - Twice Per Month	GR - GRAB
					Permit Req.							C - No Discharge								
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Permit Req.							C - No Discharge				C - No Discharge				
					Value NODI															
00440	Bicarbonate ion- [as HCO3]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00916	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample								<=	100.0 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								<=	1000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.															

					Value NODI					C - No Discharge		C - No Discharge		
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						<=	10.0 INST MAX C - No Discharge	19 - mg/L	77/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI							Req Mon DAILY MX C - No Discharge	28 - ug/L	02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<=	0.29 30DA AVG C - No Discharge	Req Mon DAILY MX 03 - MGD C - No Discharge						01/30 - Monthly IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI				<=	2.59 30DA AVG C - No Discharge			19 - mg/L	02/30 - Twice Per Month GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			Req Mon INST MAX AB - abst=0;prst=1 C - No Discharge						01/30 - Monthly VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:29 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	008 External Outfall	**Discharge:**	008-AA Loadout Runoff (MB4)		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

TSS AND TOTAL RECOVERABLE IRON LIMITS WILL BE WAIVED, & SETTLEABLE SOLIDS LIMIT APPLIED FOR <=10YR,24HR PRECIP EVENTS -SEE PG. 15 FOR REQUIREMENTS 30 DAY AVG IS HIGHEST MONTHLY AVERAGE DURING REPORTING PERIOD.OIL AND GREASE- SEE I.C.a. REPORT CALCULATED SAR AT MLOC=EG; ADJUSTED SAR AT MLOC=P.

Principal Executive Officer

First Name:		**Title:**		**Telephone:**	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Parm. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			78 - dS/m		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Permit Req.							C - No Discharge				C - No Discharge				
					Value NODI															
00440	Bicarbonate Ion- [as HCO3]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00916	Calcium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00921	Magnesium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00923	Sodium, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	EG - Effluent Gross	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00931	Sodium adsorption ratio	P - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	1U - Ratio		02/30 - Twice Per Month	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample									Req Mon 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.									C - No Discharge						
					Value NODI															
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								<=	3000.0 30DA AVG	<=	6000.0 DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample								<=	3297.0 30DA AVG			28 - ug/L		02/30 - Twice Per Month	GR - GRAB
					Permit Req.															

					Value NODI					C - No Discharge				
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge			28 - ug/L	02/30 - Twice Per Month GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		28 - ug/L		02/30 - Twice Per Month GR - GRAB
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01319	Manganese, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge	Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
03582	Oil and grease	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						<= 10.0 INST MAX C - No Discharge	19 - mg/L		77/77 - Contingent GR - GRAB
04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI						Req Mon DAILY MX C - No Discharge	28 - ug/L		02/30 - Twice Per Month GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	<= 0.03 30DA AVG C - No Discharge		Req Mon DAILY MX 03 - MGD C - No Discharge						01/30 - Monthly IN - INSTAN
50286	Mercury, total [low level]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		28 - ug/L		02/30 - Twice Per Month GR - GRAB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		19 - mg/L		02/30 - Twice Per Month GR - GRAB
81020	Sulfate	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		19 - mg/L		02/30 - Twice Per Month GR - GRAB
82057	Boron, total	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI					Req Mon 30DA AVG C - No Discharge		19 - mg/L		02/30 - Twice Per Month GR - GRAB
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI			Req Mon INST MAX AB - abs1=0;prs1=1 C - No Discharge						01/30 - Monthly VI - VISUAL

Submission Note

If a parameter row does not contain any values for the Sample ncr Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:28 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	027 External Outfall	**Discharge:**	**027-A** Stormwater from Drainage Basin 49A2 to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.48 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	011A External Outfall	**Discharge:**	**011A-W** Acute Monthly WET Testing for 011A		

Report Dates & Status

Monitoring Period:	From **02/01/22** to **02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
51484	Number of Events	1 - Effluent Gross	0	--	Sample									10.0 30DA AVG	<	10.0 MX 7D AV	5J - #		01/30 - Monthly	CA - CALCTD
					Permit Req.									C - No Discharge		C - No Discharge				
					Value NODI															
81381	Duration of discharge	1 - Effluent Gross	0	--	Sample										<	10.0 MX 7D AV	5A - d		01/07 - Weekly	CA - CALCTD
					Permit Req.											C - No Discharge				
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:28 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	025 External Outfall	**Discharge:**	**025-A** Stormwater from Drainage Basin 49A5 to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**	
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	1.35 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	026 External Outfall	**Discharge:**	**026-A** Stormwater from Drainage Basin 49A3 to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.											Req Mon MINIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI											C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.22 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	034 External Outfall	**Discharge:**	**034-A** Comingled Discharge of Outfall 033 and from Drainage Basin 43B and 43C to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG			28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge						
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.39 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:31 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	033 Internal Outfall	**Discharge:**	033-A Stormwater from Drainage Basin 43D and 43E		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.54 30DA AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:31 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	CO0038776	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	017A External Outfall	**Discharge:**	**017A-W** Acute Monthly WET Testing for 017A		

Report Dates & Status

Monitoring Period:	From 02/01/22 to 02/28/22	**DMR Due Date:**	03/28/22	**Status:**	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:		**Title:**	**Telephone:**
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Value 1	Qualifier 2	Value 2 Units	Quality or Concentration Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
51484	Number of Events	1 - Effluent Gross	0	--	Sample					<	10.0 30DA AVG			<	3.0 7 DA AVG	5J - #		01/30 - Monthly	CA - CALCTD
					Permit Req.														
					Value NODI						C - No Discharge				C - No Discharge				
81381	Duration of discharge	1 - Effluent Gross	0	--	Sample									<	3.0 7 DA AVG	5A - d		01/07 - Weekly	CA - CALCTD
					Permit Req.														
					Value NODI										C - No Discharge				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:	**CO0038776**	**Permittee:**	Mountain Coal Co LLC	**Facility:**	WEST ELK MINE
Major:	No	**Permittee Address:**	5174 Hwy 133 Somerset, CO 81434	**Facility Location:**	HWY 133, E OF TOWN GUNNISON COUNTY, CO 81434
Permitted Feature:	032 External Outfall	**Discharge:**	**032-A** Stormwater from Drainage Basins 43A and 43F to Sylvester Gulch		

Report Dates & Status

Monitoring Period:	**From 02/01/22 to 02/28/22**	**DMR Due Date:**	**03/28/22**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

Principal Executive Officer

First Name:	**Title:**	**Telephone:**	
Last Name:			

No Data Indicator (NODI)

Form NODI: --

Parameter Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading Qualifier 1	Quantity or Loading Value 1	Quantity or Loading Qualifier 2	Quantity or Loading Value 2	Quantity or Loading Units	Quality or Concentration Qualifier 1	Quality or Concentration Value 1	Quality or Concentration Qualifier 2	Quality or Concentration Value 2	Quality or Concentration Qualifier 3	Quality or Concentration Value 3	Quality or Concentration Units	# of Ex.	Frequency of Analysis	Sample Type
00400	pH	1 - Effluent Gross	0	--	Sample Permit Req.							Req Mon MINIMUM				Req Mon MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample Permit Req.	<=	0.58	30DA AVG	Req Mon DAILY MX	03 - MGD									01/30 - Monthly	IN - INSTAN
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

No attachments.

Report Last Saved By

Mountain Coal Co LLC

User:	NPOULOS1031
Name:	Nicole Poulos
E-Mail:	npoulos@archrsc.com
Date/Time:	2022-03-03 08:30 (Time Zone: -07:00)

Report Last Signed By

User:	JWILCZEK
Name:	Jessica Wilczek
E-Mail:	jwilczek@archrsc.com
Date/Time:	2022-03-14 07:50 (Time Zone: -06:00)