

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

002
External Outfall

Discharge:

002-A
MINE 1, POND T TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR/24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 11:33 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

003
External Outfall

Discharge:

003-A
MINE 1, POND B TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS & IRON (MLOC=O) APPLY IF 10YR,24HR PRECIP. EVENT CLAIMED. ALTERNATE LIMITS FORSETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF >10YR,24HR PRECIP EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.3			=	8.2	12 - SU	0	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB	
					Value NODI																
X 00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								=	47.0	=	81.0	19 - mg/L	2	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L		01/07 - Weekly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	O - See Comments	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	GR - GRAB	
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample								<	0.1	<	0.1	25 - mL/L	0	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L		01/07 - Weekly	GR - GRAB	
					Value NODI																
00545	Solids, settleable	O - See Comments	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/07 - Weekly	GR - GRAB	
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample								=	989.0	=	1660.0	28 - ug/L	0	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L		01/07 - Weekly	GR - GRAB	
					Value NODI																
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/07 - Weekly	GR - GRAB	
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.026	=	0.027	03 - MGD								0	02/30 - Twice Per Month	IN - INSTAN	
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD									99/99 - Continuous	RC - Recorder (auto)	
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Parameter		Monitoring Location	Field	Type	Description	Acknowledge
Code	Name					
00530	Solids, total suspended	1 - Effluent Gross	Quality or Concentration Sample Value 2	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct.	Yes
00530	Solids, total suspended	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct.	Yes
Comments						
Outfall only discharged the second and third week of February. Permit mod approved to monitor flow instantaneously on a weekly basis. State was notified on 3/25/21 via email of exceedances.						
Attachments						
No attachments.						
Report Last Saved By						
Twentymile Coal LLC						
User:		MBLOMQUIST@PEABODYENERGY.COM				
Name:		Miranda Kawcak				
E-Mail:		mblomquist@peabodyenergy.com				
Date/Time:		2021-03-25 16:29 (Time Zone: -06:00)				
Report Last Signed By						
User:		MBLOMQUIST@PEABODYENERGY.COM				
Name:		Miranda Kawcak				
E-Mail:		mblomquist@peabodyenergy.com				
Date/Time:		2021-03-25 16:51 (Time Zone: -06:00)				

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

004
External Outfall

Discharge:

004-A
MINE 1, POND C TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMES. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

<i>Report Last Saved By</i>	
<i>Twentymile Coal LLC</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 11:33 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

005
External Outfall

Discharge:

005-A
MINE 1, POND D TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR/24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.7			=	8.4	12 - SU	0	01/07 - Weekly 02/30 - Twice Per Month	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU				
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<	7.0	=	10.0	19 - mg/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L				
					Value NODI																
00530	Solids, total suspended	O - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	GR - GRAB	
					Permit Req.																
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample								<	0.1	<	0.1	25 - mL/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L				
					Value NODI																
00545	Solids, settleable	O - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/07 - Weekly	GR - GRAB	
					Permit Req.																
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								=	130.5	=	150.0	28 - ug/L	0	02/30 - Twice Per Month 02/30 - Twice Per Month	GR - GRAB	
					Permit Req.								<=	1000.0 30DA AVG		Req Mon DAILY MX	28 - ug/L				
					Value NODI																
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.079	=	0.089	03 - MGD								0	01/07 - Weekly 99/99 - Continuous	IN - INSTAN RC - Recorder (auto)	
					Permit Req.	<=	4.55 30DA AVG		Req Mon DAILY MX	03 - MGD											
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Permit mod approved to monitor flow instantaneously on a weekly basis

Attachments

No attachments.

<i>Report Last Saved By</i>	
<i>Twentymile Coal LLC</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 16:36 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

[illegible]

[illegible]

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

007
External Outfall

Discharge:

007-A
MINE 1, POND F TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS & IRON (MLOC=O) APPLY IF 10YR,24HR PRECIP. EVENT CLAIMED. ALTERNATE LIMITS FORSETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF >10YR,24HR PRECIP EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.	<=	2.97 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 11:33 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

008
External Outfall

Discharge:

008-A
MINE 1, POND G TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 11:34 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

MON
External Outfall

Discharge:

MON-5
MINE 1, POND D TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample							=	1.5	=	1.5	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample							<	20.0	<	20.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample							<	0.5	<	0.5	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	3.49	=	3.49	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	50.8	=	50.8	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	23.7	=	23.7	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 16:39 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 16:51 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
ROUTT COUNTY, CO 80467

Permitted Feature:

MON
External Outfall

Discharge:

MON-7
MINE 1, POND F TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 02/01/21 to 02/28/21

DMR Due Date:

03/28/21

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		
					Value NODI									C - No Discharge		C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 11:34 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2021-03-25 16:51 (Time Zone: -06:00)