

DMR Copy of Record

Permit # COG85028 Majority No		Permittee Oxbow Mining LLC PO Box 535 Somerset, CO 81434		Facility TERROR CREEK LOADOUT 43440 BOWIE ROAD PAONIA, CO 81428																																																																																																																																																																																														
Permitted Feature 001 External Outfall		Discharge 001-A SEDI POND #1 TO N FORK GUNNISON																																																																																																																																																																																																
Report Dates & Status From 01/01/22 to 03/31/22 Monitoring Period Considerations for Form Completion SETTLEABLE SOLIDS LIMIT WAIVED FOR 10-YR, 24 HR PRECIPIT EVENT SUBJECT TO BURDEN OF PROOF REQUIREMENTS IN PART 18.6. ANY ADDITIONAL DATA SHALL BE SUPPLIED TO THE DIVISION WITHIN 48 HOURS.		DMR Due Date: 04/28/22		NEEDMFR Validated																																																																																																																																																																																														
Principal Executive Officer MIKE LUDLOW		Title: PRESIDENT		Telephone: 970-929-5122																																																																																																																																																																																														
No Data Indicator (NDDI) Firm NDDI																																																																																																																																																																																																		
<table border="1"> <thead> <tr> <th>Parameter</th> <th>Monitoring Location</th> <th>Method of Permit</th> <th>Sample</th> <th>Frequency of Sampling</th> <th>Value 1</th> <th>Value 2</th> <th>Value 3</th> <th>Value 4</th> <th>Value 5</th> <th>Value 6</th> <th>Value 7</th> <th>Value 8</th> <th>Value 9</th> <th>Value 10</th> <th>Value 11</th> <th>Value 12</th> <th>Value 13</th> <th>Value 14</th> <th>Value 15</th> <th>Value 16</th> <th>Value 17</th> <th>Value 18</th> <th>Value 19</th> <th>Value 20</th> <th>Value 21</th> <th>Value 22</th> <th>Value 23</th> <th>Value 24</th> <th>Value 25</th> <th>Value 26</th> <th>Value 27</th> <th>Value 28</th> <th>Value 29</th> <th>Value 30</th> <th>Value 31</th> <th>Value 32</th> <th>Value 33</th> <th>Value 34</th> <th>Value 35</th> <th>Value 36</th> <th>Value 37</th> <th>Value 38</th> <th>Value 39</th> <th>Value 40</th> <th>Value 41</th> <th>Value 42</th> <th>Value 43</th> <th>Value 44</th> <th>Value 45</th> <th>Value 46</th> <th>Value 47</th> <th>Value 48</th> <th>Value 49</th> <th>Value 50</th> <th>Value 51</th> <th>Value 52</th> <th>Value 53</th> <th>Value 54</th> <th>Value 55</th> <th>Value 56</th> <th>Value 57</th> <th>Value 58</th> <th>Value 59</th> <th>Value 60</th> <th>Value 61</th> <th>Value 62</th> <th>Value 63</th> <th>Value 64</th> <th>Value 65</th> <th>Value 66</th> <th>Value 67</th> <th>Value 68</th> <th>Value 69</th> <th>Value 70</th> <th>Value 71</th> <th>Value 72</th> <th>Value 73</th> <th>Value 74</th> <th>Value 75</th> <th>Value 76</th> <th>Value 77</th> <th>Value 78</th> <th>Value 79</th> <th>Value 80</th> <th>Value 81</th> <th>Value 82</th> <th>Value 83</th> <th>Value 84</th> <th>Value 85</th> <th>Value 86</th> <th>Value 87</th> <th>Value 88</th> <th>Value 89</th> <th>Value 90</th> <th>Value 91</th> <th>Value 92</th> <th>Value 93</th> <th>Value 94</th> <th>Value 95</th> <th>Value 96</th> <th>Value 97</th> <th>Value 98</th> <th>Value 99</th> <th>Value 100</th> </tr> </thead> <tbody> <tr> <td>00400 pH</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>5.5 MINIMUM</td> <td>>=</td> <td>9.0 MAXIMUM</td> <td>12 - SL</td> <td>02500 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>00530 Solids, total suspended</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>35.0 30DA AVG</td> <td>C - No Discharge</td> <td>70.0 DAILY MAX</td> <td>19 - mg/L</td> <td>02500 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>00545 Solids, settleable</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>Req Mon 30DA AVG</td> <td>C - No Discharge</td> <td>0.5 DAILY MAX</td> <td>25 - mL/L</td> <td>02500 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>00690 Iron, total recoverable</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>1000.0 30DA AVG</td> <td>C - No Discharge</td> <td>28 - ug/L</td> <td>02500 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>03582 Oil and grease</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>10.0 DAILY MAX</td> <td>C - No Discharge</td> <td>19 - mg/L</td> <td>71777 - Contingent</td> <td>GR - GRAB</td> </tr> <tr> <td>60060 Flow, in conduit or first treatment plant</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>Req Mon DAILY MAX</td> <td>03 - MOD</td> <td>99999 - Continuous</td> <td>RC - Recorder (sub)</td> <td></td> </tr> <tr> <td>70266 Solids, total dissolved</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>Req Mon 30DA AVG</td> <td>C - No Discharge</td> <td>Req Mon DAILY MAX</td> <td>19 - mg/L</td> <td>01790 - Quarterly</td> <td>GR - GRAB</td> </tr> <tr> <td>84060 Oil and grease visual</td> <td>1 - Effluent Gross</td> <td>0</td> <td>-</td> <td>-</td> <td>Req Mon INST MAX</td> <td>99 - No/Yes</td> <td>02500 - Twice Per Month</td> <td>VI - VISUAL</td> <td></td> </tr> </tbody> </table>						Parameter	Monitoring Location	Method of Permit	Sample	Frequency of Sampling	Value 1	Value 2	Value 3	Value 4	Value 5	Value 6	Value 7	Value 8	Value 9	Value 10	Value 11	Value 12	Value 13	Value 14	Value 15	Value 16	Value 17	Value 18	Value 19	Value 20	Value 21	Value 22	Value 23	Value 24	Value 25	Value 26	Value 27	Value 28	Value 29	Value 30	Value 31	Value 32	Value 33	Value 34	Value 35	Value 36	Value 37	Value 38	Value 39	Value 40	Value 41	Value 42	Value 43	Value 44	Value 45	Value 46	Value 47	Value 48	Value 49	Value 50	Value 51	Value 52	Value 53	Value 54	Value 55	Value 56	Value 57	Value 58	Value 59	Value 60	Value 61	Value 62	Value 63	Value 64	Value 65	Value 66	Value 67	Value 68	Value 69	Value 70	Value 71	Value 72	Value 73	Value 74	Value 75	Value 76	Value 77	Value 78	Value 79	Value 80	Value 81	Value 82	Value 83	Value 84	Value 85	Value 86	Value 87	Value 88	Value 89	Value 90	Value 91	Value 92	Value 93	Value 94	Value 95	Value 96	Value 97	Value 98	Value 99	Value 100	00400 pH	1 - Effluent Gross	0	-	-	5.5 MINIMUM	>=	9.0 MAXIMUM	12 - SL	02500 - Twice Per Month	GR - GRAB	00530 Solids, total suspended	1 - Effluent Gross	0	-	-	35.0 30DA AVG	C - No Discharge	70.0 DAILY MAX	19 - mg/L	02500 - Twice Per Month	GR - GRAB	00545 Solids, settleable	1 - Effluent Gross	0	-	-	Req Mon 30DA AVG	C - No Discharge	0.5 DAILY MAX	25 - mL/L	02500 - Twice Per Month	GR - GRAB	00690 Iron, total recoverable	1 - Effluent Gross	0	-	-	1000.0 30DA AVG	C - No Discharge	28 - ug/L	02500 - Twice Per Month	GR - GRAB	03582 Oil and grease	1 - Effluent Gross	0	-	-	10.0 DAILY MAX	C - No Discharge	19 - mg/L	71777 - Contingent	GR - GRAB	60060 Flow, in conduit or first treatment plant	1 - Effluent Gross	0	-	-	Req Mon DAILY MAX	03 - MOD	99999 - Continuous	RC - Recorder (sub)		70266 Solids, total dissolved	1 - Effluent Gross	0	-	-	Req Mon 30DA AVG	C - No Discharge	Req Mon DAILY MAX	19 - mg/L	01790 - Quarterly	GR - GRAB	84060 Oil and grease visual	1 - Effluent Gross	0	-	-	Req Mon INST MAX	99 - No/Yes	02500 - Twice Per Month	VI - VISUAL	
Parameter	Monitoring Location	Method of Permit	Sample	Frequency of Sampling	Value 1	Value 2	Value 3	Value 4	Value 5	Value 6	Value 7	Value 8	Value 9	Value 10	Value 11	Value 12	Value 13	Value 14	Value 15	Value 16	Value 17	Value 18	Value 19	Value 20	Value 21	Value 22	Value 23	Value 24	Value 25	Value 26	Value 27	Value 28	Value 29	Value 30	Value 31	Value 32	Value 33	Value 34	Value 35	Value 36	Value 37	Value 38	Value 39	Value 40	Value 41	Value 42	Value 43	Value 44	Value 45	Value 46	Value 47	Value 48	Value 49	Value 50	Value 51	Value 52	Value 53	Value 54	Value 55	Value 56	Value 57	Value 58	Value 59	Value 60	Value 61	Value 62	Value 63	Value 64	Value 65	Value 66	Value 67	Value 68	Value 69	Value 70	Value 71	Value 72	Value 73	Value 74	Value 75	Value 76	Value 77	Value 78	Value 79	Value 80	Value 81	Value 82	Value 83	Value 84	Value 85	Value 86	Value 87	Value 88	Value 89	Value 90	Value 91	Value 92	Value 93	Value 94	Value 95	Value 96	Value 97	Value 98	Value 99	Value 100																																																																																										
00400 pH	1 - Effluent Gross	0	-	-	5.5 MINIMUM	>=	9.0 MAXIMUM	12 - SL	02500 - Twice Per Month	GR - GRAB																																																																																																																																																																																								
00530 Solids, total suspended	1 - Effluent Gross	0	-	-	35.0 30DA AVG	C - No Discharge	70.0 DAILY MAX	19 - mg/L	02500 - Twice Per Month	GR - GRAB																																																																																																																																																																																								
00545 Solids, settleable	1 - Effluent Gross	0	-	-	Req Mon 30DA AVG	C - No Discharge	0.5 DAILY MAX	25 - mL/L	02500 - Twice Per Month	GR - GRAB																																																																																																																																																																																								
00690 Iron, total recoverable	1 - Effluent Gross	0	-	-	1000.0 30DA AVG	C - No Discharge	28 - ug/L	02500 - Twice Per Month	GR - GRAB																																																																																																																																																																																									
03582 Oil and grease	1 - Effluent Gross	0	-	-	10.0 DAILY MAX	C - No Discharge	19 - mg/L	71777 - Contingent	GR - GRAB																																																																																																																																																																																									
60060 Flow, in conduit or first treatment plant	1 - Effluent Gross	0	-	-	Req Mon DAILY MAX	03 - MOD	99999 - Continuous	RC - Recorder (sub)																																																																																																																																																																																										
70266 Solids, total dissolved	1 - Effluent Gross	0	-	-	Req Mon 30DA AVG	C - No Discharge	Req Mon DAILY MAX	19 - mg/L	01790 - Quarterly	GR - GRAB																																																																																																																																																																																								
84060 Oil and grease visual	1 - Effluent Gross	0	-	-	Req Mon INST MAX	99 - No/Yes	02500 - Twice Per Month	VI - VISUAL																																																																																																																																																																																										
Submission Note If a parameter row does not contain any values for the Sample nor Effluent Tracking, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																																																																																																																																																																																																		
Edit Check Errors No errors.																																																																																																																																																																																																		
Comments Attachments No attachments.																																																																																																																																																																																																		
Report Last Saved By Oxbow Mining LLC																																																																																																																																																																																																		
User: GHGSMITH@OXBOW Douglas Smith doug.smith@oxbow.com 2022-04-04 12:24 (Time Zone: -05:00)																																																																																																																																																																																																		

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

GHGSMITHOXBOW

Douglas Smith

doug.smith@oxbow.com

2022-04-04 12:25 (Time Zone: -05:00)

DMR Copy of Record

Permit COG350028 No		Permittee Oxbow Mining LLC PO Box 535 Somerset, CO 81434		Facility Facility Location: TERROR CREEK LOADOUT 43445 BOWIE ROAD PAONIA, CO 81428	
Permitted Feature 002 External Outfall		Discharge 002-A DUGOUT POND TO N FORK GUNNISON			
Report Dates & Status From 01/01/22 to 03/31/22 Monitoring Period: 04/28/22 Status: Notifier Validated					
Considerations for Form Completion SETTLEABLE SOLIDS LIMIT WAIVED FOR 10-YR, 24 HR PRECIP EVENT SUBJECT TO BURDEN OF PROOF REQUIREMENTS IN PART 1.B.6. ANY ADDITIONAL DATA SHALL BE SUPPLIED TO THE DIVISION WITHIN 48 HOURS.					
Principal Executive Officer Name: MIKE Last Name: LUDLOW		Title PRESIDENT		Phone: 870-923-5122	
No Data Indicator: (NDDI)					
Form NDDI:					
00400	pH	1 - Effluent Gross	0	-	6.5 MINIMUM C - No Discharge 9.0 MAXIMUM C - No Discharge 12 - SU 02/20 - Twice Per Month GR - GRAB
00530	Solids, total suspended	1 - Effluent Gross	0	-	35.0 30DA AVG C - No Discharge 70.0 DAILY MX 19 - mg/L 02/20 - Twice Per Month GR - GRAB
00545	Solids, settleable	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge 0.5 DAILY MX 25 - mL/L 02/20 - Twice Per Month GR - GRAB
00580	Iron, total recoverable	1 - Effluent Gross	0	-	1000.0 30DA AVG C - No Discharge 28 - ug/L 02/20 - Twice Per Month GR - GRAB
00582	Oil and grease	1 - Effluent Gross	0	-	10.0 DAILY MX 19 - mg/L 7/7/77 - Contingent GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Req Mon DAILY MX 03 - MGD C - No Discharge 99/99 - Continuous RIC - Recorder (auto)
70286	Solids, total dissolved	1 - Effluent Gross	0	-	Req Mon 30DA AVG C - No Discharge Req Mon DAILY MX 19 - mg/L C - No Discharge 01/01 - Quarterly GR - GRAB
84068	Oil and grease visual	1 - Effluent Gross	0	-	Req Mon INST MAX 99 - INST Y=1 C - No Discharge 02/20 - Twice Per Month VI - VISUAL

Submission Note
 If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
 No errors.

Comments

Attachments
 No attachments.

Report Last Saved By
 Oxbow Mining LLC

User:
 GHOSMITHOXBOW

Name:
 Douglas Smith

E-Mail:
 doug.smith@oxbow.com

Date/Time:
 2022-04-04 12:24 (Time Zone: -06:00)

Report Last Signed By

User:

GHGSMITHOXBOW

Name:

Douglas Smith

E-Mail:

doug.smith@oxbow.com

Date/Time:

2022-04-04 12:25 (Time Zone: -06:00)

DMR Copy of Record

Permit Permit #: C00000132 Major: No Permitted Feature: 009 External Outfall		Permittee: Permittee Address: Discharge:		Oxbow Mining LLC PO Box 535 Somerset, CO 81434-0535 009-A Surface Runoff to N Fork of Gunnison River		Facility: Facility Location:		SANBORN CRK & ELK CRK MINES 3737 HIGHWAY 133 SOMERSET, CO 81434	
Report Dates & Status Monitoring Period: From 03/01/22 to 03/31/22 DMR Due Date: 04/28/22 Status: NotDMR Validated				Considerations for Form Completion TSS & Total Recoverable Iron Limits will be waived, and settleable solids limit applied for <=10YR,24hr precip event. 30 day avg is highest monthly avg during period reported.					
Principal Executive Officer First Name: MIKE Last Name: LUDLOW Title: PRESIDENT Telephone: 970-928-5122									
No Data Indicator (NODI) Form NODI: -									
Code	Parameter Name	Monitoring Location	Session #	Param. NODI	Sample Permit Req. Value NODI	Qualifier 1 Value 1	Quantity or Concentration Qualifier 2 Value 2	Quality or Concentration Qualifier 3 Value 3	# of Ex. Frequency of Analysis Sample Type
00400	pH	1 - Effluent	Gross	0 -	Sample Permit Req. Value NODI	>=	6.5 MINIMUM C - No Discharge	9.0 MAXIMUM C - No Discharge	12 - SU 01/30 - Monthly GR - GRAB
00530	Solids, total suspended	1 - Effluent	Gross	0 -	Sample Permit Req. Value NODI	<=	35.0 30DA AVG C - No Discharge	70.0 MX 7D AV C - No Discharge	19 - mg/L 01/30 - Monthly GR - GRAB
00980	Iron, total recoverable	1 - Effluent	Gross	0 -	Sample Permit Req. Value NODI	<=	3000.0 30DA AVG C - No Discharge	6000.0 DAILY MX C - No Discharge	28 - ug/L 01/30 - Monthly GR - GRAB
50050	Flow, in conduit or thru treatment plant	1 - Effluent	Gross	0 -	Sample Permit Req. Value NODI	<=	0.039 30DA AVG C - No Discharge	Rec Mon DAILY MX C - No Discharge	03 - MGD 01/30 - Monthly IN - INSTANT
Submission Note If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.									
Edit Check Errors No errors. Comments									
Attachments No attachments.									
Report Last Saved By Oxbow Mining LLC									
User: HGSMITHOXBOW Name: Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2022-04-04 12:15 (Time Zone: -06:00)									
Report Last Signed By User: HGSMITHOXBOW Name: Douglas Smith E-Mail: doug.smith@oxbow.com Date/Time: 2022-04-04 12:25 (Time Zone: -06:00)									

DMR Copy of Record

Permit		Permittee:		Facility:									
Permit #:	CO0000132	Oxbow Mining LLC	SAMBORN CRK & ELK CRK MINES										
Major:	No	PO Box 535 Someset, CO 81434-0535	3737 HIGHWAY 133 SOMERSET, CO 81434										
Permitted Feature:		Discharge:											
009 External Outfall		009-Q Quarterly Monitoring for 001A											
Report Dates & Status		DMR Due Date:		Status:									
Monitoring Period: From 01/01/22 to 03/31/22		04/20/22		NetDMR Validated									
Considerations for Form Completion Quarterly monitoring - see Appendix B, #34, pg 17.													
Principal Executive Officer		Title:		Telephone:									
First Name: Last Name:		MIKE LUDLOW		PRESIDENT 970-929-5122									
No Data Indicator (NODI)													
Form NODI:													
Sample	Parameter	Monitoring Location	Season	Permit Req.	Sample	Quantity of Discharge	Quality or Concentration	Value 1	Value 2	Value 3	Units	# of Dis. Frequency of Analysis	Sample Type
00940	Chloride [as Cl]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge				19 - mg/L	01/30 - Quarterly	GR - GRAB
00978	Arsenic, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01056	Manganese, dissolved [as Mn]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01074	Nickel, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01114	Lead, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01118	Chromium, total recoverable	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01306	Copper, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01314	Chromium, trivalent, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon 30DA AVG C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01318	Lead, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01319	Manganese, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB
01323	Selenium, potentially dissolved	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI		Req Mon DAILY MX C - No Discharge				28 - ug/L	01/30 - Quarterly	GR - GRAB

04262	Chromium, trivalent total recoverable	1 - Effluent Gross	0	-						Req Mon DAILY MX C - No Discharge	01/90 - Quarterly	GR - GR0AB
50288	Mercury, total [low level]	1 - Effluent Gross	0	-						Req Mon 30DA AVG C - No Discharge	01/90 - Quarterly	GR - GR0AB
51202	Sulfide-hydrogen sulfide [undissociated]	1 - Effluent Gross	0	-						Req Mon 30DA AVG C - No Discharge	01/90 - Quarterly	GR - GR0AB
81020	Sulfate	1 - Effluent Gross	0	-						Req Mon 30DA AVG C - No Discharge	01/90 - Quarterly	GR - GR0AB
82057	Boron, total	1 - Effluent Gross	0	-						Req Mon 30DA AVG C - No Discharge	01/90 - Quarterly	GR - GR0AB
Submission Note												
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.												
Edit Check Errors												
No errors.												
Comments												
Attachments												
No attachments.												
Report Last Saved By												
Oxbow Mining LLC												
User:												
GHGSMITHOXBOW												
Name:												
Douglas Smith												
E-Mail:												
doug.smith@oxbow.com												
Date/Time:												
2022-04-04 12:17 (Time Zone: -06:00)												
Report Last Signed By												
User:												
GHGSMITHOXBOW												
Name:												
Douglas Smith												
E-Mail:												
doug.smith@oxbow.com												
Date/Time:												
2022-04-04 12:25 (Time Zone: -06:00)												

DMR Copy of Record

Permit		Permit #: CO0000132		Permittee: Oxbow Mining LLC		Facility: SANBORN CRK & ELK CRK MINES	
Major: No		Permittee Address: PO Box 535 Somerset, CO 81434-0535		Facility Location: 3737 HIGHWAY 133 SOMERSET, CO 81434			
Permitted Feature: 012 External Outfall		Discharge: 012-A Sediment Pond to Elk Creek					
Report Dates & Status		DMR Due Date: 04/28/22		Status: NotDMR Validated			
Monitoring Period: From 03/01/22 to 03/31/22							
Considerations for Form Completion							
TSS & Total Recoverable Iron limits will be waived, and Settling Solids Lmt applied for <=10yr, 24hr precip event. 30 day avg is highest monthly avg during period reported. Report calculated SAR at MLOC=EG; adjusted SAR at MLOC=P.							
Principal Executive Officer							
First Name: MIKE		Title: PRESIDENT		Telephone: 970-929-5122			
Last Name: LUDLOW							
No Data Indicator (NDI): --							
Parameter Name	Monitoring Location	Season #	Permit NDI	Sample Permit Req. Value NDI	Qualifier 1	Qualifier 2	Qualifier 3
00010 Temperature, water deg. centigrade	1 - Effluent Gross	0	--				
00064 Conductivity	1 - Effluent Gross	0	--				
00400 pH	1 - Effluent Gross	0	--				
00440 Bicarbonate Ion [as HCO3]	1 - Effluent Gross	0	--				
00530 Solids, total suspended	1 - Effluent Gross	0	--				
00518 Calcium, total recoverable	1 - Effluent Gross	0	--				
00521 Magnesium, total recoverable	1 - Effluent Gross	0	--				
00523 Sodium, total recoverable	1 - Effluent Gross	0	--				
00531 Sodium adsorption ratio	EG - Effluent Gross	0	--				
00531 Sodium adsorption ratio	P - See Comments	0	--				
00540 Chloride [as Cl]	1 - Effluent Gross	0	--				
00578 Arsenic, total recoverable	1 - Effluent Gross	0	--				
00580 Iron, total recoverable	1 - Effluent Gross	0	--				

Qualifier 1	Qualifier 2	Qualifier 3	Value 1	Value 2	Value 3	Units	Frequency of Analysis	Sample Type
			Req Mon MX WK AV	Req Mon DAILY MX	04 - deg C	9999 - Continuous	RC - Recorder (auto)	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	78 - dSim	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	12 - SU	01730 - Monthly	GR - GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	01130 - Monthly	GR - GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	1U - Ratio	0230 - Twice Per Month CA	CALCTD	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	1U - Ratio	0230 - Twice Per Month CA	CALCTD	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	19 - mg/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				
			Req Mon 30DA AVG	Req Mon DAILY MX	28 - ug/L	0230 - Twice Per Month GR	GRAB	
			C - No Discharge	C - No Discharge				

DMR Copy of Record

Permit		Permittee:		Facility:	
Permit #:	CO0000132	Permittee Address:	Oxbow Mining LLC	Facility Location:	SANBORN CRK & ELK CRK MINES
Major:	No	Discharge:	PO Box 535 Someset, CO 81434-0535		3737 HIGHWAY 133 SOMERSET, CO 81434
Permitted Feature:	012 External Outfall		012-Q Quarterly Monitoring for 012A		
Report Dates & Status					
Monitoring Period:	From 01/01/22 to 03/31/22	DMR Due Date:	04/28/22	Status:	Not DMR Validated
Considerations for Form Completion					
Quarterly monitoring - see Appendix B, #34, pg 17.					
Principal Executive Officer					
First Name:	MIKE	Title:	PRESIDENT	Telephone:	970-929-5122
Last Name:	LUDLOW				
No Data Indicator (NODI)					
Form NODI:	--				
Parameter	Monitoring Location	Season	Warm	Mod	
Code	Unit	Qualifier 1	Qualifier 2	Qualifier 3	Qualifier 4
70295	Solids, total dissolved	1 - Effluent Gross	0	--	
Submission Note					
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.					
Edit Check Errors					
No errors.					
Comments					
Attachments					
No Attachments					
Report Last Saved By					
Oxbow Mining LLC					
User:					
Name:	GHGSMITHOXBOW				
E-Mail:	Douglas Smith				
Date/Time:	doug.smith@oxbow.com				
Report Last Signed By	2022-04-04 12:23 (Time Zone: -06:00)				
User:	GHGSMITHOXBOW				
Name:	Douglas Smith				
E-Mail:	doug.smith@oxbow.com				
Date/Time:	2022-04-04 12:25 (Time Zone: -06:00)				

DMR Copy of Record

Permit		Permit #: CO0000132		Permittee: Oxbow Mining LLC		Facility: SANBORN CRK & ELK CRK MINES	
Major: No		Permittee Address: PO Box 535 Somerset, CO 81434-0535		Facility Location:		3737 HIGHWAY 133 SOMERSET, CO 81434	
Permitted Feature: 012 External Outfall		Discharge: 012-X Chronic WET Testing for 012A					
Report Dates & Status		DMR Due Date: 04/28/22		Status: NetDMR Validated			
Monitoring Period: From 01/01/22 to 03/31/22							
Considerations for Form Completion							
See ID.1 for details of test procedure. Rpt NOEC using test code "S" Rpt IC25 using test code "P". Beginning 10-1-21, rpt highest number between "P" and "S" at "T" for each parameter. IWC=100%							
Principal Executive Officer							
First Name: MIKE		Title: PRESIDENT		Telephone: 970-929-5122			
Last Name: LUDLOW							
No Data Indicator (NODI): --							
Form NODI:							
Code	Parameter	Monitoring Location	Reported Value (NODI)	Sample Permit Req. Value (NODI)	Quality or Concentration	Units	Req. Ex. Frequency of Analysis
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	P - See Comments	0	-	Req Mon SINGSAMP C - No Discharge	2G - tox chronic	01/90 - Quarterly
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	S - See Comments	0	-	Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/90 - Quarterly
TKP3B	Static Renewal 7 Day Chronic Ceriodaphnia dubia	T - See Comments	0	--	Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/90 - Quarterly
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	P - See Comments	0	-	Req Mon SINGSAMP C - No Discharge	2G - tox chronic	01/90 - Quarterly
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	S - See Comments	0	-	Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/90 - Quarterly
TKP6C	Static Renewal 7 Day Chronic Pimephales promelas	T - See Comments	0	-	Req Mon MN VALUE C - No Discharge	2G - tox chronic	01/90 - Quarterly

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

No errors.

Comments

Attachments

No attachments.

Report Last Saved By
Oxbow Mining LLC

User: HGSMITHXBOW

Name: Douglas Smith

E-Mail: doug.smith@oxbow.com

Date/Time: 2022-04-04 12:23 (Time Zone: -06:00)

Report Last Signed By

User: HGSMITHXBOW

Name: Douglas Smith

E-Mail: doug.smith@oxbow.com

Date/Time: 2022-04-04 12:25 (Time Zone: -06:00)