



- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 1 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.



WEDDING BELL PROJECT Section 23 Area **Hole 2 Detail**



Astrides priliped the being a down thous with a grides pluggifted and the prince of t 1. 2.

- Sphery will be plugged before rig moves off of hole.

 Only one grill rip will be plugged before rig moves off of hole.

 Only one grill rip will be bed tog all thresh project areas.

 Per your Blair (BLW) will be useful on the dead where first and vegetation sparse.

 Per your Blair (BLW) will be useful on the dead where first and vegetation sparse.

 Policy by the blair (BLW) will be useful on the dead where first and vegetation sparse.


 Policy by the blair (BLW) will be useful on the dead where first and vegetation sparse.
- Read an action will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be the advantage of pushing soil back across pad and road followed by spring seeding. Seed will be broadcast and hand-raked in. 6.

The exploited if iter fear cheard he had be with the direct food addition to less.

Per Jim Blair (BLM), no pad needed where flat and vegetation sparse. Same with road access to drill hole.




WEDDING BELL PROJECT Section 23 Area **Hole 3 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)


 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 4 Detail**



- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)
 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used
- 2. Spider plug will be pushed down noie with drill rig drill rod to a depth of 5 π. 4 cubic feet of bentonite (enough to fill 5 π. of noie on top of spider) will be used for each hole.
- 3. Only one drill rig will be used for all three project areas.
- 4. Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- 5. For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- 6. Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- 7. The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area Hole 5 Detail




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 6 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 7 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 8 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 9 Detail**




- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.




WEDDING BELL PROJECT Section 23 Area **Hole 10 Detail**



- All holes will be backfilled (with drill cuttings), plugged and reclaimed before rig moves off of hole to move next site (image)

 Spider plug will be pushed down hole with drill rig drill rod to a depth of 5 ft. 4 cubic feet of bentonite (enough to fill 5 ft. of hole on top of spider) will be used for each hole.
- Only one drill rig will be used for all three project areas.
- Per Jim Blair (BLM), no pad construction needed where flat and vegetation sparse.
- For each pad constructed, topsoil will be stockpiled as shown on drawing. If required a D-6 bulldozer will be used to construct both pads and repair roads.
- Reclamation will consist of pushing soil back across hole and pad and road followed by spring seeding (as approved by BLM and County). Seed will be broadcast and hand-raked in.
- The photo file for each hole will be included for all holes.



WEDDING BELL PROJECT Section 23 Area **Hole 11 Detail**