2021
ANNUAL HYDROLOGIC REPORT

BOWIE RESOURCES, LLC

BOWIE RESOURCES, LLC
BOWIE NO. 2 MINE
P.O. BOX 483
PAONIA, COLORADO 81428
PERMIT C-1996-083

PREPARED BY:

2021Annual Hydrology Report

Bowie Resources, LLC

Bowie No. 2 Mine

Permit Number C-1996-083

Paonia, Colorado

Introduction

The Bowie No. 2 Mine was built and opened by Bowie Resources during the spring and summer months of 1997 with coal production/development beginning on August 15, 1997. This room and pillar operation began developing a main and submain system of underground entries to provide the ventilation, haulage and coal conveyor support for years to come. These entries are driven carefully on projections, held to minimum widths with larger than normal coal pillars left in place to assure adequate support for the life of the mine. The mine began longwall production during November 1999.

The following 2021 Annual Hydrology Report describes the hydrologic monitoring for surface and ground water within the permit and adjacent area of the Bowie No. 2 Mine and presents baseline data for the natural mine plan progression.

In this report, springs, ponds and streams (including ditches, rivers, and canals) are considered surface water. Alluvial wells and drill holes are sampled and analyzed as ground water. Please refer to the permit application for a discussion of the methods employed during the gathering of field parameters. Permit Map-09 (attached as an exhibit in this report) indicates the location of all monitoring points referred to in this report.

At the request of the Division, we have included baseline data for all Springs, Streams, Drill Holes and Alluvial Wells on the annual tabulation figures. Previously, parameters not tested and tested but found below the Method Detection Limit (MDL) were left blank. Blank cells represent a "not tested" condition, while a "<MDL" notation is made for the condition where a parameter falls below the Method Detection Limit. Additional requests from the Division during the approval process for PR-04 have added other improvements to the tables, including minimum/maximum/average values for the baseline period and minimum/maximum/average values for the operational influenced period of the monitoring point.

Table 1 (immediately following this narrative) defines the monitoring points by type and sample frequency, field parameter sampling schedule and laboratory parameter sampling schedule.

Table 2 contains a listing of the laboratory parameters for surface and ground water to be tested in accordance with the mining permit application. Laboratory analysis are performed by ACZ Laboratories, INC., 2773 Downhill Dr, Steamboat Springs, CO 80407 and Enviro-Chem Analytical, Inc., 685 West Gunnison Avenue, Grand Junction, CO.

Table 3 contains a listing of the field parameters and their application to the Springs, Streams, Drill Holes and Ponds within the permit boundary. Flow readings for springs and small streams are reported in gallons per minute. Stream and river flows are reported in cubic feet per second.

Table 4 contains local precipitation data for the year. This data is available from the internet at www.wrcc.dri.edu/summary/Climsmco.html select Paonia 1 SW (056306). The average precipitation for the period of record (1893 through 2016) is 15.39 inches. Precipitation during 2016 totaled 11.61 inches which is below average. Data recorded at the Bowie no. 2 mine site through December 31, 2021 is 16.96 inches. That number does not necessarily reflect the total snowfall received at the mine, overall the precipitation was average.

Table 5 contains a listing of all monitoring points, with descriptions of their locations and a reference to the Monitoring Point Figure that contains this year's monitoring data. The included charts are given a figure number. During 2015 and 2016, approval of Technical Revision Nos. 103 and 107 eliminated, or temporarily suspended forty-seven (47) monitoring points. Table 5 hi-lights the changes to the monitoring program.

Monitoring point figures follow this introduction. Each Monitoring Point has an individual table which tabulates the annual data collection and reports Minimum, Maximum, Average and Baseline data. A reference in each footnote explains the period used for baseline data.

Flow data for the North Fork of the Gunnison River is obtained from the USGS from a website http://nwis-colo.cr.usgs.gov/historic.html. This flow reading is obtained telemetrically from a station near Somerset, CO and is reflective of upper river flows only. This monitoring point is identified by the USGS as 09132500.

Flow data for the Fire Mountain Canal is obtained from Mr. Trey Dennison, member of the Fire Mountain Canal and Reservoir Company, whose phone number is (970) 527-5166 or cell (970) 589-2857. This flow is representative of the upper and lower flows.

Monitoring point identifiers near the mine portals are historic and follow no specific naming convention. Monitoring points located in other areas typically follow a convention where the first letter(s) designates a water source type, such as "S" for Spring or "SP" for Spring and Pond. The numeral(s) following the first letter designate what Section the water source is located, for instance, SP34-2 would be a spring and pond in Section 34. The numeral separated with a dash indicates an index number for that point. SP34-2 would be the second monitoring point found in Section 34.

CDPS Monitoring Points

DMRs are submitted monthly to the Colorado Department of Public Health and Environment with copies to the Division of Reclamation, Mining and Safety and are included herein by reference.

North Fork Alluvium Monitoring Wells

Alluvial monitoring wells AW-1 through AW-6 are located near the mine entrance along the north side of Bowie Road. These wells are monitored quarterly for field parameters and semi-annually for full suite laboratory parameters during the second and fourth quarters in accordance with the permit application. Alluvial monitoring wells AW-7 through AW-9 are located near the mine entrance along the south side of Bowie Road. AW-10 cannot be reliably sampled due to a collapse of the casing, and was eliminated from the monitoring plan. These wells were installed as a requirement of PR-03 which allowed the mine operator to relocate Sediment Pond B to the south side of the highway. Alluvial Wells 11 through 13 were installed during the fall of 2000 to monitor the alluvium in the area where the new coal loadout (PR-06) was constructed. Alluvial well 13 was eliminated by the construction of the unit train loadout. Alluvial well 14 was installed during 2003 west of Pond K. Alluvial wells 15 through 17 were installed during the fourth quarter of 2003 and are located north of Bowie Road below coal mine waste disposal area #2.

The 2021 sampling season provides results consistent with baseline information provided in the permit application, showing no adverse impact to groundwater during the construction of the mine, however 2021 was a dry so laboratory samples were not obtained for many well sites. There has not been any significant degradation of alluvial wells 11 and 12 which are located below gob pile #3. Alluvial well 6 did not have high conductivity values this year. Looking at the trendline on the chart for Conductivity, since November of 1996, conductivity has been trending higher. Alluvial well 3's conductivity values are also trending higher. The well is located below the coal stockpile pad, which has not held a significant amount of coal for the last two years. However, looking at the chart associated with AW-3, since November 1996 it too has been trending higher.

Surface Water Monitoring Stations: PONDS

Ponds were sampled for water quality when discharging or inflows/outflows were occurring. Ponds are typically spring-fed or seep-fed and exhibit diffuse non-concentrated areas of inflow. Often the pond outlets present the only point of concentrated flow at which flow measurements and field parameters can be obtained.

Where possible, quality measurements are obtained at the pond inlet. Stagnant water in ponds is not sampled since water quality results would show the effects of evaporation and stock use and could not be used to evaluate potential mine affects. Ponds are monitored quarterly. The following information is collected for the ponds; 1) inflow; 2) outflow; and 3) water level below spillway outlet or depth of water in pond measured from the bottom of the pond. Field data collected during the 2021 sampling season is consistent with baseline information provided in the permit application.

Surface Water Monitoring Stations: SPRINGS

Forty-nine springs and springs with ponds were monitored during the 2021 monitoring season in accordance with the Hydrologic Monitoring Plan. This plan indicates that identified springs will be inspected quarterly for field parameters with full suite laboratory parameters required on springs with flows greater than five (5) gallons per minute. During the construction phase of the mine, four (4) springs (S-6, S-7, S-9 and S-15) were eliminated by road and portal bench construction activities. The 2021 field and laboratory analysis are consistent with baseline data provided in the permit application. There has been a trend in many of the springs that shows the conductivity increases as the flow decreases. This trend is most likely caused by the increased time the water is in contact with the alluvium because of the lower flows.

Surface Water Monitoring Stations: STREAMS AND DITCHES

Twenty-three surface water monitoring stations including the North Fork of the Gunnison, Terror Creek, Hubbard Creek, Freeman Gulch, the Deer Trail Ditch, Stephens Draw, and the Fire Mountain Canal are monitored quarterly for field parameters and semi-annually for full suite analysis. The results of the 2021 field and laboratory studies are consistent with baseline information supplied in the permit application.

The USGS, with right of way permission from the USDA-Forest Service, installed continuous monitoring stations on both Hubbard and Terror Creeks. Similar stations are installed near each creek's confluence with the North Fork of the Gunnison River. These stations have been calibrated by the USGS's hydrology department and now provide accurate readings for the Annual Hydrology Reports. The USGS did not collect flow data for their station during 2021. Flow data for the creeks were determined by Bowie Resources, LLC during 2021.

Surface Water Monitoring Stations: SMALL AREA EXEMPTIONS

The locations of the small area exemptions are presented on Map 20. The Applicant will monitor the flow from the small area exemptions to assure compliance with 4.05.2(3). The Applicant will use its best efforts to obtain samples. The samples will be

analyzed for pH, conductivity and total settleable solids. Samples will be in compliance if they contain settleable solid levels of 0.5 ml/l or less and the pH is greater than 6.5 and less than 9.0. No small area exemption sampling was performed during the year.

Coal Member of Mesaverde

Eleven bedrock wells were monitored during the 2021 sampling season. These holes were monitored quarterly for field parameters and semi-annually for full suite laboratory analysis. Data collected and evaluated is consistent with the baseline information provided in the permit application except for DH-39 which is adjacent to the repaired DH-15. DH-39 had higher than average conductivity for the two quarters it was monitored. The trend in increased conductivity began after DH-15 was sealed and replaced with DH-15A, see description in the following paragraph. The mine construction work during 1997 required the elimination of four monitored drill holes. These holes are DH 42, DH 52, DH 54 and DH 55 and were located near the mine portals. Drill Holes DH-13 and DH-34b were eliminated by mining. Drill hole DH-34c was damaged by ground movement. DH-16 is blocked at 60-feet so no monitoring can be performed. Drill Holes DH-57, 57a and DH-58, 58a were added in conjunction with the Terror Creek Coal Exploration Plan, with monitoring beginning in the fall of 1999. Drill holes DH-57 and DH57a were destroyed by longwall mining during 2001. DH-58 and 58a were eliminated by mining during late 2003 so they are no longer monitored.

D-Seam monitoring wells DH-15, DH-25 and DH-38 can no longer be monitored since all three have damaged well casings. During 2016, DH-15 was sealed and replaced by new D-Seam monitoring well DH-15A. The new well is located near the old monitoring well. Monitoring of DH-15A began the fourth quarter of 2016.

Drill holes DH-65, DH-66, DH-67D, DH-67blw and DH-67abv were added in conjunction with the Iron Point Federal coal lease, with some monitoring beginning during the fall of 2000. DH-67D was damaged during 2003 so no monitoring was performed. The DH-67 holes were refurbished during 2004. DH-66 was eliminated by mining during early 2004 so it is no longer monitored. DH-67blw had a pinched casing so a new DH-67blw was drilled during 2014. Obtaining a sample from DH 67B has been challenging. Field parameters were obtained two quarters, but a full-suite sample was only obtained during the second quarter.

Drill holes DD-NM4X98-27, 28 and 29 were in-mine monitoring holes which were added to the monitoring program during 2003. The three monitoring points were abandoned when the mine activity retreated from the east mains in mid 2004. TC-03-01, 02 and 03 were added to the monitoring program during 2003. TC-03-03 was sealed in 2010 because a ventilation shaft was constructed where TC-03-03 was located. Monitoring wells TC-03-01 and TC-03-02 could not be rehabilitated during 2014. The wells could

be used as water level piezometers but the wells are not functional for water quality data. Monitoring results for these well is of questionable value.

Drill holes CWI-DH-58 and CWI-DH-60 were added to the monitoring program in 2011 with the approval of permit revision 12 to cover the area west of Terror Creek. Monitoring well CWI-DH-60 was cleaned and rehabilitated between August 20 and August 23, 2014. On August 22, 2014, the well was evacuated using the airlift and bailing techniques and the water quality showed a pH of 7.70 s.u., conductivity of 863 µS/cm, and temperature of 20.5° C. After a 12 hour recovery period, the SWL was measured at 892.0 feet btoc (August 23, 2014).

A new well CWI-DH-58a was drilled to replace CWI-DH-58 late in 2014. The Applicant drilled DH-2010-1SS and DH-2010-1B during 2011. DH-2010-1B is completed in the B-Seam and DH-2010-1SS is completed in a water bearing zone above the B-Seam. Drill hole 2010-1B was refurbished during 2014. After the 2014 well rehabilitation work, 2010-1B had the following water quality: pH 9.75 su, conductivity 277 umhos/cm, total iron 4.31 mg/l, manganese 0.0621 mg/l.

Conclusion

The results of the hydrologic monitoring conducted during the 2021 season indicate consistent chemical and physical properties when compared with the baseline values provided in the permit application. Longwall mining is the focus of all mining operations at Bowie No. 2 Mine. Longwall mining ceased February 26, 2016 so there was no mining during the calendar year. Prior mining has not affected the local hydrology during the current year. Water quality at all monitored sites remains good overall and no chemical or physical impacts have been noted. Except as noted above, none of the field or laboratory parameter results indicate an adverse impact associated with the mining operations of the Bowie No. 2 Mine on the local hydrology.

Many sites require four quarters of sampling for field parameters (Terror Creek Drainage system, Dove Gulch, nearly all of the Ponds, many of the S-Series Springs, etc.). However, due to drought conditions, many sites did not have water available to obtain samples for field or laboratory parameters. In those cases, if there were field parameters obtained and no laboratory data listed, it means there was not enough water to obtain a sample to send to the lab.

Summary of Hydrology Monitoring Stations

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring - SPRINGS WITH PONDS									
SP5-1	Terror Creek-Spring/Pond 5-1	7400		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP6-4	Terror Creek-Spring/Pond 6-4	8040		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
SP7-1	Terror Creek-Spring/Pond 7-1	7780		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP7-5	Stevens Gulch-Spring/Pond 7-5	8300		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP12-4	Stevens Gulch-Spring/Pond12-4	8040		Quarterly	Quarterly	Annually	Yes	No	Permanently Suspended TR-103
SP16	Terror Creek-Spring/Pond 16	7780		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
SP17	Terror Creek-Spring/Pond 17	7520		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP18	Terror Creek-Spring/Pond 18	7280		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP19	Stevens Gulch-Spring/Pond 19	8240		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP20	Terror Creek-Spring/Pond 20	7840	4	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP22	Terror Creek-Spring/Pond 22	7560		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP23	Stevens Gulch-Spring/Pond 23	7480		Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
SP34-11	Sheep Corral-Spring/Pond 34-11	7440	3	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
ST36-2	Flat Tanks	8160		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
ST36-4	Oak Hills Spring Lower Tank	8040		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
ST36-5	Oak Hiles Spring Upper Tank	8240		Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
Surface Water Monitoring - SPRINGS									
S-1	B Gulch-Spring 1	6990	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-2	Freeman Gulch-Spring 2	7920	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-3	Freeman Gulch-Spring 3	7920	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-4	Terror Creek-Spring 4	7880	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-4a	Terror Creek-Spring 4a	7910	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5	Sheep Corral-Spring 5	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5a	Sheep Corral-Spring 5a	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-5b	Sheep Corral-Spring 5b	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-8	C Gulch-Spring 8	7220	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-10	Steven's Draw-Spring 10	7550	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-11	Steven's Draw-Spring 11	7940	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-12	B Gulch-Spring 12	7650	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-13	Freeman Gulch-Spring 13	7500	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-14	Steven's Draw-Spring 14	7100	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-16	Terror Creek-Spring 16	7750	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-17	Freeman Gulch-Spring 17	7110	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S-18	Terror Creek-Spring 18	7750	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - SPRINGS (cont.)									
S1-3	Terror Creek-Spring 1-3	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S1-5	Terror Creek-Spring 1-5	8020	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S2-2	Hubbard Creek-Spring 2-2	6740	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-3	Hubbard Creek-Spring 2-3	6740	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-9	Hubbard Creek-Spring 2-9	6320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S2-10	Hubbard Creek-Spring 2-10	6320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S3-1	Sheep Corral-Spring 3-1	6840	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-2	Seep West of Terror Creek Road	7200	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-3	Red's Spring & Pipeline	7200	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S5-4	Hugh's Family Pipe & Spring	7320	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S6-1	Terror Creek-Spring 6-1	7720	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103
S6-6	Terror Creek-Spring 6-6	7860	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S6-7	West Fork Terror Ck Concrete Box	7600	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-4	Stevens Gulch-Spring 7-4	8190	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-9	Terror Creek-Spring 7-9	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S7-10	Terror Creek-Spring 7-10	7880	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S8-5	Terror Creek-Spring 8-5	7800	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S21	Terror Creek-Spring 21	7100	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S33-4	Sheep Corral-Spring 33-4	7790	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-7	Sheep Corral-Spring 34-7	7390	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-10	Dove Gulch-Spring 34-10	6640	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-19	Hubbard Creek-Spring 34-19	6460	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-20	Hubbard Creek-Spring 34-20	6440	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-21	Hubbard Creek-Spring 34-21	6430	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-22	Hubbard Creek-Spring 34-22	6700	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-23	Hubbard Creek-Spring 34-23	6650	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-24	Hubbard Creek-Spring 34-24	6390	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S34-25	Dove Gulch-Spring 34-25	6680	N/A	Quarterly	Quarterly	Annually	Yes	No	No winter monitoring - Lab analysis >5gpm, List 1
S36-7	Seeps 11 Below Stevens Gulch Rd	8120	N/A	Quarterly	Quarterly	Annually	Yes	No	Temporarily Suspended TR-103

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - STREAMS AND DITCHES									
A-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
B-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
B-Gulch-up	Drainage System	7080	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
C-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
C-Gulch-up	Drainage System	7120	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
D2-1	Sheep Corral-Drainage System	6360	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D21-1	Terror Creek-Confluence w/NFG	5760	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
D32-4	Terror Creek-Drainage System	7480	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
D33-14	Upper Sheep Corral Gulch	7320	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D34-13	Dove Gulch-Drainage System	6440	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
D34-14	Hubbard Creek-Drainage System	6560	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
Deer-low	Canal-Deer Trail Ditch	5920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Aug, List 2
Deer-up	Canal-Deer Trail Ditch	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Aug, List 2
D-Gulch-lo	Drainage System	5960	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
D-Gulch-up	Drainage System	7160	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
FMC-Low	Canal-Fire Mountain Canal	5920	N/A	May/Jul/Sep	Semi-Annually	Annually	Yes	No	No winter monitoring - 1st & 3rd Qrt, List 1
FMC-up	Canal-Fire Mountain Canal	5960	N/A	May/Jul/Sep	Semi-Annually	Annually	Yes	No	No winter monitoring - 1st & 3rd Qrt, List 1
Free-low	Freeman Gulch-Drainage System	7560	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Free-up	Freeman Gulch-Drainage System	6360	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Hub-low	Hubbard Creek-Drainage System	5880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monit-2nd & 4th Qrt, List 1-Flow USGS
Hub-up	Hubbard Creek-Drainage System	6320	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
NFG-low	North Fork-Drainage System	5680	N/A	Quarterly	Semi-Annually	Annually	Yes	No	2nd & 4th Qrt, List 1 - August, List 2 - Flow USGS
NFG-up	North Fork-Drainage System	5880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	2nd & 4th Qrt, List 1 - August, List 2 - Flow USGS
Steph-low	Steven's Draw-Drainage System	7000	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
Steph-up	Steven's Draw-Drainage System	7920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-01	**West Fork Terror Ck-Downstream**	7140	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-02	Terror Creek-Mid Stream	7040	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-04	West Terror Creek Trib -Upstream	7880	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-05	Stevens Gulch-Downstream	6600	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-10	Terror Ditch	6480	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-11	Stevens Gulch-Upstream	8084	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
SW-12	West Fork Terror Ck-Upstream	7920	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
EF-1	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1
EF-2 thru 9	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	Temporarily Suspended TR-103
EF-7 thru 9	West Fork Ephemeral Channels	Varies	N/A	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring - 2nd & 4th Qrt, List 1

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Coal Member of Mesaverde									
DH-15	Steven's Draw-Drill Hole	7143	218	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
DH-25	C Gulch-Drill Hole	7144	325	Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
DH-38	D Gulch-Drill Hole	7245	454	Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
DH-15a	Steven's Draw-Drill Hole	7143	218	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
DH-39	Steven's Draw-Drill Hole	7143	181	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-49	B Gulch-Drill Hole	7203	324	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67B	Hubbard Creek-Monitoring Well	6451	594	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67D	Hubbard Creek-Monitoring Well	6450	325	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67abv	Hubbard Creek-Monitoring Well	6451	193	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH-67blw	Hubbard Creek-Monitoring Well	6451	360	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
TC-03-01(B)	Terror Creek - Monitoring Well-Upper	7118	713	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
TC-03-02	Terror Creek - Monitoring Well	7095	586	Quarterly	Semi-Annually	Annually	Yes	No	Permanently Suspended TR-103
CWI-DH-58A	Upper B Seam	7442	575	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
CWI-DH-60	Upper B Seam (B1)	7921	1085	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH2010-1B	Above Upper B Seam - Deep	7545	1220	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
DH2010-1SS	Upper B Seam - Shallow	7545	1140	Quarterly	Semi-Annually	Annually	Yes	No	No winter monitoring-Lab analysis 2nd & 4th Qrts
North Fork Alluvium Monitoring Wells									
AW-1	Alluvial Well	5978	120	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-2	Alluvial Well	5967	50.4	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-3	Alluvial Well	5963	150	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-4	Alluvial Well	5978	60	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-5	Alluvial Well	5982	100	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-6	Alluvial Well	5981	112	Quarterly	Semi-Annually	Annually	Yes	No	Lab anlaysis 2nd & 4th Qrts
AW-7	Alluvial Well	5950	188	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-8	Alluvial Well	5950	60	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-9	Alluvial Well	5946	80	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 1999 - Lab 2nd & 4th Qrts
AW-11	Alluvial Well	5884	60.86	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 2000 - Lab 2nd & 4th Qrts
AW-12	Alluvial Well	5878	45.38	Quarterly	Semi-Annually	Annually	Yes	No	Installed Fall of 2000 - Lab 2nd & 4th Qrts
AW-14	Alluvial Well	5822	30	Quarterly	Semi-Annually	Annually	Yes	No	Installed Summer of 2003 - Lab 2nd & 4th Qrts
AW-15	Alluvial Well	5973	86	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts
AW-16	Alluvial Well	5965	75	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts
AW-17	Alluvial Well	5951	62	Quarterly	Semi-Annually	Annually	Yes	No	Installed Winter of 2003 - Lab 2nd & 4th Qrts

Summary of Hydrology Monitoring Stations (Continued)

Station Number	Station Name	Elevation (ft.)	Depth (ft.)	Frequency of Measurements		Report Frequency	Report Format		Comments
				Field Par.	Lab. Par.		AHR	DMR	
Surface Water Monitoring Stations - PONDS									
P-1	Steven's Draw-Pond 1	7080	5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-2	Freeman Gulch-Pond 2	7600	5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-3	Terror Creek-Pond 3	7730	4.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-4	Terror Creek-Pond 4	7880	3.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-5	Sheep Corral-Pond 5	7800	8	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P-6	Terror Creek-Pond 6	7880	3	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P1-4	W Fork Terror Creek-Pond 1-4	7960		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-6	W Fork Terror Creek-Pond 1-6	7980		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-11	W Fork Terror Creek-Pond 1-11	8000		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P1-12	W Fork Terror Creek-Pond 1-12	7860		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P5-5	Hugh's Pipe & Pond	7320		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P6-2	W Fork Terror Creek-Pond 6-2	8000		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P6-5	W Fork Terror Creek-Pond 6-5	8020		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-2	Stevens Gulch-Pond 7-2	8190		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-7	Stevens Gulch-Pond 7-7	8380		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P7-11	Stevens Gulch-Pond 7-11	8400		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P8-4	Terror Creek-Pond 8-4	6980		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-1	Stevens Gulch-Pond 12-1	7950		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-2	Stevens Gulch-Pond 12-2	8030		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-9	Stevens Gulch-Pond 12-9	7800		Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
P12-10	Stevens Gulch-Pond 12-10	7820		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P12-11	Stevens Gulch-Pond 12-11	7800		Quarterly	N/A	Annually	Yes	No	Permanently Suspended TR-103
P17-1	Coal Gulch-Pond 17-1	7340		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P18-1	Coal Gulch-Pond 18-1	7760		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P18-4	Stevens Gulch-Pond 18-4	8350		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P81	Stevens Gulch-Pond 81	8640		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P82	Terror Creek-Pond 82	7580		Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P83	Coal Gulch-Pond 83	7820	2.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P33-3	Sheep Corral-Pond 33-3	7760	5.5	Quarterly	N/A	Annually	Yes	No	No winter monitoring-Reprt Inflow, Outflow, Depth
P31-1	Dry Pond Below Stevens Gulch Rd	8120		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-1	Flat Pond Above Stevens Gulch Rd	8120		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-3	Meadow Pond	8140		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103
P36-6	Dry Pond 11	8140		Quarterly	N/A	Annually	Yes	No	Temporarily Suspended TR-103

LAB PARAMETER LIST

SURFACE WATER LIST 1

Field Parameters	
Flow Rate (gpm)	
Water Level	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temerature (C)	
*Dissolved Oxygen (mg/l)	
Lab Parameters	
Wet Chemistry	**MDL**
Bicarbonate (HCO_3) (mg/l)	2 mg/L
Chloride (Cl^-) (mg/l)	0.5 mg/L
Conductivity (umhos/cm)	1 umhos/cm
Nitrate/Nitrite (mg/l)	0.1 mg/L
pH (Standard Units)	0.1 s.u.
Hardness (mg/l)	1 mg/L
Phosphate (PO_4^{-3} as P) (mg/l)	0.02 mg/L
Residue, Filterable (TDS) @180 C (mg/l)	0.5 mg/L
Residue, NonFilterable (TSS) (mg/l)	0.5 mg/L
Sodium Absorption Ratio in Water	0.15
Sulfate (SO_4^{--}) (mg/l)	0.6 mg/L
Metals	
Aluminum (Al), total recoverable (mg/l)	0.05 mg/L
Arsenic (As), total recoverable (mg/l)	0.002 mg/L
Cadmium (Cd), total recoverable (mg/l)	0.0002 mg/L
Calcium (Ca^{+2}), total recoverable (mg/l)	0.2 mg/L
Copper (Cu), total recoverable (mg/l)	0.01 mg/L
Iron (Fe), total recoverable & Diss (mg/l)	0.01 mg/L
Lead (Pb), total recoverable (mg/l)	0.02 mg/L
Magnesium (Mg^{+2}), total recoverable (mg/l)	0.2 mg/L
Manganese (Mn), total recoverable (mg/l)	0.01 mg/L
Mercury (Hg), total recoverable (mg/l)	0.000025 mg/L
Molybdenum (Mo), total recoverable (mg/l)	0.02 mg/L
Selenium (Se), total recoverable (mg/l)	0.001 mg/L
Sodium (NA^+), total recoverable (mg/l)	0.2 mg/L
Zinc (Zn), total recoverable (mg/l)	0.005 mg/L
Organic Analysis	
Oil and Grease (mg/l)	0.5 mg/L

SURFACE WATER LIST 2

Field Parameters	
Flow Rate (gpm)	
Water Level	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temerature (C)	
*Dissolved Oxygen (mg/l)	
Lab Parameters	
Wet Chemistry	**MDL**
pH (Standard Units)	0.1 s.u.
Residue, Filterable (TDS) @180 C (mg/l)	0.5 mg/L
Ammonia (NH_3) (mg/l)	0.1 mg/L
Chloride (Cl) (mg/l)	0.5 mg/L
Cyanide (CN) (mg/l)	0.2 mg/L
Dissolved Oxygen (mg/l)	Report
Hardness (mg/l)	1 mg/L
Nitrate (NO_3) (mg/l)	0.1 mg/L
Nitrite (NO_2) (mg/l)	0.01 mg/L
Sulfide (S) (mg/l)	0.2 mg/L
Sulfate (SO_4^{--})(mg/l)	0.1 mg/L
Metals	
Arsenic (As), total recoverable (ug/l)	0.002 mg/L
Boron, total recoverabel (mg/l)	0.1 mg/L
Cadmium (Cd), total recoverable (ug/l)	0.0002 mg/L
Chromium III CrIII (ug/l)	0.01 mg/L
Chromium VI CrIV (ug/l)	0.02 mg/L
Copper (Cu), total recoverable (ug/l)	0.01 mg/L
Iron (Fe), dissolved (ug/l)	0.005 mg/L
Iron (Fe), total recoverable (ug/l)	0.001 mg/L
Lead (Pb), total recoverable (ug/l)	0.01 mg/L
Manganese (Mn), dissolved (ug/l)	0.01 mg/L
Manganese (Mn), total recoverable (ug/l)	0.01 mg/L
Mercury (Hg), total recoverable (ug/l)	0.000025 mg/L
Nickel, total recoverable (ug/l)	0.02 mg/L
Selenium (Se), total recoverable (ug/l)	0.001 mg/L
Silver (Ag), total recoverable (ug/l)	0.001 mg/L
Zinc (Zn), total recoverable (ug/l)	0.005 mg/L

GROUND WATER

Field Parameters	
Water Elevation (Feet)	
Depth to Water (Feet)	
pH (Standard Units)	
Conductivity (umhos/cm)	
Temperature (C)	
Lab Parameters	
Wet Chemistry	**MDL**
Bicarbonate (HCO_3) (mg/l)	2 mg/L
Carbonate (CO_3) (mg/l)	2 mg/L
Chloride (Cl^-) (mg/l)	0.5 mg/L
Conductivity (umhos/cm)	1 umhos/cm
Nitrate/Nitrite (mg/l)	0.1 mg/L
Ammonia (NH_3) (mg/l)	0.1 mg/L
pH (Lab Units)	0.1 mg/L
Hardness (mg/l)	1 mg/L
Phosphate (PO_4^{-3} as P) (mg/l)	0.02 mg/L
Residue, Filterable (TDS) @180 C (mg/l)	0.5 mg/L
Sulfate (SO_4^{--}) (mg/l)	0.6 mg/L
Metals	
Arsenic (As), dissolved (mg/l)	0.002 mg/L
Cadmium (Cd), dissolved (mg/l)	0.0002 mg/L
Calcium (Ca^{+2}), dissolved (mg/l)	0.2 mg/L
Iron (Fe), dissolved (mg/l)	0.01 mg/L
Iron (Fe), total recoverable (mg/l)	0.01 mg/L
Magnesium (Mg^{+2}), dissolved (mg/l)	0.2 mg/L
Manganese (Mn), dissolved (mg/l)	0.01 mg/L
Manganese (Mn), total recoverable (mg/l)	0.01 mg/L
Mercury (Hg), dissolved (mg/l)	0.000025 mg/L
Selenium (Se), dissolved (mg/l)	0.001 mg/L
Sodium (NA^+), dissolved (mg/l)	0.2 mg/L
Zinc (Zn), dissolved (mg/l)	0.005 mg/L

Refer to Pages 2.05-134 and 2.05-135 of Permit Application

Surface Water List 2 is applicable annually for North Fork Gunnison and Deer Trail Ditch only

NOTE: Springs are considered Surface Water

**Dissolved Oxygen is reported for Deer Trail Ditch, Fire Mountain Canal and North Fork Gunnison*

FIELD PARAMETER LIST

Parameter	Unit	Wells	Ponds	Streams	Springs
Conductivity	umhos/cm	Yes	Yes	Yes	Yes
Flow Rate	CFS/GPM	No	Yes	Yes	Yes
pH	Standard	Yes	Yes	Yes	Yes
Temperature	C	Yes	Yes	Yes	Yes
Water Level	Feet	Yes	Yes	No	No

PRECIPITATION VALUES

Monthly Precipitation Values

Month	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
January	1.13	1.08	1.93	0.73	0.55	0.26	1.31	2.05	0.81	0.68	1.67	0.91	0.42	0.49	1.22	1.83	0.66	1.02	0.9
February	0.83	0.38	1.27	1.06	0.11	1.35	1.46	1.38	0.28	0.92	1.1	1	1.66	0.87	1.41	0.89	2.16	1	0.85
March	1.43	0.42	1.03	0.42	1.03	1.17	0.14	1.93	1.58	1.39	0.54	0.89	1.2	1.22	0.3	1.14	0.77	0.76	0.3
April	1.43	2.54	0.42	0.57	0.61	0.49	3.3	1.37	0.83	1.2	0.77	1.09	0.51	1.68	0.62	1.3	1.31	1.75	1.21
May	0.16	1.00	0.67	1.75	0.28	1.81	0	1.22	0.17	1.18	0.64	2.73	1.68	0.83	0.09	1.24	1.71	3.86	1.33
June	0.47	0.94	0.86	0.39	0.04	0.48	0.34	1.64	0.5	0.99	0.67	0.63	0.55	0.32	0.05	0	0.21	1.05	0.51
July	0.66	2.7	0.89	1.31	0.28	0.76	0.02	0.4	3.06	0.85	0.24	0.27	1.44	1.74	1.26	1.37	1.11	2.43	0.8
August	1.18	1.42	1.27	2.35	0.66	0.46	0.48	1.71	0.87	1.16	2.07	0.33	2.09	0.46	2.35	0.78	2.13	1.96	1.81
September	0.75	1.16	1.27	0.34	2.43	1.93	2.85	2.84	2.32	3.2	0.62	0.32	1.15	1.2	0.92	3.28	2.96	1.2	1.07
October	1.88	0.05	0.75	0.84	2.53	0.46	1.37	2.11	5.08	1.37	0.74	0.58	1.84	1.55	0.64	2.12	1.17	1.94	0.49
November	1.87	0.07	0.73	1.85	0.9	1.74	1.72	0.84	1.39	0	0.91	0.77	0.58	0.96	0.61	0.91	0.65	1.48	0.16
December	1.00	0.57	0.78	0.99	0.71	1.03	1.26	1.47	0.65	4.20	1.55	1.36	1.91	1.01	1.41	0.69	1.56	2.70	2.18
Minimum	0.16	0.05	0.42	0.34	0.04	0.26	0.00	0.40	0.17	0.00	0.24	0.27	0.42	0.32	0.05	0.00	0.21	0.76	0.16
Average	1.07	1.03	0.99	1.05	0.84	1.00	1.19	1.58	1.46	1.43	0.96	0.91	1.25	1.03	0.91	1.30	1.37	1.76	0.97
Maximum	1.88	2.7	1.93	2.35	2.53	1.93	3.30	2.84	5.08	4.20	2.07	2.73	2.09	1.74	2.35	3.28	2.96	3.86	2.18
Total	12.79	12.33	11.87	12.60	10.13	11.94	14.25	18.96	17.54	17.14	11.52	10.88	15.03	12.33	10.88	15.55	16.40	21.15	11.61



This data is obtained from the internet at www.wrcc.dri.edu/summary/Climsmco.html select Paonia 1 SW (056306).

** No data recorded during the 2021 water year

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

Surface Water Monitoring Stations - STREAMS AND DITCHES

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Table 5

Monitoring Point Reports
Table of Contents

Surface Water Monitoring Stations: PONDS

SP5-1
Terror Creek - Pond Spring 5-1
Elevation - 7400

Initiated	7/18/1985	7/18/1985	7/18/1985
Activated	3/31/2015	3/31/2015	3/31/2015
Date	10/3/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.00	0.94	7.36	0.00	1.15	4.12	Damp	No flow	Damp
Inflow	GPM	0.00	0.00	0.00	0.00	0.32	2.96	0.00	0.00	0.00
Freeboard	Feet	0.00	0.00	0.00	0.50	0.00	1.00	0.50	1.00	0.50
Temperature	Celsius	4.1	12.8	23.2	3.80	11.20	20.10			
Conductivity	umhos/cm	490	672	804	697.00	789.83	830.00			
pH	su	7.3	8.2	9.0	7.62	8.13	8.55			
Field Comments								Wet center pond		
Lab Parameters	UNITS									
Bicarbonate	mg/L	256.0	383.5	441.6	453.00	467.50	482.00			
Carbonate	mg/L	16.0	16.0	16.0	0.00	0.00	0.00			
Chloride	mg/L	2.0	6.4	10.0	3.90	4.27	4.50			
Conductivity	umhos/cm	552.0	656.8	974.0	680.00	690.67	700.00			
Hardness	mg/L	182.0	250.8	287.0	246.00	250.33	256.00			
Acidity	mg/L	14.0	14.0	14.0	-410.00	-390.00	-380.00			
pH	su	6.4	7.9	8.7	7.58	7.84	8.05			
ResidueFilterable-TDS	mg/L	320.0	374.9	451.0	428.00	442.67	457.00			
ResidueNonFilterable-TSS	mg/L	2.0	128.0	742.0	91.30	119.15	147.00			
SAR		1.2	1.7	2.5	2.31	2.42	2.52			
Sulfate	mg/L	16.0	34.3	70.0	16.90	18.37	19.80			
Calcium (Dissolved)	mg/L	30.0	57.8	69.0	0.00	0.00	0.00			
Magnesium (Total)	mg/L	18.0	25.9	28.0	22.00	23.27	23.90			
Sodium (Dissolved)	mg/L	43.0	61.0	76.0	0.00	0.00	0.00			
Iron (Total)	mg/L	0.4	0.4	0.4	0.25	0.60	0.98			
Iron (Dissolved)	mg/L	0.1	0.1	0.1	0.01	0.03	0.05			
Manganese (Total)	mg/L	0.06	0.06	0.06	0.05	0.11	0.16			

The area of concern for monitoring point SP5-1 was affected by the mining operation on or about March 31, 2015.

Negative value of acidity indicates alkalinity

Baseline Information Collection initiated on 7/18/85 and completed on March 31, 2015.
Point SP5-1 has been influenced by mining.

SP7-1
Terror Creek - Pond Spring 7-1
Depth 3'
Elevation - 7780

Initiated	7/25/1985	7/25/1985	7/25/1985
Activated	6/1/2013	6/1/2013	6/1/2013
Date	10/6/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0	3.35	30	0	2.90	16.91	No flow	No flow	No flow
Inflow	GPM	0	0.00	0	0	2.37	10.9	No flow	No flow	No flow
Freeboard	Feet	0	1.07	3	0	0.44	1.5	1	1	1
Temperature	Celsius	10.3	16.68	32	7.4	14.86	22.8			
Conductivity	umhos/cm	353	602.53	928	539	615.00	654			
pH	su	6.7	7.95	9.4	7.46	8.15	8.63			
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	226	382.24	603	253.28	318.57	368			
Chloride	mg/L	2	8.98	54.59	2.3	5.27	13.08			
Conductivity	umhos/cm	450	633.06	1120	475	523.00	585			
Hardness	mg/L	145	233.44	295	190.28	227.57	254			
Nitrate-Nitrite	mg/L	0.3	0.30	0.3	0.031	0.03	0.031			
Oil and Grease	mg/L	0	<MDL	0	0	<MDL	0			
pH	su	7	7.81	8.4	7.18	7.95	8.22			
Phosphate	mg/L	0	<MDL	0	0.073	0.09	0.11			
ResidueFilterable-TDS	mg/L	280	404.33	808	348	366.50	382			
ResidueNonFilterable-TSS	mg/L	2	85.47	580	7	40.78	81.2			
SAR		1.2	1.70	2.9	1.37	2.01	3.681			
Sulfate	mg/L	10	20.32	39	27.99	29.97	33.6			
Aluminum (TREC)	mg/L	0.034	0.03	0.034	0.12	249.86	999			
Arsenic (TREC)	mg/L	0.06	0.06	0.06	0.002	0.00	0.002			
Cadmium (TREC)	mg/L	0.02	0.02	0.02	0.002	0.00	0.002			
Calcium (TREC)	mg/L	33	50.86	70.6	41.9	52.93	58.8			
Copper (TREC)	mg/L	0.003	0.00	0.003	0.009	0.01	0.009			
Iron (TREC)	mg/L	1.24	1.24	1.24	0.157	0.48	1.19			
Lead (TREC)	mg/L	0.02	0.02	0.02	0.02	0.02	0.02			
Magnesium (TREC)	mg/L	13.9	25.89	37	20.8	23.15	26.1			
Manganese (TREC)	mg/L	0.376	0.38	0.376	0.03	0.06	0.0904			
Mercury (TREC)	mg/L	0.00003	0.00	0.00003	2E-05	0.00	2E-05			
Molybdenum (TREC)	mg/L	0.007	0.01	0.007	0.001	0.00	0.001			
Selenium (TREC)	mg/L	0.003	0.00	0.003	0.002	0.00	0.002			
Sodium (TREC)	mg/L	78.1	78.10	78.1	45.2	67.73	116.7			
Zinc (TREC)	mg/L	0.01	0.01	0.01	0.02	0.02	0.02			

The area of concern for monitoring point SP7-1was activated on or about 06/1/2013.

Baseline Information Collection initiated on 7/25/85 and not yet completed.
Point SP7-1 has not been influenced by mining.

SP7-5
Steven's Gulch - Pond Spring 7-5
Elevation - 8300

Initiated	7/6/1983	7/6/1983	7/6/1983
Activated			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Inflow	GPM	0.00	0.83	4.49				No flow	No flow	No flow
Outflow	GPM	0.00	0.11	0.75				0.000	0.000	0.000
Freeboard	Feet	0.00	0.49	2.20				1	1.5	1
Temperature	Celsius	3.5	9.5	21.7						
Conductivity	umhos/cm	202	325	800						
pH	su	6.4	7.5	9.0						
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	71.81	183.45	227.00						
Chloride	mg/L	<MDL	4.39	19.82						
Conductivity	umhos/cm	184	298	430						
Hardness	mg/L	74.97	154.5	228.0						
Nitrate-Nitrite	mg/L	<MDL	0.256	0.256						
Oil & Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.7	7.4	8.4						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	163	204	260						
ResidueNonFilterable-TSS	mg/L	<MDL	42	236						
SAR		0.250	0.350	0.933						
Sulfate	mg/L	<MDL	18.2	154.0						
Aluminum (TREC)	mg/L	<MDL	0.022	0.022						
Arsenic (TREC)	mg/L	<MDL	0.04	0.04						
Cadmium (TREC)	mg/L	<MDL	0.01	0.01						
Calcium (TREC)	mg/L	19.8	27.7	35.6						
Copper (TREC)	mg/L	<MDL	0.02	0.02						
Iron (TREC)	mg/L	0.10	0.31	0.62						
Lead (TREC)	mg/L	<MDL	0.05	0.05						
Magnesium (TREC)	mg/L	6.2	16.1	27.0						
Manganese (TREC)	mg/L	<MDL	0.02	0.02						
Mercury (TREC)	mg/L	<MDL	0.00004	0.00004						
Molybdenum (TREC)	mg/L	<MDL	0.006	0.006						
Selenium (TREC)	mg/L	<MDL	0.023	0.023						
Sodium (TREC)	mg/L	8.50	17.53	26.56						
Zinc (TREC)	mg/L	<MDL	0.006	0.006						

The area of concern for monitoring point SP7-5 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Baseline Information Collection initiated on 7/6/83 and not yet considered complete.
Point SP7-5 has not been influenced by mining.

SP17
Terror Creek - Pond Spring 17
Depth 4'
Elevation - 7520

Initiated	4/15/1983	4/15/1983	4/15/1983
Activated			
Date	10/6/2021	9/30/2021	6/30/2021

Field Parameters	UNITS	Summary Information Baseline Min	Ave	Max	Operation Min	Ave	Max			
Outflow	GPM	0	2.81	31.7				No flow	No flow	0.04
Inflow	GPM	0	11.58	90				0.6	No flow	No flow
Freeboard	Feet	0	0	1.5				0.25	1.5	1
Temperature	Celsius	3.6	9.6	25				7.6		9.7
Conductivity	umhos/cm	240	473	791				540		602
pH	su	6.77	7.6	9.3				7.51		7.8
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	186.0	263.2	361.0						
Chloride	mg/L	<MDL	11	202						
Conductivity	umhos/cm	325	483	686						
Hardness	mg/L	17.00	174.10	232.00						
Nitrate-Nitrite	mg/L	<MDL	0.63	1.1						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.8	7.6	8.3						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	145	286	430						
ResidueNonFilterable-TSS	mg/L	<MDL	17	74						
SAR		1.08	2.58	41.10						
Sulfate	mg/L	5.35	27.03	68						
Aluminum (TREC)	mg/L	<MDL	242.112	1210						
Arsenic (TREC)	mg/L	<MDL	0.01	0.02						
Cadmium (TREC)	mg/L	<MDL	0.01	0.01						
Calcium (TREC)	mg/L	33.7	43.3	56.2						
Copper (TREC)	mg/L	<MDL	0.01	0.01						
Iron (TREC)	mg/L	0.0197	0.31	2.25						
Lead (TREC)	mg/L	<MDL	0.03	0.04						
Magnesium (TREC)	mg/L	10.3	14.9	18.9						
Manganese (TREC)	mg/L	<MDL	0.024	0.0862						
Mercury (TREC)	mg/L	<MDL	0.00008	0.00022						
Molybdenum (TREC)	mg/L	<MDL	0.003	0.006						
Selenium (TREC)	mg/L	<MDL	0.00531	0.014						
Sodium (TREC)	mg/L	32.2	49.8	112.6						
Zinc (TREC)	mg/L	<MDL	0.010	0.02						

The area of concern for monitoring point SP17 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

A diffuse flow from an area of approximately 30' x 20' discharges into a pond measuring approximately 30' x 50'. (Hanna, 99)

Baseline Information Collection initiated on 4/15/83 and not yet considered complete.
Point SP17 has not been influenced by mining.

Plot of Flow and Conductivity



SP17 - Terror Creek Spring Pond 17

Figure5

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Surface Water

SP18
Terror Creek - Pond Spring 18
Elevation - 7280

Initiated	4/15/1983	4/15/1983	4/15/1983
Activated			
Date	10/6/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.00	1.05	3.96				0.00	0.00	0.01
Inflow	GPM	0.09	2.81	17.50				0.35	damp	seep
Freeboard	Feet	0.00	0.00	0.00				1	0.25	0.5
Temperature	Celsius	3.0	10.2	21.3				4.8		10.6
Conductivity	umhos/cm	260	631	832				720		720
pH	su	7.7	8.3	8.9				8.7		7.9
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	133.0	343.7	408.7						
Chloride	mg/L	3.00	7.94	62.04						
Conductivity	umhos/cm	230	606	892						
Hardness	mg/L	86.00	235.68	277.00						
Nitrate-Nitrite	mg/L	<MDL	0.5	0.8						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	7.2	8.0	8.3						
Phosphate	mg/L	<MDL	0.023	0.024						
ResidueFilterable-TDS	mg/L	110	344	678						
ResidueNonFilterable-TSS	mg/L	2	39	171						
SAR		0.89	1.39	1.84						
Sulfate	mg/L	10	27	53						
Aluminum (TREC)	mg/L	0.028	260.405	806.000						
Arsenic (TREC)	mg/L	<MDL	0.04	0.04						
Cadmium (TREC)	mg/L	<MDL	0.01	0.01						
Calcium (TREC)	mg/L	57.9	62.4	66.8						
Copper TREC)	mg/L	<MDL	0.003	0.003						
Iron (TREC)	mg/L	0.24	1.24	4.51						
Lead (TREC)	mg/L	0.03	0.03	0.03						
Magnesium (TREC)	mg/L	21.0	24.7	28.1						
Manganese (TREC)	mg/L	0.01	3.04	21.20						
Mercury (TREC)	mg/L	<MDL	0.00007	0.00007						
Molybdenum (TREC)	mg/L	<MDL	0.010	0.010						
Selenium (TREC)	mg/L	<MDL	0.012	0.012						
Sodium (TREC)	mg/L	49.1	56.7	69.7						
Zinc (TREC)	mg/L	<MDL	0.004	0.004						

The area of concern for monitoring point SP18 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Baseline Information Collection initiated on 4/15/83 and not yet considered complete.
Point SP18 has not been influenced by mining.

SP19
Steven's Gulch - Pond Spring 19
Elevation - 8240

Initiated	8/22/1983	8/22/1983	8/22/1983
Activated	2/28/2015	2/28/2015	2/28/2015
Date	10/6/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0	0.41	8.62	0	0.31	3.75	0	0	0
Inflow	GPM	0	0.03	0.49	0	0.19	2.50	0	0	0
Freeboard	Feet	0	1.45	2.70	0	1.31	4.00			
Temperature	Celsius	-1.4	17.66	27.50	12.5	15.20	17.90			
Conductivity	umhos/cm	110	286.89	545.00	140	146.75	153.50			
pH	su	7.7	8.43	10.00	8.1	8.23	8.35			
Field Comments								Dry	Dry	Dry
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	84.2	166.2	256.2						
Carbonate	mg/L									
Chloride	mg/L	<MDL	3	7						
Conductivity	umhos/cm	150	272	410						
Hardness	mg/L	61	120	185						
pH	su	6.9	7.5	8.4						
ResidueFilterable-TDS	mg/L	100	174	256						
ResidueNonFilterable-TSS	mg/L	6	64	396						
SAR		0.15	0.37	1.00						
Sulfate	mg/L	<MDL	24	101						
Calcium (Dissolved)	mg/L	16	28	41						
Magnesium (Total)	mg/L	5	12	20						
Sodium (Dissolved)	mg/L	3	9	23						

The area of concern for monitoring point SP19 was affected by the mining operation on or about February 28, 2015.

** Data not provided in field notes*

Baseline Information Collection initiated on 8/22/83 and complete February 28, 2015.
Point SP19 has been influenced by mining.

SP20
Terror Creek - Pond Spring 20
Depth 4'
Elevation - 7840

Initiated	5/15/1983	5/15/1983	5/15/1983
Activated	6/30/2013	6/30/2013	6/30/2013
Date	10/6/2021	9/30/2021	6/30/2021

		Summary Information								
Field		Baseline			Operation					
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max			
Outflow	GPM	0.0	0.6	2.3	0.0	5.8	42.2	0.00	0.00	0.60
Inflow	GPM	0.0	3.5	37.5	0.0	10.0	45.0	0	0	1.19
Freeboard	Feet	0.0	0.0	0.8	0.0	0.0	0.0			
Temperature	Celsius	2.0	8.8	27.7	6.7	8.4	13.8			10.8
Conductivity	umhos/cm	250.0	471.2	674.0	460.0	593.3	649.0			617
pH	su	5.3	7.5	8.9	6.9	7.4	8.0			7.92
Field Comments								Dry	Dry	
Lab Parameters	UNITS									
Bicarbonate	mg/L	144.7	289.9	342.0	247.4	326.9	385.0			299
Chloride	mg/L	0.0	5.0	28.3	2.3	2.7	4.6			2.62
Conductivity	umhos/cm	311.5	513.5	714.0	465.0	525.7	591.0			590
Hardness	mg/L	108.0	207.6	511.9	197.0	225.3	243.0			241
Nitrate-Nitrite	mg/L	<MDL	0.3	0.3	<MDL	<MDL	0.1			0.045
Oil and Grease	mg/L	<MDL	<MDL	0.0	<MDL	<MDL	0.0			<MDL
pH	su	6.7	7.4	8.5	7.0	7.6	8.2			8.1
Phosphate	mg/L	<MDL	<MDL	0.0	<MDL	0.0	0.1			0.018
ResidueFilterable-TDS	mg/L	240.0	318.8	460.0	337.0	358.9	438.0			370
ResidueNonFilterable-TSS	mg/L	<MDL	88.9	1800.0	<MDL	9.3	13.0			6
SAR		0.5	1.3	2.3	1.2	1.8	5.4			1.4
Sulfate	mg/L	0.8	12.5	60.0	0.0	29.2	34.2			28.6
Aluminum (TREC)	mg/L	<MDL	0.2	0.5	<MDL	46.6	186.0			0.141
Arsenic (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Cadmium (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Calcium (TREC)	mg/L	36.3	69.1	128.3	42.1	54.1	59.8			58.1
Copper (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Iron (TREC)	mg/L	0.0	0.1	0.2	0.0	0.1	0.3			0.137
Lead (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Magnesium (TREC)	mg/L	17.2	28.6	46.5	20.2	21.9	23.3			23.3
Manganese (TREC)	mg/L	<MDL	0.0	0.0	<MDL	7.7	23.0			<MDL
Mercury (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Molybdenum (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL
Selenium (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			0.00024
Sodium (TREC)	mg/L	40.2	47.6	53.1	43.5	51.7	124.8			50.7
Zinc (TREC)	mg/L	<MDL	0.0	0.0	<MDL	0.0	0.0			<MDL

Activated 6/30/2013

This spring and pond consists of an area of approximately 20' x 20' of diffuse flow which is collected in a pond of approximately 30' x 60'. (Hanna, 99)

Baseline Information Collection initieated on 5/15/83 and not yet considered complete.
Point SP20 has not been influenced by mining.

Plot of Flow and Conductivity



SP20 - Terror Creek Spring Pond 20

Figure9

SP22
Terror Creek - Pond Spring 22
Depth 4'
Elevation - 7480

Initiated	7/18/1983	7/18/1983	7/18/1983
Activated	8/5/2012	8/5/2012	8/5/2012
Date	10/6/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Inflow	GPM	0.00	0.33	5.63	0.00	0.18	5.81	0.00	0.00	0.00
Outflow	GPM	0.00	0.00	0.00	0.00	0.01	0.20	0.00	0.00	0.00
Freeboard	Feet	0.0	1.1	4.0	0.00	0.87	5.50	1.50	1.50	4.00
Temperature	Celsius	6.9	16.9	28.6						
Conductivity	umhos/cm	343	661	915						
pH	su	7.3	8.3	9.7						
Field Comments								No flow	No flow	No flow
Lab Parameters	UNITS									
Bicarbonate	mg/L	165.9	343.38	584						
Carbonate	mg/L	<MDL	1.9282	11.71						
Chloride	mg/L	1	7.6205	13						
Conductivity	umhos/cm	390	629.15	878						
Hardness	mg/L	132	277.64	377						
pH	su	7.3	8.013	8.56						
ResidueFilterable-TDS	mg/L	145	377.3	564						
ResidueNonFilterable-TSS	mg/L	4	20.579	65						
SAR		0.53	1.0868	1.897						
Sulfate	mg/L	14	48.52	230						
Calcium (Dissolved)	mg/L	17	57.892	90						
Magnesium (Total)	mg/L	12	32.355	51						
Sodium (Dissolved)	mg/L	14	40.51	63						

The monitoring point for Spring and Pond 22 is located on an east facing slope that drains down toward Terror Creek.

Baseline Information is derived from monitoring events beginning on 7/18/83 through 8/5/2012,
Point SP22 influenced by mining on 8/5/12.

SP23
Stevens Gulch - Pond Spring 23
Elevation - 8300

Initiated	8/22/1983	8/22/1983	8/22/1983
Activated	7/15/2014	7/15/2014	7/15/2014
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.00	1.05	9.29	0.00		62.50	Damp	o visible flow	o visible flow
Inflow	GPM							0.00	o visible flow	0.00
Freeboard	Feet	0.00	0.02	0.28	0.00	0.80	3.10	1	1	1
Temperature	Celsius	-0.10	10.07	21.70	3.50	10.82	19.90			
Conductivity	umhos/cm	220.00	403.91	891.00	220	397	521			
pH	su	6.80	7.42	9.60	6.3	7.4	9.4			
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	91.9	254.6	424.6						
Chloride	mg/L	<MDL	5.15	17.37						
Conductivity	umhos/cm	236	424	670						
Hardness	mg/L	105.00	209.37	322.00						
Nitrate-Nitrite	mg/L	0.11	0.11	0.11						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.4	7.3	8.4						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	156	270	380						
ResidueNonFilterable-TSS	mg/L	2	61	216						
SAR		0.120	0.437	1.010						
Sulfate	mg/L	<MDL	10.08	43.00						
Aluminum (TREC)	mg/L	0.0210	0.0210	0.0210						
Arsenic (TREC)	mg/L	0.0200	0.0200	0.0200						
Cadmium (TREC)	mg/L	0.0100	0.0100	0.0100						
Calcium (TREC)	mg/L	41.300	41.300	41.300						
Copper (TREC)	mg/L	0.003	0.003	0.003						
Iron (TREC)	mg/L	0.15	0.54	1.15						
Lead (TREC)	mg/L	0.05	0.05	0.05						
Magnesium (TREC)	mg/L	11.0	23.4	38.0						
Manganese (TREC)	mg/L	0.010	0.067	0.110						
Mercury (TREC)	mg/L	0.00008	0.00008	0.00008						
Molybdenum (TREC)	mg/L	0.0030	0.0030	0.0030						
Selenium (TREC)	mg/L	0.0180	0.0180	0.0180						
Sodium (TREC)	mg/L	15.78	15.78	15.78						
Zinc (TREC)	mg/L	0.010	0.010	0.010						

**Multiple Seeps Inflow - Unmeasurable*

Activated 7/15/2014

Baseline Information Collection initiated on 8/22/83.
Point SP23 was influenced by mining 7/15/2014.

SP34-11
Sheep Corral - Spring/Pond 34-11
Elevation - 7440
Depth - 3'

Initiated	10/27/1997	10/27/1997	10/27/1997
Activated	6/1/2002	6/1/2002	6/1/2002
Date	12/1/2021	9/21/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.0	2.2	18.8	0.0	2.76	17.00	0	0.5	0
Inflow	GPM				0.0	1.87	6.49	0.14	0.01	0.79
FieldComment										
ph	su	6.9	7.5	8.0	6.7	7.66	8.50	7.7	8.11	7.98
Conductivity	umhos/cm	130	325	450	360	563	720	720	664	624
Temperature	Celsius	6.1	10.0	15.1	4.4	7.9	12.8	4.4	7.9	9.8
Lab Parameters	UNITS									
Bicarbonate	mg/L	165	197	217	137.9	244.9	331.0			288
Chloride	mg/L	<MDL	2	3	<MDL	4.74	11.79			3.07
Conductivity	umhos/cm	324	412	482	367.8	497.0	633.0			633
Hardness	mg/L	92	103	111	100.0	125.8	152.5			148
Nitrate-Nitrite	mg/L	<MDL	0.03	0.09	<MDL	1.320	2.580			0.046
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	0.077	0.077			<MDL
pH	su	6.9	7.5	8.0	6.23	7.39	8.30			8.3
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.050	0.072			0.0527
ResidueFilterable-TDS	mg/L	180	247	290	55.5	252.4	371.0			364
ResidueNonFilterable-TSS	mg/L	<MDL	51	154	<MDL	50.3	107.0			107
SAR		<MDL	<MDL	<MDL	2.09	3.26	4.75			3.3
Sulfate	mg/L	30	33	40	26.34	41.54	57.42			42.1
Aluminum	mg/L	0.04	2.15	6.34	<MDL	62.15	226.00			84.4
Arsenic	mg/L	<MDL	0.0003	0.001	0.001	0.010	0.015			0.00055
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.006			<MDL
Calcium	mg/L	27.5	30.3	32.1	7.7	32.6	43.6			43.6
Copper	mg/L	<MDL	0.31	0.92	<MDL	<MDL	<MDL			<MDL
Iron (Total)	mg/L	0.04	2.35	6.89	0.01	1.47	8.03			8.03
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.03			0.00435
Magnesium	mg/L	5.7	6.7	7.5	3.41	7.44	10.60			9.56
Manganese (Total)	mg/L	<MDL	0.046	0.137	<MDL	0.03	0.11			0.11
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0002			<MDL
Molyebdenum	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			<MDL
Selenium	mg/L	<MDL	<MDL	<MDL	0.0006	0.0155	0.0560			0.00059
Sodium	mg/L	30.8	49.5	64.1	59.7	196.1	807.0			92.1
Zinc	mg/L	<MDL	0.01	0.04	0.01	0.02	0.02			0.02

The monitoring point for SP34-11 is along the old coal exploration road winding down Sheep Corral Gulch. The spring in sandstone just above the pond surface.

Baseline Information for Point SP34-11 is derived from events beginning on 10/27/97 through 6/1/02.
Point influenced by mining on 6/1/02.

Plot of Flow and Conductivity



SP34-11 - Sheep Corral Spring and Pond 34-11

Figure13

S-1
B Gulch - Spring 1
Elevation - 6990

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	12/1/2021	9/20/2021	4/28/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.00	0.38	1.25	0.00	0.05	3.00	0	0	0	3
FieldComment								Dry	Dry	Dry	Dry
ph	su	8.4	8.6	8.7	8.1	8.3	8.5				
Conductivity	umhos/cm	1520	2053	2300	2000	2067	2200				
Temperature	Celsius	2.4	10.5	17.1	12.8	17.2	20.1				
Lab Parameters	**UNITS**										
Bicarbonate	mg/L	784	784	784							
Chloride	mg/L	28	28	28							
Conductivity	umhos/cm	2140	2140	2140							
Hardness	mg/L	570	570	570							
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.5	7.5	7.5							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	1480	1480	1480							
ResidueNonFilterable-TSS	mg/L	30	30	30							
SAR		5.66	5.66	5.66							
Sulfate	mg/L	490	490	490							
Aluminum	mg/L	0.89	0.89	0.89							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	52	52	52							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	1.01	1.01	1.01							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	107	107	107							
Manganese (Total)	mg/L	0.017	0.017	0.017							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molyebdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	0.002	0.002	0.002							
Sodium	mg/L	307	307	307							
Zinc	mg/L	0.01	0.01	0.01							

The S-1 monitoring point location is along the Stevens Draw road where it crosses B Gulch. This spring is located on the upper side of the road, discharges along the road and eventually contributes its flow through Sediment Pond B.

Baseline Information for Point S-1 is derived from events beginning on 6/12/95 through 3/30/97.
Point influenced by mining on 3/20/97.

S-2
Freeman Gulch - Spring 2
Elevation - 7920

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	11/10/2001	11/10/2001	11/10/2001
Date	12/1/2021	9/2/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.22	1.88	0.00	0.00	0.30	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	6.8	7.3	7.8						
Conductivity	umhos/cm	40	106	525						
Temperature	Celsius	1.2	10.2	19.1						
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	57	57	57						
Chloride	mg/L	1	1	1						
Conductivity	umhos/cm	126	126	126						
Hardness	mg/L	44	44	44						
Nitrate-Nitrite	mg/L	0.51	0.51	0.51						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.0	6.0	6.0						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	90	90	90						
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL						
SAR		0.43	0.43	0.43						
Sulfate	mg/L	<MDL	<MDL	<MDL						
Aluminum	mg/L	0.10	0.10	0.10						
Arsenic	mg/L	0.002	0.002	0.002						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	14.2	14.2	14.2						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.71	0.71	0.71						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	2.1	2.1	2.1						
Manganese (Total)	mg/L	0.063	0.063	0.063						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	6.5	6.5	6.5						
Zinc	mg/L	<MDL	<MDL	<MDL						

The monitoring point for S-2 is located along the old coal exploration road which leads down into Freeman Gulch, to Pond 2, Drill holes 34B and 34C and the monitoring point for the Upper end of Freeman Gulch.

Baseline Information for Point S-2 is derived from events beginning on 6/12/95 through 11/10/01.
Point influenced by mining on 11/10/01.

S-3
Freeman Gulch - Spring 3
Elevation - 7920

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	10/15/2001	10/15/2001	10/15/2001
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.29	3.75	0.00	0.00	0.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	6.7	7.8	8.5						
Conductivity	umhos/cm	120	222	443						
Temperature	Celsius	7.6	15.6	28.7						
Lab Parameters	UNITS									
Bicarbonate	mg/L	77	77	77						
Chloride	mg/L	4	4	4						
Conductivity	umhos/cm	164	164	164						
Hardness	mg/L	72	72	72						
Nitrate-Nitrite	mg/L	0.05	0.05	0.05						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	7.5	7.5	7.5						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	110	110	110						
ResidueNonFilterable-TSS	mg/L	8	8	8						
SAR		0.34	0.34	0.34						
Sulfate	mg/L	<MDL	<MDL	<MDL						
Aluminum	mg/L	0.35	0.35	0.35						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	21.7	21.7	21.7						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.37	0.37	0.37						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	4.2	4.2	4.2						
Manganese (Total)	mg/L	0.014	0.014	0.014						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	6.6	6.6	6.6						
Zinc	mg/L	<MDL	<MDL	<MDL						

The monitoring point for S-3 is located along the old coal exploration road which leads down into Freeman Gulch, to Pond 2, Drill Holes 34B and 34C and the monitoring point for the Upper end of Freeman Gulch.

Baseline Information for Point S-3 is derived from events beginning on 6/12/95 through 10/15/01.
Point influenced by mining on 10/15/01.

S-4
Terror Creek - Spring 4
Elevation - 7880

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.24	3.75	0.00	0.23	2.37	0	0	0
FieldComment								no visible flow	no visible flow	damp
ph	su	6.4	7.4	9.0	6.8	7.5	8.0			
Conductivity	umhos/cm	80	268	433	300	386	537			
Temperature	Celsius	1.2	10.0	24.0	1.8	6.5	10.7			
Lab Parameters	UNITS									
Bicarbonate	mg/L	56	56	56	231.8	231.8	231.8			
Chloride	mg/L	2	2	2	49.63	49.63	49.63			
Conductivity	umhos/cm	99	99	99	438	441	443			
Hardness	mg/L	44	44	44	150.69	150.69	150.69			
Nitrate-Nitrite	mg/L	0.62	0.62	0.62	0.32	0.32	0.32			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.7	6.7	6.7	6.8	6.9	7.1			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	60	60	60	236	245	253			
ResidueNonFilterable-TSS	mg/L	16	16	16	1	19	36			
SAR		0.29	0.29	0.29	1.85	1.85	1.85			
Sulfate	mg/L	<MDL	<MDL	<MDL	60.51	60.51	60.51			
Aluminum (TREC)	mg/L	0.98	0.98	0.98	0.039	0.039	0.039			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Calcium (TREC)	mg/L	13.6	13.6	13.6	46	46	46			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Iron (TREC)	mg/L	0.88	0.88	0.88	0.15	0.56	0.97			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	2.4	2.4	2.4	8.7	8.7	8.7			
Manganese (TREC)	mg/L	0.03	0.03	0.03	0.020	0.026	0.032			
Mercury (TREC)	mg/L	0.0002	0.0002	0.0002	0.00006	0.00006	0.00006			
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Sodium (TREC)	mg/L	4.5	4.5	4.5	52.9	52.9	52.9			
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			

The monitoring point for S-4 is located along an unmarked road in an un-named gulch leading down from the broad ridge that separates Sheep Corral and Freeman Gulches from Terror Creek. This spring feeds P-4.

Baseline Information for Point S-4 is derived from events beginning on 6/12/95 through 1/15/01.
Point influenced by mining on 1/15/01.

S-4a
Terror Creek - Spring 4a
Elevation - 7910

Initiated	11/9/1995	11/9/1995	11/9/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.30	0.72	1.88	0.00	0.51	1.50		Dry	Damp -
FieldComment								No visible flow		No visible flow
ph	su	7.2	7.8	8.5	6.3	7.5	8.1			
Conductivity	umhos/cm	200	239	280	200	280	389			
Temperature	Celsius	2.4	7.4	14.2	4.3	6.6	15.0			
Lab Parameters	UNITS									
Bicarbonate	mg/L	146	146	146	204.9	204.9	204.9			
Chloride	mg/L	2	2	2	47.15	47.15	47.15			
Conductivity	umhos/cm	289	289	289	313	321	330			
Hardness	mg/L	125	125	125	131.95	131.95	131.95			
Nitrate-Nitrite	mg/L	0.16	0.16	0.16	0.31	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	7.30	7.30	7.30	7.1	7.3	7.5			
Phosphate	mg/L	0.08	0.08	0.08	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	200	200	200	196	226	263			
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	2	27	48			
SAR		0.49	0.49	0.49	0.658	0.658	0.658			
Sulfate	mg/L	13	13	13	14.41	14.41	14.41			
Aluminum (TREC)	mg/L	0.88	0.88	0.88	0.023	0.023	0.023			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.006	0.006	0.006			
Calcium (TREC)	mg/L	43.10	43.10	43.10	44.4	44.4	44.4			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.002	0.002			
Iron (TREC)	mg/L	1.23	1.23	1.23	0.08	0.54	1.24			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	4.30	4.30	4.30	5.12	5.12	5.12			
Manganese (TREC)	mg/L	0.02	0.02	0.02	0.01	0.02	0.03			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00008	0.00008	0.00008			
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.007	0.007	0.007			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Sodium (TREC)	mg/L	12.5	12.5	12.5	17.6	17.6	17.6			
Zinc (TREC)	mg/L	0.03	0.03	0.03	0.006	0.006	0.006			

The monitoring point for S-4a is located along an unmarked road in an un-named gulch leading down from the broad ridge that separates Sheep Corral and Freeman Gulches from Terror Creek. This spring feeds P-4.

9/20/2021

Baseline Information for Point S-4a is derived from events beginning on 11/9/95 through 1/15/01.
Point influenced by mining on 1/15/01.

Plot of Flow and Conductivity



S-4a - Terror Creek Spring 4a

Figure19

S-5
Sheep Corral - Spring 5
Elevation - 7800

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.27	0.80	0.00	0.23	3.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	7.2	7.6	8.1	7.1	7.4	8.4			
Conductivity	umhos/cm	190	332	400	310	359	430			
Temperature	Celsius	4.0	7.2	11.8	5.0	6.6	8.9			
Lab Parameters	UNITS									
Bicarbonate	mg/L	188	191	193	203.5	203.5	203.5			
Chloride	mg/L	2	2	2	32.26	32.26	32.26			
Conductivity	umhos/cm	406	407	407	414	414	414			
Hardness	mg/L	113	118	123	132.93	132.93	132.93			
Nitrate-Nitrite	mg/L	<MDL	0.08	0.15	0.31	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.90	7.00	7.10	7.08	7.08	7.08			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	220	225	230	268	268	268			
ResidueNonFilterable-TSS	mg/L	<MDL	14	28	6	6	6			
SAR		1.51	1.52	1.53	1.78	1.78	1.78			
Sulfate	mg/L	17	23	29	33.75	33.75	33.75			
Aluminum (TREC)	mg/L	<MDL	0.16	0.32	0.028	0.028	0.028			
Arsenic (TREC)	mg/L	<MDL	0.001	0.001	0.006	0.006	0.006			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.008	0.008	0.008			
Calcium (TREC)	mg/L	34.00	35.55	37.10	40.9	40.9	40.9			
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.002	0.002			
Iron (TREC)	mg/L	<MDL	0.32	0.64	0.05	0.05	0.05			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.03	0.03	0.03			
Magnesium (TREC)	mg/L	6.70	7.00	7.30	7.48	7.48	7.48			
Manganese (TREC)	mg/L	0.017	0.027	0.037	0.003	0.003	0.003			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00006	0.00006	0.00006			
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	0.011	0.011	0.011			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	0.012	0.012	0.012			
Sodium (TREC)	mg/L	36.50	37.45	38.40	47.8	47.8	47.8			
Zinc (TREC)	mg/L	<MDL	0.005	0.010	0.006	0.006	0.006			

The monitoring point location for S-5 is locate along an unmapped road which leads down an un-named gulch which leads into Sheep Corral Gulch. This spring feeds Pond 5.

Baseline Information for Point S-5 is derived from events beginning on 6/12/95 through 12/1/01.
Point influenced by mining on 12/1/01.

S-5a
Sheep Corral - Spring 5A
Elevation - 7860

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.13	0.89	4.30	0.00	0.25	3.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	6.9	7.4	8.0	7.0	7.3	8.3			
Conductivity	umhos/cm	160	301	400	340	386	448			
Temperature	Celsius	4.0	6.7	9.1	5.1	6.6	7.8			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	184.00	185.00	186.00						
Chloride	mg/L	2.00	2.00	2.00						
Conductivity	umhos/cm	388	391	393						
Hardness	mg/L	125.00	128.00	131.00						
Nitrate-Nitrite	mg/L	<MDL	0.03	0.05						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.90	7.40	7.90						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	190.00	205.00	220.00						
ResidueNonFilterable-TSS	mg/L	<MDL	17.00	34.00						
SAR		1.10	1.11	1.12						
Sulfate	mg/L	21.00	25.00	29.00						
Aluminum	mg/L	<MDL	0.34	0.69						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	37.80	38.70	39.60						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.02	0.48	0.95						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	7.50	7.70	7.90						
Manganese (Total)	mg/L	<MDL	0.019	0.037						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	28.10	28.60	29.10						
Zinc	mg/L	0.02	0.02	0.02						

The monitoring point location for S-5a is located along an unmapped road which is down an un-named gulch which leads into Sheep Corral Gulch. This spring feeds Pond 5.

Baseline Information for Point S-5a is derived from events beginning on 9/27/95 through 12/1/01.
Point influenced by mining on 12/1/01.

S-5b
Sheep Corral - Spring 5B
Elevation - 7860

Initiated	6/12/1995	6/12/1995	6/12/1995
Activated	12/1/2001	12/1/2001	12/1/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM				0.01	0.58	2.90	Damp	Damp	Dry
FieldComment								No visible flow	No visible flow	
ph	su				7.0	7.9	8.9			
Conductivity	umhos/cm				400	523	622			
Temperature	Celsius				4.6	8.0	12.8			
Lab Parameters	UNITS									
Bicarbonate	mg/L				277.8	277.8	277.8			
Chloride	mg/L				22.33	22.33	22.33			
Conductivity	umhos/cm				541	562	580			
Hardness	mg/L				114.78	114.78	114.78			
Nitrate-Nitrite	mg/L				0.32	0.32	0.32			
Oil and Grease	mg/L				<MDL	<MDL	<MDL			
pH	su				7.30	7.54	7.77			
Phosphate	mg/L				<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L				312	353	406			
ResidueNonFilterable-TSS	mg/L				14	30	60			
SAR					3.62	3.62	3.62			
Sulfate	mg/L				41.98	41.98	41.98			
Aluminum (TREC)	mg/L				0.034	0.034	0.034			
Arsenic (TREC)	mg/L				0.055	0.055	0.055			
Cadmium (TREC)	mg/L				0.01	0.01	0.01			
Calcium (TREC)	mg/L				33.4	33.4	33.4			
Copper (TREC)	mg/L				0.01	0.01	0.01			
Iron (TREC)	mg/L				0.24	0.51	0.81			
Lead (TREC)	mg/L				0.02	0.02	0.02			
Magnesium (TREC)	mg/L				7.62	7.62	7.62			
Manganese (TREC)	mg/L				0.083	0.118	0.180			
Mercury (TREC)	mg/L				0.00004	0.00004	0.00004			
Molyebdenum (TREC)	mg/L				0.013	0.013	0.013			
Selenium (TREC)	mg/L				0.004	0.004	0.004			
Sodium (TREC)	mg/L				90.5	90.5	90.5			
Zinc (TREC)	mg/L				0.005	0.005	0.005			

The area of concern for monitoring point S-5b was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

The monitoring point location for S-5b is located along an unmapped road which is down an un-named gulch which leads into Sheep Corral Gulch. It is located across the draw from Springs 5 and 5a to the west.

There is no baseline information collection possible for points initiated after the influence of mining.

Plot of Flow and Conductivity



S-5b - Sheep Corral Spring 5b

Figure23

S-8
C Gulch - Spring 8
Elevation - 7220

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	11/1/2002	11/1/2002	11/1/2002	11/1/2002
Date	12/1/2021	9/20/2021	4/28/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.00	0.08	2.50	0.00	0.00	0.00	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	6.90	6.90	6.90							
Conductivity	umhos/cm	1380	1380	1380							
Temperature	Celsius	13.70	13.70	13.70							
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molyebdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S-8 is located just above the mine portal road which crosses over the mine portals on the utility bench of the mine.

Baseline Information for Point S-8 is derived from events beginning on 6/12/95 through 11/1/02.
Point influenced by mining on 11/1/02.

S-10
Stevens Draw - Spring 10
Elevation - 7550

Initiated	7/12/1995	7/12/1995	7/12/1995
Activated	11/1/2002	11/1/2002	11/1/2002
Date	12/1/2021	9/20/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.17	2.50	0.00	0.00	0.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	8.40	8.50	8.60						
Conductivity	umhos/cm	620	640	660						
Temperature	Celsius	19.80	21.10	22.40						
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The monitoring point for S-10 is located along the Stevens Draw road and is located on the lower side of the road.

Baseline Information for Point S-10 is derived from events beginning on 7/12/95 through 11/1/02.
Point influenced by mining on 11/1/02.

S-11
Stevens Draw - Spring 11
Elevation - 7940

Initiated	7/12/1995	7/12/1995	7/12/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	12/1/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.00	0.00	0.00	0.14	4.00	0	1	2
FieldComment								Dry	Dry	Dry
ph	su				7.6	7.6	7.6			
Conductivity	umhos/cm				160	160	160			
Temperature	Celsius				7.7	7.7	7.7			
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable -TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The monitoring point for S-11 is located along the Stevens Draw road and is located on the lower side of the road.

Baseline Information for Point S-11 is derived from events beginning on 7/12/95 through 1/15/01.
Point influenced by mining on 1/15/01.

S-12
B Gulch - Spring 12
Elevation - 7650

Initiated	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2004	7/1/2004	7/1/2004
Date	12/1/2021	9/20/2021	4/28/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su									
Conductivity	umhos/cm									
Temperature	Celsius									
Lab Parameters	**UNITS**									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable -TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The monitoring point for S-12 is located along a switchback road that ascends the southern facing exposure of the canyon wall of the Nor Fork of the Gunnison River. The road leads to the broad ridge which separates the Hubbard Creek and Terror Creek drainage systems.

Baseline Information for Point S-12 is derived from events beginning on 7/12/95 through 7/1/04.
Point Influenced by mining on 7/1/04.

S-13
Freeman Gulch - Spring 13
Elevation - 7500

Initiated	9/27/1995	9/27/1995	9/27/1995
Activated	11/18/1999	11/18/1999	11/18/1999
Date	12/1/2021	9/20/2021	4/28/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.01	0.27	0.00	0.01	0.94	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	8.2	8.2	8.2						
Conductivity	umhos/cm	300	300	300						
Temperature	Celsius	10.0	10.0	10.0						
Lab Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

The monitoring point for S-13 is located along an old coal exploration road which eventually reaches Drillhole 13. This spring is located on the northern facing slopes of Freeman Gulch.

Baseline Information for Point S-13 is derived from events beginning on 9/27/95 through 11/18/99.
Point influenced by mining on 11/18/99.

S-14
Stevens Draw - Spring 14
Elevation - 7100

Initiated	9/27/1995	9/27/1995	9/27/1995	9/27/1995
Activated				
Date	12/1/2021	9/21/2021	6/21/2021	3/29/2002

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.00	0.17	4.00				0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.6	8.1	8.6							
Conductivity	umhos/cm	1020	1124	1300							
Temperature	Celsius	3.1	11.2	22.2							
Lab Parameters	UNITS										
Bicarbonate	mg/L	472	472	472							
Chloride	mg/L	16	16	16							
Conductivity	umhos/cm	1220	1220	1220							
Hardness	mg/L	414	414	414							
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.2	7.2	7.2							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable -TDS	mg/L	780	780	780							
ResidueNonFilterable-TSS	mg/L	22	22	22							
SAR		2.55	2.55	2.55							
Sulfate	mg/L	209.0	209.0	209.0							
Aluminum	mg/L	0.24	0.24	0.24							
Arsenic	mg/L	0.002	0.002	0.002							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	80.1	80.1	80.1							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	1.68	1.68	1.68							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	51.9	51.9	51.9							
Manganese (Total)	mg/L	0.184	0.184	0.184							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molyebdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	<MDL	<MDL							
Sodium	mg/L	118	118	118							
Zinc	mg/L	<MDL	<MDL	<MDL							

The area of concern for monitoring point S-14 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S-14 is located on a fork of the Stevens Draw road just above Pond 1. Spring seeps from the east bank of drainage along about 100' sections. (Hanna, 1995)

Baseline Information Collection initiated on 9/27/95 and not yet considered complete.
Point S-14 has not been influenced by mining.

S-16
Terror Creek - Spring 16
Elevation - 7750

Initiated	10/11/1995	10/11/1995	10/11/1995
Activated	1/15/2001	1/15/2001	1/15/2001
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.06	2.67	18.75	0.00	0.77	11.10		Damp	
FieldComment								Dry	No visible flow	Dry
ph	su	6.9	7.2	7.6	6.7	7.4	7.9			
Conductivity	umhos/cm	160	236	280	220	331	482			
Temperature	Celsius	4.5	7.0	12.0	5.2	7.0	12.8			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	107	129	159	140.0	170.6	193.8			
Chloride	mg/L	<MDL	2	5	1.70	13.57	37.22			
Conductivity	umhos/cm	230	260	296	242	353	449			
Hardness	mg/L	59	93	114	76.80	103.17	117.72			
Nitrate-Nitrite	mg/L	<MDL	0.10	0.24	<MDL	0.31	0.31			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	6.4	6.9	7.5	6.69	7.06	7.63			
Phosphate	mg/L	<MDL	0.07	0.33	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	140	164	190	169	223	284			
ResidueNonFilterable-TSS	mg/L	<MDL	2	8	2	13	31			
SAR		0.60	0.70	0.75	1.30	1.35	1.42			
Sulfate	mg/L	<MDL	3.4	12.0	18.30	25.53	38.69			
Aluminum (TREC)	mg/L	0.03	0.07	0.17	0.017	0.098	0.179			
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.005	0.005	0.005			
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.007	0.007	0.007			
Calcium (TREC)	mg/L	18.2	28.7	35.1	23.5	31.7	35.9			
Copper (TREC)	mg/L	<MDL	0.002	0.010	<MDL	0.003	0.003			
Iron (TREC)	mg/L	0.03	0.15	0.49	0.02	0.18	0.42			
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.02	0.02	0.02			
Magnesium (TREC)	mg/L	3.2	5.3	6.5	<MDL	5.81	6.94			
Manganese (TREC)	mg/L	<MDL	0.005	0.017	<MDL	0.013	0.030			
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0001			
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.009	0.009			
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.002			
Sodium (TREC)	mg/L	10.5	15.4	18.2	23.9	31.0	36.1			
Zinc (TREC)	mg/L	<MDL	0.01	0.02	<MDL	0.007	0.007			

The monitoring point for S-16 is located on an un-mapped road in an un-named gulch which discharges eventually into Terror Creek. The flow from S-16 contributes to Pond 3, which is just below it.

Baseline Information for Point S-16 is derived from events beginning on 10/11/95 through 1/15/02.
Point influenced by mining on 1/15/01.

Plot of Flow and Conductivity



S-16 - Terror Creek Spring 16

Figure31

S-17
Freeman Gulch - Spring 17
Elevation - 7110

Initiated	5/9/1996	5/9/1996	5/9/1996
Activated	12/7/2000	12/7/2000	12/7/2000
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	2.11	20.00	0.00	0.00	0.00	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	8.40	8.61	8.80						
Conductivity	umhos/cm	480.00	532.50	580.00						
Temperature	Celsius	8.40	16.33	25.00						
Lab Parameters	UNITS									
Bicarbonate	mg/L	266.00	280.25	298.00						
Chloride	mg/L	2.00	2.50	3.00						
Conductivity	umhos/cm	511.00	538.25	586.00						
Hardness	mg/L	177.00	200.00	216.00						
Nitrate-Nitrite	mg/L	<MDL	0.02	0.04						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	8.10	8.25	8.40						
Phosphate	mg/L	<MDL	0.01	0.03						
ResidueFilterable-TDS	mg/L	300.00	342.50	380.00						
ResidueNonFilterable-TSS	mg/L	<MDL	72.00	134.00						
SAR		1.15	1.50	2.08						
Sulfate	mg/L	20.00	27.50	30.00						
Aluminum	mg/L	0.10	2.52	5.42						
Arsenic	mg/L	<MDL	0.001	0.005						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	42.00	50.33	55.00						
Copper	mg/L	<MDL	0.003	0.01						
Iron (Total)	mg/L	0.10	2.80	6.08						
Lead	mg/L	<MDL	0.01	0.02						
Magnesium	mg/L	17.50	18.05	19.00						
Manganese (Total)	mg/L	<MDL	0.04	0.09						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	0.0003	0.001						
Sodium	mg/L	38.30	47.70	62.70						
Zinc	mg/L	<MDL	0.02	0.04						

Baseline Closed at end of 2000 Monitoring Season

The monitoring point location for S-17 is located on the southern facing slopes of Freeman Gulch and is accessed by foot from trails that originate on the Hubbard Creek Road.

Baseline Information for Point S-17 is derived from events beginning on 5/9/96 through 12/7/00.
Point influenced by mining on 12/7/00.

S-18
Terror Creek - Spring 18
Elevation - 7750

Initiated	6/28/1999	6/28/1999	6/28/1999
Activated			
Date	10/6/2021	9/20/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.72	5.00						0.01
FieldComment								No flow	No flow	
ph	su	6.7	8.0	10.2						8.68
Conductivity	umhos/cm	220	381	670						422
Temperature	Celsius	2.9	10.5	17.8						14.2
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	167.7	248.2	401.0						
Chloride	mg/L	<MDL	<MDL	<MDL						
Conductivity	umhos/cm	331.1	426.0	600.0						
Hardness	mg/L	115.9	165.6	266.0						
Nitrate-Nitrite	mg/L	<MDL	1.09	2.13						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.52	7.72	8.33						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	117.5	229.6	377.0						
ResidueNonFilterable-TSS	mg/L	1	22	64						
SAR		1.35	1.49	1.68						
Sulfate	mg/L	14.41	21.34	25.73						
Aluminum	mg/L	<MDL	0.86	1.59						
Arsenic	mg/L	<MDL	0.008	0.010						
Cadmium	mg/L	<MDL	0.002	0.002						
Calcium	mg/L	30.0	43.7	66.8						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.023	0.750	1.800						
Lead	mg/L	<MDL	0.01	0.01						
Magnesium	mg/L	8.92	13.76	24.20						
Manganese (Total)	mg/L	<MDL	0.02	0.02						
Mercury	mg/L	<MDL	0.00004	0.00004						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	0.070	0.086						
Sodium	mg/L	36.0	44.0	53.8						
Zinc	mg/L	0.01	0.02	0.03						

The area of concern for monitoring point S-18 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S-18 is located on an unmapped road in an un-named gulch which discharges eventually into Terror Creek. The flow from S-18 contributes to Pond 6, which is just below it.

Baseline Information Collection initiated on 6/28/99 and not yet considered complete.
Point S-18 has not been influenced by mining.

S2-2
Hubbard Creek - Spring 2-2
Elevation - 6740

Initiated	6/9/1998	6/9/1998	6/9/1998
Activated	9/15/2001	9/15/2001	9/15/2001
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	1.5	15.5	0.0	0.5	7.1	0	0	0
FieldComment								Dry	Camp	Moist ground
ph	su	6.9	7.5	8.0	7.4	8.6	9.3			
Conductivity	umhos/cm	580	680	780	930	1623	2100			
Temperature	Celsius	11.5	12.3	13.2	0.1	14.4	26.3			
Lab Parameters	UNITS									
Bicarbonate	mg/L	339	350	361	489.6	536.9	584.2			
Carbonate	mg/L	<MDL	<MDL	<MDL	15.6	19.5	23.4			
Chloride	mg/L	2	3	3	<MDL	2.5	2.5			
Conductivity	umhos/cm	685	702	718	1042.2	1142.9	1243.7			
Hardness	mg/L	208	212	215	132.5	144.6	156.7			
Nitrate-Nitrite	mg/L	0.07	0.09	0.12	<MDL	<MDL	<MDL			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
pH	su	7.7	7.8	7.8	8.5	8.7	8.8			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	390.0	420.0	450.0	941	964	987			
ResidueNonFilterable-TSS	mg/L	38.0	49.0	60.0	130	252	374			
SAR		<MDL	<MDL	<MDL	8.6	10.4	12.3			
Sulfate	mg/L	40.0	40.0	40.0	179.5	199.0	218.6			
Aluminum	mg/L	1.94	2.15	2.36	0.19	0.48	0.77			
Arsenic	mg/L	<MDL	<MDL	<MDL	0.077	0.092	0.107			
Cadmium	mg/L	<MDL	<MDL	<MDL	0.010	0.011	0.012			
Calcium	mg/L	51.5	52.5	53.6	24.70	27.91	31.11			
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	0.013	0.013			
Iron (Total)	mg/L	1.56	1.90	2.25	0.375	1.948	3.520			
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.06	0.06			
Magnesium	mg/L	19.4	19.6	19.8	17.19	18.19	19.18			
Manganese (Total)	mg/L	0.017	0.021	0.024	0.012	0.023	0.034			
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0002	0.0003			
Molyebdenum	mg/L	<MDL	<MDL	<MDL	<MDL	0.005	0.005			
Selenium	mg/L	<MDL	<MDL	<MDL	0.005	0.076	0.146			
Sodium	mg/L	69.4	78.6	87.8	247.8	273.4	299.0			
Zinc	mg/L	0.02	0.02	0.02	0.02	0.03	0.03			

Baseline Information for Point S2-2 is derived from events beginning on 6/9/98 through 9/15/2001.
Point influenced by mining on 9/15/01.

Plot of Flow and Conductivity



S2-2 - Hubbard Creek Spring 2-2

S2-3
Hubbard Creek - Spring 2-3
Elevation - 6740

Initiated	6/9/1998	6/9/1998	6/9/1998
Activated	9/15/2001	9/15/2001	9/15/2001
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	0.2	1.3	0.0	0.01	1.00	0	1	0
FieldComment								Damp	Dry	Dry
ph	su	7.8	7.8	7.8						
Conductivity	umhos/cm	740	740	740						
Temperature	Celsius	12.1	12.1	12.1						
Lab Parameters	**UNITS**									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable -TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

Influenced by the disturbance of Freeman Gulch

The monitoring point for S2-3 is located along the same old coal exploration road used to access S2-2. It is located near the bottom of Freeman Gulch, along the upper edge of the road.

Baseline Information for Point S2-3 is derived from events beginning on 6/9/98 through 9/24/99.
Point influenced by mining on 9/24/99.

Plot of Flow and Conductivity



S2-3 - Hubbard Creek Spring 2-3

S2-9
Hubbard Creek - Spring 2-9
Elevation - 6320'

Initiated	4/1/1999	4/1/1999	4/1/1999	4/1/1999
Activated	9/24/1999	9/24/1999	9/24/1999	9/24/1999
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.0	1.3	3.8	0.0	0.00	0.00	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.5	7.5	7.5							
Conductivity	umhos/cm	1340	1340	1340							
Temperature	Celsius	4.6	4.6	4.6							
Lab Parameters	**UNITS**										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
Residue Filterable-TDS	mg/L										
Residue NonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molyebdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S2-9 is found along the Hubbard Creek road near the mouth of Freeman Gulch. The flow and field parameters are measured at the outlet end of a 24" culvert that directs this runoff from this spring into Hubbard Creek.

Baseline Information for Point S2-9 is derived from events beginning on 4/1/99 through 9/24/99.
Point influenced by mining on 9/24/99.

S2 - 10
Hubbard Creek - Spring 2-10
Elevation - 6320'

Initiated	4/1/1999	4/1/1999	4/1/1999	4/1/1999
Activated	9/24/1999	9/24/1999	9/24/1999	9/24/1999
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.0	0.9	3.6	0.0	0.1	4.2	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.4	7.4	7.4	8.0	8.6	10.2				
Conductivity	umhos/cm	840	840	840	940	1294	1670				
Temperature	Celsius	4.9	4.9	4.9	4.0	17.2	24.6				
Lab Parameters	UNITS										
Bicarbonate	mg/L				570.7	570.7	570.7				
Chloride	mg/L				<MDL	<MDL	<MDL				
Conductivity	umhos/cm				1048.5	1048.5	1048.5				
Hardness	mg/L				375.48	375.48	375.48				
Nitrate-Nitrite	mg/L				<MDL	<MDL	<MDL				
Oil and Grease	mg/L				11.39	11.39	11.39				
pH	su				8.34	8.34	8.34				
Phosphate	mg/L				<MDL	<MDL	<MDL				
Residue Filterable-TDS	mg/L				1052	1052	1052				
Residue NonFilterable-TSS	mg/L				15	15	15				
SAR					0.29	0.29	0.29				
Sulfate	mg/L				205.39	205.39	205.39				
Aluminum	mg/L				0.25	0.25	0.25				
Arsenic	mg/L				0.0066	0.0066	0.0066				
Cadmium	mg/L				<MDL	<MDL	<MDL				
Calcium	mg/L				53.4	53.4	53.4				
Copper	mg/L				0.06	0.06	0.06				
Iron (Total)	mg/L				0.51	0.51	0.51				
Lead	mg/L				0.08	0.08	0.08				
Magnesium	mg/L				58.8	58.8	58.8				
Manganese (Total)	mg/L				0.03	0.03	0.03				
Mercury	mg/L				0.0002	0.0002	0.0002				
Molyebdenum	mg/L				<MDL	<MDL	<MDL				
Selenium	mg/L				0.0068	0.0068	0.0068				
Sodium	mg/L				12.94	12.94	12.94				
Zinc	mg/L				0.055	0.055	0.055				

Influenced by the disturbance of Freeman Gulch.

The monitoring point for S2-10 is found along the Hubbard Creek road near the mouth of Freeman Gulch. The flow and field parameters are measured where the flow crosses the Hubbard Creek road, just before it enters Hubbard Creek.

Baseline information for Point S2-10 is derived from events beginning on 4/1/99 through 11/25/99.
Point influenced by mining on 11/25/99.

S3-1
Sheep Corral - Spring 3-1
Elevation - 6840

Initiated	5/21/2003	5/21/2003	5/21/2003
Activated	5/21/2003	5/21/2003	5/21/2003
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM				0.00	0.66	6.34			
FieldComment								Dry	Dry	Dry
ph	su				6.8	8.0	8.6			
Conductivity	umhos/cm				968	1237	1520			
Temperature	Celsius				4.1	10.5	19.5			
Lab Parameters	UNITS									
Bicarbonate	mg/L				489.0	489.0	489.0			
Chloride	mg/L				3.0	3.0	3.0			
Conductivity	umhos/cm				845.0	845.0	845.0			
Hardness	mg/L				326.0	326.0	326.0			
Nitrate-Nitrite	mg/L				0.2	0.2	0.2			
Oil and Grease	mg/L				0.0	<MDL	0.0			
pH	su				7.8	7.8	7.8			
Phosphate	mg/L				0.0	<MDL	0.0			
Residue Filterable-TDS	mg/L				557.0	557.0	557.0			
Residue NonFilterable-TSS	mg/L				0.0	<MDL	0.0			
SAR					2.2	2.2	2.2			
Sulfate	mg/L				96.3	96.3	96.3			
Aluminum	mg/L				0.0	<MDL	0.0			
Arsenic	mg/L				0.0	<MDL	0.0			
Cadmium	mg/L				0.0	0.0	0.0			
Calcium	mg/L				83.3	83.3	83.3			
Copper	mg/L				0.0	<MDL	0.0			
Iron (Total)	mg/L				0.0	<MDL	0.0			
Lead	mg/L				0.0	<MDL	0.0			
Magnesium	mg/L				28.6	28.6	28.6			
Manganese (Total)	mg/L				0.0	<MDL	0.0			
Mercury	mg/L				0.0	<MDL	0.0			
Molyebdenum	mg/L				0.0	0.0	0.0			
Selenium	mg/L				0.1	0.1	0.1			
Sodium	mg/L				108.0	108.0	108.0			
Zinc	mg/L				0.0	<MDL	0.0			

The area of concern for monitoring point S3-1 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

There is no baseline collection possible for points initiated after the influence of mining.

S5-2
Powerline Seep - Spring 5-2
Elevation - 7200

Initiated	10/29/2012	10/29/2012	10/29/2012
Activated			
Date	10/6/2021	9/23/2021	4/28/2021

Summary Information

Field		Baseline			Operation					
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.34	0.34	0.34				Dry	Dry	Dry
Temperature	Celsius	9.2	9.2	9.2						
Conductivity	umhos/cm	850	850	850						
pH	su	7.6	7.6	7.6						
Field Comments										
Lab										

The area of concern for monitoring point S5-2 has not been affected by the mining operation. Therefore, all record monitoring events are considered Baseline.

S6-6
Terror Creek - Spring 6-6
Elevation - 7860

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated	7/22/2012	7/22/2012	7/22/2012
Date	10/6/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.10	3.10				0	0	0
Temperature	Celsius	15.8	18.3	21.1						
Conductivity	umhos/cm	239	298	432						
pH	su	7.8	8.3	8.7						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	117.1	117.1	117.1						
Carbonate	mg/L									
Chloride	mg/L	1	1	1						
Conductivity	umhos/cm	235	235	235						
Hardness	mg/L	95	95	95						
pH	su	7.9	7.9	7.9						
Residue Filterable-TDS	mg/L	132	132	132						
ResidueNon Filterable-TSS	mg/L	32	32	32						
SAR		0.71	0.71	0.71						
Sulfate	mg/L	10	10	10						
Calcium (Dissolved)	mg/L	25	25	25						
Magnesium (Total)	mg/L	8	8	8						
Sodium (Dissolved)	mg/L	16	16	16						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point S6-6 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Baseline Information Collection initiated on 7/5/83 and not yet considered complete.
Point S6-6 has not been influenced by mining.

S7-4
Steven's Gulch - Spring 7-4
Elevation - 7780

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	1.80	11.13						
Temperature	Celsius	8.1	12.1	24.3						
Conductivity	umhos/cm	250	336	530						
pH	su	6.6	7.5	8.2						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	40.9	155.3	225.7						
Chloride	mg/L	<MDL	7.58	22.33						
Conductivity	umhos/cm	226	286	353						
Hardness	mg/L	124.53	149.11	184.00						
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	6.6	7.4	8.2						
Phosphate	mg/L	<MDL	<MDL	<MDL						
Residue Filterable-TDS	mg/L	172	218	305						
ResidueNon Filterable-TSS	mg/L	11	35	52						
SAR		0.25	0.77	2.63						
Sulfate	mg/L	<MDL	8.71	14.82						
Aluminum (TREC)	mg/L	<MDL	0.024	0.024						
Arsenic (TREC)	mg/L	<MDL	0.026	0.026						
Cadmium (TREC)	mg/L	<MDL	0.02	0.02						
Calcium (TREC)	mg/L	25.30	25.30	25.30						
Copper (TREC)	mg/L	0.01	0.01	0.01						
Iron (TREC)	mg/L	0.35	0.47	0.58						
Lead (TREC)	mg/L	0.04	0.04	0.04						
Magnesium (TREC)	mg/L	13.0	15.0	18.0						
Manganese (TREC)	mg/L	0.01	0.01	0.01						
Mercury (TREC)	mg/L	<MDL	0.00007	0.00007						
Molybdenum (TREC)	mg/L	<MDL	0.002	0.002						
Selenium (TREC)	mg/L	<MDL	0.018	0.018						
Sodium (TREC)	mg/L	12.99	12.99	12.99						
Zinc (TREC)	mg/L	<MDL	0.01	0.01						

The area of concern for monitoring point S7-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Baseline Information Collection initiated on 7/1/83 and net yet considered complete.
Point S7-4 has not been influenced by mining.

S7-9
Terror Creek - Spring 7-9
Elevation - 7800

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated	7/22/2012	7/22/2012	7/22/2012
Date	10/6/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.01	0.27	0.00	0.00	0.00			
Temperature	Celsius	8.6	11.3	15.2						
Conductivity	umhos/cm	271	614	791						
pH	su	7.0	7.5	8.0						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	139.1	326.2	427.0						
Carbonate	mg/L									
Chloride	mg/L	1.0	5.7	11.0						
Conductivity	umhos/cm	259.0	522.3	678.0						
Hardness	mg/L	104.0	264.3	347.0						
pH	su	6.7	7.5	8.0						
Residue Filterable-TDS	mg/L	144.0	327.0	425.0						
ResidueNon Filterable-TSS	mg/L	94.0	129.3	170.0						
SAR		0.1	0.6	0.9						
Sulfate	mg/L	4.0	26.0	43.0						
Calcium (Dissolved)	mg/L	30.0	68.0	88.0						
Magnesium (Total)	mg/L	7.0	23.0	31.0						
Sodium (Dissolved)	mg/L	3.0	24.7	38.0						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The monitoring point for Spring 7-9 is located on an east facing slope that drains down toward Terror Creek.

Baseline Information is derived from monitoring events beginning on 7/19/83 through 7/22/2012.
Point S7-9 influenced by mining on 7/22/12.

S7-10
Terror Creek - Spring 7-10
Elevation - 7880

Initiated	8/1/1983	8/1/1983	8/1/1983
Activated	12/31/2013	12/31/2013	12/31/2013
Date	10/6/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	1.56	18.75	0.00	1.21	3.75			0.04
Temperature	Celsius	1.6	7.81	21.7	6.40	7.78	10.30			10.1
Conductivity	umhos/cm	190	480	660	7.10	564.74	686.00			7.1
pH	su	7.0	7.6	8.4	6.58	7.42	7.93			7.81
Field Comments								no visible flow	dry	
Lab Parameters	UNITS									
Bicarbonate	mg/L	142.00	259.51	384.00	241.77	296.89	352.00			
Chloride	mg/L	<MDL	6.8	54.6	4.6	7.8	10.9			
Conductivity	umhos/cm	292	487	722	542	561	580			
Hardness	mg/L	3.00	203.62	258.00	214.04	220.02	226.00			
Nitrate-Nitrite	mg/L	0.3	0.3	0.31	<MDL					
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL					
pH	su	6.76	7.58	8.59	7.08	7.22	7.35			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL					
Residue Filterable-TDS	mg/L	190	319	476	358	394	430			
Residue NonFilterable-TSS	mg/L	<MDL	57	272	14	14	14			
SAR		0.470	0.920	3.959	1.610	2.785	3.959			
Sulfate	mg/L	0.4	22.0	49.8	35.9	42.9	49.8			
Aluminum (TREC)	mg/L	0.023	0.023	0.110	0.110	0.110	0.110			
Arsenic (TREC)	mg/L	0.0100	0.0100	0.0100	0.0010	0.0010	0.0010			
Cadmium (TREC)	mg/L	0.020	0.020	0.020	0.002	0.002	0.002			
Calcium (TREC)	mg/L	36.1	36.1	54.9	43.5	49.2	54.90			
Copper (TREC)	mg/L	0.0010	0.0010	0.0120	0.0120	0.0120	0.0120			
Iron (TREC)	mg/L	0.06	0.22	0.49	0.02	0.17	0.31			
Magnesium (TREC)	mg/L	24.70	24.70	25.60	21.50	23.55	25.60			
Manganese (TREC)	mg/L	<MDL	0.0123	0.0260	0.0260	0.0260	0.03			
Mercury (TREC)	mg/L	0.0000	0.0000	0.0000	0.00002	0.00002	0.00002			
Molybdenum (TREC)	mg/L	0.003	0.003	0.003	0.001	0.001	0.001			
Selenium (TREC)	mg/L	0.023	0.023	0.023	0.003	0.003	0.003			
Sodium (TREC)	mg/L	32.3	32.3	133.1	55.8	94.5	133.1			
Zinc (TREC)	mg/L	0.006	0.006	0.011	0.011	0.011	0.011			

This spring consists of a small 2' x 5' area of exposed rocks. Spring water bubbles up through the rocks. (Hanna, 99)

Activated December 31, 2013

Baseline Information Collection initiated on 8/1/83.
Point S7-10 was influenced by mining 12/31/2013.

S8-5
Terror Creek - Spring 8-5
Elevation - 7800

Initiated	7/19/1983	7/19/1983	7/19/1983
Activated	7/15/2012	7/15/2012	7/15/2012
Date	10/6/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0	0.50	8.62	0.00	0.00	3.00			
Temperature	Celsius	7.5	13.80	24.4						
Conductivity	umhos/cm	660	746.00	920						
pH	su	7.3	8.01	8.8						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	334	397.13	475						
Carbonate	mg/L									
Chloride	mg/L	6	8.50	11						
Conductivity	umhos/cm	606	686.00	774						
Hardness	mg/L	247	315.13	380						
pH	su	7.0	7.89	8.2						
Residue Filterable-TDS	mg/L	355	404.38	460						
Residue NonFilterable-TSS	mg/L	4	146.00	502						
SAR		0.89	0.99	1.24						
Sulfate	mg/L	30	40.13	56						
Calcium (Dissolved)	mg/L	64.1	75.60	96.7						
Magnesium (Total)	mg/L	21.1	30.71	36.0						
Sodium (Dissolved)	mg/L	31.9	40.14	48						
Potassium	mg/L	1.10	1.10	1.10						
TDS Ratio (grav./calc.)		1.11	1.11	1.11						

The monitoring point for Spring 8.5 is located on an east facing slope that drains down toward Terror Creek.

Baseline Information is derived from monitoring events beginning on 7/19/83 through 7/15/2012.
Point S8-5 influenced by mining 7/15/12.

S21
Terror Creek - Spring 21
Elevation - 7100

Initiated	4/15/1983	4/15/1983	4/15/1983
Activated	12/1/2010	12/1/2010	12/1/2010
Date	10/6/2021	9/23/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0	1.03	7.5	0	0.93	9.11			
Temperature	Celsius	2.5	12.1	20.2	4	9.16	16.2			
Conductivity	umhos/cm	360	687	907	667	1157.11	1592			
pH	su	7.2	7.9	8.5	7.65	9.12	17.1			
Field Comments					0	#DIV/0!	0	Dry	Dry	Damp
Lab Parameters	UNITS									
Bicarbonate	mg/L	268	388.56	456	93.08	294.04	495			
Carbonate	mg/L	<MDL	0.23	3.5						
Chloride	mg/L	2	8.78	14	10.4	16.10	21.8			
Conductivity	umhos/cm	555	679.72	775	434	636.00	838			
Hardness	mg/L	279	350.00	442	323	335.31	347.625			
Nitrate-Nitrite	mg/L				0.1	0.10	0.1			
Oil/Grease	mg/L				<MDL	<MDL	<MDL			
pH	su	7	7.88	8.4	7.76	7.93	8.09			
ResidueFilterable-TDS	mg/L	330	408.44	535	340	463.50	587			
ResidueNonFilterable-TSS	mg/L	2	24.92	106	6.6	11.80	17			
SAR		0.48	0.65	1	2.259	2.785	3.31			
Sulfate	mg/L	30	50.22	91	89.6	96.66	103.72			
Calcium (Dissolved)	mg/L	58	84.47	108						
Magnesium (Total)	mg/L	25	33.81	42	35.4	43.90	52.4			
Sodium (Dissolved)	mg/L	22	27.92	44						
Potassium	mg/L	2	2.00	2						
TDS Ratio (grav./calc.)		1	1.00	1						
Aluminum, TREC	mg/L				<MDL	0.20	0.2			
Arsenic, TREC	mg/L				<MDL	0.00	0.001			
Cadmium, TREC	mg/L				<MDL	0.00	0.002			
Calcium, TREC	mg/L				52.8	64.00	75.2			
Copper, TREC	mg/L				<MDL	0.01	0.01			
Iron, TREC	mg/L				0.0855	0.18	0.27			
Lead, TREC	mg/L				<MDL	0.06	0.06			
Manganese, TREC	mg/L				0.0108	0.04	0.06			
Mercury, TREC	mg/L				<MDL	3.000E-05	3.000E-05			
Molybdenum, TREC	mg/L				<MDL	0.00	0.001			
Selenium, TREC	mg/L				<MDL	0.01	0.007			
Sodium, TREC	mg/L				96.8	111.90	127			
Zinc, TREC	mg/L				<MDL	0.01	0.01			

Baseline Information for Point S21 is derived from events beginning on 4/15/83 through 12/1/10.
Point influenced by mining on 12/1/10.

S33-4
Sheep Corral - Spring 33-4
Elevation - 7790

Initiated	10/30/1997	10/30/1997	10/30/1997
Activated	12/1/2001	12/1/2001	12/1/2001
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	0.0	0.0	0.0	0.0	0.0			
FieldComment								Dry	Dry	Dry
ph	su									
Conductivity	umhos/cm									
Temperature	Celsius									
Lab Parameters	**UNITS**									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

This spring was found during the fall of 1997 and was not locatable after 1998.

The monitoring point for S33-4 (Spring 33-4) is located above P33-3 in a roadless fork. Evidence of a dry spring was found in October and has not been relocated.

Baseline Information for Point S33-4 is derived from events beginning on 10/30/97 through 12/1/01.
Point influenced by mining on 12/1/01.

S34-10
Dove Gulch - Spring 34-10
Elevation - 6640

Initiated	6/2/1998	6/2/1998	6/2/1998
Activated			
Date	12/2/2021	9/21/2021	6/17/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	0.6	11.0	0.0	0.4	16.4			
FieldComment								Dry	Dry	Dry
ph	su	7.3	7.4	7.4	8.2	8.4	8.7			
Conductivity	umhos/cm	320	435	550	1160	1340	1689			
Temperature	Celsius	8.2	9.1	10.6	6.7	11.6	19.6			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	325	335	344	284.2	284.2	284.2			
Carbonate	mg/L	<MDL	<MDL	<MDL	3.6	3.6	3.6			
Chloride	mg/L	5	5	5	0.86	0.86	0.86			
Conductivity	umhos/cm	622	681	740	1032.1	1032.1	1032.1			
Hardness	mg/L	170	186	202	236.3	236.3	236.3			
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	2.43	2.43	2.43			
pH	su	7.8	7.8	7.8	8.43	8.43	8.43			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	370	400	430	751	751	751			
ResidueNonFilterable-TSS	mg/L	<MDL	31	62	29	29	29			
SAR		<MDL	<MDL	<MDL	3.39	3.39	3.39			
Sulfate	mg/L	40	50	60	194.69	194.69	194.69			
Aluminum	mg/L	0.07	1.96	3.86	0.25	0.25	0.25			
Arsenic	mg/L	<MDL	0.001	0.001	0.064	0.064	0.064			
Cadmium	mg/L	<MDL	<MDL	<MDL	0.015	0.015	0.015			
Calcium	mg/L	40.1	43.4	46.8	55.4	55.4	55.4			
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Iron (Total)	mg/L	0.05	1.65	3.26	0.102	0.102	0.102			
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Magnesium	mg/L	16.9	18.8	20.7	23.8	23.8	23.8			
Manganese (Total)	mg/L	<MDL	0.027	0.055	<MDL	<MDL	<MDL			
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0001	0.0001			
Molyebdenum	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Selenium	mg/L	0.001	0.001	0.001	0.0036	0.0036	0.0036			
Sodium	mg/L	70.2	77.4	84.6	119.8	119.8	119.8			
Zinc	mg/L	<MDL	0.01	0.03	0.011	0.011	0.011			

The monitoring point for S34-10 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot remnants of an old coal exploration road in the mouth of Dove Gulch. It is one of three springs found in this location, originating in the s outcrop and discharges via sheet flow into Dove Gulch.

Baseline Information for Point S34-10 is derived from events beginning on 10/31/97 through 12/1/03.
Point influenced by mining on 12/1/03.

S34-19
Hubbard Creek - Spring 34-19
Elevation - 6460

Initiated	6/9/1998	6/9/1998	6/9/1998	6/9/1998
Activated				
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.0	0.2	7.5							
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.1	7.9	8.6							
Conductivity	umhos/cm	149	1008	2400							
Temperature	Celsius	3.3	13.5	22.4							
Lab Parameters	**UNITS**										
Bicarbonate	mg/L	434	434	434							
Chloride	mg/L	9	9	9							
Conductivity	umhos/cm	911	911	911							
Hardness	mg/L	197	197	197							
Nitrate-Nitrite	mg/L	0.1	0.1	0.1							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.6	7.6	7.6							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	550	550	550							
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL							
SAR		<MDL	<MDL	<MDL							
Sulfate	mg/L	290.0	290.0	290.0							
Aluminum	mg/L	0.2	0.2	0.2							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	44.7	44.7	44.7							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	0.2	0.2	0.2							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	20.8	20.8	20.8							
Manganese (Total)	mg/L	0.006	0.006	0.006							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molyebdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	0.002	0.002	0.002							
Sodium	mg/L	132.0	132.0	132.0							
Zinc	mg/L	<MDL	<MDL	<MDL							

The area of concern for monitoring point S34-19 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point fos S34-19 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

Baseline Information Collection initiated on 6/9/98 and not yet considered complete.
Point S34-19 has not been influenced by mining.

S34-20
Hubbard Creek - Spring 34-20
Elevation - 6440

Initiated	6/2/1998	6/2/1998	6/2/1998	6/2/1998
Activated				
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.0	0.0	0.6							
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.6	7.8	8.2							
Conductivity	umhos/cm	860	1140	1320							
Temperature	Celsius	12.5	18.4	24.1							
Lab Parameters	**UNITS**										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molyebdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The area of concern for monitoring point S34-20 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point for S34-20 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

Baseline Information Collection initiated on 6/2/98 and not yet considered complete.
Point S34-20 has not been influenced by mining.

S34-21
Hubbard Creek - Spring 34-21
Elevation - 6430

Initiated	6/2/1998	6/2/1998	6/2/1998	6/2/1998
Activated				
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.0	0.5	10.7	0.0	0.1	4.0	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.6	7.6	7.6	7.4	7.8	8.4				
Conductivity	umhos/cm	620	620	620	700	1531	1980				
Temperature	Celsius	18.7	18.7	18.7	15.3	19.7	26.4				
Lab Parameters	**UNITS**										
Bicarbonate	mg/L	454	454	454							
Chloride	mg/L	6	6	6							
Conductivity	umhos/cm	831	831	831							
Hardness	mg/L	226	226	226							
Nitrate-Nitrite	mg/L	0.2	0.2	0.2							
Oil and Grease	mg/L	3.0	3.0	3.0							
pH	su	8.1	8.1	8.1							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	490	490	490							
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL							
SAR		<MDL	<MDL	<MDL							
Sulfate	mg/L	70	70	70							
Aluminum	mg/L	0.18	0.18	0.18							
Arsenic	mg/L	<MDL	<MDL	<MDL							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	52.9	52.9	52.9							
Copper	mg/L	<MDL	<MDL	<MDL							
Iron (Total)	mg/L	0.14	0.14	0.14							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	22.9	22.9	22.9							
Manganese (Total)	mg/L	<MDL	<MDL	<MDL							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molyebdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	<MDL	<MDL							
Sodium	mg/L	105.0	105.0	105.0							
Zinc	mg/L	<MDL	<MDL	<MDL							

The monitoring point for S34-21 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

Baseline Information for Point S34-21 is derived from events beginning on 6/9/98 through 11/10/03.
Point influenced by mining on 11/10/03.

S34-22
Hubbard Creek - Spring 34-22
Elevation - 6700

Initiated	6/2/1998	6/2/1998	6/2/1998
Activated			
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	1.5	35.0	0.0	0.3	13.6	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	7.2	7.3	7.4	7.8	8.0	8.4			
Conductivity	umhos/cm	230	230	230	1260	1499	1808			
Temperature	Celsius	17.2	17.2	17.2	8.5	9.9	12.1			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	302	302	302	285.4	285.4	285.4			
Carbonate	mg/L	12	15	18	18.1	18.1	18.1			
Chloride	mg/L	4	4	4	<MDL	<MDL	<MDL			
Conductivity	umhos/cm	602	602	602	1011.5	1011.5	1011.5			
Hardness	mg/L	171	171	171	238.8	238.8	238.8			
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Oil and Grease	mg/L	<MDL	<MDL	<MDL	2.41	2.41	2.41			
pH	su	8.2	8.2	8.2	8.8	8.8	8.8			
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L	380	380	380	854	854	854			
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	40	40	40			
SAR		<MDL	<MDL	<MDL	4.19	4.19	4.19			
Sulfate	mg/L	50	50	50	223.91	223.91	223.91			
Aluminum	mg/L	0.31	0.31	0.31	0.23	0.23	0.23			
Arsenic	mg/L	<MDL	<MDL	<MDL	0.064	0.064	0.064			
Cadmium	mg/L	<MDL	<MDL	<MDL	0.026	0.026	0.026			
Calcium	mg/L	38.3	38.3	38.3	53.9	53.9	53.9			
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Iron (Total)	mg/L	0.27	0.27	0.27	0.187	0.187	0.187			
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			
Magnesium	mg/L	18.3	18.3	18.3	25.3	25.3	25.3			
Manganese (Total)	mg/L	<MDL	<MDL	<MDL	0.1	0.1	0.1			
Mercury	mg/L	<MDL	<MDL	<MDL	0.0001	0.0001	0.0001			
Molyebdenum	mg/L	<MDL	<MDL	<MDL	0.01	0.01	0.01			
Selenium	mg/L	<MDL	<MDL	<MDL	0.0048	0.0048	0.0048			
Sodium	mg/L	74.4	74.4	74.4	149	149	149			
Zinc	mg/L	<MDL	<MDL	<MDL	0.006	0.006	0.006			

The monitoring point for S34-22 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot from the remnants of an old coal exploration road in the mouth of Dove Gulch. It is one of three springs found in this location, originating in the sandstone outcrop and discharges via sheet flow into Dove Gulch.

Baseline Information for Point S34-22 is derived from events beginning on 6/9/98 through 11/20/03.
Point influenced by mining on 11/20/03.

S34-23
Hubbard Creek - Spring 34-23
Elevation - 6650

Initiated	6/2/1998	6/2/1998	6/2/1998
Activated			
Date	12/2/2021	9/21/2021	6/17/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.0	3.5	75.0	0.0	0.1	4.6	0	0	0
FieldComment								Dry	Dry	Dry
ph	su	7.6	7.8	8.0	8.5	8.5	8.5			
Conductivity	umhos/cm	320	390	460	900	900	900			
Temperature	Celsius	12.1	14.0	15.9	9.0	9.0	9.0			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	249	268	287						
Chloride	mg/L	2	3	4						
Conductivity	umhos/cm	537	545	552						
Hardness	mg/L	169	171	173						
Nitrate-Nitrite	mg/L	<MDL	0.01	0.02						
Oil and Grease	mg/L	<MDL	<MDL	<MDL						
pH	su	8.1	8.3	8.4						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	330	335	340						
ResidueNonFilterable-TSS	mg/L	<MDL	11	22						
SAR		<MDL	<MDL	<MDL						
Sulfate	mg/L	30	40	50						
Aluminum	mg/L	0.32	0.95	1.57						
Arsenic	mg/L	<MDL	<MDL	<MDL						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	40.5	41.8	43.1						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	0.25	0.77	1.29						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	15.9	16.1	16.4						
Manganese (Total)	mg/L	<MDL	0.013	0.026						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	0.001	0.001	0.001						
Sodium	mg/L	59.8	61.1	62.4						
Zinc	mg/L	<MDL	0.005	0.010						

The monitoring point for S34-23 is located high on the northern facing slopes that forms the Dove Gulch Canyon. It is accessed on foot drom the remnants of an old coal exploration road in the mouth of Dove Gulch. It in one of three springs found in this location, orginating in the sandstone outcrops and discharges via sheet flow into Dove Gulch.

Baseline Information for Point S34-23 is derived from events beginning on 6/9/98 through 12/8/03.
Point influenced by mining on 12/8/03.

S34-24
Hubbard Creek - Spring 34-24
Elevation - 6390

Initiated	6/2/1998	6/2/1998	6/2/1998	6/2/1998
Activated	4/1/2002	4/1/2002	4/1/2002	4/1/2002
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	GPM	0.00	0.06	0.91	0.0	0.00	0.10	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.8	7.8	7.8	7.8	8.0	8.2				
Conductivity	umhos/cm	1010	1010	1010	1210	1740	2400				
Temperature	Celsius	19.0	19.0	19.0	9.0	20.3	24.8				
Lab Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molyebdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The monitoring point for S34-24 is found along the Hubbard Creek Trail. It is a diverse flow along the upper edge of the trail.

Baseline Information for Point S34-24 is derived from events beginning on 6/2/98 through 4/1/02.
Point influenced by mining on 4/1/02.

Initiated	6/2/1998	6/2/1998	6/2/1998
Activated	10/30/2008	10/30/2008	10/30/2008
Date	12/2/2021	9/21/2021	6/17/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM				0.0	0.4	5.0	0	0	0
FieldComment								Dry	Dry	Dry
ph	su				8.1	8.4	8.8			
Conductivity	umhos/cm				800	916	1088			
Temperature	Celsius				5.0	10.5	17.9			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L				335	335	335			
Carbonate	mg/L				37	37	37			
Chloride	mg/L				3	3	3			
Conductivity	umhos/cm				759	759	759			
Hardness	mg/L				120	120	120			
Nitrate-Nitrite	mg/L				0.03	0.03	0.03			
Oil and Grease	mg/L				<MDL	<MDL	<MDL			
pH	su				8.8	8.8	8.8			
Phosphate	mg/L				<MDL	<MDL	<MDL			
ResidueFilterable-TDS	mg/L				490	490	490			
ResidueNonFilterable-TSS	mg/L				19	19	19			
SAR					5.99	5.99	5.99			
Sulfate	mg/L				67	67	67			
Aluminum	mg/L				0.61	0.61	0.61			
Arsenic	mg/L				<MDL	<MDL	<MDL			
Cadmium	mg/L				<MDL	<MDL	<MDL			
Calcium	mg/L				27.6	27.6	27.6			
Copper	mg/L				<MDL	<MDL	<MDL			
Iron (Total)	mg/L				0.51	0.51	0.51			
Lead	mg/L				0.0004	0.0004	0.0004			
Magnesium	mg/L				12.4	12.4	12.4			
Manganese (Total)	mg/L				<MDL	<MDL	<MDL			
Mercury	mg/L				<MDL	<MDL	<MDL			
Molyebdenum	mg/L				<MDL	<MDL	<MDL			
Selenium	mg/L				0.0016	0.0016	0.0016			
Sodium	mg/L				149	149	149			
Zinc	mg/L				<MDL	<MDL	<MDL			

The area of concern for monitoring point S34-25 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered operational.

The monitoring point for S34-25 is found on drill site GVB-8A-A, 8A & 9D in the Dove Gulch drainage.

There is no baseline collection possible for points initiated after the influence of mining.

Plot of Flow and Conductivity



S34-25 - Dove Gulch Spring and Pond 34-25

Figure57

S34-7
Sheep Corral - Spring 34-7
Elevation - 7390

Initiated	10/27/1997	10/27/1997	10/27/1997
Activated	6/1/2002	6/1/2002	6/1/2002
Date	12/1/2021	9/21/2021	6/21/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	GPM	0.00	0.30	4.41	0.0	0.03	1.00			
FieldComment								Dry	Dry	Dry
ph	su	6.8	7.5	8.0	7.2	7.9	8.4			
Conductivity	umhos/cm	160	258	300	330	625	1170			
Temperature	Celsius	5.9	11.2	19.8	3.7	13.6	24.5			
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	200	200	200						
Chloride	mg/L	4	4	4						
Conductivity	umhos/cm	420	420	420						
Hardness	mg/L	129	129	129						
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL						
Oil and Grease	mg/L	4	4	4						
pH	su	8.0	8.0	8.0						
Phosphate	mg/L	<MDL	<MDL	<MDL						
ResidueFilterable-TDS	mg/L	230	230	230						
ResidueNonFilterable-TSS	mg/L	138	138	138						
SAR		<MDL	<MDL	<MDL						
Sulfate	mg/L	30.0	30.0	30.0						
Aluminum	mg/L	3.51	3.51	3.51						
Arsenic	mg/L	0.001	0.001	0.001						
Cadmium	mg/L	<MDL	<MDL	<MDL						
Calcium	mg/L	37.0	37.0	37.0						
Copper	mg/L	<MDL	<MDL	<MDL						
Iron (Total)	mg/L	3.58	3.58	3.58						
Lead	mg/L	<MDL	<MDL	<MDL						
Magnesium	mg/L	8.9	8.9	8.9						
Manganese (Total)	mg/L	0.113	0.113	0.113						
Mercury	mg/L	<MDL	<MDL	<MDL						
Molyebdenum	mg/L	<MDL	<MDL	<MDL						
Selenium	mg/L	<MDL	<MDL	<MDL						
Sodium	mg/L	41.0	41.0	41.0						
Zinc	mg/L	0.03	0.03	0.03						

The monitoring point for S34-7 is located just to the south of an old coal exploration road which winds down Sheep Corral Gulch.

Baseline Information for Point S34-7 is derived from events beginning on 10/27/97 through 6/1/02.
Point influenced by mining on 6/1/02.

D2-1
Sheep Corral - Drainage System
Elevation - 6360

Initiated	11/6/1998	11/6/1998	11/6/1998	11/6/1998
Activated	11/1/2003	11/1/2003	11/1/2003	11/1/2003
Date	12/2/2021	9/21/2021	6/17/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.32	4.55	0.00	0.38	13.60	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.1	7.8	8.4	7.4	8.1	8.6				
Conductivity	umhos/cm	940	1210	1640	1140	1499	2000				
Temperature	Celsius	4.1	11.1	19.4	5.0	16.8	25.4				
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	540	540	540	398.95	593.87	772.59				
Chloride	mg/L	11	11	11	<MDL	15.41	20.81				
Conductivity	umhos/cm	1230	1230	1230	1173.0	1508.7	1847.3				
Hardness	mg/L	291	291	291	228.45	325.43	372.55				
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	1.866	2.730				
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	2.060	4.050				
pH	su	8.2	8.2	8.2	7.8	8.4	8.9				
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L	790	790	790	824	1060	1321				
ResidueNonFilterable-TSS	mg/L	<MDL	<MDL	<MDL	1.0	64.9	296.0				
SAR		5.3	5.3	5.3	1.34	5.08	11.30				
Sulfate	mg/L	190	190	190	230.00	275.24	380.32				
Aluminum	mg/L	0.39	0.39	0.39	0.057	0.377	1.23				
Arsenic	mg/L	<MDL	<MDL	<MDL	0.0017	0.054	0.142				
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.015				
Calcium	mg/L	49.8	49.8	49.8	36.9	55.3	66.6				
Copper	mg/L	<MDL	<MDL	<MDL	<MDL	0.284	0.552				
Iron (Total)	mg/L	0.3	0.3	0.3	0.10	0.49	1.22				
Lead	mg/L	<MDL	<MDL	<MDL	<MDL	0.03	0.05				
Magnesium	mg/L	40.6	40.6	40.6	33.1	45.5	57.3				
Manganese (Total)	mg/L	0.01	0.01	0.01	<MDL	0.053	0.084				
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.0001	0.0002				
Molyebdenum	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.003				
Selenium	mg/L	<MDL	<MDL	<MDL	0.0002	0.0492	0.1680				
Sodium	mg/L	205	205	205	54.8	200.8	393.8				
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL	0.032	0.090				

The D2-1 Monitoring point is at the lower extreme of Sheep Corral Gulch. It is located just below the Hubbard Creek Road, just north of the Blue Ribbon Mine.

Baseline Information for Point D2-1 is derived from events beginning on 10/31/97 through 4/1/02.
Point influenced by mining on 4/1/02.

D21-1
Terror Creek - Confluence w/NFG
Elevation - 5760

Initiated	3/23/2010	3/23/2010	3/23/2010	3/23/2010
Activated				
Date	10/11/2021	9/29/2021	6/9/2021	3/29/2021

Field Parameters	UNITS	Summary Information Baseline Min	Ave	Max	Operation Min	Ave	Max				
Flow	CFS	0.02	4.67	46.00							1.6
FieldComment								<1	Damp	<1	
ph	su	7.1	8.4	9.0				8.48		8.82	8.11
Conductivity	umhos/cm	79	319	820				218		299	260
Temperature	Celsius	0.4	10.1	20.6				5.6		15.8	8
Lab Parameters	UNITS										
Bicarbonate	mg/L	39.70	130.81	292.00						108	
Chloride	mg/L	0.6	44.8	188.5						109	
Conductivity	umhos/cm	65	311	744						278	
Hardness	mg/L	31.50	141.76	297.20						129	
Nitrate-Nitrite	mg/L	<MDL	0.197	0.570						0.074	
Oil and Grease	mg/L	<MDL	<MDL	<MDL						<MDL	
pH	su	6.77	7.92	8.53						8.3	
Phosphate	mg/L	<MDL	0.061	0.280						0.0558	
ResidueFilterable-TDS	mg/L	1	232	494						186	
ResidueNonFilterable-TSS	mg/L	<MDL	39	302						13	
SAR		0.25	0.71	1.70						0.46	
Sulfate	mg/L	1.23	27.54	72.03						<MDL	
Aluminum (TREC)	mg/L	0.008	0.631	1.750						0.511	
Arsenic (TREC)	mg/L	0.000	0.015	0.060						0.00056	
Cadmium (TREC)	mg/L	0.002	0.006	0.020						<MDL	
Calcium (TREC)	mg/L	6.05	29.32	67.30						29.4	
Copper (TREC)	mg/L	0.002	0.007	0.017						<MDL	
Iron (TREC)	mg/L	0.06	0.97	11.70						0.523	
Lead (TREC)	mg/L	0.00	0.01	0.05						0.00028	
Magnesium (TREC)	mg/L	2.96	15.84	44.40						13.6	
Manganese (TREC)	mg/L	<MDL	1.010	23.700						0.02	
Mercury (TREC)	mg/L	0.00001	0.00006	0.00012						<MDL	
Molyebdenum (TREC)	mg/L	0.000	0.003	0.008						<MDL	
Selenium (TREC)	mg/L	<MDL	0.00848	0.03600						0.00026	
Sodium (TREC)	mg/L	3.45	19.69	67.50						12	
Zinc (TREC)	mg/L	0.003	0.025	0.110						<MDL	

The area of concern for monitoring point D21-1 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The D21-1 Monitoring point is at downstream Terror Creek-Confluence w/NFG.

** Stream flow too low for measurement*
*** Strem flow too high for measurement*

Baseline Information Collection initiated 3/23/10 and not yet considered complete.
Point D21-1 has not been influence by mining.

Plot of Flow and Conductivity



D21-1 - Terror Creek Drainage System

D32-4
Terror Creek - Drainage System
Elevation - 7480

Initiated								3/23/2010	3/23/2010	3/23/2010	3/23/2010
Activated											
Date								12/6/2021	9/23/2021	6/9/2021	1Q
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0.04	5.16	75.80					4	<.5	
FieldComment								No visible flow			Not accessible
ph	su	6.9	8.1	8.8				8.4	8.1	8.7	
Conductivity	umhos/cm	20	120	288				280	185.7	108.9	
Temperature	Celsius	0.0	9.6	19.0				0	6.6	7.4	
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	1.7	61.9	144.6						43.4	
Chloride	mg/L	<MDL	4.8	76.9						0.9	
Conductivity	umhos/cm	60.8	130.3	429.0						93	
Hardness	mg/L	22.3	57.2	192.3						47.0	
Nitrate-Nitrite	mg/L	<MDL	0.7	8.1						0.036	
Oil & Grease	mg/L	<MDL	2.4	6.4						<MDL	
pH	su	6.6	7.5	8.3						8	
Phosphate	mg/L	<MDL	0.15	1.37						0.0465	
ResidueFilterable-TDS	mg/L	37	117	342						104	
ResidueNonFilterable-TSS	mg/L	<MDL	30	450						14.0000	
SAR		<MDL	0.79	28.16						0.2300	
Sulfate	mg/L	<MDL	8.3	54.8						<MDL	
Aluminum (TREC)	mg/L	<MDL	1.31	11.17						2.4	
Arsenic (TREC)	mg/L	<MDL	0.0099	0.1680						0.00043	
Cadmium (TREC)	mg/L	<MDL	0.0724	2.0700						<MDL	
Calcium (TREC)	mg/L	<MDL	13.9	65.4						11.4	
Copper (TREC)	mg/L	<MDL	0.005	0.050						<MDL	
Iron (Dissolved)	mg/L	<MDL	6.19	165.00						0.096	
Iron (TREC)	mg/L	0.020	0.956	5.420						1.63	
Lead (TREC)	mg/L	<MDL	0.0082	0.0500						0.0005	
Magnesium (TREC)	mg/L	<MDL	5.34	11.10						4.54	
Manganese (TREC)	mg/L	<MDL	0.043	0.277						0.043	
Mercury (TREC)	mg/L	<MDL	0.00007	0.00027						<MDL	
Molyebdenum (TREC)	mg/L	<MDL	0.037	0.900						<MDL	
Selenium (TREC)	mg/L	<MDL	0.005	0.024						0.00013	
Sodium (TREC)	mg/L	2.3	5.3	20.3						3.54	
Zinc (TREC)	mg/L	<MDL	0.023	0.160						<MDL	

The area of concern for monitoring point D32-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The D32-4 Monitoring Point is on upper Terror Creek. It is located at the Cottonwood Stomp ford. This point is used to obtain conductivity, pH and temperature readings. The irregular stream channel found at this location does not provide an adequate method of determining flow values. Flow values are taken by Resource Engineering.

Baseline Information Collection initiated on 10/31/97 and not yet considered complete.
Point D32-4 has not been influenced by mining.

Plot of Flow and Conductivity



D32-4 Terror Creek Drainage System

Figure63

D33-14
Upper Sheep Corral Gulch
Elevation - 7320

Initiated	11/6/1998	11/6/1998	11/6/1998	11/6/1998
Activated	11/1/2003	11/1/2003	11/1/2003	11/1/2003
Date	12/1/2021	9/21/2021	6/30/2021	1Q

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.00	0.00	0.00	2.09	98.86	0.19	0.01	*	
FieldComment											*Not accessible*
ph	su				6.5	7.9	8.5	7.6	8.15	8.32	
Conductivity	umhos/cm				330	673	807	807	737	718	
Temperature	Celsius				2.0	8.3	26.5	4.8	8.6	11	
Lab Parameters	UNITS										
Bicarbonate	mg/L				124.0	270.3	392.0				
Chloride	mg/L				1.2	1.7	2.0				
Conductivity	umhos/cm				192.0	472.6	670.0				
Hardness	mg/L				63	90	118				
Nitrate-Nitrite	mg/L				<MDL	0.74	2.13				
Oil and Grease	mg/L				<MDL	0.82	0.82				
pH	su				6.82	7.87	8.50				
Phosphate	mg/L				<MDL	0.02	0.02				
ResidueFilterable-TDS	mg/L				126	283	402				
ResidueNonFilterable-TSS	mg/L				<MDL	3	3				
SAR					0.71	4.28	7.70				
Sulfate	mg/L				6.50	30.51	42.50				
Aluminum	mg/L				<MDL	<MDL	<MDL				
Arsenic	mg/L				0.009	0.009	0.009				
Cadmium	mg/L				<MDL	<MDL	<MDL				
Calcium	mg/L				20.1	25.9	32.7				
Copper	mg/L				<MDL	<MDL	<MDL				
Iron (Total)	mg/L				0.02	0.05	0.08				
Lead	mg/L				<MDL	<MDL	<MDL				
Magnesium	mg/L				3.00	5.21	8.78				
Manganese (Total)	mg/L				0.01	0.01	0.02				
Mercury	mg/L				<MDL	<MDL	<MDL				
Molyebdenum	mg/L				<MDL	<MDL	<MDL				
Selenium	mg/L				0.000	0.029	0.051				
Sodium	mg/L				12.1	84.8	138.0				
Zinc	mg/L				<MDL	<MDL	<MDL				

Note: Site not accesible during 1Q 2018
Not enough water for sample during 2Q 2018

The location for monitoring point D33-14 can be found just to the south of an old coal exploration road winding through Sheep Corral Gulch. It is just above Spring and Pond SP34-11.

** flow not provided in field notes*

Baseline Information for Point D33-14 is derived from events beginning on 11/6/98 through 11/1/03.
Point influenced by mining on 11/1/03.

D34-13
Dove Gulch - Drainage System
Elevation - 6440

Initiated								10/31/1997	10/31/1997	10/31/1997	10/31/1997
Activated											
Date								12/2/2021	9/21/2021	6/17/2021	3/29/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.00	0.00				0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su										
Conductivity	umhos/cm										
Temperature	Celsius										
Lab											
Parameters	UNITS										
Bicarbonate	mg/L										
Chloride	mg/L										
Conductivity	umhos/cm										
Hardness	mg/L										
Nitrate-Nitrite	mg/L										
Oil and Grease	mg/L										
pH	su										
Phosphate	mg/L										
ResidueFilterable-TDS	mg/L										
ResidueNonFilterable-TSS	mg/L										
SAR											
Sulfate	mg/L										
Aluminum	mg/L										
Arsenic	mg/L										
Cadmium	mg/L										
Calcium	mg/L										
Copper	mg/L										
Iron (Total)	mg/L										
Lead	mg/L										
Magnesium	mg/L										
Manganese (Total)	mg/L										
Mercury	mg/L										
Molyebdenum	mg/L										
Selenium	mg/L										
Sodium	mg/L										
Zinc	mg/L										

The area of concern for monitoring point D34-13 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The location for D34-13 is at the lower extreme of Dove Gulch, along the western edge of Hubbard Creek Trail.

Baseline Information Collection initiated on 10/31/97 and not yet considered complete.
Point D34-13 has not been influenced by mining.

D34-14
Hubbard Creek - Drainage System
Elevation - 6560

Initiated								9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated								4/1/2002	4/1/2002	4/1/2002	4/1/2002
Date								12/21/2021	9/21/2021	6/8/2021	3/29/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0.49	23.23	220.00				<1	<1	2.5	14.0
FieldComment											
ph	su	6.8	8.1	8.9				8.6	7.0	8.5	8.5
Conductivity	umhos/cm	50	204	347				310	258	298	240
Temperature	Celsius	0.2	9.3	20.9				1.8	6.6	11.7	7.7
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	36.1	100.6	187.0							
Chloride	mg/L	<MDL	4.80	84.89							
Conductivity	umhos/cm	82.1	199.7	439.0							
Hardness	mg/L	<MDL	84.50	150.00							
Nitrate-Nitrite	mg/L	<MDL	1.711	41.530							
Oil & Grease	mg/L	<MDL	0.973	2.330							
Phosphate	mg/L	<MDL	0.65	8.33							
ResidueFilterable-TDS	mg/L	33	144	353							
ResidueNonFilterable-TSS	mg/L	<MDL	20.7	166.0							
SAR		<MDL	1.13	20.50							
Sulfate	mg/L	<MDL	30.96	1234.8							
Aluminum (TREC)	mg/L	<MDL	0.680	9.690							
Arsenic (TREC)	mg/L	<MDL	0.0075	0.1290							
Cadmium (TREC)	mg/L	<MDL	0.3268	11.3000							
Calcium (TREC)	mg/L	4.57	23.76	43.60							
Copper (TREC)	mg/L	<MDL	0.009	0.200							
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL							
Iron (TREC)	mg/L	0.010	0.545	13.600							
Lead (TREC)	mg/L	<MDL	0.085	2.800							
Magnesium (TREC)	mg/L	0.42	6.54	16.30							
Manganese (TREC)	mg/L	<MDL	0.105	3.900							
Mercury (TREC)	mg/L	<MDL	0.00009	0.00079							
Molyebdenum (TREC)	mg/L	<MDL	0.042	1.130							
Selenium (TREC)	mg/L	<MDL	0.0823	3.2700							
Sodium (TREC)	mg/L	3.16	12.61	42.00							
Zinc (TREC)	mg/L	<MDL	0.016	0.116							

The area of concern for monitoring point D34-14 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The location for the D34-14 monitoring point is on Hubbard creek just below the igneous intrusion noted as Iron Point. The location can be found where a sapling has been painted white. The point where field parameters were taken did not provide an adequate method to determine flow values. Flow values are taken by Resource Engineering.

Baseline Information Collection initiated on 10/31/97 and not yet considered complete.
Point D34-14 has not been influenced by mining.

Deer-low
Canal - Deer Trail Ditch
Elevation - 5920

Initiated								6/14/1995	6/14/1995	6/14/1995	6/14/1995
Activated								3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date								12/2/2021	8/10/2021	6/8/2021	3/29/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0	8	32	0	6	83		0.98	0.93	
Water Level in Flume	Feet				0.00	0.14	0.40		0.2	0.25	
FieldComment								Ditch off			Diverted to Barne
ph	su	6.8	8.3	9.0	7.1	8.4	9.2		8.8	8.7	
Conductivity	umhos/cm	80	276	638	60	228	720		288	285	
Temperature	Celsius	4.9	13.1	21.2	3.1	11.6	21.5		16.2	16.5	
DO	mg/L	0.0	3.7	10.7	0.0	6.2	12.1		0.48	0.71	
Lab Parameters	UNITS										
Bicarbonate	mg/L	41	70	118	39	95	131				
Chloride	mg/L	<MDL	1	2	<MDL	1.8	4.0		2.08		
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL				
Chromium VI CrIV	mg/L				<MDL	<MDL	<MDL		<MDL		
Cyanide, Total	mg/L				<MDL	<MDL	<MDL		<MDL		
Conductivity	umhos/cm	97	148	238	98	196	308				
Hardness	mg/L	48	67	96	33	84	119				
Nitrate-Nitrite	mg/L	<MDL	0.07	0.17	<MDL	0.01	0.04		<MDL		
Nitrate	mg/L	<MDL	0.08	0.17	<MDL	0.47	2.69		<MDL		
Nitrite	mg/L	<MDL	0.01	0.02	<MDL	0.00	0.01		<MDL		
Dissolved Oxygen		0	0	0	<MDL	7.93	7.95				
Ammonia	mg/L				0.10	0.18	0.25		<MDL		
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	2	2		<MDL		
pH	su	7.5	7.8	8.0	7.7	8.1	8.6		8.4		
Phosphate	mg/L	<MDL	0.03	0.08	<MDL	0.03	0.08				
ResidueFilterable-TDS	mg/L	30	93	150	70	168	302		180		
ResidueNonFilterable-TSS	mg/L	6	101	286	<MDL	15	41				
SAR		0.21	0.38	0.68	<MDL	0.86	6.50				
Sulfate	mg/L	<MDL	7	10	<MDL	11	20		10.6		
Sulfide S	mg/L				<MDL	<MDL	<MDL		<MDL		
Aluminum (TREC)	mg/L	0.25	3.03	7.68	0.14	0.59	1.58				
Arsenic (TREC)	mg/L	<MDL	0.001	0.002	<MDL	0.0020	0.0150		0.00118		
Boron	mg/L				0.78	0.78	0.78		<MDL		
Cadmium (TREC)	mg/L	<MDL	0.001	0.003	<MDL	0.01	0.05		<MDL		
Calcium (TREC)	mg/L	13.4	18.8	26.9	9.1	23.6	33.8		30		
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.017		<MDL		
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.06	0.15		<MDL		
Iron (TREC)	mg/L	0.45	3.83	9.79	0.10	0.80	5.29		1.76		
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0058	0.0400		0.0012		
Magnesium (TREC)	mg/L	3.4	4.9	6.9	2.5	6.2	8.6		6.91		
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	1.6	6.2		<MDL		
Manganese (TREC)	mg/L	0.012	0.075	0.193	0.001	0.040	0.166		0.021		
Mercury (TREC)	mg/L	<MDL	0.00007	0.0002	<MDL	0.00005	0.0002		<MDL		
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0003	0.0010				
Nickel	mg/L				<MDL	<MDL	<MDL		<MDL		
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.010		<MDL		
Silver	mg/L				<MDL	<MDL	<MDL		<MDL		
Sodium (TREC)	mg/L	3.7	7.6	15.3	3.9	11.7	31.5				
Zinc (TREC)	mg/L	0.03	0.03	0.04	<MDL	0.02	0.05		<MDL		

The lower end of Deer Trail Ditch is monitored at a point where the ditch empties into the Fire Mountain Canal.

Baseline Information for Point Deer-low is derived from events beginning on 6/14/95 through 3/30/97.
Point influenced by mining on 3/30/97.

Plot of Flow and Conductivity



Deer-low - Canal - Deer Trail Ditch

Figure68

Deer-up
Canal - Deer Trail Ditch
Elevation - 5960

Initiated	6/14/1995	6/14/1995	6/14/1995	6/14/1995
Activated	3/30/1997	3/30/1997	3/30/1997	3/30/1997
Date	12/2/2021	8/10/2021	6/8/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	0.8	1.8	3.5	0.1	1.6	4.8		0.42	0.93	0.23
Water Level in Flume	Feet	0.23	0.37	0.59	0.05	0.34	0.72		0.15	0.25	0.1
FieldComment								Ditch off			
ph	su	6.4	8.5	9.1	7.4	8.4	9.1		8.9	8.8	8.5
Conductivity	umhos/cm	70	286	668	50	216	440		304	288	303
Temperature	Celsius	0.8	11.4	20.3	0.2	9.7	22.1		14.7	13.8	11.0
DO	mg/L	0.0	3.5	7.7	0.0	9.4	69.9		0.58	0.21	0.42
Lab Parameters	UNITS										
Bicarbonate	mg/L	51.0	73.0	117.0	-42.5	103.6	176.0				
Hydroxide	mg/L	0	0	0	0	0	0				
Chloride	mg/L	<MDL	1.67	3.00	<MDL	19.65	190.50		1.8		
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL				
Chromium VI CrIV	mg/L				<MDL	0.01	0.01		<MDL		
Cyanide, Total	mg/L				<MDL	<MDL	<MDL		<MDL		
Conductivity	umhos/cm	100	148	235	85	248	573				
Hardness	mg/L	42	61	94	<MDL	95	168		1.7		
Nitrate-Nitrite	mg/L	<MDL	0.02	0.07	<MDL	0.20	1.25		<MDL		
Nitrate	mg/L	<MDL	0.02	0.07	<MDL	0.33	2.87		<MDL		
Nitrite	mg/L	<MDL	0.01	0.02	<MDL	0.003	0.016		<MDL		
Dissolved Oxygen	mg/L	0	0.00	0.00	<MDL	9.375	10.850				
Ammonia	mg/L				<MDL	0.149	0.290		<MDL		
Oil and Grease	mg/L				<MDL	4.3	5.5		<MDL		
pH	su	7.6	7.8	8.1	0.1	7.9	8.7		8.4		
Phosphate	mg/L	<MDL	0.01	0.03	<MDL	6.74	141.00				
ResidueFilterable-TDS	mg/L	50	100	150	60	185	475		196		
ResidueNonFilterable-TSS	mg/L	<MDL	25	52	<MDL	12	40				
SAR		0.24	0.37	0.62	<MDL	0.73	2.29				
Sulfate	mg/L	<MDL	10	20	<MDL	12.4	37.5		12.2		
Sulfide S	mg/L				<MDL	0.13	0.13		<MDL		
Aluminum (TREC)	mg/L	0.24	1.09	1.77	<MDL	0.37	2.03				
Arsenic (TREC)	mg/L	<MDL	0.0003	0.0010	<MDL	0.0051	0.0300		0.00133		
Boron	mg/L				<MDL	0.82	1.40		<MDL		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.040		<MDL		
Calcium (TREC)	mg/L	11.8	17.2	26.5	8.29	28.66	134.00		31.1		
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.019		<MDL		
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.07	0.25		<MDL		
Iron (TREC)	mg/L	0.38	1.19	1.85	0.03	11.07	618.00		1.91		
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0100	0.1000		0.00118		
Magnesium (TREC)	mg/L	3.0	4.4	6.7	2.5	7.7	17.6		7.2		
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.7	6.7		0.026		
Manganese (TREC)	mg/L	0.02	0.03	0.03	0.002	0.895	26.700		0.026		
Mercury (TREC)	mg/L	<MDL	0.0001	0.0002	<MDL	0.00007	0.0004		<MDL		
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.011				
Nickel	mg/L				<MDL	0.0088	0.0120		<MDL		
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0037	0.0230		<MDL		
Silver	mg/L				<MDL	0.0030	0.0030		<MDL		
Sodium (TREC)	mg/L	3.6	7.1	13.8	3.8	18.7	66.5				
Zinc (TREC)	mg/L	0.01	0.02	0.03	<MDL	0.01	0.04		<MDL		

The upper end of Deer Trail Ditch is monitored at the headgate located on Hubbard Creek. This monitoring point is fitted with a 2' Parshall Flume.

Negative Acidity value indicates equivalent value of alkalinity

Baseline Information for Point Deer-up is derived from events beginning on 6/14/95 through 3/30/97.
Point influenced by mining on 3/30/97.

Plot of Flow and Conductivity



Deer-up - Canal - Deer Trail Ditch

Figure70

FMC-low
Canal - Fire Mountain Canal
Elevation - 5920'

Initiated								5/19/1999	5/19/1999	5/19/1999	
Activated								5/19/1999	5/19/1999	5/19/1999	
Date								8/17/2021	6/8/2021	3/29/2021	
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS				44	161	182	155	165		
FieldComment								Canal off 8.17			Dry
ph	su				6.8	8.2	8.9	8.9	8.3		
Conductivity	umhos/cm				40	147	280	220	206		
Temperature	Celsius				5.4	12.3	22.1	16.1	16.1		
DO	mg/L				0.0	8.9	81.6	0.4	7.4		
Lab Parameters	UNITS										
Bicarbonate	mg/L				25	79.0	133.8	98.30	29.4		
Chloride	mg/L				<MDL	8.3	51.0	1.94	0.82		
Conductivity	umhos/cm				71	169	346	209	72		
Hardness	mg/L				27.58	79.48	521.00	102	31		
Nitrate-Nitrite	mg/L				<MDL	0.37	2.70	<MDL	0.062		
Oil and Grease	mg/L				<MDL	46.51	68.00	<MDL	<MDL		
pH	su				6.4	7.7	8.4	8.4	7.9		
Phosphate	mg/L				<MDL	0.06	0.24	<MDL	0.03		
ResidueFilterable-TDS	mg/L				40	119	300	148	44		
ResidueNonFilterable-TSS	mg/L				<MDL	66	474	44	11		
SAR					<MDL	0.51	1.55	0.47	0.23		
Sulfate	mg/L				<MDL	12.48	51.86	<MDL	<MDL		
Aluminum (TREC)	mg/L				<MDL	1.43	12.70	5.66	0.647		
Arsenic (TREC)	mg/L				<MDL	0.0050	0.1000	0.0012	0.00033		
Cadmium (TREC)	mg/L				<MDL	0.0068	0.1000	<MDL	<MDL		
Calcium (TREC)	mg/L				7.45	20.1	37.1	31	9.87		
Copper (TREC)	mg/L				<MDL	0.015	0.149	<MDL	<MDL		
Iron (TREC)	mg/L				0.02	1.48	12.30	3.47	0.435		
Lead (TREC)	mg/L				<MDL	0.0067	0.0500	0.00166	0.00032		
Magnesium (TREC)	mg/L				0.06	4.34	15.20	0.059	1.42		
Manganese (TREC)	mg/L				0.007	0.043	0.222	0.059	0.01		
Mercury (TREC)	mg/L				<MDL	0.000186	0.003000	<MDL	<MDL		
Molybdenum (TREC)	mg/L				<MDL	0.004	0.02	<MDL	<MDL		
Selenium (TREC)	mg/L				<MDL	0.0021	0.0120	0.0002	0.00016		
Sodium (TREC)	mg/L				2.9	11.3	41.4	10.8	2.89		
Zinc (TREC)	mg/L				<MDL	0.038	0.630	<MDL	<MDL		

The area of concern for monitoring point FMC-low was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered operational.

The lower monitoring point for the Fire Mountain Canal is located at a point just south of its crossing under old State Hwy 133. Flow data is received from Fire Mountain Canal records (Trey Dennison 970-527-5166 or cell 970-589-2857).

** Flow at full capacity near Somerset from their website. Did not receive a call back with actual values.*
*** Average flow values from last five years*

Note: The Fire Mountain Canal was dry before field parameters could be obtained 3Q (2021)

There is no baseline collection possible for points initiated after the influence of mining.

FMC-up
Canal - Fire Mountain Canal
Elevation - 5960'

No water in canal
in September

Initiated	5/19/1999	5/19/1999	5/19/1999
Activated	5/19/1999	5/19/1999	5/19/1999
Date	8/17/2021	6/8/2021	3/29/2021

Field Parameters	UNITS	Summary Information Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	CFS				13	157	182	155	165	
FieldComment								Shut off 8.17		Dry
ph	su				7.0	8.2	8.9	8.9	8.8	
Conductivity	umhos/cm				40	143	290	230	84	
Temperature	Celsius				4.9	12.1	22.2	16.2	9.8	
DO	mg/L				0.0	8.8	82.3	0.7	0.4	
Lab Parameters	UNITS									
Bicarbonate	mg/L				2.00	76.14	147.00	100	29.3	
Chloride	mg/L				<MDL	10.6	103	2.06	0.77	
Conductivity	umhos/cm				64	173	402	213	71	
Hardness	mg/L				27.78	70.82	172.49	101	31	
Nitrate-Nitrite	mg/L				<MDL	0.29	2.15	<MDL	0.057	
Oil and Grease	mg/L				<MDL	<MDL	<MDL	<MDL	<MDL	
pH	su				6.6	7.8	8.6	8.4	7.9	
Phosphate	mg/L				<MDL	0.05	0.24	<MDL	0.0341	
ResidueFilterable-TDS	mg/L				40	117	269	144	42	
ResidueNonFilterable-TSS	mg/L				<MDL	65	472	39	9	
SAR					<MDL	0.49	1.77	0.56	0.22	
Sulfate	mg/L				<MDL	11.66	51.86	<MDL	<MDL	
Aluminum (TREC)	mg/L				<MDL	1.45	14.00	5.19	0.771	
Arsenic (TREC)	mg/L				<MDL	0.0046	0.0450	0.00128	0.00035	
Cadmium (TREC)	mg/L				<MDL	0.0022	0.0100	<MDL	<MDL	
Calcium (TREC)	mg/L				2.3	20.3	45.0	30.7	9.9	
Copper (TREC)	mg/L				<MDL	0.0150	0.1440	<MDL	<MDL	
Iron (TREC)	mg/L				0.03	1.48	13.30	3.29	0.53	
Lead (TREC)	mg/L				<MDL	0.0054	0.0300	0.00165	0.00038	
Magnesium (TREC)	mg/L				1.5	4.5	14.6	5.9	1.5	
Manganese (TREC)	mg/L				0.007	0.045	0.250	0.056	0.012	
Mercury (TREC)	mg/L				<MDL	0.00004	0.00018	<MDL	<MDL	
Molybdenum (TREC)	mg/L				<MDL	0.004	0.030	<MDL	<MDL	
Selenium (TREC)	mg/L				<MDL	0.0021	0.0110	0.00022	0.00014	
Sodium (TREC)	mg/L				2.8	10.6	36.6	12.5	2.8	
Zinc (TREC)	mg/L				<MDL	0.015	0.090	<MDL	<MDL	

The area of concern for monitoring point FMC-up was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered operational.

The upper monitoring point for the Fire Mountain Canal is located where the ditch crosses Hubbard Creek. Flow data is received from Fire Mountain Canal records (Trey Dennison 970-527-5166 or cell 970-589-2857).

** Flow at full capacity near Somerset from their website. Did not receive a call back with actual values.*
*** Average flow values from last five years*

Note: The Fire Mountain Canal was dry before field parameters could be obtained 3Q (2020)

There is no baseline collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Surface Water

Free-low
Freeman Gulch - Drainage System
Elevation - 7560

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	6/23/1999	6/23/1999	6/23/1999	6/23/1999
Date	12/2/2002	9/21/2021	6/17/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.24	3.75	0.00	0.28	7.50	0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	8.3	8.5	8.6	7.3	8.2	8.6				
Conductivity	umhos/cm	1240	1250	1260	90	1303	2100				
Temperature	Celsius	18.4	19.8	21.2	0.6	12.3	23.0				
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	594	604	614	238.6	342.4	543.9				
Chloride	mg/L	16	18	19	3.06	8.13	11.41				
Conductivity	umhos/cm	1170	1190	1210	1321	1754	2470				
Hardness	mg/L	404	430	456	308.0	404.7	578.9				
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	0.48	0.48	0.48				
Oil and Grease	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
pH	su	8.3	8.3	8.4	7.6	7.7	7.8				
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL				
ResidueFilterable-TDS	mg/L	730	765	800	1056	1263	1590				
ResidueNonFilterable-TSS	mg/L	<MDL	3	6	6	36	90				
SAR		2.48	2.63	2.78	2.91	4.45	5.30				
Sulfate	mg/L	130	130	130	316.9	382.4	507.5				
Aluminum (TREC)	mg/L	0.13	0.21	0.29	<MDL	0.40	0.61				
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.005	0.006				
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	0.002	0.005	0.010				
Calcium (TREC)	mg/L	56.4	61.2	65.9	50.80	66.93	98.40				
Copper (TREC)	mg/L	<MDL	0.005	0.01	0.01	0.02	0.02				
Iron (TREC)	mg/L	0.11	0.15	0.19	0.06	0.08	0.10				
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	0.02	0.03	0.03				
Magnesium (TREC)	mg/L	64.1	67.5	70.8	44.0	57.7	80.9				
Manganese (TREC)	mg/L	0.010	0.013	0.016	0.00	0.03	0.06				
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	0.00001	0.00006	0.00008				
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.005				
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.016	0.018				
Sodium (TREC)	mg/L	120	124	127	163.0	199.3	223.5				
Zinc (TREC)	mg/L	<MDL	0.01	0.03	<MDL	0.03	0.06				

Baseline Information for Point Free-low is derived from events beginning 6/12/95 through 6/23/99.
Point influenced by mining on 6/23/99.

Plot of Flow and Conductivity



Free-low - Freeman Gulch Drainage System

Figure74

Free-up
Freeman Gulch - Drainage System
Elevation - 6360

Initiated	6/12/1995	6/12/1995	6/12/1995	6/12/1995
Activated	6/28/1999	6/28/1999	6/28/1999	6/28/1999
Date	12/1/2021	9/21/2021	6/21/2021	1Q

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.00	0.00	0.00	0.25	10.30	0	0	0	0
FieldComment								Dry	Dry	Dry	*
ph	su				6.68	7.50	8.00				
Conductivity	umhos/cm				710.00	723.50	759.00				
Temperature	Celsius				7.20	8.65	11.50				
Lab											
Parameters	UNITS										
Bicarbonate	mg/L				323.00	341.50	360.00				
Chloride	mg/L				<MDL	<MDL	2.20				
Conductivity	umhos/cm				519.00	587.50	656.00				
Hardness	mg/L				237.00	241.00	245.00				
Nitrate-Nitrite	mg/L				0.00	<MDL	0.00				
Oil and Grease	mg/L				0.00	<MDL	0.00				
pH	su				7.37	7.37	7.55				
Phosphate	mg/L				0.02	<MDL	0.02				
ResidueFilterable-TDS	mg/L				418.00	429.00	429.00				
ResidueNonFilterable-TSS	mg/L				7.40	<MDL	7.40				
SAR					1.86	1.86	1.91				
Sulfate	mg/L				96.50	<MDL	96.50				
Aluminum	mg/L				0.00	<MDL	0.00				
Arsenic	mg/L				0.00	<MDL	0.00				
Cadmium	mg/L				0.02	0.02	0.02				
Calcium	mg/L				66.10	67.70	67.70				
Copper	mg/L				0.00	<MDL	0.00				
Iron (Total)	mg/L				0.03	0.03	0.07				
Lead	mg/L				0.00	<MDL	0.00				
Magnesium	mg/L				17.40	18.50	18.50				
Manganese (Total)	mg/L				0.01	0.01	0.01				
Mercury	mg/L				0.11	<MDL	0.11				
Molyebdenum	mg/L				0.00	<MDL	0.00				
Selenium	mg/L				0.08	0.08	0.08				
Sodium	mg/L				57.60	68.20	68.20				
Zinc	mg/L				0.00	<MDL	0.00				

** Site in accesible due to snow*

Upper Freeman Gulch is monitored just below Pond 2 at the upper end of Freeman Gulch, near drill holes DH34-B and DH34-C.

Note: Site was not accessible during 1Q 2018

Baseline Information for Point Free-up is derived from events beginning 6/12/95 through 6/28/99.
Point influenced by mining on 6/28/99.

HUB-low
Hubbard Creek - Drainage System
Elevation - 5880

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	6/23/1999	6/23/1999	6/23/1999	6/23/1999
Date	12/2/2021	9/29/2021	6/8/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	2.90	19.67	85.51	0.04	24.58	294.00	1.5	0.5	3.5	12
FieldComment											
ph	su	8.0	8.5	9.3	7.1	8.3	9.0	8.4	8.4	8.7	8.7
Conductivity	umhos/cm	80	198	390	50	314	850	335	537	590	338
Temperature	Celsius	2.3	11.1	20.2	0.3	9.5	21.7	1.2	14.7	12.2	11.9
Lab Parameters	UNITS										
Bicarbonate	mg/L	62	115	155	28	143	690		224		
Chloride	mg/L	<MDL	1.7	3.0	<MDL	26.5	203.6		4.65		
Conductivity	umhos/cm	118	254	406	87	328	711		545		
Hardness	mg/L	49	96	138	0.06	126.72	315.52		233		
Nitrate-Nitrite	mg/L	<MDL	0.05	0.29	<MDL	0.18	1.62		0.259		
Oil and Grease	mg/L	<MDL	3.0	3.0	<MDL	3.0	3.0		<MDL		
pH	su	7.5	7.9	8.3	6.9	8.0	8.4		8.4		
Phosphate	mg/L	<MDL	0.004	0.030	<MDL	0.04	0.27		<MDL		
ResidueFilterable-TDS	mg/L	100	163	260	60	236	563		344		
ResidueNonFilterable-TSS	mg/L	<MDL	33	170	<MDL	20	200		<MDL		
SAR		<MDL	0.47	1.04	<MDL	0.86	2.62		0.91		
Sulfate	mg/L	<MDL	17	50	<MDL	32	102		5.4		
Aluminum (TREC)	mg/L	0.05	0.58	1.91	<MDL	20.68	733.00		0.069		
Arsenic (TREC)	mg/L	<MDL	0.0004	0.0010	<MDL	0.0077	0.0600		0.00043		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.010	0.040		<MDL		
Calcium (TREC)	mg/L	13.8	26.2	36.7	8.5	32.5	70.7		61		
Copper (TREC)	mg/L	<MDL	0.001	0.010	<MDL	0.008	0.060		<MDL		
Iron (TREC)	mg/L	0.09	0.54	1.44	0.06	0.32	1.28		0.09		
Iron (Dissolved)	mg/L	0.00	#DIV/0!	0.00	0.07	0.11	0.16		<MDL		
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0141	0.0700		<MDL		
Magnesium (TREC)	mg/L	3.6	7.4	11.2	2.4	11.3	34.6		19.6		
Manganese (TREC)	mg/L	0.009	0.016	0.034	<MDL	0.022	0.080		0.017		
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00018		<MDL		
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.030		<MDL		
Selenium (TREC)	mg/L	<MDL	0.001	0.010	<MDL	0.0042	0.0200		0.00012		
Sodium (TREC)	mg/L	5.3	15.9	27.6	3.6	25.3	73.0		31.5		
Zinc (TREC)	mg/L	<MDL	0.01	0.04	<MDL	0.009	0.037		<MDL		

Note 1: USGS did not collect flow values.

** Flow not provided*

The Lower Hubbard Creek monitoring point is located at a concrete box culvert under the Union Pacific railroad track just above the North Fork of the Gunnison. Flow values are taken by Resource Engineering Inc.

Baseline Information for Point Hub-low is derived from events beginning on 9/30/96 through 6/23/99.
Point influenced by mining on 6/23/99.

Plot of Flow and Conductivity



Hub-low - Hubbard Creek Drainage System

Figure77

NFG-low
North Fork - Drainage System
Elevation - 5680

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	3/31/1997	3/31/1997	3/31/1997	3/31/1997
Date	10/11/2021	8/10/2021	6/8/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	99	292	610	30	472	3080	71	241	860	76.2
FieldComment											
ph	su	8.1	8.4	8.7	5.0	8.3	9.1	8.4	8.9	8.9	5.0
Conductivity	umhos/cm	160	180	200	50	193	356	271	281	99	227
Temperature	Celsius	4.0	8.5	14.6	0.3	10.9	22.6	8.9	15.7	10.7	8.5
DO	mg/L				0.0	9.2	91.7	0.72	0.63	0.81	0.12
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	95	100	105	28.1	83.5	148.0			33.1	
Chloride	mg/L	2.00	2.50	3.00	<MDL	24.26	288.30		3.23	0.95	
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL		<MDL		
Chromium VI CrIV	mg/L				<MDL	<MDL	<MDL		<MDL		
Cyanide, Total	mg/L				<MDL	<MDL	<MDL		<MDL		
Conductivity	umhos/cm	201	222	242	78	210	754			85	
Hardness	mg/L	84	85	85	<MDL	84.00	270.40			37	
Nitrate	mg/L	<MDL	0.08	0.16	<MDL	0.33	3.90		<MDL		
Nitrate-Nitrite	mg/L	0.00	0.08	0.16	<MDL	<MDL	<MDL		<MDL	<MDL	
Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	0.002	0.010		<MDL		
Ammonia	mg/L	<MDL	<MDL	<MDL	<MDL	0.06	0.31		<MDL		
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL	4	5		<MDL		
pH	su	8.0	8.0	8.0	7.0	7.9	8.8		8.4	7.9	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.10	1.50			<MDL	
ResidueFilterable-TDS	mg/L	130	140	150	50	155	692		162	50	
ResidueNonFilterable-TSS	mg/L	<MDL	3	6	<MDL	22	141			7	
SAR		0.55	0.61	0.66	<MDL	0.61	2.42			0.24	
Sulfate	mg/L	10.0	15.0	20.0	<MDL	16.0	82.5		2.04	<MDL	
Sulfide S	mg/L				<MDL	0.04	0.04		<MDL		
Aluminum (TREC)	mg/L	0.10	0.15	0.21	<MDL	0.40	1.77			0.486	
Arsenic (TREC)	mg/L	<MDL	0.001	0.001	<MDL	0.0057	0.0500		<MDL	0.00031	
Boron	mg/L				0.02	0.51	1.35		0.03		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0029	0.0180		<MDL	<MDL	
Calcium (TREC)	mg/L	24.6	24.8	25.0	6.9	26.9	132.0		30.7	11.4	
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.012	0.198		<MDL	<MDL	
Iron, Dissolved	mg/L	<MDL	<MDL	<MDL	<MDL	0.35	12.90		<MDL	<MDL	
Iron (TREC)	mg/L	0.14	0.21	0.27	<MDL	0.43	4.17		1.6	0.32	
Lead (TREC)	mg/L	<MDL	0.010	0.020	<MDL	0.0108	0.1500		0.00084	0.00022	
Magnesium (TREC)	mg/L	5.30	5.50	5.70	1.98	6.04	18.80		6.76	1.98	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.146	2.900		<MDL		
Manganese (TREC)	mg/L	0.021	0.090	0.160	0.007	0.045	0.802		0.06	0.11	
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00030		<MDL	<MDL	
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.030		<MDL	<MDL	
Nickel	mg/L				<MDL	0.010	0.010		<MDL		
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.034		<MDL	0.00015	
Silver	mg/L				<MDL	<MDL	<MDL		<MDL		
Sodium (TREC)	mg/L	11.5	12.2	12.9	3.0	14.8	91.5			3.4	
Zinc (TREC)	mg/L	0.02	0.02	0.03	<MDL	0.02	0.16		<MDL	<MDL	

Field parameters, except flow, for the Lower North Fork of the Gunnison River are taken on the river approximately 1500' below the confluence of Terror Creek and the North Fork of the Gunnison. Flow data for the North Fork of the Gunnison river is obtained from USGS station #09132500.

** Data not provided*

Baseline Information for Point NFG-low is derived from events beginning on 9/30/96 through 3/31/97. Point influenced by mining on 3/31/97.

Plot of Flow and Conductivity



NFG-low - North Fork Drainage System

Figure79

NFG-up
North Fork - Drainage System
Elevation - 5880

Initiated	9/30/1996	9/30/1996	9/30/1996	9/30/1996
Activated	3/31/1997	3/31/1997	3/31/1997	3/31/1997
Date	12/2/2021	8/10/2021	6/8/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	CFS	99	292	610	30	471	3080	62	241	860	76.2
FieldComment											
ph	su	8.1	8.5	8.8	7.1	8.3	9.7	8.4	8.8	8.8	8.4
Conductivity	umhos/cm	160	167	180	50	177	320	300.0	234.0	92.3	193.3
Temperature	Celsius	3.6	7.3	13.7	0.2	10.2	22.6	0.8	15.6	9.4	12.2
DO	mg/L				0.2	9.9	91.2	0.3	0.6	0.7	0.2
Lab Parameters	UNITS										
Bicarbonate	mg/L	88	93	98	31	83	203			31.3	
Chloride	mg/L	2.0	2.5	3.0	<MDL	28.7	471.5		2.41	0.82	
Chromium III CrIII	mg/L				<MDL	<MDL	<MDL			<MDL	
Chromium VI CrIV	mg/L				<MDL	0.008	0.008			<MDL	
Cyanide, Total	mg/L				<MDL	0.067	0.081		<MDL		
Conductivity	umhos/cm	185	205	225	7	200	668			80	
Hardness	mg/L	74	77	79	26.5	79.3	253.0		84.00	34.00	
Nitrate	mg/L	<MDL	0.05	0.09	<MDL	0.36	3.47		<MDL		
Nitrate/Nitrite	mg/L	0.00	0.05	0.09	<MDL	0.3	3		<MDL	0.041	
Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.017		<MDL		
Ammonia	mg/L	<MDL	<MDL	<MDL	<MDL	0.04	0.23		<MDL		
Oil & Grease	mg/L	<MDL	<MDL	<MDL	<MDL	7	11		<MDL	<MDL	
pH	su	7.9	8.0	8.0	6.9	7.9	9.0		8.4	8	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.12	1.90			0.0372	
ResidueFilterable-TDS	mg/L	120	130	140	9	144	522		138	46	
ResidueNonFilterable-TSS	mg/L	10	11	12	<MDL	23	131			7	
SAR		0.42	0.60	0.78	<MDL	0.64	2.39			0.24	
Sulfate	mg/L	10	15	20	<MDL	18	80		9.6	<MDL	
Sulfide S	mg/L				<MDL	0.05	0.05		<MDL		
Aluminum (TREC)	mg/L	0.08	0.18	0.27	<MDL	16.93	691.00			0.532	
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0039	0.0350		0.001	0.00033	
Boron	mg/L				0.02	0.49	1.20		<MDL		
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.007	0.031		<MDL	<MDL	
Calcium (TREC)	mg/L	21.9	22.9	24.0	7.0	24.4	138.0		26.1	10.6	
Copper (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.012	0.197		<MDL	<MDL	
Iron, Dissolved	mg/L				<MDL	0.77	22.80		<MDL	<MDL	
Iron (TREC)	mg/L	0.09	0.09	0.09	0.03	2.04	81.00		2.29	0.336	
Lead (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.0111	0.1200		0.00143	0.00024	
Magnesium (TREC)	mg/L	4.70	4.70	4.70	1.73	5.44	23.40			1.73	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.49	4.66		4.66		
Manganese (TREC)	mg/L	0.011	0.015	0.019	<MDL	0.170	7.600		0.051	<MDL	
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00006	0.00022		<MDL	<MDL	
Molyebdenum (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.004	0.030			<MDL	
Nickel	mg/L				<MDL	0.01	0.01		<MDL		
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL	<MDL	0.003	0.027		0.00019	0.00018	
Silver	mg/L				<MDL	<MDL	<MDL		<MDL		
Sodium (TREC)	mg/L	8.6	12.0	15.3	3.2	132.3	5420.0			3.2	
Zinc (TREC)	mg/L	0.020	0.025	0.030	<MDL	0.015	0.143		<MDL	<MDL	

Field parameters, except flow in the Upper North Fork of the Gunnison River monitoring point are taken on the river just above its confluence with Hubbard Creek. Flow data for the North Fork of the Gunnison river is obtained from USGS station #09132500.

** Data not provided*

Baseline Information for Point NFG-up is derived from events beginning on 9/30/96 through 3/31/97.
Point influenced by mining on 3/31/97.

Plot of Flow and Conductivity



NFG-up - North Fork Drainage System

Figure81

Steph-low
Stevens Draw - Drainage System
Elevation - 7000'

Initiated	7/12/1995	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2002	7/1/2002	7/1/2002	7/1/2002
Date	12/1/2021	9/21/2021	6/30/2021	3/29/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Flow	GPM	0.00	0.20	4.00				0	0	0	0
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.9	8.2	8.4							
Conductivity	umhos/cm	1020	1139	1310							
Temperature	Celsius	3.8	10.8	17.2							
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	452	495	554							
Chloride	mg/L	14	16	20							
Conductivity	umhos/cm	1020	1093	1180							
Hardness	mg/L	343	382	433							
Nitrate-Nitrite	mg/L	0.02	0.20	0.97							
Oil and Grease	mg/L	<MDL	1	4							
pH	su	8.0	8.2	8.3							
Phosphate	mg/L	<MDL	<MDL	<MDL							
ResidueFilterable-TDS	mg/L	660	718	780							
ResidueNonFilterable-TSS	mg/L	<MDL	21	58							
SAR		<MDL	2.28	3.22							
Sulfate	mg/L	150	170	190							
Aluminum	mg/L	0.05	0.53	1.71							
Arsenic	mg/L	<MDL	0.001	0.002							
Cadmium	mg/L	<MDL	<MDL	<MDL							
Calcium	mg/L	49.4	59.6	72.4							
Copper	mg/L	<MDL	0.002	0.010							
Iron (Total)	mg/L	0.27	0.82	2.57							
Lead	mg/L	<MDL	<MDL	<MDL							
Magnesium	mg/L	41.3	55.9	66.2							
Manganese (Total)	mg/L	0.070	0.211	0.566							
Mercury	mg/L	<MDL	<MDL	<MDL							
Molyebdenum	mg/L	<MDL	<MDL	<MDL							
Selenium	mg/L	<MDL	0.0002	0.001							
Sodium	mg/L	99.8	120.0	152.0							
Zinc	mg/L	<MDL	0.01	0.03							

The area of concern for monitoring point Steph-low has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

The monitoring point location for Lower Stevens Draw is located in Stevens Draw, just below Pond 1 and Spring 14. It is accessed by a southern fork of the Stevens Draw road.

Baseline Information Collection initiated on 9/27/95 and not yet considered complete.
Point Steph-low has not been influenced by mining.

Plot of Flow and Conductivity



Steph-low - Stevens Draw Drainage System

Figure83

Steph-up
Stevens Draw - Drainage System
Elevation - 7920'

Initiated	7/12/1995	7/12/1995	7/12/1995
Activated	7/1/2002	7/1/2002	7/1/2002
Date	12/1/2021	9/20/2021	6/21/2021

		Summary Information								
Field		Baseline			Operation					
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max			
Flow	GPM	0.00	0.15	5.00	0.00	0.05	3.75	0	0	0
FieldComment								Dry	Dry	Dry
ph	su				7.7	7.7	7.7			
Conductivity	umhos/cm				200	200	200			
Temperature	Celsius				11.2	11.2	11.2			
Lab										
Parameters	UNITS									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
Nitrate-Nitrite	mg/L									
Oil and Grease	mg/L									
pH	su									
Phosphate	mg/L									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Aluminum	mg/L									
Arsenic	mg/L									
Cadmium	mg/L									
Calcium	mg/L									
Copper	mg/L									
Iron (Total)	mg/L									
Lead	mg/L									
Magnesium	mg/L									
Manganese (Total)	mg/L									
Mercury	mg/L									
Molyebdenum	mg/L									
Selenium	mg/L									
Sodium	mg/L									
Zinc	mg/L									

Note: 1Q 2021 site inaccessible

The monitoring point for Upper Stevens Draw is located in Stevens Draw, just below Spring 11. It is accessed by the Stevens Draw road.

Baseline Information for Point Steph-up is derived from events beginning 7/12/95 through 7/1/02.
Point influenced by mining on 7/1/02.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Surface Water

SW-01
West Terror Creek - Downstream
Elevation - 7140

Initiated	10/24/2013	10/24/2013	10/24/2013
Activated			
Date	12/6/2021	9/23/2021	6/9/2021

		Summary Information								
Field		Baseline			Operation					
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max			
Flow	CFS	0.01	3.62	52.00				0.01	0.04	0.12
Water Level in Flume	Feet	0.025	0.569	2.000				0.025	0.05	0.1
Temperature	Celsius	0	6.6	20.2				0.0	9.6	9.6
Conductivity	umhos/cm	80.2	142	340				340	151	101
pH	su	0.7	8.1	10.6				8.5	8.3	8.7
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	37.1	69.2	90.6						41.4
Chloride	mg/L	0.56	0.84	1.30						0.74
Conductivity	umhos/cm	65.4	105	139						90
Hardness	mg/L	34	53.77	69.90						43
Acidity	mg/L	-76	-54.44	-25.00						<MDL
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL						<MDL
Oil and Grease	mg/L	<MDL	<MDL	<MDL						<MDL
Phosphate	mg/L	0.017	0.06	0.23						0.0341
ResidueFilterable-TDS	mg/L	74	102	144						74
ResidueNonFilterable-TSS	mg/L	<MDL	12	34						5
SAR		0.226	0.323	0.505						0.23
Sulfate	mg/L	1.8	8.1	82.0						<MDL
Aluminum (TREC)	mg/L	<MDL	8.349	101.000						0.451
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL						0.00031
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Calcium (TREC)	mg/L	8.6	14.1	18.0						<MDL
Calcium (Dissolved)	mg/L	1.2	13.9	18.2						11.3
Copper (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Iron (Dissolved)	mg/L	0.0310	3.8880	41.6000						<MDL
Iron (TREC)	mg/L	0.074	0.955	9.000						0.4
Lead (TREC)	mg/L	<MDL	<MDL	<MDL						0.00011
Magnesium (TREC)	mg/L	0.10	4.35	6.07						3.65
Magnesium (Dissolved)	mg/L	0.89	4.72	6.09						
Manganese (TREC)	mg/L	0.0003	0.0135	0.0334						0.01
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Selenium (TREC)	mg/L	<MDL	0.01	0.01						0.000
Sodium (TREC)	mg/L	3.37	5.54	8.50						3.38
Sodium (Dissolved)	mg/L	3.48	5.78	8.66						
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL

The area of concern for monitoring point SW-01 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.
Negative acidity value indicates equivalent value of alkalinity

SW-02
Terror Creek - Mid Stream
Elevation - 7040

Initiated	10/24/2013	10/24/2013	10/24/2013
Activated			
Date	12/6/2021	9/23/2021	6/9/2021

Field Parameters	UNITS	Summary Information Baseline Min	Ave	Max	Operation Min	Ave	Max			
Flow	CFS	0.00	6.04	95.37				0.423	<5 GPM	0.423
Water Level in Flume	Feet	0.00	0.37	3.10				0.050		0.100
Temperature	Celsius	-0.7	9.0	20.3				0.1	8.1	8.6
Conductivity	umhos/cm	2.9	126	334				304	334	121
pH	su	5.3	8.2	10.2				8.46	8.13	8.79
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	38	84	148						51.2
Chloride	mg/L	0.57	24.78	198.50						1.38
Conductivity	umhos/cm	65.4	182	548						109
Hardness	mg/L	29.02	71.89	157.58						52
Nitrate-Nitrite	mg/L	<MDL	0.22	0.61						0.021
Oil and Grease	mg/L	<MDL	<MDL	<MDL						<MDL
pH	su	6.7	7.7	8.8						8.1
Phosphate	mg/L	<MDL	0.75	7.79						0.0496
ResidueFilterable-TDS	mg/L	70	149	430						110
ResidueNonFilterable-TSS	mg/L	<MDL	28	174						14
SAR		0.11	0.48	2.22						0.29
Sulfate	mg/L	1.70	10.76	35.00						<MDL
Aluminum (TREC)	mg/L	<MDL	22.858	400.000						2.11
Arsenic (TREC)	mg/L	<MDL	0.021	0.075						0.00047
Cadmium (TREC)	mg/L	<MDL	0.008	0.020						<MDL
Calcium (TREC)	mg/L	5.42	18.12	42.00						12.6
Copper (TREC)	mg/L	<MDL	0.004	0.010						<MDL
Iron (TREC)	mg/L	0.033	0.567	1.470						1.47
Lead (TREC)	mg/L	<MDL	0.012	0.050						0.00048
Magnesium (TREC)	mg/L	3.24	8.55	18.10						5.05
Manganese (TREC)	mg/L	0.01	0.03	0.05						0.044
Mercury (TREC)	mg/L	<MDL	0.00006	0.00016						<MDL
Molybdenum (TREC)	mg/L	<MDL	0.004	0.006						<MDL
Selenium (TREC)	mg/L	<MDL	0.00554	0.02300						0.00014
Sodium (TREC)	mg/L	3.5	13.7	64.0						4.76
Zinc (TREC)	mg/L	<MDL	0.027	0.060						<MDL

The area of concern for monitoring point SW-02 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

SW-02 is located on the East Fork of Terror Creek in the NW1/4 SE1/4 Sec 5, T13S, R91W, of the 6th P.M. A 48" Parshall flume manufactu by the Thompson Pipe and Steel Company of Denver, Colorado was installed at this location.

SW-05
Stevens Gulch - Downstream
Elevation - 6600

Initiated	1/1/1983	1/1/1983	1/1/1983	1/1/1983
Activated				
Date	10/5/2021	9/29/2021	6/8/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	CFS	0.00	1.61	30.13							
Water Level in Flume	Feet	0.00	0.09	1.06							
Temperature	Celsius	-0.5	10.3	23.7							
Conductivity	umhos/cm	0	551	2000							
pH	su	0.0	8.2	9.9							
Field Comments								Dry	Dry	Dry	Dry
Lab Parameters	UNITS										
Bicarbonate	mg/L	66	219	456							
Chloride	mg/L	<MDL	21.00	223.41							
Conductivity	umhos/cm	149	578	1560							
Hardness	mg/L	35.6	245.8	625.7							
Nitrate-Nitrite	mg/L	<MDL	0.34	0.88							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	6.8	8.1	8.7							
Phosphate	mg/L	<MDL	0.18	0.47							
ResidueFilterable-TDS	mg/L	106	386	1130							
ResidueNonFilterable-TSS	mg/L	<MDL	34	438							
SAR		0.23	1.04	2.06							
Sulfate	mg/L	<MDL	97.7	450.0							
Aluminum (TREC)	mg/L	0.022	0.284	0.530							
Arsenic (TREC)	mg/L	<MDL	0.020	0.040							
Cadmium (TREC)	mg/L	<MDL	0.007	0.010							
Calcium (TREC)	mg/L	8.81	49.06	103.00							
Copper (TREC)	mg/L	<MDL	0.008	0.020							
Iron (TREC)	mg/L	0.03	0.38	1.46							
Lead (TREC)	mg/L	0.00	0.02	0.04							
Magnesium (TREC)	mg/L	7.10	26.36	61.20							
Manganese (TREC)	mg/L	0.01	0.52	7.30							
Mercury (TREC)	mg/L	0.00002	0.00011	0.00027							
Molybdenum (TREC)	mg/L	0.002	0.006	0.015							
Selenium (TREC)	mg/L	<MDL	0.007	0.018							
Sodium (TREC)	mg/L	9.60	32.78	64.00							
Zinc (TREC)	mg/L	0.005	0.009	0.020							

The area of concern for monitoring point SW-05 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

** Flow not measureable*

The Stevens Gulch stream gauge, SW-05, is located near Bowie No. 1 mine's timber storage area in the NE1/4NW1/4, Sec 25, T13S, R92W, of the 6th P.M. A 36" Parshall flume was installed at this locations.

Plot of Flow and Conductivity



SW-05 Stevens Gulch Drainage

SW-10
Terror Ditch
Elevation - 6480

Initiated	7/1/1983	7/1/1983	7/1/1983
Activated			
Date	10/6/2021	9/23/2021	6/9/2021

Field Parameters	UNITS	Summary Information Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Flow	CFS	0.00	3.17	12.80						4.51
Water Level in Flume	Feet	0.00	0.43	0.87						0.6
Temperature	Celsius	0.1	9.1	21.3						11.8
Conductivity	umhos/cm	20	138	970						112.9
pH	su	5.6	8.2	9.2						8.71
Field Comments								Ditch off	Ditch off	
Lab Parameters	UNITS									
Bicarbonate	mg/L	25.3	79.7	188.0						47.2
Chloride	mg/L	<MDL	18.3	186.1						0.92
Conductivity	umhos/cm	53	173	756						102
Hardness	mg/L	32	66	141						48
Nitrate-Nitrite	mg/L	<MDL	0.17	0.54						0.021
Oil and Grease	mg/L	<MDL	<MDL	<MDL						<MDL
pH	su	6.9	7.7	8.5						8.1
Phosphate	mg/L	<MDL	<MDL	<MDL						0.0372
ResidueFilterable-TDS	mg/L	50	131	610						90
ResidueNonFilterable-TSS	mg/L	<MDL	24.8	136.0						5
SAR		0.11	0.64	6.43						0.28
Sulfate	mg/L	<MDL	11.83	68.50						<MDL
Aluminum (TREC)	mg/L	<MDL	18.692	154.000						0.634
Arsenic (TREC)	mg/L	<MDL	0.011	0.030						0.0003
Cadmium (TREC)	mg/L	<MDL	0.010	0.022						<MDL
Copper (TREC)	mg/L	<MDL	0.006	0.010						<MDL
Calcium (TREC)	mg/L	6.07	16.00	22.00						12
Iron (TREC)	mg/L	0.014	0.467	1.730						0.496
Lead (TREC)	mg/L	0.000	0.015	0.060						0.00016
Magnesium (TREC)	mg/L	3.00	8.25	21.00						4.26
Manganese (TREC)	mg/L	0.010	0.022	0.072						0.013
Mercury (TREC)	mg/L	<MDL	0.00007	0.00020						<MDL
Molybdenum (TREC)	mg/L	<MDL	0.0022	0.0060						<MDL
Selenium (TREC)	mg/L	<MDL	0.004	0.018						0.00011
Sodium (TREC)	mg/L	3.64	19.47	144.00						4.31
Zinc (TREC)	mg/L	<MDL	0.014	0.050						<MDL

The area of concern for monitoring point SW-10 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

A stilling well and recorder were installed on a 30" Parshall flume on the Terror Ditch. This stream gauge is located in the NE1/4NE1/4, Sec 17, T

** 1Q inaccessible due to snow*

**** No data in the field notes*

Plot of Flow and Conductivity



SW-10 - Terror Ditch

SW-11
Stevens Gulch - Upstream
Elevation - 8084

Initiated	6/6/2010	6/6/2010	6/6/2010	6/6/2010
Activated				
Date	10/5/2021	9/30/2021	6/8/2021	3/29/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Flow	CFS	0	0.1	3.8							
Water Level in Flume	Feet	0	0.0	0.0							
Temperature	Celsius										
Conductivity	umhos/cm										
pH	su										
Field Comments								Dry	Dry	Dry	*Snow covered*
Lab Parameters	UNITS										
Bicarbonate	mg/L	55.9	63.6	71.3				*			
Carbonate	mg/L	0.0	0.0	0.0							
Chloride	mg/L	<MDL	2.8	3.0							
Conductivity	umhos/cm	98.7	107	116							
Hardness	mg/L	43.60	48.45	53.30							
Acidity	mg/L	-46.7	-42.35	-38.00							
Nitrate-Nitrite	mg/L	<MDL	0.00	0.00							
Oil and Grease	mg/L	<MDL	<MDL	<MDL							
pH	su	7.2	7.4	7.7							
Phosphate	mg/L	<MDL	0.12	0.13							
ResidueFilterable-TDS	mg/L	117	119	120							
ResidueNonFilterable-TSS	mg/L	<MDL	22	24							
SAR		0.37	0.39	0.40							
Aluminum (TREC)	mg/L	0.549	0.725	0.900							
Arsenic (TREC)	mg/L	<MDL	<MDL	0.000							
Cadmium (TREC)	mg/L	<MDL	<MDL	0.00							
Calcium (TREC)	mg/L	12.6	13.90	15.20							
Calcium (Dissolved)	mg/L	0	0.00	0.00							
Copper (TREC)	mg/L	<MDL	<MDL	0.00							
Iron (Dissolved)	mg/L	0.24	0.24	0.24							
Iron (TREC)	mg/L	0.42	0.82	1.23							
Lead (TREC)	mg/L	<MDL	<MDL	0.00							
Magnesium (TREC)	mg/L	2.94	3.34	3.73							
Manganese (TREC)	mg/L	0.03	0.06	0.08							
Mercury (TREC)	mg/L	<MDL	<MDL	0							
Molybdenum (TREC)	mg/L	<MDL	<MDL	0.000							
Selenium (TREC)	mg/L	<MDL	<MDL	0.000							
Sodium (TREC)	mg/L	5.65	5.80	5.94							
Sodium (Dissolved)	mg/L	0	0.00	0.00							
Zinc (TREC)	mg/L	<MDL	<MDL	0.00							

** Not enough water available for a sample*

SW-12
West Fork Terror Creek - Upstream
Elevation - 7920

Initiated								5/16/1983	5/16/1983	5/16/1983
Activated										
Date								10/5/2021	9/29/2021	6/8/2021
		Summary Information								
Field		Baseline			Operation					
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max			
Flow	CFS	0.04	3.80	52.00				0.22	0.35	4.31
Water Level in Flume	Feet	0.050	0.581	2.000				0.15	0.2	1.05
Temperature	Celsius	0.1	6.3	14.9				3.8	8.5	12.4
Conductivity	umhos/cm	68.8	118	180				131.8	144.1	93.4
pH	su	7.24	8.2	8.9				8.1	8.6	8.8
Field Comments										
Lab Parameters	UNITS									
Bicarbonate	mg/L	34.3	60.4	83.4						37.7
Chloride	mg/L	<MDL	0.73	1.40						0.64
Conductivity	umhos/cm	53.5	88.0	121.0						82
Hardness	mg/L	27.3	46.3	61.9						38
Acidity	mg/L	-64.0	-46.4	-20.0						<MDL
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL						<MDL
Oil and Grease	mg/L	<MDL	<MDL	<MDL						<MDL
Phosphate	mg/L	<MDL	0.04	0.12						0.0589
ResidueFilterable-TDS	mg/L	65	86	108						68.0
ResidueNonFilterable-TSS	mg/L	<MDL	15.2	37.0						8
SAR		0.174	0.263	0.486						0.19
Sulfate	mg/L	1.2	2.4	3.3						<MDL
Aluminum (TREC)	mg/L	0.104	0.646	1.710						0.822
Arsenic (TREC)	mg/L	<MDL	<MDL	<MDL						0.0003
Cadmium (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Calcium (TREC)	mg/L	7.1	550.4	8630.0						10.3
Calcium (Dissolved)	mg/L	11.2	13.3	14.6						<MDL
Copper (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Iron (Dissolved)	mg/L	0.0300	2.9342	######						<MDL
Iron (TREC)	mg/L	0.101	0.528	1.370						0.636
Lead (TREC)	mg/L	<MDL	<MDL	<MDL						0.00016
Magnesium (TREC)	mg/L	2.35	3.98	5.58						2.99
Magnesium (Dissolved)	mg/L	3.38	4.53	5.21						
Manganese (TREC)	mg/L	0.0011	0.0117	0.03						0.011
Mercury (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Molybdenum (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Selenium (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL
Sodium (TREC)	mg/L	2.60	4.15	7.77						2.67
Sodium (Dissolved)	mg/L	2.69	4.25	5.97						
Zinc (TREC)	mg/L	<MDL	<MDL	<MDL						<MDL

The area of concern for monitoring point SW-12 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Negative acidity value indicates equivalent value of alkalinity
**Inaccessible due to snow*
*** Flow to high unable to read gauge*

DH-15a
Stevens Draw - Drill Hole
Pipe Elevation - 7143.3
Pipe 1.8' above ground
Depth - 215'

Initiated	6/12/1995	6/12/1995
Activated		
Date	6/15/2021	3/29/2021

Field Parameters	UNITS	Summary Information Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max		
Static Water Level	Feet				185.90	192.06	194.80	186.6	185.9
Water Elevation	Feet				6948.50	6951.24	6957.40	6956.7	6957.4
FieldComment									
ph	su				7.06	7.52	8.00	7.2	7.8
Conductivity	umhos/cm				2880.00	3842.35	4200.00	4200	4110
Temperature	Celsius				7.77	13.01	15.50	13.4	13.7
Lab Parameters	**UNITS**								
Bicarbonate	mg/L				920.00	1154.13	1380.00	920	
Carbonate	mg/L				<MDL	<MDL	0.00	<MDL	
Chloride	mg/L				34.20	36.00	39.20	37.6	
Conductivity	umhos/cm				2740.00	3571.25	3950.00	3950	
Hardness	mg/L				323.00	734.63	942.00	942	
Nitrate-Nitrite	mg/L				<MDL	<MDL	0.00	<MDL	
Ammonia	mg/L				0.29	0.91	1.26	1.26	
pH	su				7.35	7.77	8.03	7.9	
Phosphate	mg/L				0.04	0.09	0.13	0.0651	
ResidueFilterable-TDS	mg/L				1980.00	2748.75	3100.00	3010	
Sulfate	mg/L				556.00	1208.38	1500.00	1450	
Arsenic (Dissolved)	mg/L				<MDL	<MDL	0.05	<MDL	
Cadmium (Dissolved)	mg/L				<MDL	<MDL	0.00	<MDL	
Calcium (Dissolved)	mg/L				50.20	125.89	163.00	163.0	
Iron (Dissolved)	mg/L				<MDL	<MDL	0.12	<MDL	
Iron (TREC)	mg/L				0.39	7.46	53.90	0.65	
Magnesium (Dissolved)	mg/L				43.10	101.45	130.00	130.0	
Manganese (Dissolved)	mg/L				0.10	0.15	0.17	0.171	
Manganese (TREC)	mg/L				0.13	0.18	0.23	0.193	
Mercury (Dissolved)	mg/L				<MDL	<MDL	0.00	<MDL	
Selenium (Dissolved)	mg/L				<MDL	<MDL	0.00	<MDL	
Sodium (Dissolved)	mg/L				547.00	660.00	771.00	649	
Zinc (Dissolved)	mg/L				<MDL	<MDL	0.00	<MDL	

DH-15a is a replacment well for DH-15. All data is considered operational.

Drill Hole 15a is located on the western edge of the Stevens Draw road.

Baseline Information Collection initiated on 6/12/95 and not yet considered complete.
Point DH-15 has not been influenced by mining.

DH-39
Stevens Draw - Drill Hole
Pipe Elevation - 7142.65
Pipe 1.2' above ground
Depth - 181'

Initiated	6/12/1995	6/12/1995
Activated		
Date	6/15/2021	3/29/2021

Field Parameters	UNITS	Summary Information Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max		
Static Water Level	Feet	64.55	72.76	192.55				77.7	77.5
Water Elevation	Feet	6950.1	7069.9	7078.1				7064.95	7065.15
FieldComment									
ph	su	6.8	7.3	8.3				8.29	7.71
Conductivity	umhos/cm	1010	1466	2650				2550	2650
Temperature	Celsius	4.3	10.4	14.3				13	4.3
Lab Parameters	UNITS								
Bicarbonate	mg/L	384.69	560.13	786.00					636
Carbonate	mg/L	<MDL	1.38	10.83					<MDL
Chloride	mg/L	1.36	18.08	47.14					28.1
Conductivity	umhos/cm	1025	1523	3340					2410
Hardness	mg/L	<MDL	426.76	771.50					457
Nitrate-Nitrite	mg/L	<MDL	0.75	7.06					1.02
Ammonia	mg/L	<MDL	0.30	1.00					0.056
pH	su	7.0	7.6	8.5					8.2
Phosphate	mg/L	<MDL	0.04	0.48					0.48
ResidueFilterable-TDS	mg/L	443	1031	2655					1690
Sulfate	mg/L	101.25	266.56	753.00					704
Arsenic (Dissolved)	mg/L	<MDL	0.0111	0.1730					0.00102
Cadmium (Dissolved)	mg/L	<MDL	0.007	0.035					<MDL
Calcium (Dissolved)	mg/L	6.5	84.4	161.0					94.6
Iron (Dissolved)	mg/L	<MDL	0.70	13.00					<MDL
Iron (TREC)	mg/L	0.01	10.45	43.70					0.131
Magnesium (Dissolved)	mg/L	<MDL	60.8	146.0					53.5
Manganese (Dissolved)	mg/L	<MDL	1.394	60.100					0.023
Manganese (TREC)	mg/L	0.026	0.410	2.470					0.044
Mercury (Dissolved)	mg/L	<MDL	0.000264	0.00550					<MDL
Selenium (Dissolved)	mg/L	<MDL	0.006	0.021					0.0043
Sodium (Dissolved)	mg/L	95.8	211.0	652.0					418
Zinc (Dissolved)	mg/L	<MDL	0.01	0.10					0.022

The area of concern for monitoring point DH-39 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Drill Hole 39 is located in Stevens Draw right next to Drill Hole 15. It is accessed by the Stevens Draw road.

Baseline Information Collection initiated on 6/12/95 and not yet considered complete.
Point DH-39 has not been influenced by mining.

Plot of Conductivity and Water Level



DH-39 - Stevens Draw Drill Hole

Figure95

DH-49
B Gulch - Drill Hole
Pipe Elevation - 7203.4
Pipe 0.7' above ground
Depth - 324'

Initiated	6/12/1995	6/12/1995
Activated	3/30/1997	3/30/1997
Date	6/15/2021	3/29/2021

		Summary Information							
		Baseline			Operation				
Field Parameters	UNITS	Min	Ave	Max	Min	Ave	Max		
Static Water Level	Feet	100.84	145.8	189.79	99.57	244.8782	311.46	285.7	286.6
Water Elevation	Feet	7013.6	7057.6	7102.6	6891.9	6958.5	7103.8	6917.7	6916.8
FieldComment									
ph	su	7.1	7.3	7.5	6.9	7.4	8.2	8.03	7.55
Conductivity	umhos/cm	1220	2028	3300	1140	3967	4690	4530	4690
Temperature	Celsius	10	11.9	13.5	10.8	13.7	17.3	16.8	15.8
Lab Parameters	UNITS								
Bicarbonate	mg/L	496	834	1090	313.4	1464.004	2130		1770
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	9.34	79.46		<MDL
Chloride	mg/L	14	15	16	<MDL	38.5	344.61		20.8
Conductivity	umhos/cm	1250	2023	2470	1160	3681.836	5920		4370
Hardness	mg/L	34	300	491	<MDL	189	463		155
Nitrate-Nitrite	mg/L	0.63	1.0	1.43	0.028	4.79	8.9		8.42
Ammonia	mg/L	0.14	1.9	3.8	<MDL	1.15	5		0.085
pH	su	7.1	7.4	7.7	7.2	7.7	8.7		8.1
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.76	21.3		0.16
ResidueFilterable (TDS)	mg/L	790	1347	1790	700	2654	3411		3010
Sulfate	mg/L	216	362	470	180	641.94	828		766
Arsenic (Dissolved)	mg/L	<MDL	0.001	0.002	<MDL	0.044	0.560		0.00085
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040		<MDL
Calcium (Dissolved)	mg/L	11	62	100	0.55	33.8	98.4		25.7
Iron (Dissolved)	mg/L	0.05	0.4	1.1	<MDL	0.137	1.12		0.136
Iron (TREC)	mg/L	0.2	12.4	29.4	0.0186	32.42	1310		4.02
Magnesium (Dissolved)	mg/L	1.6	35.1	58.6	18.7	30.7	71.5		22.1
Manganese (Dissolved)	mg/L	<MDL	0.038	0.105	<MDL	0.065	0.35		<MDL
Manganese (TREC)	mg/L	0.007	0.19	0.308	<MDL	2.12	68.7		0.143
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00050		<MDL
Selenium (Dissolved)	mg/L	<MDL	0.003	0.007	<MDL	0.034736	0.283		0.00032
Sodium (Dissolved)	mg/L	5.2	230.7	556	109	908	2070		968
Zinc (Dissolved)	mg/L	<MDL	0.003	0.01	<MDL	0.018	0.04		<MDL

Drill Hole 49 is located just above Stevens Draw road approximately 1000 feet southwest of the mine portals. It is accessed by the Stevens Draw road.

Baseline Information for Point DH-49 is derived from events beginning on 6/12/95 through 3/30/97.
Point influenced by mining on 3/30/97.

Plot of Conductivity and Water Level



DH-49 - B Gulch Drill Hole

Figure97

DH-67B
Hubbard Creek - B Seam Monitoring Well
Elevation - 6451
Depth - 594'

Initiated	6/29/2004
Activated	
Date	6/17/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max	
Static Water Level	Feet	146.9	264.7	498.4				243.7
Water Elevation	Feet	5952.6	6189.9	6451.0				6207.3
FieldComment								
ph	su	6.5	7.7	8.8				8.48
Conductivity	umhos/cm	2570	6198.2	7500				6640
Temperature	Celsius	13.4	18.7	26.5				17.1
Lab Parameters	UNITS							
Bicarbonate	mg/L	1486.3	2990.4	3838.0				3240
Carbonate	mg/L	<MDL	161.95	725.4				<MDL
Chloride	mg/L	3.92	344	509				463
Conductivity	umhos/cm	497	5444	7810				6360
Hardness	mg/L	3.59	42.76	198				40
Nitrate-Nitrite	mg/L	<MDL	1.80	7.4				<MDL
Ammonia	mg/L	0.102	4.33	9.48				7.38
pH	su	7.35	8.10	9.37				8.4
Phosphate	mg/L	<MDL	0.57	5.96				0.41
ResidueFilterable-TDS	mg/L	2186	4033.6	8131				4340
Sulfate	mg/L	<MDL	17.22	91.58				<MDL
Arsenic (Dissolved)	mg/L	<MDL	0.110	0.545				0.00143
Cadmium (Dissolved)	mg/L	<MDL	0.029	0.07				<MDL
Calcium (Dissolved)	mg/L	0.24	9.44	53.7				12.2
Iron (Dissolved)	mg/L	0.01	0.25	0.903				<MDL
Iron (TREC)	mg/L	0.011	2.88	31.8				7.41
Magnesium (Dissolved)	mg/L	0.73	4.67	29.9				2.39
Manganese (Dissolved)	mg/L	<MDL	0.024	0.102				0.056
Manganese (TREC)	mg/L	0.009	0.104	1.129				0.128
Mercury (Dissolved)	mg/L	<MDL	0.00009	0.00044				<MDL
Selenium (Dissolved)	mg/L	0.003	0.152	1.595				<MDL
Sodium (Dissolved)	mg/L	3.885	1417.6	2291.2				1630
Zinc (Dissolved)	mg/L	<MDL	0.06	0.4				<MDL

The area of concern for monitoring point DH-67B has not been affected by the mining operation. Therefore, a
monitoring events are considered Baseline.
**Site inaccessible due to snow for 1Q*

Note 1: Sample taken in field apparently lost by laboratory.
Note 2: Special bailer for this well broke, could not get sample.

Baseline Information Collection initiated on 6/29/04 and not yet considered complete.
Point DH-67B has not been influenced by mining.

DH-67D (Reb)
Hubbard Creek - D - Seam Monitoring Well
Elevation - 6450'
Depth - 324.8'

Initiated	11/30/2000
Activated	
Date	6/17/2021

Field Parameters	UNITS	Summary Information Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max	
Static Water Level	Feet	123.4	222.065	253.85				245.2
Water Elevation	Feet	6196.2	6227.9	6326.6				6204.8
FieldComment								*
ph	su	7.9	9.3	10.6				8.78
Conductivity	umhos/cm	6.96	6199	8780				8780
Temperature	Celsius	11.2	16.3	19.3				18.1
Lab Parameters	**UNITS**							
Bicarbonate	mg/L	<MDL	2809.63	4320				3460
Carbonate	mg/L	<MDL	372.19	1160				<MDL
Chloride	mg/L	6.76	394.866	610				392
Conductivity	umhos/cm	2908	5820.23	13132				6470
Hardness	mg/L	<MDL	19.07	51.55				23
Nitrate-Nitrite	mg/L	<MDL	5.449	60.03				<MDL
Ammonia	mg/L	0.188	4.898	30.5				2.97
pH	su	7.61	8.92	9.63				8.6
Phosphate	mg/L	<MDL	2.162	48.2				0.28
ResidueFilterable-TDS	mg/L	0.15	3910	5188				4360
Sulfate	mg/L	<MDL	31.19	300				<MDL
Arsenic (Dissolved)	mg/L	<MDL	0.16099	0.915				0.00438
Cadmium (Dissolved)	mg/L	<MDL	0.779	16.6				<MDL
Calcium (Dissolved)	mg/L	<MDL	4.62	36.7				6.36
Iron (Dissolved)	mg/L	0.01	0.39	7.27				<MDL
Iron (TREC)	mg/L	0.0251	3.35	99.3				0.976
Magnesium (Dissolved)	mg/L	<MDL	2.37	10.2				1.82
Manganese (Dissolved)	mg/L	<MDL	0.035	0.417				<MDL
Manganese (TREC)	mg/L	<MDL	0.866	22.7				<MDL
Mercury (Dissolved)	mg/L	<MDL	0.00009	0.00042				<MDL
Selenium (Dissolved)	mg/L	<MDL	0.15096	1.064				<MDL
Sodium (Dissolved)	mg/L	784	1615.5	3576.25				1660
Zinc (Dissolved)	mg/L	0.006	0.043	0.206				<MDL

The area of concern for monitoring point DH-67D has not been affected by the mining operation. Therefore, all monitoring events are considered Baseline.

**Site inaccessible due to snow for 1Q*

Baseline Information Collection initiated on 11/30/00 and not yet considered complete.
Point DH-67D has not been influenced by mining.

DH-67abv
Hubbard Creek - Monitoring Well
Elevation - 6450.5
Depth - 193'

Initiated	6/26/2005
Activated	
Date	6/17/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max	
Static Water Level	Feet	29.5	50.6	424.0				424
Water Elevation	Feet	6027	6400.1	6421.0				6027
FieldComment								*
ph	su	7.1	7.7	8.8				8.77
Conductivity	umhos/cm	2000	2656	3700				2410
Temperature	Celsius	5.6	10.3	12.6				12.6
Lab Parameters	UNITS							
Bicarbonate	mg/L	1.44	1988.45	#######				1160
Carbonate	mg/L	<MDL	60.8	138.5				83.7
Chloride	mg/L	<MDL	87.1	407.0				39.1
Conductivity	umhos/cm	1370	2806	5850				2270
Hardness	mg/L	8.54	46.21	145.95				43
Nitrate-Nitrite	mg/L	<MDL	3.0	32.3				0.183
Ammonia	mg/L	<MDL	0.9	2.5				0.391
pH	su	7.1	8.0	9.1				8.6
Phosphate	mg/L	<MDL	0.4	1.8				0.73
ResidueFilterable-TDS	mg/L	794	1889	3900				1490
Sulfate	mg/L	<MDL	23.48	288.00				43.2
Arsenic (Dissolved)	mg/L	<MDL	0.053	0.415				0.00207
Cadmium (Dissolved)	mg/L	<MDL	0.02	0.07				<MDL
Calcium (Dissolved)	mg/L	<MDL	20.2	115.0				10.9
Iron (Dissolved)	mg/L	<MDL	0.20	2.97				0.135
Iron (TREC)	mg/L	0.01	0.57	1.82				0.918
Magnesium (Dissolved)	mg/L	<MDL	4.5	18.1				3.85
Manganese (Dissolved)	mg/L	<MDL	2.824	86.700				0.02
Manganese (TREC)	mg/L	0.006	0.041	0.132				0.09
Mercury (Dissolved)	mg/L	<MDL	0.00008	0.00036				<MDL
Selenium (Dissolved)	mg/L	<MDL	0.030	0.149				<MDL
Sodium (Dissolved)	mg/L	218	826	2093				552
Zinc (Dissolved)	mg/L	<MDL	0.022	0.067				<MDL

The area of concern for monitoring point DH-67abv has not been affected by the mining operation. Therefore, monitoring events are considered Baseline.

**Site inaccessible due to snow for 1Q*

Baseline Information Collection initiated on 10/12/00 and not yet considered complete.
Point DH-67abv has not been influenced by mining.

DH-67blw
Hubbard Creek - Monitoring Well
Elevation - 6466
Depth - 357'
Replacement Well 9/26/14

					9/26/2014
					6/17/2021
		Summary Information			
Field Parameters	UNITS	Baseline Min	Ave	Max	
Static Water Level	Feet	244	259.875	318.55	249.8
Water Elevation	Feet	6147.5	6206.1	6222.0	6216.2
FieldComment					*
ph	su	7.9	8.4	9.7	9.71
Conductivity	umhos/cm	4800	6350	6920	6550
Temperature	Celsius	16.1	17.681	21.1	17.6
Lab Parameters	UNITS				
Bicarbonate	mg/L	1460	3418.18	4150	2570
Carbonate	mg/L	<MDL	<MDL	<MDL	778
Chloride	mg/L	0.414	310	435	377
Conductivity	umhos/cm	2020	5398.33	6470	6340
Hardness	mg/L	9.4	33.5444	55.1	9.4
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	<MDL
Ammonia	mg/L	0.39	2.8	8.88	8.88
pH	su	7.92	8.44917	9.35	9.1
Phosphate	mg/L	0.12	0.25	0.82	0.82
Residue Filterable-TDS	mg/L	1380	3826.67	4840	3890
Sulfate	mg/L	<MDL	18.2	26.9	<MDL
Arsenic	mg/L	<MDL	<MDL	<MDL	0.00138
Cadmium	mg/L	<MDL	<MDL	<MDL	0.000178
Calcium	mg/L	2.1	8.28	15.60	2.26
Iron (Dissolved)	mg/L	0.0358	0.08838	0.167	<MDL
Iron (Total)	mg/L	0.104	0.75442	1.37	0.665
Magnesium	mg/L	0.009	2.31452	3.920	0.9
Manganese (Dissolved)	mg/L	0.0089	0.02998	0.0899	<MDL
Manganese (Total)	mg/L	0.0014	61.3079	674	<MDL
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL
Selenium	mg/L	<MDL	<MDL	<MDL	<MDL
Sodium (Dissolved)	mg/L	514	1564.5	1830	1570
Zinc	mg/L	<MDL	0.0826	0.0826	<MDL

The area of concern for monitoring point DH-67blw has not been affected by the mir
monitoring events are considered Baseline.

Replacement well constructed September 2014

**Site inaccessible due to snow for 1Q*

Baseline Information collection re-initiated on 9/26/2014 and not yet considered complete.
Point DH-67blw has not been influenced by mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Baseline

Ground Water

CWI-DH-58A
Upper B Seam
Elevation -7442.2
Depth - 575'

						3/17/2015
						8/12/2021
		Summary Information				
Field Parameters	UNITS	Baseline Min	Ave	Max		
Static Water Level	Feet	512.6	533.3	536.1		535.2
Water Elevation	Feet	6906.1	6908.9	6929.6		6907
FieldComment						
ph	su	7.6	8.5	17.7		8.11
Conductivity	umhos/cm	2	1561	2240		2240
Temperature	Celsius	17.7	19.9	26.2		21.9
Lab Parameters	UNITS					
Bicarbonate	mg/L	635	951	1320		1210
Carbonate	mg/L	<MDL	27.4	66.6		66.6
Chloride	mg/L	16.4	19.9	22.7		20.4
Conductivity	umhos/cm	866	1415	2150		2150
Hardness	mg/L	8.2	27.4	65.7		34.0
Nitrate-Nitrite	mg/L	<MDL	0.08	0.08		<MDL
Ammonia	mg/L	0.03	1.04	1.75		1.65
pH	su	7.59	8.24	9.03		8.5
Phosphate	mg/L	1.70	2.93	5.20		5.2
ResidueFilterable-TDS	mg/L	744	1049	1410		1410
Sulfate	mg/L	<MDL	1.9	3.5		<MDL
Arsenic	mg/L	<MDL	0.00633	0.00670		0.00596
Cadmium	mg/L	<MDL	<MDL	<MDL		<MDL
Calcium	mg/L	<MDL	8.8	14.0		11.1
Iron (Dissolved)	mg/L	0.012	0.164	1.750		0.101
Iron (Total)	mg/L	0.573	2.506	9.270		3.08
Magnesium (Dissolved)	mg/L	0.052	1.147	6.000		1.56
Manganese (Dissolved)	mg/L	<MDL	0.2635	2.3300		0.185
Manganese (Total)	mg/L	<MDL	0.2443	0.6240		0.237
Mercury	mg/L	<MDL	<MDL	<MDL		<MDL
Selenium	mg/L	<MDL	<MDL	<MDL		<MDL
Sodium	mg/L	141	512	3050		555
Zinc	mg/L	<MDL	0.0219	0.0219		<MDL

The area of concern for monitoring point CWI-DH-58A has not been affected by the n
monitoring events are considered Baseline.

New Well beginning in December 2014.

Baseline information collection initiated on March 17, 2015.
Point CWI-DH-58A has not and will not be influenced by mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Baseline

Ground Water

CWI-DH-60
Upper B Seam
Elevation - 7921
Depth - 1085'

					10/20/2014
					8/12/2021
		Summary Information			
Field Parameters	UNITS	Baseline Min	Ave	Max	
Static Water Level	Feet	943.6	946.8	952.1	944.7
Water Elevation	Feet	6968.9	6974.2	6977.4	6976.3
FieldComment					
ph	su	8.0	8.3	8.5	8.53
Conductivity	umhos/cm	1062	5145	10980	1063
Temperature	Celsius	18.5	21.3	23.4	23.4
Lab Parameters	UNITS				
Bicarbonate	mg/L	5620	7343	8330	6510
Carbonate	mg/L	<MDL	<MDL	<MDL	270
Chloride	mg/L	240	297	337	311
Conductivity	umhos/cm	7820	9498	10800	10700
Hardness	mg/L	60.0	74.7	86.2	70
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	0.081
Ammonia	mg/L	0.84	1.61	2.84	2.84
pH	su	7.96	8.17	8.60	8.6
Phosphate	mg/L	0.05	0.19	0.41	0.409
ResidueFilterable-TDS	mg/L	6070	7492	8110	7780
Sulfate	mg/L	<MDL	20.7	23.2	<MDL
Arsenic	mg/L	<MDL	0.00045	0.00045	<MDL
Cadmium	mg/L	<MDL	0.0014	0.0018	0.00102
Calcium	mg/L	14.0	16.6	21.2	14.5
Iron (Dissolved)	mg/L	0.216	29.975	532.000	0.304
Iron (Total)	mg/L	0.83	2.17	3.94	3.94
Magnesium (Dissolved)	mg/L	6.00	8.07	9.57	8.29
Manganese (Dissolved)	mg/L	0.0103	0.0145	0.0186	<MDL
Manganese (Total)	mg/L	0.0131	0.0289	0.0548	0.051
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL
Selenium	mg/L	<MDL	<MDL	<MDL	<MDL
Sodium	mg/L	315	2874	3760	3010
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL

The area of concern for monitoring point CWI-DH-60 has not been affected by the mi
monitoring events are considered Baseline.

CWI-DH-60 is located southwest of projected mining. It will not be impacted by Bowie

CWI-DH-60 was cemented to the bottom of the upper B-Seam during September 201

CWI-DH-60 was worked over and cleaned during August 2014.

Baseline Information collection re-initiated on 03/18/15.
Point CWI-DH-60 has not and will not be influenced by mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Baseline

Ground Water

DH-2010-1SS
Sanstone Above B-Seam
Elevation - 7544.4
Depth - 1140'

						3/18/2015
						8/12/2021
		Summary Information				
Field Parameters	UNITS	Baseline Min	Ave	Max		
Static Water Level	Feet	1088.3	1096.2	1103.4		1103.4
Water Elevation	Feet	6443.6	6450.8	6458.7		6443.6
FieldComment						
ph	su	7.0	7.8	11.5		7.8
Conductivity	umhos/cm	1330	1673	2520		1974
Temperature	Celsius	7.3	25.2	27.6		27.6
Lab Parameters	UNITS					
Bicarbonate	mg/L	536	685	809		802
Carbonate	mg/L	<MDL	<MDL	<MDL		<MDL
Chloride	mg/L	110	150	416		155
Conductivity	umhos/cm	1110	1383	1870		1870
Hardness	mg/L	34.0	41.7	52.0		52
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL		<MDL
Ammonia	mg/L	5.0	6.6	7.7		7.0
pH	su	7.10	7.37	8.30		8.3
Phosphate	mg/L	0.5	1.7	5.2		5.2
ResidueFilterable-TDS	mg/L	780	982	1210		1210
Sulfate	mg/L	<MDL	4.05	5.40		<MDL
Arsenic (Dissolved)	mg/L	0.17	0.22	0.29		0.165
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL		<MDL
Calcium (Dissolved)	mg/L	0.1	13.6	17.2		16.5
Iron (Dissolved)	mg/L	0.096	0.149	0.323		<MDL
Iron (Total)	mg/L	0.75	2.92	4.94		2.92
Magnesium (Dissolved)	mg/L	0.130	1.228	1.610		0.13
Manganese (Dissolved)	mg/L	0.0832	0.1040	0.1300		0.13
Manganese (Total)	mg/L	0.095	0.124	0.145		0.129
Mercury (Dissolved)	mg/L	<MDL	0.001	0.001		<MDL
Selenium (Dissolved)	mg/L	<MDL	0.0039	0.0044		0.00335
Sodium (Dissolved)	mg/L	274	319	424		424
Zinc (Dissolved)	mg/L	<MDL	0.0466	0.0631		<MDL

The area of concern for monitoring point DH-2010-1SS has not been affected by the
monitoring events are considered Baseline.

DH-2010-1SS is located in Section 5. It will be impacted by future Bowie No. 2 Mine

Lab analysis is required semi-annually

Baseline Information collection re-initiated on 03/18/15 and not yet considered complete.
Point DH-2010-1B has not been influenced by mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Baseline

Ground Water

DH-2010-1B
B Seam
Elevation - 7544.6
Depth - 1220'

						10/16/2014
						8/12/2021
		Summary Information				
Field Parameters	UNITS	Baseline Min	Ave	Max		
Static Water Level	Feet	1092.4	1168.2	1998.1		1103.4
Water Elevation	Feet	5549	6379	6455		6443.6
FieldComment						
ph	su	7.4	11.1	23.3		11.7
Conductivity	umhos/cm	378	1756	2666		2650
Temperature	Celsius	11.6	24.5	27.7		27.7
Lab Parameters	UNITS					
Bicarbonate	mg/L	<MDL	162.9	1040.0		<MDL
Carbonate	mg/L	45	264	553		553
Chloride	mg/L	6.30	102.57	187.00		182
Conductivity	umhos/cm	336	1434	2440		2300
Hardness	mg/L	0.0	7.7	15.4		9.5
Nitrate-Nitrite	mg/L	<MDL	0.48	1.60		<MDL
Ammonia	mg/L	0.5	17.0	28.8		25.2
pH	su	9.48	10.64	11.58		11.3
Phosphate	mg/L	0.05	0.18	0.47		0.43
ResidueFilterable-TDS	mg/L	253	1016	1500		1500
Sulfate	mg/L	1.5	78.2	166.0		1.5
Arsenic (Dissolved)	mg/L	<MDL	0.0113	0.0149		0.0149
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL		<MDL
Calcium (Dissolved)	mg/L	1.54	3.06	6.00		3.42
Iron (Dissolved)	mg/L	0.0570	0.1149	0.1940		0.114
Iron (Total)	mg/L	0.20	1.37	4.31		0.509
Magnesium (Dissolved)	mg/L	<MDL	<MDL	<MDL		0.23
Manganese (Dissolved)	mg/L	<MDL	0.0055	0.0071		<MDL
Manganese (Total)	mg/L	0.0068	0.0293	0.0766		<MDL
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL		<MDL
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL		0.00493
Sodium (Dissolved)	mg/L	74	309	501		494
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL		<MDL

The area of concern for monitoring point DH-2010-1B has not been affected by the m
monitoring events are considered Baseline.

DH-2010-1B is located in Section 5 It will be impacted by future Bowie No. 2 Mine w
DH-2010-1B was rehabilitated in 2014. Baseline inforamtion is collected beginning O

Baseline Information collection re-initiated on 10/16/14 and not yet considered complete.
Point DH-2010-1B has not been influenced by mining.

AW-1
Alluvial Well
Top of Pipe Elevation - 5977.76'
Depth - 120'
Pipe 1.06' Above Ground

Initiated								11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated								3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date								10/19/2021	9/28/2021	6/14/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	61.92	71.25	82.01	43.44	71.72	88.10	86.4	84.9	76.3	86.2
Water Elevation	Feet	5895.7	5906.5	5915.8	5889.7	5906.0	5934.3	5891.36	5892.86	5901.46	5891.56
FieldComment											
ph	su	7.1	7.2	7.3	7.0	7.4	12.9	7.03	7.67	7.95	7.57
Conductivity	umhos/cm	8900	9100	9300	1460	5192	9000	4970	5020	4250	2970
Temperature	Celsius	10.2	11.3	12.4	8.7	13.0	15.9	12.8	13.6	15.9	12.8
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	641	649	657	214.0	610.1	1165.2			680	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.83	10.76			<MDL	
Chloride	mg/L	77	78	79	8.5	154.9	318.5			154	
Conductivity	umhos/cm	6480	7230	7980	894	5115	8610			4140	
Hardness	mg/L	2750	2895	3040	<MDL	1439	4511			1040	
Nitrate-Nitrite	mg/L	5.7	6.5	7.3	<MDL	3.67	11.20			1.1	
Ammonia	mg/L	0.07	0.11	0.14	<MDL	0.49	8.10			0.065	
pH	su	7.4	7.6	7.8	0.0	7.4	8.5			8.2	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.03	0.22			<MDL	
ResidueFilterable-TDS	mg/L	7990	8200	8410	787	4466	8710			3220	
Sulfate	mg/L	5140	5220	5300	135	2389	8330			1600	
Arsenic (Dissolved)	mg/L	<MDL	0	0	<MDL	0	1			<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.016	0.050			<MDL	
Calcium (Dissolved)	mg/L	316	327	338	23.4	172.0	360.0			124	
Iron (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.12	1.75			<MDL	
Iron (TREC)	mg/L	0.13	0.41	0.70	0.01	0.58	2.37			0.555	
Magnesium (Dissolved)	mg/L	476	505	533	53.8	283.1	961.5			178	
Manganese (Dissolved)	mg/L	<MDL	0.03	0.05	<MDL	0.034	0.490			<MDL	
Manganese (TREC)	mg/L	0.01	0.03	0.06	<MDL	1.560	7.440			3.06	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00005	0.00024			<MDL	
Selenium (Dissolved)	mg/L	0.026	0.031	0.035	0.001	0.224	7.400			0.00256	
Sodium (Dissolved)	mg/L	1550	1625	1700	253.0	897.2	1867.5			642	
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.11			<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-1 - Alluvial Well

AW-2
Alluvial Well
Top of Pipe Elevation - 5966.2'
Depth - 50.4'
Pipe 1.32' Above Ground

Initiated	11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated	3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date	10/19/2021	9/28/2021	6/14/2021	3/30/2021

		Summary Information									
		Baseline			Operation						
Field Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	50.35	50.65	50.81	35.55	47.41	54.90	47.4	48.4	46.6	46.5
Water Elevation	Feet	5915.8	5916.0	5916.3	5911.7	5919.2	5931.1	5919.22	5918.22	5920.02	5920.12
FieldComment			Damp					DRY	DRY		
ph	su				6.8	7.1	7.7			7.65	7.15
Conductivity	umhos/cm				10	6737	10610			10.06	10610
Temperature	Celsius				10.5	14.6	18.4			15.9	13.8
Lab Parameters	UNITS										
Bicarbonate	mg/L				345.18	792.65	1080.00			841	
Carbonate	mg/L				<MDL	235.47	908.00			<MDL	
Chloride	mg/L				54.50	175.07	370.63			217	
Conductivity	umhos/cm				3770	8012	12510			10400	
Hardness	mg/L				241.87	2845.46	4540.00			4330	
Nitrate-Nitrite	mg/L				<MDL	3.12	9.65			<MDL	
Ammonia	mg/L				<MDL	1.40	4.60			0.09	
pH	su				6.7	7.5	8.4			8.0	
Phosphate	mg/L				<MDL	0.07	0.25			0.011	
ResidueFilterable-TDS	mg/L				319	7505	11300			11300	
Sulfate	mg/L				235	3913	6960			6960	
Arsenic (Dissolved)	mg/L				<MDL	0.179	1.795			<MDL	
Cadmium (Dissolved)	mg/L				<MDL	0.0345	0.1100			<MDL	
Calcium (Dissolved)	mg/L				33	328	518			443	
Iron (Dissolved)	mg/L				0.02	0.09	0.26			<MDL	
Iron (TREC)	mg/L				0.04	1.51	13.60			8.64	
Magnesium (Dissolved)	mg/L				170	547	970			783	
Manganese (Dissolved)	mg/L				<MDL	0.15	0.89			<MDL	
Manganese (TREC)	mg/L				0.01	0.40	3.90			0.449	
Mercury (Dissolved)	mg/L				<MDL	0.04060	0.77000			<MDL	
Selenium (Dissolved)	mg/L				0.00	0.06	0.54			<MDL	
Sodium (Dissolved)	mg/L				21.0	1158.7	2212.5			1520	
Zinc (Dissolved)	mg/L				<MDL	0.04	0.08			<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

AW-3
Alluvial Well
Top of Pipe Elevation - 5962.96'
Depth - 150'
Pipe 1.16' Above Ground

Initiated								11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated								3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date								10/19/2021	9/28/2021	6/14/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	90.23	92.97	95.82	0.00	78.57	91.54	75	74.4	72.7	78.9
Water Elevation	Feet	5867.1	5870.0	5872.7	5871.4	5884.4	5963.0	5887.96	5888.56	5890.26	5884.06
FieldComment											
ph	su	6.9	7.0	7.1	6.8	14.8	675.0	675	7.71	7.69	7.25
Conductivity	umhos/cm	3600	3600	3600	2400	3399	4560	4240	4260	4030	3950
Temperature	Celsius	11.2	12.8	14.4	7.6	13.5	15.8	12.1	13.0	14.9	13.6
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	851	976	1100	40	606	1080			654	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.83	10.76			<MDL	
Chloride	mg/L	119	128	136	33.77	148.85	367.00			352	
Conductivity	umhos/cm	2800	2975	3150	1817	3267	4580			4090	
Hardness	mg/L	1280	1325	1370	<MDL	1684	3354			2170	
Nitrate-Nitrite	mg/L	<MDL	<MDL	<MDL	0.03	3.00	10.20			5.92	
Ammonia	mg/L	1.66	1.90	2.13	<MDL	0.36	2.00			0.062	
pH	su	7.2	7.3	7.5	6.9	7.5	8.5			8.0	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.89	21.80			<MDL	
ResidueFilterable-TDS	mg/L	2390	2415	2440	1750	2774	4130			3460	
Sulfate	mg/L	870	875	880	760	1300	2030			1500	
Arsenic (Dissolved)	mg/L	<MDL	0.001	0.001	<MDL	0.976	28.900			<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.009	0.040			<MDL	
Calcium (Dissolved)	mg/L	201	206	210	90.5	256.3	505.0			329	
Iron (Dissolved)	mg/L	0.19	0.33	0.46	<MDL	0.53	8.22			<MDL	
Iron (TREC)	mg/L	8.00	8.23	8.46	0.03	2.57	27.50			0.14	
Magnesium (Dissolved)	mg/L	189	197	205	136	271	661			327	
Manganese (Dissolved)	mg/L	0.10	0.11	0.13	<MDL	0.144	1.280			1.28	
Manganese (TREC)	mg/L	0.12	0.12	0.12	0.008	3.732	111.000			2.92	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00007	0.00035			<MDL	
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.017	0.134			0.0149	
Sodium (Dissolved)	mg/L	421	433	445	105	235	682			256	
Zinc (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.10			<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-3 - Alluvial Well

AW-4
Alluvial Well
Top of Pipe Elevation - 5977.2'
Depth - 60'
Pipe 1.12' Above Ground

Initiated								11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated								3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date								10/19/2021	9/28/2021	6/14/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	32.42	42.94	60.78	15.54	35.39	88.38	31.2	31.8	40	41.1
Water Elevation	Feet	5917.1	5935.0	5945.5	5889.5	5942.5	5962.4	5946.72	5946.12	5937.92	5936.82
FieldComment											
ph	su	6.8	6.9	7.0	6.7	7.3	8.2	7.65	7.56	8.15	7.6
Conductivity	umhos/cm	5300	5500	5700	1763	3219	5300	1763	2070	3070	3030
Temperature	Celsius	11.2	11.9	12.6	8.0	12.3	15.5	12.3	12.3	14.9	13.3
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	624	707	790	316.1	540.4	758.0			506	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.37	4.49			<MDL	
Chloride	mg/L	57	60	63	31	136	227			121	
Conductivity	umhos/cm	3880	4495	5110	1723	3360	9490			2990	
Hardness	mg/L	2650	2670	2690	<MDL	1035	2730			840	
Nitrate-Nitrite	mg/L	0.10	0.21	0.32	<MDL	0.58	6.75			<MDL	
Ammonia	mg/L	0.09	0.22	0.34	<MDL	0.65	6.60			0.684	
pH	su	7.1	7.3	7.5	7.1	7.6	8.3			8.3	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	1.01	21.30			0.17	
ResidueFilterable-TDS	mg/L	4830	5080	5330	1372	2715	4990			2220	
Sulfate	mg/L	2620	2920	3220	448	1291	2760			1050	
Arsenic	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.042			<MDL	
Cadmium	mg/L	<MDL	<MDL	<MDL	<MDL	0.00469	0.03000			<MDL	
Calcium	mg/L	465	481	496	19.8	210.9	496.0			142	
Iron (Dissolved)	mg/L	<MDL	0.04	0.07	<MDL	0.10	0.73			<MDL	
Iron (TREC)	mg/L	0.10	0.14	0.17	0.07	2.80	69.20			0.424	
Magnesium (Dissolved)	mg/L	353	357	361	71	160	362			118	
Manganese (Dissolved)	mg/L	0.22	0.43	0.64	<MDL	0.61	1.52			0.584	
Manganese (TREC)	mg/L	0.18	0.40	0.62	0.15	62.31	1270.00			0.868	
Mercury	mg/L	<MDL	<MDL	<MDL	<MDL	0.00006	0.00030			<MDL	
Selenium	mg/L	<MDL	0.0005	0.0010	<MDL	0.0019	0.0100			<MDL	
Sodium	mg/L	590	646	702	199	371	684			419	
Zinc	mg/L	<MDL	<MDL	<MDL	<MDL	0.02	0.07			<MDL	

**Small bailer won't reach water, casing pinched*

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-4 - Alluvial Well

AW-5 Alluvial Well
Top of Pipe Elevation - 5982.14'
Depth - 100'
Pipe 1.14' Above Ground

Initiated								11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated								3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date								10/19/2021	9/28/2021	6/14/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	51.65	52.95	55.26	41.03	53.10	61.10	53.9	61.1	56.5	59.3
Water Elevation	Feet	5926.9	5929.2	5930.5	5921.0	5929.0	5941.1	5928.24	5921.04	5925.64	5922.84
FieldComment											
ph	su	7.1	7.2	7.3	6.6	7.5	51.8	7.5	7.3	7.7	7.3
Conductivity	umhos/cm	4700	5450	6200	3100	5170	6800	5260	5340	5030	5210
Temperature	Celsius	12.8	13.7	14.6	7.1	14.2	16.9	14.2	14.3	16.6	14.5
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	566	658	750	99.05	743.19	1100.00			868	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	0.98	10.76			<MDL	
Chloride	mg/L	49	51	52	29.0	252.2	636.5			372	
Conductivity	umhos/cm	4270	4890	5510	378	5012	6650			5050	
Hardness	mg/L	3330	3380	3430	<MDL	2539	5318			2570	
Nitrate-Nitrite	mg/L	34.4	35.2	36.0	<MDL	14.62	46.70			8.69	
Ammonia	mg/L	0.10	0.11	0.13	<MDL	0.55	2.03			0.059	
pH	su	7.2	7.4	7.6	6.7	7.4	8.4			8.0	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.142	3.240			<MDL	
ResidueFilterable-TDS	mg/L	5390	5580	5770	3270	4745	6760			4320	
Sulfate	mg/L	3140	3385	3630	977	2337	4550			1990	
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.067	0.552			<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.01470	0.0690			<MDL	
Calcium (Dissolved)	mg/L	291	298	305	27.6	253.1	451.0			253	
Iron (Dissolved)	mg/L	<MDL	0.03	0.06	<MDL	0.038	0.106			<MDL	
Iron (TREC)	mg/L	0.10	0.11	0.12	<MDL	9.31	385.00			0.149	
Magnesium (Dissolved)	mg/L	633	642	650	253	519	1158			470	
Manganese (Dissolved)	mg/L	<MDL	0.01	0.02	<MDL	0.011	0.044			<MDL	
Manganese (TREC)	mg/L	0.01	0.01	0.02	<MDL	0.024	0.220			<MDL	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00005	0.00035			<MDL	
Selenium (Dissolved)	mg/L	0.03	0.03	0.03	0.002	0.031	0.250			0.0185	
Sodium (Dissolved)	mg/L	523	531	539	204	423	825			393	
Zinc (Dissolved)	mg/L	<MDL	0.01	0.03	<MDL	0.025	0.070			<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-5 - Alluvial Well

AW-6
Alluvial Well
Top of Pipe Elevation - 5981.18'
Depth - 112'
Pipe 1.38' Above Ground

Initiated								11/23/1996	11/23/1996	11/23/1996	11/23/1996
Activated								3/27/1997	3/27/1997	3/27/1997	3/27/1997
Date								10/19/2021	9/28/2021	6/14/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	52.62	54.37	56.82	0.00	52.91	58.61	53.3	53.8	52.7	53.5
Water Elevation	Feet	5924.4	5926.8	5928.6	5922.6	5928.3	5981.2	5927.88	5927.38	5928.48	5927.68
FieldComment											
ph	su	7.3	7.4	7.4	7.0	7.3	8.5	7.54	7.55	7.84	7.55
Conductivity	umhos/cm	4600	4650	4700	3300	4698	7610	5650	6020	5490	5650
Temperature	Celsius	12.4	13.5	14.6	11.6	14.1	17.8	14.2	14.2	16.6	14.2
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	278	317	355	217.4	392.3	521.0			403	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			<MDL	
Chloride	mg/L	107	114	120	54.5	138.6	577.8			158	
Conductivity	umhos/cm	2580	3305	4030	3125	4516	7450			5520	
Hardness	mg/L	1880	1925	1970	<MDL	1797	4787			2510	
Nitrate-Nitrite	mg/L	7.3	8.1	8.8	0.0	5.0	9.0			4.57	
Ammonia	mg/L	0.07	0.07	0.07	<MDL	0.36	1.56			0.065	
pH	su	7.5	7.6	7.7	7.0	7.6	8.3			8.1	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.80	21.80			0.0403	
ResidueFilterable-TDS	mg/L	3910	3995	4080	2440	4187	5770			5410	
Sulfate	mg/L	2300	2300	2300	968	2915	33080			33080	
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.093	0.650			<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040			<MDL	
Calcium (Dissolved)	mg/L	248	254	260	37	234	327			311	
Iron (Dissolved)	mg/L	<MDL	0.14	0.27	<MDL	0.06	0.26			<MDL	
Iron (TREC)	mg/L	0.26	0.31	0.37	0.06	0.51	4.74			0.598	
Magnesium (Dissolved)	mg/L	307	315	322	0.0	315.0	1015.6			420	
Manganese (Dissolved)	mg/L	0.07	0.18	0.29	<MDL	0.514	15.500			<MDL	
Manganese (TREC)	mg/L	0.11	0.20	0.29	<MDL	0.103	0.350			0.103	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00070			<MDL	
Selenium (Dissolved)	mg/L	0.05	0.06	0.06	0.001	0.068	0.380			0.0452	
Sodium (Dissolved)	mg/L	501	514	526	306.9	537.5	965.0			584	
Zinc (Dissolved)	mg/L	<MDL	0.05	0.11	<MDL	0.02	0.07			<MDL	

Alluvial Wells AW-1 through AW-6 are located north of Old State Highway 133, near the entrance to the mine.

There is no Baseline Collection possible for points initiated after the influence of mining.

Plot of Conductivity and Water Level



AW-6 - Alluvial Well

Figure116

AW-7
Alluvial Well
Top of Pipe Elevation - 5950'
Depth - 188'
Pipe 2.17' Above Ground

Initiated								9/9/1999	9/9/1999	9/9/1999	9/9/1999
Activated								9/9/1999	9/9/1999	9/9/1999	9/9/1999
Date								10/19/2021	9/28/2021	6/15/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				50.59	76.47	107.80	90	85.7	64.9	107.8
Water Elevation	Feet				5842.2	5873.5	5899.4	5860	5864.3	5885.1	5842.2
FieldComment											
ph	su				7.1	7.8	8.5	7.09	7.85	8.52	8.06
Conductivity	umhos/cm				300	1954	3100	2040	2080	2250	2320
Temperature	Celsius				10.3	12.3	14.5	10.3	13	12.9	12.6
Lab Parameters	UNITS										
Bicarbonate	mg/L				<MDL	346.3	511.2			359	
Carbonate	mg/L				<MDL	39.5	341.5			17.9	
Chloride	mg/L				13.0	133.1	539.0			125	
Conductivity	umhos/cm				359	1960	3645			2170	
Hardness	mg/L				<MDL	456.59	1093.20			405	
Nitrate-Nitrite	mg/L				<MDL	1.51	7.92			1.09	
Ammonia	mg/L				<MDL	0.199	1.200			<MDL	
pH	su				7.1	7.9	8.6			8.4	
Phosphate	mg/L				<MDL	0.05	0.31			0.0341	
ResidueFilterable-TDS	mg/L				200	1419	2254			1450	
Sulfate	mg/L				40.00	589.98	1110.00			607	
Arsenic (Dissolved)	mg/L				<MDL	0.033	0.255			<MDL	
Cadmium (Dissolved)	mg/L				<MDL	0.007	0.023			0.000084	
Calcium (Dissolved)	mg/L				12.8	96.3	687.0			62.5	
Iron (Dissolved)	mg/L				<MDL	0.04	0.28			<MDL	
Iron (TREC)	mg/L				<MDL	0.28	1.01			0.843	
Magnesium (Dissolved)	mg/L				6.3	84.3	619.0			<MDL	
Manganese (Dissolved)	mg/L				<MDL	0.013	0.060			<MDL	
Manganese (TREC)	mg/L				<MDL	0.367	4.740			0.06	
Mercury (Dissolved)	mg/L				<MDL	0.00006	0.00031			<MDL	
Selenium (Dissolved)	mg/L				<MDL	0.068	1.500			0.0041	
Sodium (Dissolved)	mg/L				46.7	350.8	1705.0			332	
Zinc (Dissolved)	mg/L				<MDL	0.020	0.040			0.021	

The area of concern for monitoring point AW-7 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine. They were installed in 1999 as the result of PR-03.

*** Lab. data not provided*

There is no Baseline Collection possible for points initiated after the influence of mining.

AW-8
Alluvial Well
Top of Pipe Elevation - 5950'
Depth - 60'
Pipe 1.97' Above Ground

Initiated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Activated	9/9/1999	9/9/1999	9/9/1999	9/9/1999
Date	10/19/2021	9/28/2021	6/14/2021	3/30/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				11.84	20.47	73.23	19.8	20.8	21.8	19.4
Water Elevation	Feet				5876.8	5929.5	5938.2	5930.2	5929.2	5928.2	5930.6
FieldComment								Dry	Dry	Dry	Dry
ph	su				8.2	9.0	9.8				
Conductivity	umhos/cm				260	360	460				
Temperature	Celsius				13.2	13.9	14.7				
Lab Parameters	UNITS										
Bicarbonate	mg/L				<MDL	444.0	444.0				
Carbonate	mg/L				<MDL	0.0	0.0				
Chloride	mg/L				<MDL	213.0	213.0				
Conductivity	umhos/cm				<MDL	2020.0	2020.0				
Hardness	mg/L				<MDL	448.0	448.0				
Nitrate-Nitrite	mg/L				<MDL	0.0	0.0				
Ammonia	mg/L				<MDL	0.0	0.0				
pH	su				<MDL	7.9	7.9				
Phosphate	mg/L				<MDL	0.0	0.0				
ResidueFilterable (TDS)	mg/L				<MDL	1580.0	1580.0				
Sulfate	mg/L				<MDL	638.0	638.0				
Arsenic	mg/L				<MDL	0.0	0.0				
Cadmium	mg/L				<MDL	0.0	0.0				
Calcium	mg/L				<MDL	710.0	710.0				
Iron (Dissolved)	mg/L				<MDL	0.0	0.0				
Iron (TREC)	mg/L				<MDL	0.1	0.1				
Magnesium	mg/L				<MDL	65.8	65.8				
Manganese (Dissolved)	mg/L				<MDL	0.0	0.0				
Manganese (Total)	mg/L				<MDL	0.0	0.0				
Mercury	mg/L				<MDL	0.0	0.0				
Selenium	mg/L				<MDL	0.0	0.0				
Sodium	mg/L				<MDL	367.0	367.0				
Zinc	mg/L				<MDL	0.0	0.0				

The area of concern for monitoring point AW-8 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine. They were installed in 1999 as the result of PR-03.

** Lab. data not provided*

There is no Baseline Collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Ground Water

AW-9
Alluvial Well
Top of Pipe Elevation - 5946
Depth - 80'
Pipe 1.15' Above Ground

Initiated								10/1/1999	10/1/1999	10/1/1999	10/1/1999
Activated								10/1/1999	10/1/1999	10/1/1999	10/1/1999
Date								10/19/2021	9/28/2021	6/15/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				32.42	55.52	81.60	68	80.8	41	81.6
Water Elevation	Feet				51.1	5824.3	5913.6	5878	5865.2	5905	5864.4
FieldComment									Dry		Dry
ph	su				7.0	7.8	8.6	8.16		8.63	
Conductivity	umhos/cm				260	1672	4400	1248		662	
Temperature	Celsius				7.6	11.6	14.9	9.6		14.1	
Lab Parameters	UNITS										
Bicarbonate	mg/L				39.6	297.9	479.0			253	
Carbonate	mg/L				<MDL	6.76	13.70			13.7	
Chloride	mg/L				3.0	124.3	544.5			4.95	
Conductivity	umhos/cm				519	1688	4350			620	
Hardness	mg/L				<MDL	473.2	1530.0			145	
Nitrate-Nitrite	mg/L				<MDL	1.92	7.92			0.084	
Ammonia	mg/L				<MDL	0.16	1.10			<MDL	
pH	su				7.4	7.9	8.5			8.5	
Phosphate	mg/L				<MDL	1.60	21.60			<MDL	
ResidueFilterable-TDS	mg/L				330	1208	3800			362	
Sulfate	mg/L				21.8	455.1	2100.0			75.7	
Arsenic (Dissolved)	mg/L				<MDL	0.0419	0.2880			<MDL	
Cadmium (Dissolved)	mg/L				<MDL	0.00640	0.0220			<MDL	
Calcium (Dissolved)	mg/L				24.1	67.8	230.0			24.1	
Iron (Dissolved)	mg/L				<MDL	0.19	3.59			<MDL	
Iron (TREC)	mg/L				<MDL	4.39	122.00			0.123	
Magnesium (Dissolved)	mg/L				20.7	77.1	280.0			20.7	
Manganese (Dissolved)	mg/L				<MDL	0.018	0.155			<MDL	
Manganese (TREC)	mg/L				<MDL	0.453	11.400			0.01	
Mercury (Dissolved)	mg/L				<MDL	0.00007	0.00036			<MDL	
Selenium (Dissolved)	mg/L				<MDL	0.120	3.100			0.00115	
Sodium (Dissolved)	mg/L				22.1	301.9	1998.0			83.3	
Zinc (Dissolved)	mg/L				<MDL	0.02	0.11			<MDL	

The area of concern for monitoring point AW-9 was affected by the mining operation before its establishment. Therefore, all recorded monitoring events are considered Operational.

Alluvial Wells AW-7 through AW-9 are located south of Old State Highway 133, near the entrance to the mine. They were installed in 1999 as the result of PR-03.

*** Lab. data not provided*

There is no Baseline Collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Ground Water

AW-11
Alluvial Well
Elevation - 5884
Depth - 60.86'

Initiated	12/20/2000	12/20/2000	12/20/2000	12/20/2000
Activated	2/28/2002	2/28/2002	2/28/2002	2/28/2002
Date	10/19/2021	9/28/2021	6/14/2021	3/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max				
Static Water Level	Feet	11.92	38.20	50.31	19.13	43.84	57.60	49	47.2	31.7	52.3
Water Elevation	Feet	5833.7	5845.8	5872.1	5826.4	5840.2	5864.9	5835	5836.8	5852.3	5831.7
FieldComment											
ph	su	6.7	7.3	7.5	6.9	7.6	8.3	7.05	7.67	8.3	7.61
Conductivity	umhos/cm	390	760	1060	480	1072	1719	1407	1323	996	1610
Temperature	Celsius	11.2	13.4	15.7	7.5	12.8	16.1	12	13.1	16.1	12.9
Lab Parameters	UNITS										
Bicarbonate	mg/L	350	367	384	177.3	310.6	536.0			247	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	5.02	6.88			6.3	
Chloride	mg/L	2	3	3	<MDL	38.4	255.2			20.7	
Conductivity	umhos/cm	671	850	1030	661	1095	2870			942	
Hardness	mg/L	587	587	587	265.0	534.9	911.7			407	
Nitrate-Nitrite	mg/L	0.10	0.28	0.56	<MDL	0.64	2.70			0.486	
Ammonia	mg/L	<MDL	0.05	0.08	<MDL	0.12	0.43			0.06	
pH	su	7.2	7.5	7.8	7.1	7.8	8.5			8.3	
Phosphate	mg/L	<MDL	0.14	0.39	<MDL	1.22	20.60			<MDL	
ResidueFilterable-TDS	mg/L	360	553	690	350	753	2150			620	
Sulfate	mg/L	20	150	250	4.94	213.72	510.00			233	
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.022	0.280			<MDL	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.010	0.030			<MDL	
Calcium (Dissolved)	mg/L	70.6	92.9	110.0	30.8	128.6	765.0			71.7	
Iron (Dissolved)	mg/L	0.02	0.04	0.05	<MDL	0.19	2.46			<MDL	
Iron (TREC)	mg/L	0.07	4.93	9.97	<MDL	2.48	24.30			1.38	
Magnesium (Dissolved)	mg/L	46.2	64.6	75.8	37.5	110.6	748.0			55.4	
Manganese (Dissolved)	mg/L	<MDL	0.02	0.03	<MDL	0.403	5.400			<MDL	
Manganese (TREC)	mg/L	<MDL	0.34	0.57	<MDL	0.374	2.540			0.025	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00027			<MDL	
Selenium (Dissolved)	mg/L	<MDL	0.001	0.002	<MDL	0.011	0.116			0.00241	
Sodium (Dissolved)	mg/L	12.70	19.37	22.9	11.0	44.5	125.0			56.9	
Zinc (Dissolved)	mg/L	<MDL	0.01	0.02	<MDL	0.02	0.07			<MDL	

** Could not access site*

Alluvial Wells AW-11 through AW-13 are located north of the Union Pacific Railroad. They were installed in 2000 to develop baseline data for a new train loadout.

Baseline Information for AW-11 is derived from events beginning on 12/20/00 through 2/28/02.
Point influenced by mining on 2/28/02.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Ground Water

AW-12
Alluvial Well
Elevation - 5878
Depth - 45.38'

Initiated	12/20/2000	12/20/2000	12/20/2000	12/20/2000
Activated	2/28/2002	2/28/2002	2/28/2002	2/28/2002
Date	10/19/2021	9/28/2021	6/14/2021	3/30/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	6.49	26.717	37.03	5.31	25.75	62.10	29.5	26.2	12.2	38.5
Water Elevation	Feet	5841.0	5851.3	5871.5	5815.9	5852.2	5872.7	5848.5	5851.8	5865.8	5839.5
FieldComment											
ph	su	7.1	7.5	7.7	6.7	7.5	8.1	7.8	7.8	8.1	7.6
Conductivity	umhos/cm	490	567	610	485	689	1640	704.0	699.0	703.0	714.0
Temperature	Celsius	10.4	13.0	16.1	7.6	12.9	16.3	12.4	13.9	14.5	7.6
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	297	336.33	371	265.95	369.43	471.43			336	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	5.69	8.99			<MDL	
Chloride	mg/L	2	2	2	<MDL	13.2	119.0			2.7	
Conductivity	umhos/cm	548	571	609	473	760	3170			658	
Hardness	mg/L	318	318	318	237.0	358.3	674.3			332	
Nitrate-Nitrite	mg/L	0.45	0.4733	0.51	<MDL	0.70	2.15			0.764	
Ammonia	mg/L	<MDL	0.09	0.27	<MDL	0.12	0.52			<MDL	
pH	su	7.4	7.6333	7.9	7.1	7.8	8.5			8.3	
Phosphate	mg/L	<MDL	0.0167	0.05	<MDL	0.17	1.04			<MDL	
ResidueFilterable-TDS	mg/L	310	330	340	221	473	2450			380	
Sulfate	mg/L	10	13.333	20	<MDL	20.6	42.4			27.8	
Arsenic (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.140			0.0002	
Cadmium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.040			<MDL	
Calcium (Dissolved)	mg/L	51.9	54.8	57.4	3.8	165.8	677.0			74.9	
Iron (Dissolved)	mg/L	0.02	8.3167	24.9	<MDL	0.63	10.28			<MDL	
Iron (TREC)	mg/L	0.05	42.55	83.7	<MDL	28.09	806.00			0.427	
Magnesium (Dissolved)	mg/L	<MDL	25.433	42.4	<MDL	79.2	368.0			35.3	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.075	0.621			<MDL	
Manganese (TREC)	mg/L	<MDL	0.864	2.050	<MDL	4.495	119.000			<MDL	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.00008	0.00028			<MDL	
Selenium (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.006	0.060			0.00058	
Sodium (Dissolved)	mg/L	19.5	20.633	21.2	13.8	44.4	202.0			18.2	
Zinc (Dissolved)	mg/L	<MDL	0.0033	0.01	<MDL	0.02	0.08			<MDL	

** Could not access site*
*** Not enough water for sample/parameters*

Alluvial Wells AW-11 through AW-13 are located north of the Union Pacific Railroad. They were installed in 2000 to develop baseline data for a new train loadout.

Baseline Information for AW-12 is derived from events beginning on 12/20/00 through 2/28/02.
Point influenced by mining on 2/28/02.

AW-14
Alluvial Well
Depth - 30'
Elevation - 5822
Pipe 0.78' Above Ground

Initiated	7/24/2003	7/24/2003	7/24/2003	7/24/2003
Activated	7/24/2003	7/24/2003	7/24/2003	7/24/2003
Date	10/19/2021	9/28/2021	6/14/2021	3/31/2021

		Summary Information									
		Baseline			Operation						
Field Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet				4.98	7.66	12.10	8.6	9.3	5.5	8.9
Water Elevation	Feet				5809.9	5814.3	5817.0	5813.4	5812.7	5816.5	5813.1
FieldComment											
ph	su				6.8	7.5	8.1	6.79	8.12	8	7.79
Conductivity	umhos/cm				2	1671	2790	2300	1601	2790	1686
Temperature	Celsius				7.6	12.1	15.7	12.6	13.1	14.7	12
Lab Parameters	UNITS										
Bicarbonate	mg/L				238.2	377.7	552.3			511	
Carbonate	mg/L				<MDL	12.4	20.0			<MDL	
Chloride	mg/L				2.0	140.5	397.0			282	
Conductivity	umhos/cm				650	1624	2860			2670	
Hardness	mg/L				237.0	811.5	1770.2			1220	
Nitrate-Nitrite	mg/L				<MDL	0.7	2.7			0.049	
Ammonia	mg/L				<MDL	0.66	7.61			<MDL	
pH	su				6.9	7.6	8.5			8.1	
Phosphate	mg/L				<MDL	1.22	20.40			0.0434	
ResidueFilterable-TDS	mg/L				610	1227	1950			1950	
Sulfate	mg/L				67.6	405.1	677.0			677	
Arsenic (Dissolved)	mg/L				0.0002	0.043	0.922			0.00025	
Cadmium (Dissolved)	mg/L				<MDL	0.010	0.030			0.000146	
Calcium (Dissolved)	mg/L				41.6	130.4	241.0			223	
Iron (Dissolved)	mg/L				<MDL	0.88	7.80			<MDL	
Iron (TREC)	mg/L				0.27	9.37	28.10			4.97	
Magnesium-Dissolved	mg/L				7.7	144.6	914.0			161	
Manganese-Dissolved	mg/L				0.004	0.531	2.160			0.018	
Manganese (TREC)	mg/L				0.004	1.696	6.780			1.69	
Mercury (Dissolved)	mg/L				<MDL	0.00010	0.00052			<MDL	
Selenium (Dissolved)	mg/L				<MDL	0.020	0.116			0.00445	
Sodium (Dissolved)	mg/L				40.7	135.5	991.0			167	
Zinc (Dissolved)	mg/L				<MDL	0.07	0.99			<MDL	

The area of concern for monitoring point AW-14 was affected by the mining operation before its establishment. Therefore all recorded monitoring events are considered operational.

** Dry*

Alluvial Well AW-14 is located southwest of Pond K.

There is no baseline collection possible for points initiated after the influence of mining.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Ground Water

AW-15
Alluvial Well
Top of Pipe Elevation - 5972.52
Depth - 86
Pipe 0.3' Above Ground

Initiated								12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated								9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date								10/19/2021	9/28/2021	6/15/2021	3/30/2021
		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	84.86	85.27	86.00	75.10	83.77	93.70	75.3	80.2	76.5	75.1
Water Elevation	Feet	5886.5	5887.3	5887.7	5878.8	5888.7	5897.4	5897.22	5892.32	5896.02	5897.42
FieldComment		Dry & Damp									
ph	su				7.0	7.4	7.9	7.46	7.4	7.79	7.3
Conductivity	umhos/cm				5	4461	5300	4850	4930	4650	4.74
Temperature	Celsius				8.4	14.1	19.1	14.8	13.6	14.6	14.1
Lab Parameters	UNITS										
Bicarbonate	mg/L				507.3	603.1	750.0			626	
Carbonate	mg/L				<MDL	5.61	6.88			<MDL	
Chloride	mg/L				119.91	248.18	418.00			321	
Conductivity	umhos/cm				4416	4742	5412			4640	
Hardness	mg/L				292.0	1117.8	1486.4			1360	
Nitrate-Nitrite	mg/L				<MDL	6.76	11.30			7.78	
Ammonia	mg/L				0.269	0.458	0.647			<MDL	
pH	su				7.11	7.89	8.36			8.1	
Phosphate	mg/L				0.06	0.10	0.14			0.06	
ResidueFilterable-TDS	mg/L				3388.0	3912.8	4793.3			3680	
Sulfate	mg/L				1563.7	1957.52	2786.42			1680	
Arsenic	mg/L				<MDL	0.019	0.019			<MDL	
Cadmium	mg/L				<MDL	0.015	0.030			0.00024	
Calcium	mg/L				46.50	171.45	231.80			205	
Iron (Dissolved)	mg/L				0.07	1.20	2.84			<MDL	
Iron (TREC)	mg/L				1.56	2.77	4.49			4.49	
Magnesium (Dissolved)	mg/L				42.7	167.5	220.4			206	
Manganese (Dissolved)	mg/L				0.007	0.237	0.664			<MDL	
Manganese (TREC)	mg/L				0.060	0.248	0.701			0.111	
Mercury	mg/L				0.00003	0.00006	0.00010			<MDL	
Selenium	mg/L				0.039	0.058	0.077			0.0588	
Sodium	mg/L				428.25	787.81	1510.00			590	
Zinc	mg/L				0.018	0.047	0.070			0.043	

**Not enough water for field or lab parameters*
*** Not enough water for lab sample*

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

Baseline Information for AW-15 is derived from events beginning on 12/29/03 through 9/27/04.
Point influenced by mining on 9/27/04.

Bowie Resources, LLC
Bowie No. 2 Mine
2021
Annual Hydrology Report

Ground Water

AW-16
Alluvial Well
Top of Pipe Elevation - 5964.67
Depth - 75
Pipe 0.8' Above Ground

Initiated	12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated	9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date	10/19/2021	9/28/2021	6/14/2021	3/30/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	68.00	69.23	70.48	61.65	72.73	83.40	83	83	83	83
Water Elevation	Feet	5894.2	5895.4	5896.7	5881.3	5891.9	5903.0	5881.67	5881.67	5881.67	5881.67
FieldComment								Dry	Dry	Dry	Dry
ph	su	7.9	7.9	7.9	7.0	7.5	8.6				
Conductivity	umhos/cm	740	740	740	8	3961	8510				
Temperature	Celsius	13.7	13.7	13.7	9.9	13.6	16.9				
Lab Parameters	UNITS										
Bicarbonate	mg/L				558.0	610.0	661.9				
Carbonate	mg/L				<MDL	<MDL	<MDL				
Chloride	mg/L				43.6	49.1	54.5				
Conductivity	umhos/cm				5313.4	5876.3	6439.2				
Hardness	mg/L				2304.4	2531.6	2758.8				
Nitrate-Nitrite	mg/L				<MDL	1.49	1.49				
Ammonia	mg/L				<MDL	4.0	4.0				
pH	su				7.7	7.8	8.0				
Phosphate	mg/L				0.60	1.72	2.84				
ResidueFilterable-TDS	mg/L				5604	5770	5935				
Sulfate	mg/L				2903.8	2949.7	2995.6				
Arsenic	mg/L				0.021	0.084	0.146				
Cadmium	mg/L				0.034	0.042	0.050				
Calcium	mg/L				328.8	343.9	359.0				
Iron (Dissolved)	mg/L				0.08	0.08	0.08				
Iron (TREC)	mg/L				0.12	10.08	20.04				
Magnesium (Dissolved)	mg/L				380.3	416.3	452.3				
Manganese (Dissolved)	mg/L				0.0	0.258	0.510				
Manganese (Total)	mg/L				0.0	1.126	2.240				
Mercury	mg/L				0.00005	0.00006	0.00007				
Selenium	mg/L				0.009	0.025	0.040				
Sodium	mg/L				181.8	769.1	1356.5				
Zinc	mg/L				0.02	0.30	0.57				

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

**Just enough water for field parameters*
***Not enough water for parameters*

Baseline Information for AW-16 is derived from events beginning on 12/29/03 through 9/27/04.
Point influenced by mining on 9/27/04.

Bowie Resources, LLC
Bowie No. 2 Mine
2021 Annual Hydrology Report

Ground Water

AW-17
Alluvial Well
Top of Pipe Elevation - 5950.81
Depth - 62
Pipe Flush with Ground

Initiated	12/29/2003	12/29/2003	12/29/2003	12/29/2003
Activated	9/27/2004	9/27/2004	9/27/2004	9/27/2004
Date	10/19/2021	9/28/2021	6/15/2021	3/30/2021

		Summary Information									
Field		Baseline			Operation						
Parameters	UNITS	Min	Ave	Max	Min	Ave	Max				
Static Water Level	Feet	38.40	46.51	59.00	26.40	55.53	61.74	49.6	58.5	42.2	48.5
Water Elevation	Feet	5891.8	5904.3	5912.4	5889.1	5895.3	5924.4	5901.21	5892.31	5908.61	5902.31
FieldComment											
ph	su	8.5	8.9	9.7	7.1	7.7	8.4	8.28	8.05	8.42	7.94
Conductivity	umhos/cm	200	264	320	870	3208	5000	2010	2390	1341	2450
Temperature	Celsius	1.9	7.1	12.2	9.2	12.2	19.8	13.6	12.3	12.2	13.3
Lab											
Parameters	UNITS										
Bicarbonate	mg/L	114.6	114.6	114.6	162.54	348.13	641.70			265	
Carbonate	mg/L	<MDL	<MDL	<MDL	<MDL	<MDL	<MDL			7.5	
Chloride	mg/L	2.57	2.57	2.57	14.7	134.9	224.7			14.7	
Conductivity	umhos/cm	271.7	271.7	271.7	827	3174	5230			1270	
Hardness	mg/L	76	76	76	326	1089	1836			326	
Nitrate-Nitrite	mg/L	3.05	3.05	3.05	<MDL	1.77	4.07			0.412	
Ammonia	mg/L	2.78	2.78	2.78	<MDL	0.45	0.83			<MDL	
pH	su	8.5	8.5	8.5	6.9	7.6	8.3			8.3	
Phosphate	mg/L	<MDL	<MDL	<MDL	<MDL	0.044	0.100			<MDL	
ResidueFilterable-TDS	mg/L	185	185	185	503	2572	4046			842	
Sulfate	mg/L	2.1	2.1	2.1	126.36	1307.53	2230.00			393	
Arsenic (Dissovled)	mg/L	0.016	0.016	0.016	<MDL	0.014	0.032			<MDL	
Cadmium (Dissolved)	mg/L	0.0003	0.0003	0.0003	<MDL	0.023	0.060			<MDL	
Calcium (Dissolved)	mg/L	17.26	17.26	17.26	71.9	211.3	358.8			71.9	
Iron (Dissolved)	mg/L	0.029	0.029	0.029	0.016	0.160	0.832			<MDL	
Iron (TREC)	mg/L	0.117	0.117	0.117	0.090	1.113	10.350			0.328	
Magnesium (Dissolved)	mg/L	8.09	8.09	8.09	35.50	135.15	228.25			35.5	
Manganese (Dissolved)	mg/L	<MDL	<MDL	<MDL	<MDL	0.011	0.023			<MDL	
Manganese (TREC)	mg/L	0.041	0.041	0.041	0.007	19.731	236.000			0.014	
Mercury (Dissolved)	mg/L	<MDL	<MDL	<MDL	0.00002	0.00006	0.00013			<MDL	
Selenium (Dissolved)	mg/L	0.014	0.014	0.014	0.004	0.015	0.046			0.0116	
Sodium (Dissolved)	mg/L	12	12	12	40.60	291.95	565.00			155	
Zinc (Dissolved)	mg/L	0.005	0.005	0.005	0.010	0.020	0.036			0.023	

Alluvial Wells AW-15 through AW-17 are located north of Old State Highway 133, below the GOB Pile.

** Not enough water for field or lab parameters*
***Not enough water for lab sample*

Baseline Information for AW-17 is derived from events beginning on 12/29/03 through 9/27/04.
Point influenced by mining on 9/27/04.

P-1
Stevens Draw - Pond 1
Depth - 5'
Elevation - 7080

Date		12/1/2021	9/12/2021	6/18/2021
Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	0	0	0
Water Depth	FT	0	0	0
Water Level	%	0	0	0
Field Comments		Dry	Dry	Dry

Pond 1 (P-1) results from the discharge of Spring 14 (S-14) and is located in Stevens Drav location of DH-15, DH-39 and the Lower Stevens Draw monitoring point.

Point P-1 has not been influenced by mining.

P-2
Freeman Gulch - Pond 2
Depth - 3'
Elevation - 7600

	Date	12/1/2021	9/21/2021	6/21/2021
Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	3	3	3
Water Depth	FT	0	0	0
Water Level	%	0	0	0
Field Comments		No discharge	No discharge	No discharge

Pond 2 (P-2) is located in Freeman Gulch, near the Upper Freeman Gulch monitoring point and is fed by the discharge of Spring 3 (S-3).

Note: Site in accesible 1Q due to snow levels

Baseline Information for Point P-2 is derived from events beginning on 11/14/95 through 9/19/99.
Point influenced by mining on 9/19/99.

P-3
Terror Creek - Pond 3
Depth - 6.5'
Elevation - 7730

Date	10/6/2021	9/20/2021	6/21/2021

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	6.5	6.5	6.5
Water Depth	FT	0	0	0
Water Level	%	0	0	0
Field Comments		Dry	Dry	Dry

Pond 3 (P-3) is located in an un-named gulch which leads to Terror Creek. This pond is fed by Spring 16 (S-16) and is accessible by a road that passes Pond 4 (P-4). This road is not shown on the map.

Note: Site in accesible 1Q due to snow levels

Point influenced by mining on 1/15/01.

P-4
Terror Creek - Pond 4
Depth - 3.5'
Elevation - 7880

Date	10/6/2021	9/21/2021	6/21/2021

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	0.5	1	0.6
Water Depth	FT	3	2.5	2.9
Water Level	%	86	71	83
Field Comments				

Pond 4 (P-4) is located in an un-named gulch which leads to Terror Creek. This pond receives water from Springs 4 (S-4) and 4a (S-4a). It is accessible by an old exploration road.

Note: Site in accesible 1Q due to snow levels

Baseline Information for Point P-4 is derived from events beginning on 9/27/95 through 1/15/01.
Point influenced by mining on 1/15/01.

P-5
Sheep Corral - Pond 5
Depth - 8'
Elevation - 7800

Date	10/6/2021	9/20/2021	6/30/2021

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0	0	0
Freeboard	FT	2.5	5	4
Water Depth	FT	5.5	3	4
Water Level	%	69	38	50
Field Comments		Ice	No flow	No flow

Pond 5 (P-5) is located in an un-named gulch which feeds into Sheep Corral Gulch. This pond is fed by Springs 5 (S-5), 5a (S-5a) and 5b (S-5b) and is accessible by an old coal exploration road.

Note: Site in accesible 1Q due to snow levels

Point influenced by mining on 11/15/01.

P-6
Terror Creek - Pond 6
Depth - 3'
Elevation - 7880

Date	10/6/2021	9/20/2021	6/30/2021

Field Parameters	UNITS			
Pond Inflow	GPM	0	0	0
Pond Outflow	GPM	0.0	0.0	0.0
Freeboard	FT	3.0	3.0	3.0
Water Depth	FT	0	0	0
Water Level	%	0.00	0.00	0.00
Field Comments		Dry	Dry	Dry

Pond 6 (P-6) is located in an un-named gulch which leads to Terror Creek. This pond rece water from Spring 18 (S-18).

Note: Site in accesible 1Q due to snow levels

Point P-6 was influenced by mining in 2007.

P33-3
Sheep Corral - Pond 33-3
Depth - 5.5'
Elevation - 7760

Date	12/1/2021	9/21/2021	6/21/2021

Field Parameters	UNITS			
Pond Inflow	GPM	0		
Freeboard	FT	6.5		
Water Depth	FT	0		
Water Level	%	0		
Field Comments		Dry		

Pond 33-3 (P33-3) is located in an un-named drainage which discharges into Sheep Corra This pond apparently has no spring, and catches only run-off water in the early spring.

Note: Site in accesible 1Q due to snow levels

Baseline Information for Point P33-3 is derived from events beginning on 10/30/97 through 12/1/01.
Point influenced by mining on 12/1/01.

P6-5
W. Fork of Terror Creek - Pond 6-5
Elevation - 8020

Initiated	7/19/1985	7/19/1985	7/19/1985
Activated			
Date	10/6/2021	9/30/2021	4/28/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0.00	0.11	2.56				0.0	0.0	0.0
Inflow	GPM	0.00	0.00	0.00				0.0	0.0	0.0
Freeboard	Feet									5
Temperature	Celsius	12.7	15.6	24.7						
Conductivity	umhos/cm	280	452	791						
pH	su	6.2	7.8	8.5						
Field Comments								Dry		
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	164.7	290.7	420.9						
Carbonate	mg/L									
Chloride	mg/L	1	6	11						
Conductivity	umhos/cm	285	446	629						
Hardness	mg/L	127	199	320						
pH	su	7.3	7.5	7.9						
ResidueFilterable-TDS	mg/L	22	240	432						
ResidueNonFilterable-TSS	mg/L	10	185	830						
SAR		0.43	0.56	0.9						
Sulfate	mg/L	<MDL	7.7	14.0						
Calcium (Dissolved)	mg/L	31	50	74						
Magnesium (Total)	mg/L	12	22	33						
Sodium (Dissolved)	mg/L	13	19	29						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P6-5 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/19/85 and not yet considered complete.
Point P6-5 has not been influenced by mining.

P7-2
Steven's Gulch - Pond 7-2
Elevation - 8190

Initiated	7/29/1985	7/29/1985	7/29/1985
Activated	6/10/2014	6/10/2014	6/10/2014
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0	0.67	15.39	11.25		11.25			
Inflow	GPM	0	0.27	3.75	0.00		0.00			
Freeboard	Feet	0	1.32	3.42	6.50		6.50	6.5	6.5	5
Temperature	Celsius	10	16.71	27.80	15.10		15.10			
Conductivity	umhos/cm	160	248.77	321.00	170.00		170.00			
pH	su	7.2	8.46	9.70	7.7		7.7			
Field Comments								No flow	No flow	No flow
Lab Parameters	UNITS									
Bicarbonate	mg/L	119.6	158.9	223.0						
Carbonate	mg/L									
Chloride	mg/L	<MDL	2.7	5.0						
Conductivity	umhos/cm	204.0	251.3	320.0						
Hardness	mg/L	92.0	117.0	142.0						
pH	su	6.8	7.5	8.3						
ResidueFilterable-TDS	mg/L	118.0	169.7	234.0						
ResidueNonFilterable-TSS	mg/L	10.0	100.0	538.0						
SAR		0.20	0.41	1.00						
Sulfate	mg/L	<MDL	11.3	49.0						
Calcium (Dissolved)	mg/L	22.0	27.9	35.0						
Magnesium (Total)	mg/L	9.0	11.5	15.0						
Sodium (Dissolved)	mg/L	5.0	10.0	22.0						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

Activated 6/10/14

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/29/85.
Point P7-2 was influenced by mining June 10, 2014.

P7-7
Steven's Gulch - Pond 7-7
Elevation - 8380

Initiated	7/25/1985	7/25/1985	7/25/1985
Activated			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Inflow	GPM	0.0	0.0	0.0						
Outflow	GPM	0.0	0.0	0.4				0	0	0
Freeboard	Feet	0.00	1.77	4.80						
Temperature	Celsius	3.1	14.6	27.1						
Conductivity	umhos/cm	227.0	381.2	829.0						
pH	su	6.4	7.6	8.1						
Field Comments								Dry	Dry	Dry
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	126.9	190.5	244.0						
Carbonate	mg/L									
Chloride	mg/L	<MDL	1.6	3.0						
Conductivity	umhos/cm	219.0	303.1	460.0						
Hardness	mg/L	117.0	151.2	183.0						
pH	su	6.4	7.3	7.9						
ResidueFilterable-TDS	mg/L	142.0	204.8	276.0						
ResidueNonFilterable-TSS	mg/L	2.0	65.1	252.0						
SAR		0.2	0.4	1.0						
Sulfate	mg/L	<MDL	6.8	10.0						
Calcium (Dissolved)	mg/L	24.0	34.8	42.0						
Magnesium (Total)	mg/L	11.0	15.6	19.0						
Sodium (Dissolved)	mg/L	4.0	10.8	29.0						
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P7-7 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

**Dam Gone*
*** Data not provided in field notes*

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/25/85 and not yet considered complete.
Point P7-7 has not been influenced by mining.

P7-11
Steven's Gulch - Pond 7-11
Elevation - 8400

Initiated	7/25/1985	7/25/1985	7/25/1985
Activated			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0.00	0.17	7.99				0	0	0
Inflow	GPM	0.00	0.21	7.99				0	0	0
Freeboard	Feet	0.00	1.32	2.61						
Temperature	Celsius	3.6	15.9	29.9						
Conductivity	umhos/cm	138	288	495						
pH	su	6.4	7.6	9.2						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	105	320	2116						
Carbonate	mg/L	<MDL	<MDL	<MDL						
Chloride	mg/L	<MDL	3	4						
Conductivity	umhos/cm	202	262	346						
Hardness	mg/L	79	122	172						
pH	su	6.3	7.4	8.3						
ResidueFilterable-TDS	mg/L	144	190	260						
ResidueNonFilterable-TSS	mg/L	2	277	3033						
SAR		0.34	0.54	1.78						
Sulfate	mg/L	<MDL	18	121						
Calcium (Dissolved)	mg/L	3.66	26.50	41.00						
Magnesium (Total)	mg/L	7.0	12.4	19.7						
Sodium (Dissolved)	mg/L	8	13	42						
TDS Ratio (grav./calc.)		1.01	1.04	1.07						

The area of concern for monitoring point P7-11 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/25/85 and not yet considered complete.
Point P7-11 has not been influenced by mining.

P8-4
Terror Creek - Pond 8-4
Elevation - 6980

Initiated	1987	1987	1987
Activated			
Date	10/6/2021	9/23/2021	6/9/2021

Field Parameters	UNITS	Summary Information Baseline Min	Ave	Max						
Outflow	GPM	0.0	0.0	0.0				0	0	0
Inflow	GPM	0.0	0.10	0.94				0	0	0
Freeboard	Feet	0.35	0.38	0.41						
Temperature	Celsius	6.8	10.8	18.3						
Conductivity	umhos/cm	1140	1188	1220						
pH	su	8.4	8.5	8.6						
Field Comments								Dry	Dry	Dry
Lab Parameters	**UNITS**									
Bicarbonate	mg/L									
Chloride	mg/L									
Conductivity	umhos/cm									
Hardness	mg/L									
pH	su									
ResidueFilterable-TDS	mg/L									
ResidueNonFilterable-TSS	mg/L									
SAR										
Sulfate	mg/L									
Calcium (Dissolved)	mg/L									
Magnesium (Total)	mg/L									
Sodium (Dissolved)	mg/L									
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P8-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated in 1987 and not yet considered complete.
Point P8-4 has not been influenced by mining.

Initiate	7/6/1983	7/6/1983	7/6/1983
Activate			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max				Operation		
Inflow	GPM	0.00	0.28	15.708				0	0	0
Outflow	GPM	0.00	0.00	0.00				0	0	0
Freeboard	Feet	0.48	2.19	5.4						
Temperature	Celsius	2.2	16.0	29						
Conductivity	umhos/cm	206	329	500						
pH	su	5.9	7.4	8.8						
Field Comments								Dry	Dry	
Lab Parameters	UNITS									
Bicarbonate	mg/L	109.8	187.5	268						
Carbonate	mg/L	<MDL	<MDL	<MDL						
Chloride	mg/L	<MDL	6.45	30						
Conductivity	umhos/cm	197	324	581						
Hardness	mg/L	11	128	210						
pH	su	6.8	7.3	8.3						
ResidueFilterable-TDS	mg/L	126	211	402						
ResidueNonFilterable-TSS	mg/L	6	59	158						
SAR		0.34	0.65	1.58						
Sulfate	mg/L	<MDL	18.12	119						
Calcium (Dissolved)	mg/L	23	35	56						
Magnesium (Total)	mg/L	8	12	17						
Sodium (Dissolved)	mg/L	8	18	39						
TDS Ratio (grav./calc.)		1.05	1.05	1.05						

The area of concern for monitoring point P18-4 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/6/83 and not yet considered complete.
Point P18-4 has not been influenced by mining.

P12-1
Steven's Gulch - Pond 12-1
Elevation -7950

Initiated	7/30/1985	7/30/1985	7/30/1985
Activated	4/1/2014	4/1/2014	4/1/2014
Date	10/5/2021	9/30/2021	6/8/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0.00	0.29	3.75	9.375	0.4464	9.375	0	0	0
Inflow	GPM	0.00	0.00	0.00	3.75	0.1875	3.75	0	0	0
Freeboard	Feet	0.00	1.58	3.35	6.00	2.37	6.00	6		
Temperature	Celsius	5.9	17.7	28.8	15.2		15.2			
Conductivity	umhos/cm	283	360	493	260		260			
pH	su	6.6	8.2	10.8	7.9		7.9			
Field Comments								No discharge	Dry	Dry
Lab Parameters	**UNITS**									
Bicarbonate	mg/L	88.0	168.4	269.6						
Carbonate	mg/L	12.4	12.4	12.4						
Chloride	mg/L	<MDL	4.5	7.0						
Conductivity	umhos/cm	256	341	487						
Hardness	mg/L	86.0	122.9	159.0						
pH	su	7.1	7.8	8.9						
ResidueFilterable-TDS	mg/L	154	215	288						
ResidueNonFilterable-TSS	mg/L	<MDL	38	160						
SAR		0.600	0.943	1.550						
Sulfate	mg/L	4.0	36.5	109.0						
Calcium (Dissolved)	mg/L	28.0	35.8	49.0						
Magnesium (Total)	mg/L	4.0	10.3	14.0						
Sodium (Dissolved)	mg/L	16.0	24.8	41.0						
TDS Ratio (grav./calc.)										

Note: Site in accesible 1Q due to snow levels

Activated 4/1/14

Baseline Information Collection initiated on 7/30/85.
Point P12-1 was influenced by mining 4/1/14.

P12-2
Steven's Gulch - Pond 12-2
Elevation - 8030

Initiated	7/6/1983	7/6/1983	7/6/1983
Activated	5/15/2014	5/15/2014	5/15/2014
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0	0.31	4.94	1.25		1.25			0
Inflow	GPM	0	0.19	0.38	0.00		0.00			0
Freeboard	Feet	0	0.10	0.56	4.00		4.00	4		1
Temperature	Celsius	5.4	16.33	26.30	17.20		17.20			
Conductivity	umhos/cm	239	380.35	520.00	350.00		350.00			
pH	su	6.4	8.03	9.40	7.7		7.7			
Field Comments								No Discharge	Dry	No Discharge
Lab Parameters	UNITS									
Bicarbonate	mg/L	200.0	253.6	336.0						
Carbonate	mg/L	5.9	8.85	11.80						
Chloride	mg/L	2.0	4.1	9.0						
Conductivity	umhos/cm	317	395	456						
Hardness	mg/L	144.00	192.08	238.00						
Acidity	mg/L	16.0	16.0	16.0						
pH	su	7.3	7.9	8.6						
ResidueFilterable-TDS	mg/L	168	244	292						
ResidueNonFilterable-TSS	mg/L	2	330	3332						
SAR		0.330	0.613	1.260						
Sulfate	mg/L	<MDL	19.57	113.00						
Calcium (Dissolved)	mg/L	20.0	41.7	54.0						
Iron (Total)	mg/L	1.42	1.42	1.42						
Iron (Dissolved)	mg/L	0.04	0.04	0.04						
Magnesium (Total)	mg/L	16.0	21.4	29.0						
Manganese (Total)	mg/L	0.320	0.320	0.320						
Sodium (Dissolved)	mg/L	10	19.17	36.00						
TDS Ratio (grav./calc.)	%									

Activated May 15, 2014

**Large Seep Area - Unmeasurable*

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/6/83.
Point P12-2 was influenced by mining 05/15/2014.

P12-10
Steven's Gulch - Pond 12-10
Elevation - 7820

Initiated	7/30/1985	7/30/1985	7/30/1985
Activated			
Date	10/5/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.0	1.9	48.066				0	0	0
Inflow	GPM	0.0	0.3	15.00				0	0	0
Freeboard	Feet							5	6	
Temperature	Celsius	4.4	16.8	25.5						
Conductivity	umhos/cm	270	347	466						
pH	su	6.7	8.2	10.4						
Field Comments										Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	122	188.8	309						
Carbonate	mg/L	6	9	12						
Chloride	mg/L	<MDL	6.3	17						
Conductivity	umhos/cm	217	333	463						
Hardness	mg/L	98	146	209						
pH	su	7.6	8.2	9.8						
ResidueFilterable-TDS	mg/L	146	208	288						
ResidueNonFilterable-TSS	mg/L	<MDL	26.6	120						
SAR		<MDL	0.73	1.07						
Sulfate	mg/L	4	19	41						
Calcium (Dissolved)	mg/L	28	37	48						
Magnesium (Total)	mg/L	6	13	29						
Sodium (Dissolved)	mg/L	9	20	32						
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P12-10 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Corrected monitoring information from 4/28/10 to 11/29/11.
Contractor has been monitoring Pond 12-9 as 12-10, but realized his error during 4/10/12 monitoring.
Found remnants of Pond 12-10 on 4/10/12 - has been washed out for a long time. No evidence of flow.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/30/85 and not yet considered complete.
Point P12-10 has not been influenced by mining.

P17-1
Coal Gulch - Pond 17-1
Elevation - 7340

Initiated	12/22/2004	12/22/2004	12/22/2004
Activated			
Dated	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0.0	1.8	30				0	0	0
Inflow	GPM	0.0	0.0	0.0				0	0	0
Freeboard	Feet	0.0	0.7	5.5						
Temperature	Celsius	0.5	9.0	17.5						
Conductivity	umhos/cm	40.0	151.7	570						
pH	su	7.6	8.0	8.4						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	40.5	56	84						
Carbonate	mg/L	<MDL	<MDL	<MDL						
Chloride	mg/L	1	3	4						
Conductivity	umhos/cm	77.8	104	146						
Hardness	mg/L	26.8	47	75						
pH	su	7.5	7.7	7.9						
ResidueFilterable-TDS	mg/L	61	80	100						
ResidueNonFilterable-TSS	mg/L	16	25	36						
SAR		0.16	0.17	0.19						
Sulfate	mg/L	<MDL	5.35	5.35						
Calcium (Dissolved)	mg/L	5.83	11.98	19.80						
Magnesium (Total)	mg/L	2.98	4.26	6.30						
Sodium (Dissolved)	mg/L	2.21	2.64	3.40						
TDS Ratio (grav./calc.)		1.07	1.36	1.82						

The area of concern for monitoring point P17-1 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 12/22/04 and not yet considered complete.
Point P17-1 has not been influenced by mining.

P18-1
Coal Gulch - Pond 18-1
Elevation - 7760

Initiated	7/19/1985	7/19/1985	7/19/1985
Activated	6/6/2012	6/6/2012	6/6/2012
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation Min	Operation Ave	Operation Max			
Outflow	GPM	0.00	0.20	2.11	0.00	0.05	0.94	0	0	0
Inflow	GPM	0.00	0.31	1.88	0.00	0.28	4.10	0	0	0
Freeboard	Feet	0.00	2.07	2.91	0.00	0.87	3.50			
Temperature	Celsius	9.8	16.2	26.7	11.20	17.85	23.10			
Conductivity	umhos/cm	115	211	378	557.00	600.00	620.00			
pH	su	6.3	7.8	9.2	8.10	8.43	8.68			
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	49.0	125.4	201.3						
Carbonate	mg/L	0.6	0.6	0.6						
Chloride	mg/L	<MDL	7	11						
Conductivity	umhos/cm	120	244	398						
Hardness	mg/L	54	94	153						
pH	su	6.2	7.0	7.6						
ResidueFilterable-TDS	mg/L	86	169	280						
ResidueNonFilterable-TSS	mg/L	12	178	552						
SAR		<MDL	0.21	0.47						
Sulfate	mg/L	<MDL	15	39						
Calcium (Dissolved)	mg/L	15	25	40						
Magnesium (Total)	mg/L	4	7	13						
Sodium (Dissolved)	mg/L	<MDL	5	10						
TDS Ratio (grav./calc.)										

The monitoring point for Pond 18-1 is located on a south facing slope that drains down toward the North Fork of the Gunnison River.

Note: Site in accesible 1Q due to snow levels

Baseline Information is derived from monitoring events beginning on 7/19/85 through 6/6/2012.
Point P18-1 influenced by mining 6/6/12.

Initiated	6/14/1983	6/14/1983	6/14/1983
Activated			
Date	10/7/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max				Operation		
Inflow	GPM	0.0	0.0	0				0	0	0
Outflow	GPM	0.0	0.1	4.488				0	0	0
Freeboard	Feet	0.18	1.06	2.55						
Temperature	Celsius	4.2	16.9	29						
Conductivity	umhos/cm	62.0	247.1	968						
pH	su	7.0	8.3	9.8						
Field Comments								Empty/Dry		
Lab Parameters	UNITS									
Bicarbonate	mg/L	53.7	140.7	478.2						
Carbonate	mg/L									
Chloride	mg/L	<MDL	20.0	120						
Conductivity	umhos/cm	95.0	271.8	885						
Hardness	mg/L	44.0	103.3	331						
pH	su	6.3	7.2	8						
ResidueFilterable-TDS	mg/L	90.0	200.5	372						
ResidueNonFilterable-TSS	mg/L	14.0	125.0	624						
SAR		0.1	0.4	1.74						
Sulfate	mg/L	<MDL	19.6	62						
Calcium (Dissolved)	mg/L	11.0	25.3	83						
Magnesium (Total)	mg/L	3.0	9.7	30						
Sodium (Dissolved)	mg/L	1.0	10.8	50						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P81 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

** Data not provided in field notes*

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 6/14/83 and not yet considered complete.
Point P81 has not been influenced by mining.

P82
Steven's Gulch - Pond 82
Elevation - 7580

Initiated	7/18/1990	7/18/1990	7/18/1990
Activated			
Date	10/11/2021	9/30/2021	6/9/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max				Operation		
Outflow	GPM	0.00	0.10	4.90				0	0	0
Inflow	GPM	0.00	0.00	0.00				0	0	0
Freeboard	Feet	0.00	1.48	5.50						
Temperature	Celsius	7.8	17.9	28.0						
Conductivity	umhos/cm	91	237	569						
pH	su	6.4	8.5	10.0						
Field Comments								Dry	Dry	Dry
Lab Parameters	UNITS									
Bicarbonate	mg/L	51.2	134	290						
Carbonate	mg/L	1	1	1						
Chloride	mg/L	<MDL	8	25						
Conductivity	umhos/cm	104	258	623						
Hardness	mg/L	36	89	158						
pH	su	6.4	7.1	8.4						
ResidueFilterable-TDS	mg/L	75	225	566						
ResidueNonFilterable-TSS	mg/L	28	155	450						
SAR		<MDL	0.22	0.49						
Sulfate	mg/L	4	22	78						
Calcium (Dissolved)	mg/L	11	24	45						
Magnesium (Total)	mg/L	2	7	13						
Sodium (Dissolved)	mg/L	<MDL	5	14						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

The area of concern for monitoring point P82 has not been affected by the mining operation. Therefore, all recorded monitoring events are considered Baseline.

** Data not provided in field notes*

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/18/90 and not yet considered complete.
Point P82 has not been influenced by mining.

P83
Coal Gulch - Pond 83
Depth - 2.5'
Elevation -7820

Initiated	7/18/1983	7/18/1983	7/18/1983
Activated	7/15/2013	7/15/2013	7/15/2013
Date	10/6/2021	9/30/2021	6/30/2021

Summary Information

Field Parameters	UNITS	Baseline Min	Baseline Ave	Baseline Max	Operation					
Outflow	GPM	0.00	0.20	6.24	0.00	0.00	0.00	0	0	0
Inflow	GPM	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0
Freeboard	Feet	0.57	2.30	2.54	1.25	2.32	2.54			
Temperature	Celsius	9.4	18.6	27.8						
Conductivity	umhos/cm	148	354	485						
pH	su	6.9	74.7	803.0						
Field Comments								Dry		
Lab Parameters	UNITS									
Bicarbonate	mg/L	75.6	203.8	280.6						
Carbonate	mg/L	39.5	39.5	39.5						
Chloride	mg/L	<MDL	7	14						
Conductivity	umhos/cm	160	357	499						
Hardness	mg/L	70	162	234						
pH	su	6.9	7.8	9.4						
ResidueFilterable-TDS	mg/L	95	202	270						
ResidueNonFilterable-TSS	mg/L	4	77	536						
SAR		0.21	0.42	0.71						
Sulfate	mg/L	<MDL	14	29						
Calcium (Dissolved)	mg/L	13	30	54						
Magnesium (Total)	mg/L	6	21	29						
Sodium (Dissolved)	mg/L	4	13	21						
Potassium	mg/L									
TDS Ratio (grav./calc.)										

** No data provided in field notes*

Note: Site in accesible 1Q due to snow levels

Baseline Information Collection initiated on 7/18/83 .
Point P83 was influenced by mining on or about July 15, 2013.

2021
MAPS

BOWIE RESOURCES, LLC

BOWIE RESOURCES, LLC
BOWIE NO. 2 MINE
P.O. BOX 483
PAONIA, COLORADO 81428
PERMIT C-1996-083

PREPARED BY:

J. E. STOVER & ASSOCIATES
2352 N. 7th St., Unit B
Grand Jct., CO 81501

DRILL HOLE ROAD DISTURBANCE					
ACTION/SEGMENT	ROAD NAME	DIST. TYPE	YEAR	ACRES	MILES
TR-17					
015	EAST RIDGE - NORTHEAST	NEW	2000	0.1	0.1
019	FREEMAN GULCH - SOUTH EXT.	NEW	2001	0.1	0
030	FREEMAN GULCH - SOUTH EXT.	NEW	2000	0.3	0.2
025 & 028	FREEMAN GULCH	REPLISHED	2000	0.9	0.6
027	FREEMAN GULCH - SOUTHEAST	NEW	2000	0.6	0.4
029 & 073	FREEMAN GULCH	REPLISHED	2000	1.0	0.3
030	FREEMAN GULCH	NEW	2000	0.1	0.1
099	EAST RIDGE - NORTHEAST	NEW	2000	0.3	0.2
	TOTAL			3.4	2.9
TR-20					
001,002	STEVENS DRAW	UPGRADED	2001	0.9	0.7
002,004	NORTH RIDGE	UPGRADED	2001	0.6	0.4
005,006	STEVENS DRAW	UPGRADED	2001	0.8	0.4
06,07,09	NORTH RIDGE	UPGRADED	2001	0.8	0.7
003	NORTH RIDGE	UPGRADED	2001	0.4	0.1
010	WEST RIDGE	NEW	2001	0.7	0.5
011	EAST RIDGE	UPGRADED	1999	1.1	0.7
012	EAST RIDGE - SOUTHEXT	UPGRADED	1999	0.1	0.0
013	EAST RIDGE - NORTHEXT	UPGRADED	1999	0.1	0.1
014	EAST RIDGE - NORTHEXT	UPGRADED	2000	0.3	0.2
008	NORTH RIDGE	UPGRADED	2001	0.4	0.3
017,018	FREEMAN GULCH	UPGRADED	2000	0.2	0.4
021	FREEMAN GULCH - EAST EXT	NEW	2001	0.1	0.1
022	FREEMAN GULCH - EAST EXT	NEW	2001	0.4	0.2
023	FREEMAN GULCH - NORTH EXT	NEW	2001	0.2	0.2
026	FREEMAN GULCH - NORTH EXT	NEW	2001	0.3	0.1
028	FREEMAN GULCH - NORTHEAST	REPLISHED	2001	0.4	0.3
031	FREEMAN GULCH -	UPGRADED	2000	0.5	0.4
033&034	SHEEP CORRAL	REPLISHED	2001	0.6	0.4
035&036	SHEEP CORRAL	New	2001	0.7	0.5
037&038	SHEEP CORRAL	REPLISHED	2001	1.1	0.7
039	SHEEP CORRAL	REPLISHED	2001	0.0	0.0
040	SHEEP CORRAL - SOUTH EXT	NEW	2001	1.0	0.7
067,068	NORTH RIDGE	UPGRADED	2001	0.4	0.1
074	POND FIVE	REPLISHED	2001	0.3	0.2
	TOTAL			12.3	8.3

DRILL HOLE ROAD DISTURBANCE-CONTINUED					
ACTION/SEGMENT	ROAD NAME	DIST TYPE	YEAR	ACRES	MILES
TR-25					
076	FREEMAN GULCH - NORTHEAST	NEW	2001	0.7	0.3
079	WEST RIDGE - SOUTH EXT	NEW	2001	1.6	0.6
	TOTAL			2.3	0.9
PR-05					
001,092	WEST RIDGE	NEW	2003	0.9	0.4
TR-22					
066,088	SHEEP CORRAL	UPGRADED	2003	1.0	0.7
089	PLANTATION	UPGRADED	2002	0.6	0.4
091,093	PLANTATION - EAST EXT	NEW	2002	0.8	1.2
095	BULL RUB	NEW	2003	0.0	0.0
096	DOVE GULCH - DELETED	UPGRADED	2003	0.0	0.0
100	NORTH RIDGE	UPGRADED	2002	0.5	0.4
101	TERROR CREEK DESCENT	UPGRADED	2002	0.2	0.1
	TOTAL			3.1	2.8
MR-22					
104	STORAGE ROAD	NEW	2002	0.2	0.1
118	B EXPLORATION MAIN	UPGRADED	2002	0.2	0.3
119	B EXPLORATION NORTH EXT	NEW	2002	0.1	0.1
120,126	B EXPLORATION SOUTH AJR	NEW	2002	0.6	0.5
	TOTAL			1.1	1.0
MR-24,25	EAST RIDGE SOUTH EXT	UPGRADED	2002	0.6	0.6
126,128	TERROR CRK EAST PARALLEL	UPGRADED	2003	0.0	0.5
127	TERROR CRK EAST PARALLEL	NEW	2003	1.5	0.5
	TOTAL			1.5	1.0
MR-29,140	GOB PILE GEOTECH	NEW	2003	1.3	0.9
MR-29,146	WEST RIDGE - NO EXT	NEW	2005	1.4	0.5
TR-41,150	WEST RIDGE - NO EXT-1	NEW	2005	0.9	0.3
MR-65,154	VENT SPUR	NEW	2006	0.1	0.1
MR-07					
156	EAST RIDGE NORTHEAST EXT.	NEW	2006	0.5	0.2
157	PO SP	NEW	2006	0.1	0.1
	Total			0.6	0.3
MR-75,160	HUBBARD CREEK STUB	NEW	2006	0.1	0.1

DRILL HOLE ROAD DISTURBANCE - CONTINUED					
ACTION/SEGMENT	ROAD NAME	DIST TYPE	YEAR	ACRES	MILES
MR-78,79					
160	WYE BRANCH (MR-79)	NEW	2006	0.2	0.1
169	NRVW EXT	DELETED	2007	0.0	0.5
170	FG E EXT	NEW	2006	0.3	0.2
171	FG N EXT	NEW	2006	0.1	0.1
172	NRVW EXT	NEW	2006	0.3	0.2
TOTAL				0.9	0.6
TR-32					
210	NORTH DOVE GULCH	NEW	2008	14.0	2.7
193	PLANTATION EXTENSIONS	NEW	2008	0.9	0.3
194	DOVE GULCH EAST	UPGRADED	2008	0.9	0.6
TOTAL				15.8	3.6
MR-82					
198	WEST GOB PILE GEOTECH	NEW	2014	2.7	1.1
MR-134					
192	SG POINT	NEW	2009	0.5	0.2
MR-46					
205	Road 7-1 Road	UPGRADED	2008	0.21	0.12
209	RH-69 Road	UPGRADED	2008	0.49	0.34
TOTAL				0.70	0.46
MR-116					
203	Terror Creek Access	NEW	2010	6.0	1.0
MR-125	B-1				
207	GVB-10A Road	NEW	2010	0.40	0.14
208	GVB-10B Road	NEW	2010	0.62	0.22
TOTAL				1.02	0.36
MR-123	B-2				
215	TC Ridge Road	UPGRADED	2011	1.3	0.88
216	120 Road	UPGRADED	2011	0.35	0.12
217	13A Road	UPGRADED	2011	0.08	0.10
217	13A Road	NEW	2011	0.22	0.15
TOTAL				1.96	1.25

DRILL HOLE ROAD DISTURBANCE - CONTINUED					
ACTION/SEGMENT	ROAD NAME	DIST TYPE	YEAR	ACRES	MILES
TR-73					
232	12E RD	NEW	2012	0.59	0.30
233	13B RD	NEW	2012	0.14	0.11
133A	13C RD	NEW	2012	0.13	0.05
234	14A RD	NEW	2012	0.75	0.30
235	14B RD	NEW	2012	0.13	0.15
236	14C RD	NEW	2012	0.39	0.13
236	14C RD	UPGRADED	2013	0.66	0.48
237	14D RD	NEW	2013	0.37	0.13
238	14E RD	NEW	2013	0.22	0.13
239	5S-7RD	NEW	2012	1.47	0.64
240	5S-8 RD	NEW	2013	0.25	0.59
241	12-1 RD	NEW	2012	0.29	0.19
TOTAL				5.30	3.20
MR-131					
244	17F Road	New	2012	0.15	0.05
MR-126					
247	GVB-B13C-1 Road	New	2013	0.45	0.16
TR-78 & MR-152					
248	14F RD	NEW	2013	0.91	0.17
249	16A Road (MR-152)	New	2014	0.37	0.13
250	15 B,C,D RD	Upgraded	2014	0.96	0.65
252	15D RD	New	2014	0.43	0.15
253	SS-8 RD	New	2013	1.00	0.08
TOTAL				3.83	1.30
MR-146					
261	Ellison Mesa Pipeline	New	2014	4.0	0.81
TR-86 & MR-152					
263	16E RD (MR-152)	New	2014	0.42	0.15
263	16C RD (MR-152)	New	2014	0.37	0.13
264	16D RD (Deleted MR-152)	New	2014	0.08	0.03
265	17A RD (MR-152)	New	2014	0.63	0.22
265	17A RD	Upgraded	2014	0.53	0.37
266	17F RD (TR-89)	New	2014	0.51	0.18
267	17C RD (MR-152)	New	2014	0.33	0.12
268	17D RD (MR-152)	New	2014	0.79	0.28
269	17E RD (MR-152)	New	2014	0.29	0.10
270	19A RD (MR-152)	New	2015	0.19	0.07
271	19B RD (MR-152)	Upgraded	2015	0.30	0.20
271	19B RD (MR-152)	New	2015	0.25	0.09
TOTAL				4.69	1.94
TR-90					
282	15A RD		2014	0.30	0.10
282	19C RD	New	2015	0.45	0.15
Total				0.75	0.25
MR-164					
290	58A Road	New	2014	0.46	0.16
MR-165					
291	Section 5 Road	New		1.20	0.34

DRILL HOLE PAD DISTURBANCE					
ACTION/SEGMENT	DRILL PAD NAME	DIST. TYPE	YEAR	ACRES	
TR-17					
043	GVB-D-4A	NEW	2000	0.4	
045,46	GVB-D-3B,2C	NEW	1999	0.4	
47,48,49	GOB-1,2,3	NEW	1999	0.6	
057,58	GVB-D-3C,2A	NEW	2000	0.4	
TOTAL				1.8	
TR-20					
063,41	GVB-D-2B, 7A	NEW	2000	0.8	
42,044	GVB-D-5A, 4B	NEW	2001	1.0	
055	GVB-NM2-3C	NEW	2001	0.5	
053,052	GVB-NM2-2B,3B	NEW	2001	1.0	
054,056	GVB-NM2-3A,3A	NEW	2001	1.0	
059,060	GVB-D-4C-5B	NEW	2001	1.0	
061,062	GVB-D-5C,6C	NEW	2001	1.0	
064,065	GVB-D-6A,6B	NEW	2001	1.0	
066,75	GVB-D-7B,7C	NEW	2001	1.0	
068,070	DH-57,58	NEW	1999	1.0	
TOTAL				9.3	
TR-21					
077,076	GVB-D-5D,WD-1A	NEW	2001	1.0	
MR-19					
83,84,85	GEO-TECH-01,02,03	NEW	2001	0.0	
PR-05					
050,80	GVB-NM2-2C-1B	NEW	2003	1.0	
TR-23					
87,90,92	GVB-D-6C & 8B & 9B	NEW	2003	1.5	
096	GVB-D-6A, GVB-D-4A	NEW	2002	0.5	
096	IP99-16	NEW	2003	0.5	
097,98	IP99-14,17-DELETED	DELETED	2002	0.0	
100	IP99-11	NEW	2002	0.0	
MR-23					
105-117	B-BURN-DH-8,-20	NEW	2002	0.0	
103	B-BURN-DH-21	NEW	2002	0.0	
MR-24					
120	MM-3	NEW	2002	0.5	
TR-25					
129,130	P-B-BURN-22,8,23	NEW	2003	1.0	
131,33,32	P-TC-03-01 & 02 & 3	NEW	2003	1.5	
TOTAL				2.5	

DRILL HOLE PAD DISTURBANCE					
ACTION/SEGMENT	DRILL PAD NAME	DIST. TYPE	YEAR	ACRES	
TR-26					
1,36	P-TC-03-9R	DELETED TR-96			
4,34,35,37	P-TC-03-04,05 & 07	DELETED	2003	0.0	
MR-29					
107	HC-08-02 (MM-02)	NEW	2006	0.0	
MR-65					
159	14 GEOTECH HOLES	NEW	2003	0.0	
TOTAL				1.8	
MR-30					
139	3 ALLUVIAL WELLS	NEW	2003	0.0	
TR-32					
143	TC-08-04	NEW	2004	0.0	
MR-53					
142	B-BURN-24	NEW	2005	0.0	
143	TC-08-04	NEW	2005	0.0	
MR-55					
144	VB-B2-A, BSC, B3- A3	NEW	2005	0.0	
MR-58					
145	GVB-B1I--A1	NEW	2005	0.5	
MR-59					
147	GVB-B2-A1	NEW	2005	0.5	
148,149	GVB-B2-A2,A1	NEW	2005	1.0	
TOTAL				1.5	
MR-61					
159	GVB-B2-B	NEW	2005	0.5	
MR-62					
152	GVB-B2-A2	NEW	2005	0.5	
MR-65					
153	GVB-8A, 6B & 6C	NEW	2006	1.5	
MR-67					
155	GVB-4A & 5A	NEW	2006	1.0	
MR-72					
159	GO-1 THROUGH GO-6	NEW	2006	0.0	
MR-75					
159	GEO-TECH-04	NEW	2006	0.5	
MR-76					
161,162	GVB-9D,9E	NEW	2006	1.0	
TOTAL				0.0	
164,165	GVB-7A, 7B	NEW	2006	1.0	
166,167	GVB-7C,7D	NEW	2006	1.0	
TOTAL				3.0	
TR-82					
174	GVB-9C	NEW	2008	1.0	

DRILL HOLE PAD DISTURBANCE - CONTINUED					
ACTION/SEGMENT	DRILL PAD NAME	DIST. TYPE	YEAR	ACRES	
TR-53					
196	HC-08-01	NEW	2009	0.5	
MR-86					
197	HC-08-02 (MM-02)	NEW	2009	0.0	
MR-95					
189	11 GEOTECH HOLES	DELETED TR-96			
MR-92					
190	GVB-8A-A	NEW	2009	0.0	
MR-100					
191	GVB-8A-B	NEW	2009	0.0	
MR-105					
196	GVB-8-TG	NEW	2009	1.0	
TR-65					
199	Geotech Hole	NEW	2010	1.0	
MR-115					
196	Geo-1, 2, 3	New	2010	0.0	
TR-41					
197	BRL-1-03-01	New	2003	0.5	
MR-118					
198	BRL-1-08-03	DELETED TR-96			
199	BRL-1-08-04	New	2008	0.5	
TOTAL				0.5	
MR-126	B-1				
204	2010-2	New	2008	0.5	
MR-135	B-1				
206	GVB-10A	NEW	2010	1.0	
206	GVB-10B	NEW	2010	1.0	
Total				2.0	
MR-122	B-2				
209	GVB-11A	NEW	2011	1.3	
210	GVB-11A Road	NEW	2011	1.3	
211	GVB-12A	NEW	2011	1.0	
TR-86					
212	GVB-12B & Road	NEW	2011	1.7	
213	GVB-12C	NEW	2011	1.0	
214	GVB-13A	NEW	2011	1.0	
Total				7.0	
MR-124	B-2				
218	GVB-B11C	NEW	2011	1.0	
219	GVB-B12D	NEW	2011	1.0	
Total				2.0	

DRILL HOLE PAD DISTURBANCE - CONTINUED					
ACTION/SEGMENT	DRILL PAD NAME	DIST. TYPE	YEAR	ACRES	
TR-73					
223	GVB-B12E	NEW	2012	1.0	
224	GVB-B13C	NEW	2012	1.0	
222	GVB-B13C	NEW	2012	1.0	
223	GVB-B13D	NEW	2012	1.0	
196	GVB-B11E	NEW	2012	1.0	
224	GVB-B14A	NEW	2012	1.0	
226	GVB-B14B	NEW	2013	1.0	
226	GVB-B14C	NEW	2013	1.0	
227	GVB-B14D	NEW	2013	1.0	
228	GVB-B14E	NEW	2013	1.0	
229	SS-7	NEW	2012	1.0	
230	SS-6	NEW	2013	1.0	
231	2012-1	NEW	2012	1.0	
Total				13.0	
MR-133					
242-4	Utility Holes	New	2012	0.0	
243	GVB-13F	New	2012	1.0	
MR-134					
245	BH13 Vent	New	2013	1.0	
MR-136					
246	GVB-B13C-1	New	2013	1.0	
TR-78					
254	GVB-B14F	New	2013	1.0	
255	GVB-B15A	New	2013	1.0	
256	GVB-B15B	New	2014	1.0	
257	GVB-B15C	New	2014	1.0	
258	GVB-B15D	New	2014	1.0	
259	GVB-B16A	New	2014	1.0	
260	SS-8	New	2013	1.0	
TOTAL				7.0	
TR-86					
272	GVB-16B	New	2014	1.0	
273	GVB-16C	New	2014	1.0	
274	GVB-16D	New	2014	1.0	
275	GVB-17A	New	2014	1.0	
276	GVB-17B	New	2014	1.0	
277	GVB-17C	New	2014	1.0	
278	GVB-17D	New	2014	1.0	
279	GVB-17E	New	2014	1.0	
280	GVB-19A	New	2014	1.0	
281	GVB-19B	New	2014	1.0	
282	2014-SS-A	DELETED TR-96			
283	2014-SS-B	New	2014	1.0	
284	2014-SS-C	New	2014	1.0	
TOTAL				12.0	
TR-90					
285	GVB-L7F	New	2014	1.0	
286	GVB-19C	New	2015	1.0	
TOTAL				2.0	
MR-164					
289	GV4-DH-58A	New	2014	1.0	

REVISIONS			
No.	Description	BY	DATE
82	TR-107 Suspend Monitoring at Some Sites, Show outline of mining to date and new extent of subsidence.	J.E.S.	04/15/16
81	TR-103 Suspend Monitoring at Some Sites	J.E.S.	08/18/15
80	TR-100 Mine Plan Update and Sequence	J.E.S.	05/06/15
79	TR-99 Delete 2015-18 and 2015-155	J.E.S.	02/18/15
78	MR-174 Update Drill Road Locations and Acreage	J.E.S.	01/30/15
77	TR-96 Delete Drill Holes P-TC-03-06, BRL-1-08-03, 2014-SS-A and 11 Geotech Holes	J.E.S.	11/21/14
76	MR-165 Section 5 Road	J.E.S.	11/04/14
75	MR-164 Replace CWI-DH-58 with new DH-58A	J.E.S.	10/02/14
74	PR-14 Federal Coal Lease COC-75916, Point of compliance wells, Stream buffer zones.	J.E.S.	10/03/14
73	TR-90 Two New GWs	J.E.S.	06/13/14
72	MR-152 Move 11 Gob Vent Holes	J.E.S.	06/18/14

REFERENCES

ENGINEER'S CERTIFICATION

I hereby certify that this drawing was done by me or under my direct supervision and that all of the information presented on this drawing is true and correct to the best of my knowledge and belief.

James E. Stover — *Date*

Colorado P.E. 19230

Hydrologic Key

SW-1	Active Surface Water Monitoring Point
SW-1	Inactive Surface Water Monitoring Point
AW-7	Active Bedrock or Alluvial Monitoring Point
AW-7	Inactive Bedrock or Alluvial Monitoring Point
AW-7	Sealed or Destroyed Bedrock or Alluvial Monitoring Point
SP-3	Active Spring Monitoring Point S-3 or SP-3
SP-3	Inactive Spring Monitoring Point S-3 or SP-3
P-1	Active Stock Pond Monitoring Location
P-1	Inactive Stock Pond Monitoring Location
EPH-1	Ephemeral Channel-Monitor Where Flow is Available
GVB-XX	Mehtane Drainage Well

Legend:

- Paved Road
- Unpaved Road
- Unpaved Road-New
- Unpaved Road - Refurbished
- Jeep Trail
- Stream
- River
- Fence
- Railroad
- Canal
- WAPA Transmission Line
- Permit Boundary
- Fed Coal Lease Boundary
- Extent of Subsidence Based on Mine Plan
- Aqueduct
- Mine Plan Outline
- Bowie No. 1 Mine Workings
- TR/MR Revision Cloud
- Stream Buffer Zone

Eliminated by 1997 Construction Project
Spring S-6
Spring S-7
Spring S-9
Spring S-15
Drill Hole DH-42
Drill Hole DH-52
Drill Hole DH-54
Drill Hole DH-55

Eliminated by Mining
Drill Hole DH-13
Drill Hole DH-34B
Drill Hole DH-57A

Eliminated by 2002 Construction Project
Alluvial Well 1

PREPARED FOR: BRL BOWIE RESOURCES, LLC — BOWIE RESOURCES, LLC, BOWIE NO. 2 MINE, P.O. BOX 483, PAONIA, COLORADO 81428

PREPARED BY: J. E. STOVER & ASSOCIATES, 2352 N. 7th Street, Unit B, Grand Jct., CO 81501

DESIGNED: T.K.B. 11/09
DRAWN:
CHECKED:

ONE INCH

PROJECT: BOWIE NO. 2 MINE

TITLE: HYDROLOGICAL MONITORING LOCATION MAP

DRMS I.D. No. C - 1996 - 083

SCALE: 1" = 1000'

DWG. NAME: Map 09