

**COLORADO**Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203**MINERAL PROSPECTING DRILL HOLE**
PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock

(PROSPECT SITE NAME)

P 2021-013

(PROSPECT NOI No.)

I. DRILL HOLE: Drill Hole I.D. No. CR-21-SN01For this Section I, please attach completed drill hole logs **OR** complete the following information:

1309'

(Total Depth)

17' to end of colluvium

(Depth of Unconsolidated Material)

Bedrock at 17', Casing set to 30'

(Depth of Penetration into Bedrock)

Was water encountered:

No

☒

Yes

☐

if so, at what depth(s):

Was water encountered in either Volcanic or Sedimentary Rock: No

☒ N/A

Yes

☐

Date Drilled:

8/21/2021

Date Permanently Abandoned:

9/15/2021

II. OPERATOR (PROSPECTOR) :

Sean Muller (Grand Island Resources)

(Name)

4803 Caribou Road c/o Caribou Mine

(Address)

Nederland

(City)

Colorado

(State)

80466

(Zip)

(720) 502-0850

(Telephone No.)

DRILLER:

American Drilling Corp

(Name)

19208 East Broadway Ave

(Address)

Spokane

(City)

Washington

(State)

99016

(Zip)

(509) 921-7836

(Telephone No.)



III. LOCATION:

The following information is required for ALL prospecting drill holes:

1/4 of the 1/4 of Section Township Range

Prime Meridian County

If the area has not been surveyed, supply the Longitude West and Latitude North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

Feet North South from the South North section line
 feet east West from the west East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

☒ 1. Plugged dry hole, method of plugging:

Depth at which concrete plug set: feet below ground surface.

☒ 2. Sealed Hole (when groundwater is encountered):

☐ 2a. Neat Cement Grout, top to bottom: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2b. Neat Cement Grout, interval grouting: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

Leveling and cleaning up site to its original condition of barren ground devoid of vegetation per approved permit

The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

David P. Young

(Name of Operator's Representative)

Senior Geologist

(Title)


(Signature of Operator's Representative)

1/11/2022
(Date)

**COLORADO**Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203**MINERAL PROSPECTING DRILL HOLE**
PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock**(PROSPECT SITE NAME)****P 2021-013****(PROSPECT NOI No.)****I. DRILL HOLE:** Drill Hole I.D. No. CR-21-SN02For this Section I, please attach completed drill hole logs OR complete the following information:**1321'****(Total Depth)****8' to end of colluvium****(Depth of Unconsolidated Material)****Bedrock at 8', Casing set to 30'****(Depth of Penetration into Bedrock)**Was water encountered: No ☒ Yes ☐ if so, at what depth(s):Was water encountered in either Volcanic or Sedimentary Rock: No ☒ Yes ☐

Date Drilled:

9/24/2021

Date Permanently Abandoned:

10/11/2021**II. OPERATOR (PROSPECTOR) :****Sean Muller (Grand Island Resources)****(Name)****DRILLER:****American Drilling Corp****(Name)****4803 Caribou Road c/o Caribou Mine****(Address)****19208 East Broadway Ave****(Address)****Nederland****(City)****Colorado****(State)****Spokane****(City)****Washington****(State)****80466****(Zip)****(720) 502-0850****(Telephone No.)****99016****(Zip)****(509) 921-7836****(Telephone No.)**

III. LOCATION:

The following information is required for ALL prospecting drill holes:

1/4 of the 1/4 of Section Township Range

Prime Meridian County

If the area has not been surveyed, supply the Longitude West and Latitude North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

Feet ☐ North ☐ South from the ☐ South ☐ North section line
 feet ☐ east ☐ West from the ☐ west ☐ East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

☒ 1. Plugged dry hole, method of plugging:

Depth at which concrete plug set: feet below ground surface.

☒ 2. Sealed Hole (when groundwater is encountered):

☐ 2a. Neat Cement Grout, top to bottom: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2b. Neat Cement Grout, interval grouting: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

(Name of Operator's Representative)

(Title)

(Signature of Operator's Representative)

(Date)

**COLORADO**Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203**MINERAL PROSPECTING DRILL HOLE**
PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock

(PROSPECT SITE NAME)

P 2021-013

(PROSPECT NOI No.)

I. DRILL HOLE: Drill Hole I.D. No. CR-21-SN03For this Section I, please attach completed drill hole logs **OR** complete the following information:

1098'

(Total Depth)

13' to end of colluvium

(Depth of Unconsolidated Material)

Bedrock at 13', Casing set to 30'

(Depth of Penetration into Bedrock)

Was water encountered:

No

☒

Yes

☐

if so, at what depth(s):

Was water encountered in either Volcanic or Sedimentary Rock: No

☒ N/A

Yes

☐

Date Drilled:

9/15/2021

Date Permanently Abandoned:

9/23/2021

II. OPERATOR (PROSPECTOR) :

Sean Muller (Grand Island Resources)

(Name)

DRILLER:

American Drilling Corp

(Name)

4803 Caribou Road c/o Caribou Mine

(Address)

19208 East Broadway Ave

(Address)

Nederland

(City)

Colorado

(State)

Spokane

(City)

Washington

(State)

80466

(Zip)

(720) 502-0850

(Telephone No.)

99016

(Zip)

(509) 921-7836

(Telephone No.)



III. LOCATION:

The following information is required for ALL prospecting drill holes:

NW	1/4 of the	NE	1/4 of Section	8	Township	1S	Range	73W
6th Colorado			Prime Meridian	Boulder		County		

If the area has not been surveyed, supply the Longitude **105°34'53.10"** West and Latitude **39°58'55.60"** North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

	Feet	<input type="checkbox"/> North	<input type="checkbox"/> South from the	<input type="checkbox"/> South	<input type="checkbox"/> North section line
	feet	<input type="checkbox"/> east	<input type="checkbox"/> West from the	<input type="checkbox"/> west	<input type="checkbox"/> East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

<input checked="" type="checkbox"/>	1. Plugged dry hole, method of plugging:	Bentonite from bottom to casing and cement (neat) to surface casing stickup
-------------------------------------	--	---

Depth at which concrete plug set: **30'** feet below ground surface.

<input checked="" type="checkbox"/>	2. Sealed Hole (when groundwater is encountered):
<input type="checkbox"/>	2a. Neat Cement Grout, top to bottom: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

--

<input checked="" type="checkbox"/>	2b. Neat Cement Grout, interval grouting: grout mixture used:
-------------------------------------	---

1098' to 30' Bartoid HOLEPLUG, 30' to surface cement

Intervals grouted (feet beneath ground surface, method and materials):

--

<input checked="" type="checkbox"/>	2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:
-------------------------------------	---

Baroid HOLEPLUG from bottom of hole to bottom of casing. Casing cemented to top.

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

Leveling and cleaning up site to its original condition of barren ground devoid of vegetation per approved permit


The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

David P. Young

(Name of Operator's Representative)

Senior Geologist

(Title)


(Signature of Operator's Representative)

1/11/2022
(Date)



COLORADO

Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203

MINERAL PROSPECTING DRILL HOLE PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock

(PROSPECT SITE NAME)

P 2021-013

(PROSPECT NOI No.)

I. DRILL HOLE: Drill Hole I.D. No. CR-21-SG01

For this Section I, please attach completed drill hole logs **OR** complete the following information:

1583'

(Total Depth)

10'

(Depth of Unconsolidated Material)

Bedrock 10', Casing set to 30'

(Depth of Penetration into Bedrock)

Was water encountered:

No

☒

Yes

☐

if so, at what depth(s):

Was water encountered in either Volcanic or Sedimentary Rock: No

☒ N/A

Yes

☐

Date Drilled:

7/18/2021

Date Permanently Abandoned:

8/4/2021

II. OPERATOR (PROSPECTOR) :

Sean Muller (Grand Island Resources)

(Name)

DRILLER:

American Drilling Corp

(Name)

4803 Caribou Road c/o Caribou Mine

(Address)

19208 East Broadway Ave

(Address)

Nederland

(City)

Colorado

(State)

Spokane

(City)

Washington

(State)

80466

(Zip)

(720) 502-0850

(Telephone No.)

99016

(Zip)

(509) 921-7836

(Telephone No.)



III. LOCATION:

The following information is required for ALL prospecting drill holes:

1/4 of the 1/4 of Section Township Range

Prime Meridian County

If the area has not been surveyed, supply the Longitude West and Latitude North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

Feet ☐ North ☐ South from the ☐ South ☐ North section line
 feet ☐ east ☐ West from the ☐ west ☐ East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

☒ 1. Plugged dry hole, method of plugging:

Depth at which concrete plug set: feet below ground surface.

☒ 2. Sealed Hole (when groundwater is encountered):

☐ 2a. Neat Cement Grout, top to bottom: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2b. Neat Cement Grout, interval grouting: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

Leveling and cleaning up site to its original condition of barren ground devoid of vegetation per approved permit

The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

David P. Young

(Name of Operator's Representative)

Senior Geologist

(Title)


(Signature of Operator's Representative)

1/11/2022
(Date)

**COLORADO**Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203**MINERAL PROSPECTING DRILL HOLE**
PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock

(PROSPECT SITE NAME)

P 2021-013

(PROSPECT NOI No.)

I. DRILL HOLE: Drill Hole I.D. No. CR-21-SG02For this Section I, please attach completed drill hole logs **OR** complete the following information:

1528'

(Total Depth)

15' to end of colluvium

(Depth of Unconsolidated Material)

Bedrock at 15', Casing set to 30'

(Depth of Penetration into Bedrock)

Was water encountered:

No

☒

Yes

☐

if so, at what depth(s):

Was water encountered in either Volcanic or Sedimentary Rock: No

☒ N/A

Yes

☐

Date Drilled:

8/4/2021

Date Permanently Abandoned:

8/18/2021

II. OPERATOR (PROSPECTOR) :

Sean Muller (Grand Island Resources)

(Name)

DRILLER:

American Drilling Corp

(Name)

4803 Caribou Road c/o Caribou Mine

(Address)

19208 East Broadway Ave

(Address)

Nederland

(City)

Colorado

(State)

Spokane

(City)

Washington

(State)

80466

(Zip)

(720) 502-0850

(Telephone No.)

99016

(Zip)

(509) 921-7836

(Telephone No.)



III. LOCATION:

The following information is required for ALL prospecting drill holes:

☐ NW 1/4 of the ☐ NE 1/4 of Section Township Range

Prime Meridian County

If the area has not been surveyed, supply the Longitude West and Latitude North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

Feet ☐ North ☐ South from the ☐ South ☐ North section line
 feet ☐ east ☐ West from the ☐ west ☐ East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

☒ 1. Plugged dry hole, method of plugging:

Depth at which concrete plug set: feet below ground surface.

☒ 2. Sealed Hole (when groundwater is encountered):

☐ 2a. Neat Cement Grout, top to bottom: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2b. Neat Cement Grout, interval grouting: grout mixture used:

Intervals grouted (feet beneath ground surface, method and materials):

☒ 2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

(Name of Operator's Representative)

(Title)

(Signature of Operator's Representative)

(Date)

**COLORADO**Division of Reclamation,
Mining and Safety

Department of Natural Resources

1313 Sherman Street, Room 215
Denver, CO 80203**MINERAL PROSPECTING DRILL HOLE**
PERMANENT ABANDONMENT FINAL REPORT

Pursuant to the terms of 34-32-113(5.5)(d) and (e) of the Act and Rule 5.7 of the Mineral Rules and Regulations of the Colorado Mined Land Reclamation Board for Hard Rock, Metal, and Designated Mining Operations, abandonment reports shall be submitted to the Division within 60 days of abandonment for any drill hole with artesian flow, or within 12 months of abandonment for any other drill hole.

Cross Western Extension - Comstock

(PROSPECT SITE NAME)

P 2021-013

(PROSPECT NOI No.)

I. DRILL HOLE: Drill Hole I.D. No. CR-21-SG06AFor this Section I, please attach completed drill hole logs OR complete the following information:

1619'

(Total Depth)

15' to end of colluvium

(Depth of Unconsolidated Material)

Bedrock at 15', Casing set to 30'

(Depth of Penetration into Bedrock)

Was water encountered:

No

☒

Yes

☐

if so, at what depth(s):

Was water encountered in either Volcanic or Sedimentary Rock: No

☒ N/A

Yes

☐

Date Drilled:

8/21/2021

Date Permanently Abandoned:

9/1/2021

II. OPERATOR (PROSPECTOR) :

Sean Muller (Grand Island Resources)

(Name)

4803 Caribou Road c/o Caribou Mine

(Address)

Nederland

(City)

Colorado

(State)

80466

(Zip)

(720) 502-0850

(Telephone No.)

DRILLER:

American Drilling Corp

(Name)

19208 East Broadway Ave

(Address)

Spokane

(City)

Washington

(State)

99016

(Zip)

(509) 921-7836

(Telephone No.)



III. LOCATION:

The following information is required for ALL prospecting drill holes:

NW	1/4 of the	NE	1/4 of Section	8	Township	1S	Range	73W
6th Colorado			Prime Meridian	Boulder		County		

If the area has not been surveyed, supply the Longitude **105°34'53.10"** West and Latitude **39°58'55.60"** North, or attach a location map, preferably a USGS Quad.

The following additional information is required for artesian flowing holes: (not applicable)

	Feet	<input type="checkbox"/> North	<input type="checkbox"/> South from the	<input type="checkbox"/> South	<input type="checkbox"/> North section line
	feet	<input type="checkbox"/> east	<input type="checkbox"/> West from the	<input type="checkbox"/> west	<input type="checkbox"/> East section line

NOTE: In the case of closely spaced drill holes having similar geologic and hydrologic characteristics, the Operator may, with the approval of the Division, submit a single consolidated final report including the location of all drill holes and a description of abandonment technique. In such case, complete one abandonment final report form and attach a list of drill hole locations. If more space is needed to provide any of the information for this form, please attach separate sheets.

IV. Complete Either Subsection A or B:

PERMANENT ABANDONMENT (Check either box 1 or subsection 2 boxes as appropriate and provide the requested information)

<input checked="" type="checkbox"/> 1. Plugged dry hole, method of plugging:	Bentonite from bottom to casing and cement (neat) to surface casing stickup
--	---

Depth at which concrete plug set: **30'** feet below ground surface.

<input checked="" type="checkbox"/> 2. Sealed Hole (when groundwater is encountered):

<input type="checkbox"/> 2a. Neat Cement Grout, top to bottom: grout mixture used:
--

Intervals grouted (feet beneath ground surface, method and materials):

<input checked="" type="checkbox"/> 2b. Neat Cement Grout, interval grouting: grout mixture used:

1619' to 30' Bartoid HOLEPLUG, 30' to surface cement

Intervals grouted (feet beneath ground surface, method and materials):

<input checked="" type="checkbox"/> 2c. Abandonment Fluid Mixture (Such as Sodium Bentonite with Polymer) Brand Name:

Baroid HOLEPLUG from bottom of hole to bottom of casing. Casing cemented to top.

Marsh Funnel viscosity of abandonment fluid: sec.

Type of surface plugging used:

Depth at which plug set: feet below ground surface,

Method:

- ☐ 2d. Other method used with approval of the Division of Reclamation, Mining and Safety; describe in detail method and materials used on a separate attached sheet.

B. CONVERSION TO A WATER WELL (not applicable)

State Engineer's Permit No.: (attach copy of permit)

County Where Well is Located:

Water Well Use:

V. METHOD OF RECLAIMING DRILL SITE SURFACE DISTURBANCE:

The Operator who conducted the prospecting drill operation states that the information set forth hereupon is true to the best of their knowledge.

(Name of Operator's Representative)

(Title)

(Signature of Operator's Representative)

(Date)

P-2021-013
CROSS WESTERN
EXTENSION AT
COMSTOCK

MOVING RIG ON PAD PRIOR
TO BERMING IT IN ON
WEST SIDE

14 JUL21



P-2021-013 DRILLING

17 JUL 21



P-2021-013

SET-UP AFTER BERMING
WEST SIDE OF PAD
27 JUL 21





2977200 E

2977250 E

2977300 E

1236400 N

1236400 N

1236350 N

1236350 N

1236300 N

1236300 N

1236250 N

1236250 N

2977200 E

2977250 E

2977300 E

Cabin

Power Pole

CR-21-SG06A

CR-21-SG01

CR-21-SG02

CR-21-SN01

CR-21-SN03' CR-21-SN02

SIGNATURE

DATE

PRESIDENT - MINING

SAFETY DIRECTOR

MANAGER, GEOLOGY

MINE SUPERINTENDENT

CHIEF MINE ENGINEER



TITLE:

Diamond Drill Hole Locations
Caribou Hill

Drawn by: EFORD

Scale: 1"=20'

Date: 2022May11

Approval:

Date:

File: C:\Users\blars\Dropbox\PC\Documents\SURVEY\Underground Survey\C

Point ID	Easting SP	Northing SP	Elevation	Easting MG	Northing MG
CR-21-SN03	2977272.757	1236257.817	10087.404	7506.0188	11434.8617
CR-21-SN02	2977275.224	1236258.761	10087.187	7508.4858	11435.8057
CR-21-SN01	2977277.188	1236261.611	10087.086	7510.4498	11438.6557
CR-21-SG02	2977296.721	1236286.173	10084.787	7529.9828	11463.2177
CR-21-SG01	2977287.581	1236292.712	10084.857	7520.8428	11469.7567
CR-21-SG06A	2977274.369	1236297.393	10085.653	7507.6308	11474.4377