

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

002
External Outfall

Discharge:

002-A
MINE 1, POND T TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR/24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 15:20 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

002
External Outfall

Discharge:

002-Q
Quarterly Monitoring for 002A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00094	Conductivity	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		
					Value NODI									C - No Discharge		C - No Discharge			
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	CA - CALCTD
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		
					Value NODI									C - No Discharge		C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:20 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

003
External Outfall

Discharge:

003-A
MINE 1, POND B TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS & IRON (MLOC=O) APPLY IF 10YR,24HR PRECIP. EVENT CLAIMED. ALTERNATE LIMITS FORSETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF >10YR,24HR PRECIP EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.8			=	8.7	12 - SU	0	01/07 - Weekly	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU				
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								=	12.0	=	18.0	19 - mg/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L				
					Value NODI																
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L				
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample								<	0.1	<	0.1	25 - mL/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L				
					Value NODI																
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L				
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample								=	356.0	=	468.0	28 - ug/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L				
					Value NODI																
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L				
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.034	=	0.084	03 - MGD								0	01/07 - Weekly	IN - INSTAN	
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD											
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.	
Comments	
Permit modification approved to monitor flow weekly on an instantaneous basis.	
Attachments	
No attachments.	
Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 15:40 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

003
External Outfall

Discharge:

003-Q
Quarterly Monitoring for 003A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample								=	4141.0	=	4580.0	11 - umho/cm	0	01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		01/90 - Quarterly	GR - GRAB
					Value NODI															
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											9 - Conditional Monitoring - Not Required This Period				
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample								=	4023.0	=	4450.0	19 - mg/L	0	01/07 - Weekly	CA - CALCTD
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		01/90 - Quarterly	CA - CALCTD
					Value NODI															
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample			=	0.0	9P - N=0;Y=1								0	01/90 - Quarterly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1									01/90 - Quarterly	VI - VISUAL
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:50 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

004
External Outfall

Discharge:

004-A
MINE 1, POND C TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMES. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 15:20 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

004
External Outfall

Discharge:

004-Q
Quarterly Monitoring for 004A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00094	Conductivity	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		
					Value NODI									C - No Discharge		C - No Discharge			
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	CA - CALCTD
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		
					Value NODI									C - No Discharge		C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:51 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

005
External Outfall

Discharge:

005-A
MINE 1, POND D TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR/24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample						=	7.8			=	8.6	12 - SU	0	01/07 - Weekly 02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								<	6.2	=	9.0	19 - mg/L	0	01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			GR - GRAB
					Value NODI															
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample								<	0.1	<	0.1	25 - mL/L	0	01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			GR - GRAB
					Value NODI															
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample								=	200.0	=	232.0	28 - ug/L	0	02/30 - Twice Per Month 02/30 - Twice Per Month	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG		Req Mon DAILY MX	28 - ug/L			GR - GRAB
					Value NODI															
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	1.21	=	1.47	03 - MGD								0	01/07 - Weekly 99/99 - Continuous	IN - INSTAN
					Permit Req.	<=	4.55 30DA AVG		Req Mon DAILY MX	03 - MGD										RC - Recorder (auto)
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Permit modification approved to monitor flow weekly on an instantaneous basis.

Attachments

No attachments.

Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 16:01 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

005
External Outfall

Discharge:

005-W
ACUTE WET TESTING 005A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

SEE PART I.A.4 FOR DETAILS OF TESTPROCEDURE. REPORT LOWEST DILUTION(% EFFLUENT) WHICH IS LETHAL TO 50%OF TEST ORGANISMS (LC50) AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample						>	100.0					23 - %	0	01/90 - Quarterly	GR - GRAB
					Permit Req.						>=	100.0 MN VALUE					23 - %		01/90 - Quarterly	GR - GRAB
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
84_May2022CDPHE_DM.pdf	pdf	87514.0

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 16:13 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

005
External Outfall

Discharge:

005-Q
Quarterly Monitoring for 005A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00094	Conductivity	1 - Effluent Gross	0	--	Sample							=	4450.0	=	4690.0	11 - umho/cm	0	01/07 - Weekly	GR - GRAB		
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		01/90 - Quarterly	GR - GRAB		
					Value NODI																
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample							=	220.0	=	220.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB		
					Permit Req.							<=	3500.0 QRTR AVG	<=	7000.0 QRTR MAX	19 - mg/L		01/90 - Quarterly	GR - GRAB		
					Value NODI																
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample																
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI								9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period						
01306	Copper, potentially dissolved	1 - Effluent Gross	0	--	Sample							<	10.0	<	10.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB		
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI																
03582	Oil and grease	1 - Effluent Gross	0	--	Sample																
					Permit Req.									<=	10.0 INST MAX	19 - mg/L		77/77 - Contingent	GR - GRAB		
					Value NODI										9 - Conditional Monitoring - Not Required This Period						
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample							=	4170.0	=	4395.0	19 - mg/L	0	01/07 - Weekly	CA - CALCTD		
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		01/90 - Quarterly	CA - CALCTD		
					Value NODI																
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample			=	0.0	9P - N=0;Y=1							0	01/90 - Quarterly	VI - VISUAL		
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1								01/90 - Quarterly	VI - VISUAL		
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

<i>Report Last Saved By</i> <i>Twentymile Coal LLC</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 16:08 (Time Zone: -06:00)
<i>Report Last Signed By</i>	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

COLORADO - CDPS WET TEST REPORT FORM - ACUTE

PERMITTEE: **Twentymile Coal**

CDPS NO. **CO-0027154**

OUTFALL: 2000-84

TEST TYPE: ROUTINE XX ACCELERATED _____

TEST SPECIES: **D. magna**

TEST RESULTS	LETHALITY
LC50	>100%
Pass/Fail	Pass

TEST TIME & DATE

START

5/12/2022
12:00 PM

END

5/14/2022
12:00 PM

DILUTION (% EFFLUENT)

MEASUREMENTS	CONTROL	12.50%	25.00%	50.00%	75.00%	100%
24-hour	100	100	100	100	100	100
48-hour	100	100	100	100	100	100
pH (Maximum/Minimum)	7.23	7.39	7.57	7.75	7.91	8.44

RECEIVING WATER USED FOR DILUTION? **NO**

WERE ALL TEST CONDITIONS IN CONFORMANCE WITH DIVISION GUIDELINES? **YES**

IF NO, LIST ALL DEVIATIONS: _____

HARDNESS (MG/L) EFFLUENT: **2880**

MHW WATER: **374.15**

ALKALINITY (MG/L) EFFLUENT: **546.7**

MHW WATER: **99.22**

T. AMMONIA (MG/L) INITIAL EFFLUENT: **<1.0**

FINAL EFFLUENT: **<1.0**

T.RESIDUAL CHLORINE (MG/L) EFFLUENT: **<0.1**

LABORATORY: **ENVIRO-CHEM ANALYTICAL, INC.**

ANALYST: Liese K. Thompson

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

006
External Outfall

Discharge:

006-A
MINE 1, POND E TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR/24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration								# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00400	pH	1 - Effluent Gross	0	--	Sample						=	8.0			=	8.6	12 - SU	0	01/07 - Weekly	GR - GRAB	
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU				
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample								=	13.5	=	16.0	19 - mg/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L				
					Value NODI																
00530	Solids, total suspended	O - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	GR - GRAB	
					Permit Req.																
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample								<	0.1	<	0.1	25 - mL/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L				
					Value NODI																
00545	Solids, settleable	O - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L		01/07 - Weekly	GR - GRAB	
					Permit Req.																
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample								=	243.5	=	256.0	28 - ug/L	0	01/07 - Weekly	GR - GRAB	
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L				
					Value NODI																
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L		01/07 - Weekly	GR - GRAB	
					Permit Req.																
					Value NODI									9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB	
					Permit Req.										<=	10.0 INST MAX	19 - mg/L				
					Value NODI											9 - Conditional Monitoring - Not Required This Period					
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.005	=	0.005	03 - MGD								0	01/07 - Weekly 99/99 - Continuous	IN - INSTAN RC - Recorder (auto)	
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD											
					Value NODI																

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

006
External Outfall

Discharge:

006-Q
Quarterly Monitoring for 006A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00094	Conductivity	1 - Effluent Gross	0	--	Sample							=	3277.0	=	3990.0	11 - umho/cm	0	01/07 - Weekly	GR - GRAB
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		01/90 - Quarterly	GR - GRAB
					Value NODI														
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample							=	3184.0	=	3877.0	19 - mg/L	0	01/07 - Weekly	CA - CALCTD
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		01/90 - Quarterly	CA - CALCTD
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 16:26 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

007
External Outfall

Discharge:

007-A
MINE 1, POND F TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS & IRON (MLOC=O) APPLY IF 10YR,24HR PRECIP. EVENT CLAIMED. ALTERNATE LIMITS FORSETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF >10YR,24HR PRECIP EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														02/30 - Twice Per Month	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	GR - GRAB
					Permit Req.								<=	1000.0 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.	<=	2.97 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:30 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

007
External Outfall

Discharge:

007-Q
Quarterly Monitoring for 007A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00094	Conductivity	1 - Effluent Gross	0	--	Sample							=	1700.0	=	1900.0	11 - umho/cm		0	01/07 - Weekly	GR - GRAB
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm			01/90 - Quarterly	GR - GRAB
					Value NODI															
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample							=	0.1	<	0.1	25 - mL/L		0	01/07 - Weekly	GR - GRAB
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	25 - mL/L			01/90 - Quarterly	GR - GRAB
					Value NODI															
00545	Solids, settleable	O - See Comments	0	--	Sample															
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	25 - mL/L			01/90 - Quarterly	GR - GRAB
					Value NODI								9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample							<	60.0	<	60.0	28 - ug/L		0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	28 - ug/L			01/90 - Quarterly	GR - GRAB
					Value NODI															
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample															
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	28 - ug/L			01/90 - Quarterly	GR - GRAB
					Value NODI								9 - Conditional Monitoring - Not Required This Period		9 - Conditional Monitoring - Not Required This Period					
03582	Oil and grease	1 - Effluent Gross	0	--	Sample															
					Permit Req.									<=	10.0 INST MAX	19 - mg/L			77/77 - Contingent	GR - GRAB
					Value NODI										9 - Conditional Monitoring - Not Required This Period					
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample							=	1652.0	=	1846.0	19 - mg/L		0	01/90 - Quarterly	CA - CALCTD
					Permit Req.								Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L			01/90 - Quarterly	CA - CALCTD
					Value NODI															
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample			=	0.0	9P - N=0;Y=1								0	01/90 - Quarterly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1									01/90 - Quarterly	VI - VISUAL
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.	
Comments	
Attachments	
No attachments.	
Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 16:33 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

007
External Outfall

Discharge:

007-W
ACUTE WET TESTING FOR 007A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

SEE PART I.A.4 FOR DETAILS OF TESTPROCEDURE. REPORT LOWEST DILUTION(% EFFLUENT) WHICH IS LETHAL TO 50%OF TEST ORGANISMS (LC50) AND ATTACH ACUTE TOXICITY TEST REPORT FORM TO DMR.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
TAM3C	LC50 Static Renewal 48Hr Acute Daphnia magna	1 - Effluent Gross	0	--	Sample						>	100.0					23 - %	0	01/90 - Quarterly	GR - GRAB
					Permit Req.						>=	100.0 MN VALUE					23 - %		01/90 - Quarterly	GR - GRAB
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
87_May2022CDPHE_DM.pdf	pdf	87623.0

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 16:14 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

008
External Outfall

Discharge:

008-A
MINE 1, POND G TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

ALTERNATE LIMITS FOR TSS (MLOC=O) APPLY IF 10YR,24HR PRECIP EVENT CLAIMED. ALTERNATE LIMITS FOR IRON &SETTLEABLE SOLIDS (MLOC=O) APPLY ONLY IF <=10YR,24HR PRECIP. EVENT CLAIMED. OIL & GREASE - SEE I.C.19,PAGE 16.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	9.0 MAXIMUM	12 - SU			
					Value NODI							C - No Discharge				C - No Discharge				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	35.0 30DA AVG	<=	70.0 DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00530	Solids, total suspended	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	19 - mg/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG	<=	0.5 DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
00545	Solids, settleable	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	25 - mL/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.								<=	3500.0 30DA AVG	<=	7000.0 DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
01045	Iron, total [as Fe]	O - See Comments	0	--	Sample														01/07 - Weekly	GR - GRAB
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L			
					Value NODI									C - No Discharge		C - No Discharge				
03582	Oil and grease	1 - Effluent Gross	0	--	Sample														77/77 - Contingent	GR - GRAB
					Permit Req.										<=	10.0 INST MAX	19 - mg/L			
					Value NODI											C - No Discharge				
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample														99/99 - Continuous	RC - Recorder (auto)
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI		C - No Discharge		C - No Discharge											
84066	Oil and grease visual	1 - Effluent Gross	0	--	Sample														01/07 - Weekly	VI - VISUAL
					Permit Req.				Req Mon INST MAX	9P - N=0;Y=1										
					Value NODI				C - No Discharge											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
Twentymile Coal LLC	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-27 15:30 (Time Zone: -06:00)
Report Last Signed By	
User:	MBLOMQUIST@PEABODYENERGY.COM
Name:	Miranda Kawcak
E-Mail:	mblomquist@peabodyenergy.com
Date/Time:	2022-07-28 19:18 (Time Zone: -06:00)

COLORADO - CDPS WET TEST REPORT FORM - ACUTE

PERMITTEE: **Twentymile Coal**

CDPS NO. **CO-0027154**

OUTFALL: 2000-87

TEST TYPE: ROUTINE XX ACCELERATED _____

TEST SPECIES: **D. magna**

TEST RESULTS	LETHALITY
LC50	>100%
Pass/Fail	Pass

TEST TIME & DATE

START

5/12/2022
12:00 PM

END

5/14/2022
12:00 PM

DILUTION (% EFFLUENT)

MEASUREMENTS	CONTROL	12.50%	25.00%	50.00%	75.00%	100%
24-hour	100	100	100	100	100	100
48-hour	100	100	100	100	100	100
pH (Maximum/Minimum)	7.23	7.29	7.34	7.46	7.51	7.59

RECEIVING WATER USED FOR DILUTION? **NO**

WERE ALL TEST CONDITIONS IN CONFORMANCE WITH DIVISION GUIDELINES? **YES**

IF NO, LIST ALL DEVIATIONS: _____

HARDNESS (MG/L) EFFLUENT: **1420**

MHW WATER: **374.15**

ALKALINITY (MG/L) EFFLUENT: **361.6**

MHW WATER: **99.22**

T. AMMONIA (MG/L) INITIAL EFFLUENT: **<1.0**

FINAL EFFLUENT: **<1.0**

T.RESIDUAL CHLORINE (MG/L) EFFLUENT: **<0.1**

LABORATORY: **ENVIRO-CHEM ANALYTICAL, INC.**

ANALYST: Liese K. Thompson

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

008
External Outfall

Discharge:

008-Q
Quarterly Monitoring for 008A

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
00094	Conductivity	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	11 - umho/cm		
					Value NODI									C - No Discharge		C - No Discharge			
70295	Solids, total dissolved	1 - Effluent Gross	0	--	Sample													01/90 - Quarterly	CA - CALCTD
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	19 - mg/L		
					Value NODI									C - No Discharge		C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:30 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

MON
External Outfall

Discharge:

MON-5
MINE 1, POND D TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample							=	0.25		=	0.25	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample							<	20.0		<	20.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample							<	0.5		<	0.5	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample							<	0.1		<	0.1	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
01322	Nickel, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	126.0		=	126.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample							=	0.53		=	0.53	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
					Value NODI															
71900	Mercury, total [as Hg]	1 - Effluent Gross	0	--	Sample							<	0.2		<	0.2	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.								Req Mon 30DA AVG			Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 16:11 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM



DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

MON
External Outfall

Discharge:

MON-7
MINE 1, POND F TO FOIDEL CREEK

Report Dates & Status

Monitoring Period:

From 06/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Code	Parameter	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units		
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
01303	Zinc, potentially dissolved	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
01314	Chromium, trivalent, potentially dissolvd	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
01318	Lead, potentially dissolvd	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
01322	Nickel, potentially dissolved	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			
01323	Selenium, potentially dissolvd	1 - Effluent Gross	0	--	Sample														
					Permit Req.									Req Mon 30DA AVG		Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI									C - No Discharge		C - No Discharge			

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 15:30 (Time Zone: -06:00)

Report Last Signed By

User:


MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com



DMR Copy of Record

Permit

Permit #:

CO0027154

Major:

Yes

Permittee:

Twentymile Coal LLC

Permittee Address:

29515 Routt CR 27
Oak Creek, CO 80467

Facility:

MINES 1&2 AND ECKMAN PARK MINE

Facility Location:

29515 RCR #27
APX 20 MI SW OF STEAMBOAT SPGS
ROUTT COUNTY, CO 80467

Permitted Feature:

MON
External Outfall

Discharge:

MON-7Q
Quarterly Monitoring for MON7

Report Dates & Status

Monitoring Period:

From 04/01/22 to 06/30/22

DMR Due Date:

07/28/22

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
71900	Mercury, total [as Hg]	1 - Effluent Gross	0	--	Sample								<	0.2	<	0.2	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.									Req Mon QRTR AVG		Req Mon QRTR MAX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Twentymile Coal LLC

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-27 16:33 (Time Zone: -06:00)

Report Last Signed By

User:

MBLOMQUIST@PEABODYENERGY.COM

Name:

Miranda Kawcak

E-Mail:

mblomquist@peabodyenergy.com

Date/Time:

2022-07-28 19:18 (Time Zone: -06:00)

COLORADO - CDPS WET TEST REPORT FORM - ACUTE

PERMITTEE: **Twentymile Coal**

CDPS NO. **CO-0027154**

OUTFALL: 2000-84

TEST TYPE: ROUTINE XX ACCELERATED _____

TEST SPECIES: **D. magna**

TEST RESULTS	LETHALITY
LC50	>100%
Pass/Fail	Pass

TEST TIME & DATE

START

5/12/2022
12:00 PM

END

5/14/2022
12:00 PM

DILUTION (% EFFLUENT)

MEASUREMENTS	CONTROL	12.50%	25.00%	50.00%	75.00%	100%
24-hour	100	100	100	100	100	100
48-hour	100	100	100	100	100	100
pH (Maximum/Minimum)	7.23	7.39	7.57	7.75	7.91	8.44

RECEIVING WATER USED FOR DILUTION? **NO**

WERE ALL TEST CONDITIONS IN CONFORMANCE WITH DIVISION GUIDELINES? **YES**

IF NO, LIST ALL DEVIATIONS: _____

HARDNESS (MG/L) EFFLUENT: **2880**

MHW WATER: **374.15**

ALKALINITY (MG/L) EFFLUENT: **546.7**

MHW WATER: **99.22**

T. AMMONIA (MG/L) INITIAL EFFLUENT: **<1.0**

FINAL EFFLUENT: **<1.0**

T.RESIDUAL CHLORINE (MG/L) EFFLUENT: **<0.1**

LABORATORY: **ENVIRO-CHEM ANALYTICAL, INC.**

ANALYST: Liese K. Thompson

COLORADO - CDPS WET TEST REPORT FORM - ACUTE

PERMITTEE: **Twentymile Coal**

CDPS NO. **CO-0027154**

OUTFALL: 2000-87

TEST TYPE: ROUTINE XX ACCELERATED _____

TEST SPECIES: **D. magna**

TEST RESULTS	LETHALITY
LC50	>100%
Pass/Fail	Pass

TEST TIME & DATE

START

5/12/2022
12:00 PM

END

5/14/2022
12:00 PM

DILUTION (% EFFLUENT)

MEASUREMENTS	CONTROL	12.50%	25.00%	50.00%	75.00%	100%
24-hour	100	100	100	100	100	100
48-hour	100	100	100	100	100	100
pH (Maximum/Minimum)	7.23	7.29	7.34	7.46	7.51	7.59

RECEIVING WATER USED FOR DILUTION? **NO**

WERE ALL TEST CONDITIONS IN CONFORMANCE WITH DIVISION GUIDELINES? **YES**

IF NO, LIST ALL DEVIATIONS: _____

HARDNESS (MG/L) EFFLUENT: **1420**

MHW WATER: **374.15**

ALKALINITY (MG/L) EFFLUENT: **361.6**

MHW WATER: **99.22**

T. AMMONIA (MG/L) INITIAL EFFLUENT: **<1.0**

FINAL EFFLUENT: **<1.0**

T.RESIDUAL CHLORINE (MG/L) EFFLUENT: **<0.1**

LABORATORY: **ENVIRO-CHEM ANALYTICAL, INC.**

ANALYST: Liese K. Thompson