

**NEW ELK MINE**  
**Permit No. C-1981-012**

**QUARTERLY COAL WASTE BANK INSPECTION REPORT**  
**August 10, 2022**

The three coal waste banks at the New Elk Mine were inspected on August 10, 2022. The weather was clear. The ground conditions were dry. Vegetation is good throughout the mine site, with recent rain events. The slopes of DWDA #1 have excellent vegetation. Vegetation of DWDA #2 was sparse. The vegetation on the RDA exhibited moderate vegetative growth. The RDA had a compaction test completed on June 28, 2022.

Sediment Control Pond #4 is situated west of DWDA#1. This pond has never discharged and was dry at time of inspection. DWDA#2 run-off reports to Pond #7 via a series of ditches and culverts. Run-off from the RDA reports to Pond 8 located at the base of the waste bank just north of Highway 12.

Note that the NPDES permit for the New Elk Mine was renewed effective May 31, 2015. NECC submitted a renewal application before May 31, 2020 and is still awaiting approval. The most significant change was the sampling of discharge from Pond 4 is no longer required as the DWDA#1 has been reclaimed and vegetation is becoming well established. Continuous recording flow meters have been installed on both Ponds 7 and 8. Clean-out of pond 7 was completed in early 2017. Pond 8 was cleaned-out in the spring of 2018.

## **DEVELOPMENT WASTE DISPOSAL AREA No. 1**

### **GENERAL DESCRIPTION OR REFERENCE TO SITE PLAN:**

This Development Waste Disposal Area is located south of State Highway 12 and west of the main facility Access Road. It is adjacent to and north of the Middle Fork of the Purgatoire River. The area is permitted for disposal of waste rock from underground mining and disposal of sediment collected from ponds and ditches located within the mine permit area. Since mine closure in 1989, the area has been used for disposal of sediment removed from ponds and ditches located within the mine permit area. In 2004 the area was closed and reclaimed. The area received Phase I bond release in 2005.

### **Activity during Inspection:**

- ☐ Removal of Topsoil and Organic Matter
- ☐ Placement of Under-drains
- ☐ Installation of Surface Drainage System
- ☐ Construction of Fill
- ☐ Placement of Topsoil
- ☐ Seeding
- ☒ Other      Facility in Final Reclamation- Phase I Bond Released

**Drainage:** (Discussing of springs, seeps, overland and channel flow, underdrain constructions and/or discharge, integrity of 100-year 24-hour drainage structures, and evidence of positive drainage)

Positive Drainage is maintained on the surface of the DWDA. No evidence of springs nor seeps were observed.

**Observation of Fill Construction:** (Description of material, compaction, left thickness, slopes, and construction methods)

Fill construction and reclamation of the surface has been completed. The site was seeded in 2005 and is eligible for both Phase II & III reclamation subject to a successful vegetation assessment.

**Indications of Potential Failure or Instability:**

Surface and out slopes of the pile were inspected for visible signs of potential failure or instability. None were observed.

**Threat to Human Life or Property:**

Failure could impact persons or equipment on or adjacent to the disposal area. No threat was observed and with final reclamation is unlikely to occur.

**Potential Harm to Land, Air, and Resources:**

Failure could impact the Purgatoire River or areas adjacent to the disposal area. No adverse conditions were observed.

**DOCUMENTATION AND OTHER OBSERVATIONS**

Overall the disposal area is in good condition.



**DWDA #1**

**Maintenance Required:**

None at this time.

## **DEVELOPMENT WASTE DISPOSAL AREA No. 2**

**GENERAL DESCRIPTION OR REFERENCE TO SITE PLAN:**

This Development Waste Disposal Area is located south of State Highway 12 and east of the main facility Access Road. It is adjacent to and north of the Middle Fork of the Purgatoire River. The area is permitted for disposal of waste rock from underground mining and disposal of sediment collected from ponds and ditches located within the mine permit area.

**Activity during Inspection:**

- ☐ Removal of Topsoil and Organic Matter
- ☐ Placement of Under-drains
- ☐ Installation of Surface Drainage System
- ☐ Construction of Fill
- ☐ Placement of Topsoil
- ☐ Seeding
- ☒ Other      Facility was idle at the time of inspection

Refuse placement has been completed and the operator has trucked excess waste to the RDA so that finished slopes can be brought to approved grade. The excess storage space on the west end of the pile is used as a sediment drying area.

**Drainage:** (Discussing of springs, seeps, overland and channel flow, underdrain constructions and/or discharge, integrity of 100-year 24-hour drainage structures, and evidence of positive drainage)

Positive Drainage is maintained on the surface of the DWDA. Sump on East end of pile was being cleaned at time of inspection. Rills on the disposal area are being monitored. No evidence of springs nor seeps were observed.

**Observation of Fill Construction:** (Description of material, compaction, left thickness, slopes, and construction methods)

Coarse to fine-grained development waste rock has been placed and compacted according to approved plans. Compaction testing was done by CTL-Thompson on May 28, 2012 demonstrating that refuse placement has been conducted in accordance with plan requirements. No refuse placement has occurred since the May 2012 compaction testing.

**Indications of Potential Failure or Instability:**

Surface and out slopes of the pile were inspected for visible signs of potential failure or instability. There was some surface erosion but not enough to make the area unstable. In all no signs of failure or instability were observed.

**Threat to Human Life or Property:**

Failure could impact persons or equipment on or adjacent to the disposal area. No threat was observed.

**Potential Harm to Land, Air, and Resources:**

Failure could impact the Purgatoire River or areas adjacent to the disposal area. No adverse conditions were observed.

**DOCUMENTATION AND OTHER OBSERVATIONS**

Overall the disposal area is in good condition.



**DWDA #2**

**Maintenance Required:**

A rill has formed on the east end of the waste pile. Rill should be filled in and check dams put in place to prevent this rill developing again. Operator is evaluating either reclamation of the area or permitting alternative uses of the land north of the Purgatoire River and south of Highway 12.

## **REUSE DISPOSAL AREA (RDA)**

**GENERAL DESCRIPTION OR REFERENCE TO SITE PLAN:**

The Primary Refuse Disposal Area is located north of State Highway 12 and the Middle Fork of the Purgatoire River. Refuse is transported by conveyor belt to the RDA from the coal preparation plant located south of the river. The plant has been in operation since June of 2021 and the RDA has been active since the start of the plant. The approved procedure for laying waste material has been followed since activities have begun.

**Activity during Inspection:**

- ☐ Removal of Topsoil and Organic Matter
- ☐ Placement of Under-drains
- ☐ Installation of Surface Drainage System
- ☒ Construction of Fill
- ☐ Placement of Topsoil
- ☐ Seeding
- ☐ Other

**Drainage:** (Discussing of springs, seeps, overland and channel flow, underdrain constructions and/or discharge, integrity of 100-year 24-hour drainage structures, and evidence of positive drainage)

Positive Drainage is maintained on the surface of the RDA. Sumps on top of the RDA have been recently cleaned. There is no ponding on the top of the pile. No evidence of springs nor seeps were observed.

**Observation of Fill Construction:** (Description of material, compaction, left thickness, slopes, and construction methods)

Refuse is placed in 1-2 foot lifts, allowed to dry and then compacted. Periodically CTL-Thompson, a geotechnical engineering firm, evaluates refuse compaction. The permit requires and testing has demonstrated that the operation has achieved in excess of the required 90% compaction.

**Indications of Potential Failure or Instability:**

None observed.

**Threat to Human Life or Property:**

None observed. Location and placement minimize potential impacts to life or property.

**Potential Harm to Land, Air, and Resources:**

None observed. Location of the waste bank minimizes potential impacts to land and water resources, but failure could impact State Highway 12 and the Purgatoire River.

## **DOCUMENTATION AND OTHER OBSERVATIONS**

Overall the site is in good condition. Compaction test from this quarter is attached. Compaction tests came back at 97 and 96 percent which complies with specifications.

Depth to water in water level monitoring wells taken: June 24, 2022

Well	Depth	Elevation
TH-1	43.0 ft	7442.1
TH-2	71.2 ft	7459.9
TH-3	93.0 ft	7499.6





**Pond at base of Refuse Disposal Area**

**Maintenance Required:**

None required at this time.


**Certification**

This inspection was conducted by Vince Massarotti, a qualified professional and MSHA certified inspector of earth and rock-fill embankments, waste banks and impoundments, under the direction of Mr. Stormes, a registered professional engineer licensed in the State of Colorado.

This is to certify, to the best of my knowledge and belief, that maintenance, since the previous certification and as determined during this inspection and discussions with mine personnel is in accordance with designs as approved by the Division of Reclamation, Mining and Safety.

Vince Massarotti  
Inspector

8-10-2022  
Date



Bill Alexander Stormes  
Professional Engineer

9-21-22  
Date

Inspections completed in compliance with Rule 4.09.1(11)(b) must be submitted to the Division within two weeks of completion.

Southern Colorado  
 4718 N Elizabeth Street  
 Suite C-2  
 Pueblo, CO 81008  
 Phone: 719-595-1287

**Report #:** SNG-000005  
**Test date:** 09/21/22  
**Report Date:** 09/23/2022  
**Test Method:** ASTM D 6938

**Client:**  
 New Elk Coal Company  
 12250 Highway 12  
 Weston, CO 81091

**Project:**  
 SC02872.002F-345  
 New Elk Coal Mine Wastebank  
 Highway 12  
 Weston, CO

Test Results															
Test #	Retest Of	Test Date	Proctor ID	Method	Soil Classification	Optimum Moisture (%)	Maximum Dry Density (pcf)	In Place Moisture (%)	In Place Dry Density (pcf)	In Place Wet Density (pcf)	Probe Depth (in)	Percent Compaction	Min Comp. (%)	Optimum Moisture Tolerance (%)	Remark
11		09/21/22	50	698B	Cohesive	16.5	105.5	14.9	104.3	119.8	8	99	95	-2 / 2	A
12		09/21/22	50	698B	Cohesive	16.5	105.5	14.6	101.5	116.3	8	96	95	-2 / 2	A
13		09/21/22	50	698B	Cohesive	16.5	105.5	14.7	104.0	119.3	8	99	95	-2 / 2	A
Test Information															
Test #	Test Location						Elevation	Reference		Gauge Make / Model / SN / Calibrated			Field Technician		
11	Various: Refuse disposal area, 300'S, 50'W of NE corner of site.						33.0	Above slope toe.		TROXLER / 3430 / 33970 / 04/12/2022			Richards, Daniel		
12	Various: Refuse disposal area, 200'S, 250'E of NW corner of site.						33.0	Above slope toe.		TROXLER / 3430 / 33970 / 04/12/2022			Richards, Daniel		
13	Various: Refuse disposal area, 80'S, 450'E of NW corner of site.						33.0	Above slope toe.		TROXLER / 3430 / 33970 / 04/12/2022			Richards, Daniel		
Remarks					Comments										
A: Test results comply with specifications.					Tests are "Direct Transmission" (Method A) unless probe depth is noted as "Backscatter". Gauge calibration data on file with the testing agency.  13: Upon arriving for requested site visit, CTL Thompson observed that the contractor had placed approximately 3 ft. of coal refuse since CTL Thompson's last site visit. After testing, the contractor was verbally notified of test results.										